2021 Financial Assurance Estimate Form

(with pre-plat construction)

(with pre-plat construction)		Updated: 12/22/2020
	PROJECT INFORMATION	
Briargate Bridge at Sand Creek at Sterling Ranch	12/6/2021	CDR-21-013
Project Name	Date	PCD File No.

				Unit				, ,		onstruction)
escription		Quantity	Units	Cost			Total	% Complete		Remaining
ECTION 1 - GRADING AND EROSIG	ON CONTR	ROL (Constructio	n and Perm	anent BMPs)						
* Earthwork					I					
less than 1,000; \$5,300 min			CY	\$ 8.00	=	\$			\$	
1,000-5,000; \$8,000 min		1,000	CY	\$ 6.00	=	\$	8,000.00		\$	8,000.0
5,001-20,000; \$30,000 min			CY	\$ 5.00	=	\$	-		\$	-
20,001-50,000; \$100,000 min			CY	\$ 3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min			CY	\$ 2.50	=	\$	-		\$	-
greater than 200,000; \$500,000 min			CY	\$ 2.00	=	\$	-		\$	-
* Permanent Seeding (inc. noxious weed mgm	nnt.)	1	AC	\$ 828.00	=	\$	414.00		\$	414.0
* Mulching		/' <u>1</u>	AC	\$ 777.00	=	\$	388.50		\$	388.
* Permanent Erosion Control Blanket			SY	\$ 6.00	=	\$	-		\$	-
* Permanent Pond/BMP Construction			CY	\$ 21.00	=	\$	-		\$	-
* Permanent Pond/BMP (provide engineer's es	stimate)		EA		=	\$	-		\$	-
hour cianificant digita			EA		=	\$	-		\$	-
haw significant digits	$\overline{}$		LF	\$ 3.00	=	\$	-		\$	-
Temporary Erosion Control Blanket		1,000	SY	\$ 3.00	=	\$	3,000.00		\$	3,000.0
Vehicle Tracking Control		2	EA	\$ 2,453.00	=	\$	4,906.00		\$	4,906.
Silt Fence			LF	\$ 2.60	=	\$	· -		\$	-
Temporary Seeding		71	AC	\$ 650.00	=	\$	325.00		\$	325.0
	rify.	1	AC	\$ 777.00	=	\$	388.50		\$	388.
Erosion Bales	erify		EA	\$ 26.00	=	\$	-		\$	-
Erosion Logs/Straw Waddle		7	LF.	\$ 5.00	_	\$	25.00		\$	25.
Rock Check Dams			EA	\$ 518.00	_	\$	-		\$	
Inlet Protection			EA	\$ 173.00	=	\$			\$	-
Sediment Basin			EA	\$ 1,824.00		\$			\$	
Concrete Washout Basin		2	EA	\$ 932.00		\$	1,864.00		\$	1 064
Concrete Washout Basin		2	EA	\$ 932.00	=		1,004.00			1,864.0
Fig. 1 of 12	-17					\$	-		\$	-
[insert items not listed but part of construction				\	=	\$			\$	-
		INTENANCE (35%	6 of Constr	uction BMPs)	=	\$	3,677.98		\$	3,677.9
 Subject to defect warranty financial assurance. A minimule retained until final acceptance (MAXIMUM OF 80% CONLLOWED) 			Sectio	n 1 Subtotal	=	\$	22,988.98		\$	22,988.9
e retained until final acceptance (MAXIMUM OF 80% COM	IPLETE		Sectio	n 1 Subtotal	=	\$	22,988.98		\$	22,988.9
e retained until final acceptance (MAXIMUM OF 80% CON LLOWED)	IPLETE		Sectio	n 1 Subtotal	=	\$	22,988.98		\$	22,988.9
e retained until final acceptance (MAXIMUM OF 80% COM LLOWED) SECTION 2 - PUBLIC IMPROVEMEN	IPLETE		Sectio	n 1 Subtotal	=	\$	22,988.98		\$	22,988.9
e retained until final acceptance (MAXIMUM OF 80% CON LLOWED) SECTION 2 - PUBLIC IMPROVEMEN COADWAY IMPROVEMENTS	IPLETE			n 1 Subtotal			•			22,988.9
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control	IPLETE		LS		=	\$	-		\$	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)	IPLETE		LS Tons	\$ 29.00	=	\$	- -		\$	- -
retained until final acceptance (MAXIMUM OF 80% CONLICTION 2 - PUBLIC IMPROVEMEN CONSTRUCTION 1 - PUBLIC IMPROVEMEN CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)	IPLETE		LS Tons CY	\$ 29.00 \$ 52.00	=	\$ \$ \$ \$	-		\$ \$ \$	- -
retained until final acceptance (MAXIMUM OF 80% CON LLCWED) SECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	IPLETE		LS Tons CY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00	=	\$ \$ \$ \$	- - - - -		\$ \$ \$ \$	- - - - -
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) SECTION 2 - PUBLIC IMPROVEMEN COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	IPLETE		LS Tons CY SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00	= =	\$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$ \$	- - - - - -
retained until final acceptance (MAXIMUM OF 80% CONLLOWED) ECTION 2 - PUBLIC IMPROVEMEN COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)	TS *		LS Tons CY SY SY SY Tons	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00	= =	\$ \$ \$ \$ \$ \$			\$ \$ \$ \$	- - - - -
retained until final acceptance (MAXIMUM OF 80% CONLLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved	TS *		LS Tons CY SY SY SY Tons SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign	TS *		LS Tons CY SY SY SY Tons SF EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -
retained until final acceptance (MAXIMUM OF 80% CONLLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	TS *		LS Tons CY SY SY SY Tons SF EA EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	TS *		LS Tons CY SY SY SY Tons SF EA EA SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	TS *		LS Tons CY SY SY SY Tons SF EA EA SF SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 14.00 \$ 24.00	= = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) IECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Paveme	TS *		LS Tons CY SY SY SY Tons SF EA SF SF EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 14.00 \$ 24.00 \$ 207.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * *	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I	TS *		LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	TS *		LS Tons CY SY SY Tons SF EA EA SF EA EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	TS *		LS Tons CY SY SY SY Tons SF EA EA LF LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 22.00 \$ 25.00 \$ 31.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	-
retained until final acceptance (MAXIMUM OF 80% CONLLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	TS *		LS Tons CY SY SY SY Tons SF EA EA LF LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	TS *		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" Vertical) Curde and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	TS *		LS Tons CY SY SY SY Tons SF EA EA LF LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	TS *		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	-
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	TS *		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk	TS *		LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SF SY SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 75.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTTON 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp	TS *		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 99.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CON LLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" Vertical) Curde and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	TS *" thick		LS Tons CY SY SY SY Tons SF EA EA LF LF LF LF SY SY SY SY SY SY SY SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 25.00 \$ 31.00 \$ 31.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CONLOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include re	TS *" thick		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 50.00 \$ 62.00 \$ 99.00 \$ 99.00 \$ 63.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" Vertical) Curlo and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 9" Sidewalk 1" Sidewalk 1" Sidewalk 2" Sidewalk 3" Sidewalk 4" Sidewalk 5" Sidewalk 6" Sidewalk	TS *" thick	600	LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 62.00 \$ 75.00 \$ 99.00 \$ 1,190.00 \$ 95.00 \$ 1,532.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include re Cross Pan, collector (9" thick, 8' wide to includ Curb Chase Guardrail Type 3 (W-Beam)	TS *" thick	600	LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00 \$ 1,190.00 \$ 1,190.00 \$ 1,532.00 \$ 1,532.00 \$ 51.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CONLOWED) ICCTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T ibs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include re Cross Pan, collector (9" thick, 8' wide to includ Curb Classe Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	TS *" thick		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 277.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00 \$ 75.00 \$ 63.00 \$ 1,190.00 \$ 1,1532.00 \$ 1532.00 \$ 1532.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include re Cross Pan, collector (9" thick, 8' wide to include re Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete)	TS *" thick	600	LS Tons CY SY SY SY Tons SF EA EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 27.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 75.00 \$ 99.00 \$ 1,190.00 \$ 95.00 \$ 1,532.00 \$ 51.00 \$ 2,172.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include re Cross Pan, collector (9" thick, 8' wide to include re Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Tippe 7 (Concrete) Guardrail Impact Attenuator	TS *" thick		LS Tons CY SY SY SY Tons SF EA EA SF SF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 30.00 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 50.00 \$ 50.00 \$ 50.00 \$ 75.00 \$ 1,190.00 \$ 1,532.00 \$ 75.00 \$ 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include re Cross Pan, collector (9" thick, 8' wide to include re Cross Pan, collector (9" thick, 8' wide to include re Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	TS *" thick		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 62.00 \$ 75.00 \$ 1,190.00 \$ 99.00 \$ 1,192.00 \$ 1,752.00 \$ 1,752.00 \$ 1,752.00 \$ 1,752.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
retained until final acceptance (MAXIMUM OF 80% CON LOWED) ECTION 2 - PUBLIC IMPROVEMEN OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include re Cross Pan, collector (9" thick, 8' wide to include re Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Tippe 7 (Concrete) Guardrail Impact Attenuator	TS *" thick		LS Tons CY SY SY SY Tons SF EA EA SF SF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 30.00 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 50.00 \$ 50.00 \$ 50.00 \$ 75.00 \$ 1,190.00 \$ 1,532.00 \$ 75.00 \$ 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

	PROJECT INFORMATION	
Briargate Bridge at Sand Creek at Sterling Ranch	12/6/2021	CDR-21-013
Project Name	Date	PCD File No.

Description	Quantity	Units	Unit Cost		Total	(with Pr % Complete	re-Plat Construction) Remaining	
58S Bridge	1	EA	\$750,000.00	=	\$ 750,000,00	•	\$	750,000.00
[insert items not listed but part of construction plans]	_		,,	=	\$ -		\$	-
STORM DRAIN IMPROVEMENTS								
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$ -		\$	-
18" Reinforced Concrete Pipe		LF	\$ 67.00	=	\$ -		\$	-
24" Reinforced Concrete Pipe		LF	\$ 81.00	=	\$ -		\$	-
30" Reinforced Concrete Pipe		LF	\$ 100.00	=	\$ -		\$	_
36" Reinforced Concrete Pipe		LF	\$ 124.00	=	\$ -		\$	_
42" Reinforced Concrete Pipe		LF	\$ 166.00	=	\$ _		\$	_
48" Reinforced Concrete Pipe		LF	\$ 202.00	=	\$ _		\$	_
54" Reinforced Concrete Pipe		LF	\$ 254.00	=	\$ -		\$	-
60" Reinforced Concrete Pipe		LF	\$ 298.00	=	\$ _		\$	_
66" Reinforced Concrete Pipe		LF	\$ 344.00	=	\$ 		\$	
72" Reinforced Concrete Pipe		LF	\$ 393.00	=	\$ _		\$	_
18" Corrugated Steel Pipe		LF	\$ 87.00	=	\$ 		\$	_
24" Corrugated Steel Pipe		LF	\$ 99.00	=	\$ _		\$	_
30" Corrugated Steel Pipe		LF	\$ 126.00		\$ _		\$	_
36" Corrugated Steel Pipe		LF	\$ 152.00		\$ -		\$	-
42" Corrugated Steel Pipe		LF	\$ 174.00		\$ 		\$	
48" Corrugated Steel Pipe		LF	\$ 184.00		\$ 		\$	
54" Corrugated Steel Pipe		LF	\$ 269.00		\$ 		\$	
60" Corrugated Steel Pipe		LF	\$ 290.00		\$ 		\$	
66" Corrugated Steel Pipe		LF	\$ 352.00		\$ -		\$	-
72" Corrugated Steel Pipe		LF	\$ 414.00		\$ 		\$	
78" Corrugated Steel Pipe		LF	\$ 476.00		\$ 		\$	
84" Corrugated Steel Pipe		LF	\$ 569.00		\$ 		\$	
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	ψ 303.00	=	\$ 		\$	-
Flared End Section (FES) CSP Size =		LA						
(unit cost = 6x pipe unit cost)		EA		=	\$ -		\$	-
End Treatment- Headwall		EA		=	\$ -		\$	-
End Treatment- Wingwall		EA		=	\$ -		\$	-
End Treatment - Cutoff Wall		EA		=	\$ -		\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 5,736.00	=	\$ -		\$	-
Curb Inlet (Type R) L=5', 5'≤ Depth < 10'		EA	\$ 7,440.00	=	\$ -		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 8,637.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 7,894.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 5'≤ Depth < 10'		EA	\$ 8,136.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,185.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,265.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 5'≤ Depth < 10'		EA	\$ 11,005.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,034.00	=	\$ -		\$	-
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 10,940.00	=	\$ -		\$	-
Curb Inlet (Type R) L =20', 5'≤ Depth < 10'		EA	\$ 12,075.00	=	\$ -		\$	-
Grated Inlet (Type C), Depth < 5'		EA	\$ 4,802.00	=	\$ -		\$	-
Grated Inlet (Type D), Depth < 5'		EA	\$ 5,932.00	=	\$ -		\$	-
Storm Sewer Manhole, Box Base		EA	\$ 12,034.00	=	\$ -		\$	-
Storm Sewer Manhole, Slab Base		EA	\$ 6,619.00	=	\$ -		\$	-
Geotextile (Erosion Control)		SY	\$ 6.20	=	\$ -		\$	-
Rip Rap, d50 size from 6" to 24"	235	Tons	\$ 83.00	=	\$ 19,505.00		\$	19,505.0
Rip Rap, Grouted		Tons	\$ 98.00	=	\$ -		\$	-
Drainage Channel Construction, Size (W x H)		LF		=	\$ -		\$	-
Drainage Channel Lining, Concrete		CY	\$ 590.00	=	\$ -		\$	-
Drainage Channel Lining, Rip Rap		CY	\$ 116.00	=	\$ -		\$	-
Drainage Channel Lining, Grass		AC	\$ 1,520.00	=	\$ -		\$	-
Drainage Channel Lining, Other Stabilization				=	\$ -		\$	-
Grade Control Sheet Pile	1	Ea	\$ 3,000.00	_ =	\$ 3,000.00		\$	3,000.0
Drop Structure	2	EA	\$ 10,000.00	=	\$ 20,000.00		\$	20,000.0
- Subject to defect warranty financial assurance. A minimum of 20% shall			1					

verify unit costs

	PROJECT INFORMATION	
Briargate Bridge at Sand Creek at Sterling Ranch	12/6/2021	CDR-21-013
Project Name	Date	PCD File No.

				Unit				(with Pre	-Plat Construction)
Description	Quantity	Units		Cost			Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	ROVEMENTS (P	rivate or D	istr	ict and N	OT Main	tained	bv EPC)**		
ROADWAY IMPROVEMENTS									
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
STORM DRAIN IMPROVEMENTS (Excep	otion: Permanent Po	nd/BMP shall	be ite	emized und	er Section 7				•
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
WATER SYSTEM IMPROVEMENTS						'			
Water Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$	-		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	78.00	=	\$	-		\$ -
Gate Valves, 8"		EA	\$	1,923.00	=	\$	-		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	6,828.00	=	\$	-		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,370.00	=	\$	-		\$ -
Fire Cistern Installation, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
SANITARY SEWER IMPROVEMENTS	'								
Sewer Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$	-		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,540.00	=	\$	-		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,451.00	=	\$	-		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
ANDSCAPING IMPROVEMENTS	(For subdivision sp	ecific conditio	n of a	approval, or	PUD)				
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
* - Section 3 is not subject to defect warranty requirements		Section	n 3	Subtotal	=	\$	-		s -

– provide cost

		PROJECT I	NFORMATI	ON				
Briargate Bridge at Sand Creek at Sterling Ranch			12/6/2021		_			R-21-013
Project Name			Date				PCD File No.	
			Unit	/				Plat Construction)
Description	Quantity	Units	Cost			Total	% Complete	Remaining
			/					
AS-BUILT PLANS (Public Improvements inc. Permanent W		LS LS		-	\$	3,000.00		
POND/BMP CERTIFICATION (inc. elevations and volume of	aiculations)	LS		-	\$	3,000.00		3,000.00
			(Sum of all se			uction Financia -builts and pond/B		\$ 860,781.98
		_			•	with Pre-Plat C -builts and pond/B	· · · · · · · · · · · · · · · · · · ·	\$ 860,781.98
						rranty Financia	_	\$ 168,119.10
CRADO LICANA	(2	20% of all item	s identified as ((*). To be coll	lateralized	I at time of prelimin	ary acceptance)	
Approvals I hereby certify that this is an accurate and complete estimate	of costs for the v	work as shown	on the Grading	and Erosion	n Control I	Plan and Constructi	on Drawings asso	ciated with the Project.
12/06/2021 33365	/.							
Sold Centing		_						
Engineer (P.E. Séal Répaire)								
Approved by Owner / Applicant		_	Date					
Approved by El Paso County Engineer / ECM Administrator		_	Date					