PPR-2245

2022 Financial Assurance Estimate Form (with pre-plat construction)

Updated: 11/4/2021

/ollmer RV Storage				ORMATION					##;	#	
Project Name			Da	-		_		PCD File No.		n	
	Unit							(with Pre-Plat Construction)			
escription	Quantity	Units		Cost			Total	% Complete		Remaining	
ECTION 1 - GRADING AND EROSION CONTRO)L (Construction a	and Perma	nent	BMPs)							
* Earthwork											
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-	
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-	
5,001-20,000; \$30,000 min	8,203	CY	\$	5.00	=	\$	41,015.00		\$	41,015.0	
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-	
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-	
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-	
* Permanent Seeding (inc. noxious weed mgmnt.)	2	AC	\$	886.00	=	\$	1,488.48		\$	1,488.4	
* Mulching	2	AC	\$	831.00	=	\$	1,396.08		\$	1,396.0	
* Permanent Erosion Control Blanket	_	SY	\$	7.00	=	\$	-,		\$	-,	
* Permanent Pond/BMP Construction		CY	\$	22.00	=	\$	-		\$	-	
* Permanent Pond/BMP (provide engineer's estimate)	1	EA	\$	10,000.00	=	\$	10,000.00		\$	10,000.0	
remanent rond/binr (provide engineer's estimate)	1	EA	Þ	10,000.00	=		-		э \$	10,000.	
0-6-6-6			¢	2.00		\$					
Safety Fence		LF	\$	3.00	=	\$	-		\$	-	
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-	
Vehicle Tracking Control	1	EA	\$	2,625.00	=	\$	2,625.00		\$	2,625.0	
Construction Fence		LF	\$	3.00		\$	-		\$	-	
Silt Fence	1,212	LF	\$	3.00	=	\$	3,636.00		\$	3,636.0	
Temporary Seeding		AC	\$	695.00	=	\$	-		\$	-	
Temporary Mulch		AC	\$	831.00	=	\$	-		\$	-	
Erosion Bales		EA	\$	28.00	=	\$	-		\$	-	
Erosion Logs/Straw Waddle		LF	\$	6.00	=	\$	-		\$	-	
Rock Check Dams	7	EA	\$	554.00	=	\$	3,878.00		\$	3,878.0	
Temporary Slope Drain		LF	\$	30.00		\$	-		\$	-	
Outlet Protection	1	EA	\$	185.00	=	\$	185.00		\$	185.0	
Sediment Basin	1	EA	\$	1,952.00	=	\$	1,952.00		\$	1,952.0	
Diversion Ditch	1	LF	\$	2.00	-	\$	1,952.00		\$	1,552.	
										-	
Stabalized Staging Area		SY	\$	3.00		\$	-		\$		
							-			-	
Concrete Washout Basin		EA	\$	997.00	=	\$			\$		
		EA	\$	997.00	=	\$	-		\$	-	
[insert items not listed but part of construction plans]					=	\$ \$	-		\$ \$	-	
[insert items not listed but part of construction plans]	IAINTENANCE (3				=	\$	-		\$	-	
[insert items not listed but part of construction plans] N - Subject to defect warranty financial assurance. A minimum of 20% shall be	MAINTENANCE (3	5% of Con	struct	tion BMPs)	= = =	\$ \$ \$	- - 4,296.60		\$ \$ \$	- - 4,296.6	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)	IAINTENANCE (3	5% of Con	struct		=	\$ \$	-		\$ \$	-	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)	MAINTENANCE (3	5% of Con	struct	tion BMPs)	= = =	\$ \$ \$	- - 4,296.60		\$ \$ \$	- - 4,296.0	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS *	MAINTENANCE (3	5% of Con	struct	tion BMPs)	= = =	\$ \$ \$	- - 4,296.60		\$ \$ \$	- - 4,296.0	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS *	MAINTENANCE (3	5% of Con	struct	tion BMPs)	= = =	\$ \$ \$	- - 4,296.60		\$ \$ \$	- 4,296. 70,472.1	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be lained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS	MAINTENANCE (3	5% of Cons Sec	struct	tion BMPs) 1 Subtotal	= = =	\$ \$ \$ \$	- 4,296.60 70,472.16		\$ \$ \$ \$	- 4,296.1 70,472.1	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)	MAINTENANCE (3	5% of Cons Sec	struct tion \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00	= = = = =	\$ \$ \$ \$	- 4,296.60 70,472.16		\$ \$ \$ \$ \$	- 4,296.1 70,472.1	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) (8" thick)	MAINTENANCE (3	5% of Cons Sec LS Tons CY	struct tion \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - -		\$ \$ \$ \$ \$ \$ \$	- 4,296.0 70,472.1 - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) (8" thick) Asphalt Pavement (3" thick)	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY	struct stion \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.0 70,472.1 - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) (8" thick) Asphalt Pavement (3" thick)	IAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY	struct etion \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296./ 70,472.1 - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY	struct etion \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)	1AINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY Tons	struct etion \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY SY SY SF	struct etion \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be lained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY SY SY SF EA	struct tion \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 333.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY SY SY SF	struct etion \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be lained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	1AINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY SY SY SF EA	struct tion \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 333.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be lained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) (8" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	1AINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY SY SF EA EA	struct tition \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 333.00 200.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) (8" thick) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY SY SY SY EA EA EA EA SF	struct	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 200.00 15.00 26.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be alined until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Regulatory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY SY SY SY EA EA EA SF EA EA	struct tition \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 333.00 200.00 15.00 26.00 221.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * *	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be alined until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)	AINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY Tons SF EA EA EA SF EA EA EA EA EA	struct tition \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 333.00 200.00 15.00 26.00 221.00 221.00 27.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)	AINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY Tons SF EA EA EA SF EA EA EA LF	struct stion s	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 333.00 200.00 15.00 15.00 26.00 221.00 27.00 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) (8" thick) Asphalt Pavement (3" thick) Asphalt Pavement (1" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	AINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY Tons SF EA EA EA EA EA EA EA EA EA EA LF	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 333.00 200.00 15.00 221.00 221.00 221.00 32.00 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be alined until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA EA EA EA EA EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 333.00 200.00 15.00 221.00 221.00 221.00 32.00 32.00 32.00 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be alined until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (1147 lbs/cf) " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	MAINTENANCE (3	5% of Cons Sec LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA EA EA LF LF LF LF SY	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 33.00 200.00 15.00 26.00 221.00 221.00 27.00 32.00 32.00 32.00 32.00 32.00 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		5% of Cons Sec LS Tons CY SY SY SY SY SY SY EA EA EA EA EA EA EA EA EA EA SF SF EA EA SF SF SF SF SF SF SF SF SF SF SF SF SF	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 90.00 333.00 200.00 15.00 221.00 221.00 221.00 221.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		5% of Cons Sec LS Tons CY SY SY SY Tons SF EA EA EA EA EA EA EA EA EA EA EA EA EA	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 33.00 200.00 15.00 26.00 221.00 221.00 27.00 32.00 32.00 32.00 32.00 32.00 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		5% of Cons Sec LS Tons CY SY SY SY SY SY SY EA EA EA EA EA EA EA EA EA EA SF SF EA EA SF SF SF SF SF SF SF SF SF SF SF SF SF	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 90.00 333.00 200.00 15.00 221.00 221.00 221.00 221.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be almed until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)		5% of Cons Sec LS Tons CY SY SY SY SY SY EA EA EA EA EA EA EA EA EA EA SF EA EA SF SF SF SF SF SF SF SF SF SF SF SF SF	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 97.00 32.00 333.00 200.00 15.00 26.00 221.00 221.00 221.00 32.00 30 30 30 30 30 30 30 30 30		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be alined until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)		5% of Cons Sec LS Tons CY SY SY SY Tons SF EA EA EA EA EA EA EA LF LF LF LF SY SY SY SY SY SY	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 32.00 333.00 200.00 15.00 221.00 221.00 32.00 30.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asgrhait Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asised Median, Paved		5% of Cons Sec LS Tons CY SY SY SY Tons SF EA EA EA EA EA EA LF LF LF LF SY SY SY SY SY SY SY	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 333.00 200.00 15.00 15.00 26.00 221.00 27.00 32.00 30.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be alined until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asgrhalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)		5% of Cons Sec LS Tons CY SY SY Tons SF EA EA EA EA EA EA EA LF LF LF LF SY SY SY SY SY SY SY SY	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 333.00 200.00 15.00 26.00 221.00 27.00 32.00 30.00 10.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be almed until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Crub Chase		5% of Cons Sec LS Tons CY SY SY SY Tons SF EA EA EA EA EA EA LF LF LF LF SY SY SY SY SY SY SY SY EA LF LF LF LF EA	\$ \$	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 90.00 33.00 200.00 15.00 26.00 221.00 27.00 32.00 30.00 106.00 10.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be almed until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, local (8" thick, 6' wide to include return)		5% of Cons Sec LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA EA EA EA EA EA EA EA LF LF SY SY SY SY SY SY SY SY SY EA LF LF EA	************************************	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 90.00 333.00 200.00 15.00 221.00 221.00 221.00 221.00 33.00 20.00 15.00 32.00 30.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		5% of Cons Sec LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA EA EA EA EA EA EA EA EA	************************************	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 33.00 200.00 15.00 221.00 221.00 221.00 221.00 33.00 20.00 15.00 32.00 30.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be alined until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		5% of Cons Sec LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA EA EA EA SF SF EA EA EA CF LF SY SY SY SY SY SY EA LF LF EA LF LF EA LF LF EA	************************************	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 90.00 333.00 200.00 15.00 221.00 221.00 221.00 221.00 33.00 20.00 15.00 32.00 30.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)		5% of Cons Sec LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA EA EA EA EA EA EA EA EA	************************************	tion BMPs) 1 Subtotal 5,000.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 33.00 200.00 15.00 221.00 221.00 221.00 221.00 33.00 20.00 15.00 32.00 30.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296.60 70,472.16 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,296. 70,472.1 - - - - - - - - - - - - - - - - - - -	

Vollmer RV Storage		PROJECT	7/20/2						###			
Project Name	-					_	### PCD File No.					
Project Name	Date Unit						PCD File No. (with Pre-Plat Construction)					
Description	Quantity	Units		lost			Total	% Complete		Remaining		
Sound Barrier Fence (panels, 6' high)		LF	\$	89.00	=	\$	-		\$	-		
Electrical Conduit, Size =		LF	\$	18.00	=	\$	-		\$	-		
Traffic Signal, complete intersection		EA	\$	470,666	=	\$	-		\$	-		
					=	\$	-		\$	-		
[insert items not listed but part of construction plans]					=	\$	-		\$	-		
STORM DRAIN IMPROVEMENTS												
Concrete Box Culvert (M Standard), Size (W x H)		LF			=	\$	-		\$	-		
18" Reinforced Concrete Pipe	126	LF	\$	70.00	=	\$	8,820.00		\$	8,820.00		
24" Reinforced Concrete Pipe	120	LF	\$	83.00	-	\$	-		\$	-		
30" Reinforced Concrete Pipe		LF	\$	104.00	=	\$	-		\$	_		
36" Reinforced Concrete Pipe		LF	\$	128.00	=	\$	-		\$	_		
42" Reinforced Concrete Pipe		LF	\$	171.00	=	\$			\$			
•										-		
48" Reinforced Concrete Pipe		LF	\$	209.00	-	\$			\$			
54" Reinforced Concrete Pipe		LF	\$	272.00	=	\$	-		\$	-		
60" Reinforced Concrete Pipe		LF	\$	319.00	=	\$	-		\$	-		
66" Reinforced Concrete Pipe		LF	\$	368.00	=	\$	-		\$	-		
72" Reinforced Concrete Pipe		LF	\$	421.00	=	\$	-		\$	-		
18" Corrugated Steel Pipe		LF	\$	90.00	=	\$	-		\$	-		
24" Corrugated Steel Pipe		LF	\$	103.00	=	\$	-		\$	-		
30" Corrugated Steel Pipe		LF	\$	131.00	=	\$	-		\$	-		
36" Corrugated Steel Pipe		LF	\$	157.00	=	\$	-		\$	-		
42" Corrugated Steel Pipe		LF	\$	180.00	=	\$	-		\$	-		
48" Corrugated Steel Pipe		LF	\$	190.00	=	\$	-		\$	-		
54" Corrugated Steel Pipe		LF	\$	278.00	=	\$	-		\$	-		
60" Corrugated Steel Pipe		LF	\$	300.00	=	\$	-		\$	-		
66" Corrugated Steel Pipe		LF	\$	364.00	=	\$	-		\$	-		
72" Corrugated Steel Pipe		LF	\$	428.00	=	\$	-		\$	_		
78" Corrugated Steel Pipe		LF	\$	492.00	=	\$	-		\$	_		
84" Corrugated Steel Pipe		LF	\$	588.00	=	\$			\$			
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	φ	566.00	=	э \$	-		⊅ \$	-		
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		EA			=	\$	-		\$	-		
End Treatment- Headwall		EA			=	\$	-		\$	_		
		EA			=	\$	_		\$	_		
End Treatment- Wingwall			_				-			-		
End Treatment - Cutoff Wall		EA	^ ^ ^ ^ /	00.00	=	\$			\$			
Curb Inlet (Type R) L=5', Depth < 5'		EA		38.00	=	\$	-		\$	-		
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA		981.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA		242.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =10', Depth < 5'		EA		47.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,7	706.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,8	398.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,9	984.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,7	75.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,8	376.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 11,7	706.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =20', $5' \leq \text{Depth} < 10'$		EA	\$ 12,9		=	\$	-		\$	-		
Grated Inlet (Type C), Depth < 5'		EA		38.00	=	\$	-		\$	-		
Grated Inlet (Type D), Depth < 5'		EA		347.00	=	\$	-		\$	-		
Storm Sewer Manhole, Box Base		EA	\$ 12,8		=	\$	-		\$	_		
		EA)82.00	=	\$	-		¢			
Storm Sewer Manhole, Slab Base		SY	\$ 7,0	7.00	=	ې \$	-		⊅ \$	-		
Geotextile (Erosion Control)	61								4	E 430.04		
Rip Rap, d50 size from 6" to 24"	61	Tons		89.00	=	\$	5,429.00		م	5,429.00		
Rip Rap, Grouted		Tons	\$ 1	05.00	=	\$	-		\$	-		
Drainage Channel Construction, Size (W x H)		LF			=	\$	-		\$	-		
Drainage Channel Lining, Concrete		CY	\$	631.00	=	\$	-		\$	-		
Drainage Channel Lining, Rip Rap		CY	\$	124.00	=	\$	-		\$	-		
Drainage Channel Lining, Grass		AC	\$	1,626.00	=	\$	-		\$	-		
Drainage Channel Lining, Other Stabilization					=	\$	-		\$	-		
					=	\$	-		\$	-		
					=	\$	-		\$	_		
[insert items not listed but part of construction plans]					_	- P				-		

		PROJECT	' INF	ORMATIO	N							
Vollmer RV Storage			7/2	0/2022					##4	ŧ		
Project Name			Dat	te			PCD File No.					
	Unit							(with Pre	-Plat C	onstruction)		
Description	Quantity	Units		Cost			Total	% Complete		Remaining		
SECTION 3 - COMMON DEVELOPMENT IMPROV	EMENTS (Private or District and NOT Maintained by EPC)**											
ROADWAY IMPROVEMENTS	•											
Recycled Asphalt (2" thick) (\$8/Ton)	758	CY	\$	13.00	=	\$	9,854.00		\$	9,854.00		
					=	\$	-		\$	-		
					=	\$	-		\$	-		
					=	\$	-		\$	-		
					=	\$	-		\$	-		
					=	\$	-		\$	-		
STORM DRAIN IMPROVEMENTS (Exceptio	n: Permanent Pon	d/BMP shall	be iter	nized under S	Section 1)							
18" Reinforced Concrete Pipe		LF	\$	70.00	=	\$	-		\$	-		
48" Reinforced Concrete Pipe		LF	\$	209.00	=	\$	-		\$	-		
36" Reinforced Concrete Pipe		LF	\$	128.00	=	\$	-		\$	-		
Flared End Section (FES) RCP Size = 18" (unit cost = 6x pipe unit cost)		EA	\$	402.00	=	\$	-		\$	-		
Flared End Section (FES) RCP Size = 36" (unit cost = 6x pipe unit cost)		EA	\$	744.00		\$	-		\$	-		
Drainage Channel Lining, Rip Rap 6" depth		CY	\$	124.00	=	\$	-		\$	-		
					=	\$	-		\$	-		
					=	\$	-		\$	-		
WATER SYSTEM IMPROVEMENTS												
Water Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$	-		\$	-		
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	83.00	=	\$	-		\$	-		
Gate Valves, 8"		EA	\$	2,058.00	=	\$	-		\$	-		
Fire Hydrant Assembly, w/ all valves (3 valves/FH)		EA	\$	7,306.00	=	\$	-		\$	-		
Water Service Line Installation, inc. tap and valves		EA	\$	1,466.00	=	\$	-		\$	-		
Fire Cistern Installation, complete		EA			=	\$	-		\$	-		
					=	\$	-		\$	-		
[insert items not listed but part of construction plans]					=	\$	-		\$	-		
SANITARY SEWER IMPROVEMENTS												
Sewer Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$	-		\$	-		
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,858.00	=	\$	-		\$	-		
Sanitary Service Line Installation, complete		EA	\$	1,553.00	=	\$	-		\$	-		
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-		
					=	\$	-		\$	-		
[insert items not listed but part of construction plans]					=	\$	-		\$	-		
LANDSCAPING IMPROVEMENTS (F	or subdivision spe	cific conditio	n of ap	proval, or PL	JD)							
Fence	2,115	LF	\$	5.00	=	\$	10,575.00		\$	10,575.00		
		EA			=	\$	-		\$	-		
		EA			=	\$	-		\$	-		
		EA			=	\$	-		\$	-		
		EA			=	\$	-		\$	-		
** - Section 3 is not subject to defect warranty requirements		Sec	tion 3	3 Subtotal	=	\$	20,429.00		\$	20,429.00		

this cost should include a survey and drafting time, seems very low.

		PROJECT	INFO	RMATION							
Vollmer RV Storage			7/20/2022						##	ŧ#	
Project Name	-			Date				PCD File No.			
		Unit				(with Pre-Plat Construction)					
Description	Quantity	Units	$\langle \cdot \rangle$	Cost			Total	% Complete		Remaining	
			<u> </u>	4							
AS-BUILT PLANS (Public Improvements inc. Permanent WC	QCV BMPs)	LS	\$	1,000.00	=	\$	1,000.00		\$	1,000.00	
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS	\$	1,000.00	=	\$	1,000.00		\$	1,000.00	
	Total Par	naining Cor	,		ction subtota	als plus a	ruction Financia as-builts and pond/Bi	MP certification)		107,150.16	
		•					(with Pre-Plat Co	· · · ·	- T	107,150.16	
	(Sum	of all section to	otals les	ss credit for it	ems comple	ete plus a	as-builts and pond/BI	MP certification)			
					Total De	fect W	arranty Financia	I Assurance	\$	13,629.71	
		(20% of all	items id	dentified as (*). To be coll	lateralize	d at time of prelimina	ary acceptance)			

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.

Engineer (P.E. Seal Required)


Approved by Owner / Applicant

Date

Approved by El Paso County Engineer / ECM Administrator

Date

Financial Assurance Forms_V1.pdf Markup Summary





Subject: Stormwater Comments Col Page Label: 1 Author: dotprete Date: 9/6/2022 8:10:18 AM Status: Color: Layer: Space:

9/6/2022 8:33:02 AM (1)



Subject: Engineer Page Label: 4 Author: dotprete Date: 9/6/2022 8:33:02 AM Status: Color: ■ Layer: Space:

this cost should include a survey and drafting time, seems very low.