## 2024 Financial Assurance Estimate Form

(with pre-plat construction) Updated: 10/2023

PROJECT INFORMATION								
Silverado Ranch Filing No. 2 (15 lots) 10/4/2024 SF246								
Project Name	Date	PCD File No.						

Description	Quantity	Units		Unit Cost			Total	(with Pre		onstruction) Remaining
SECTION 1 - GRADING AND EROSION CONTRO			nent							<u> </u>
Earthwork										
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min	10423.	CY	\$	5.00	=	\$	52,115.00		\$	52,115.00
20,001-50,000; \$100,000 min	10.25.	CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	_		\$	
		CY	\$			-				
greater than 200,000; \$500,000 min	420		-	2.00	=	\$			\$	
Permanent Erosion Control Blanket	420.	SY	\$	9.00	=	\$	3,780.00		\$	3,780.00
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	5.	AC	\$	2,018.00	=	\$	10,090.00		\$	10,090.00
Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	-
Concrete Washout Basin		EA	\$	1,172.00	=	\$	-		\$	-
Inlet Protection	2.	EA	\$	217.00	=	\$	434.00		\$	434.00
Rock Check Dam	2.	EA	\$	651.00	=	\$	1,302.00		\$	1,302.00
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Sediment Basin		EA	\$	2,294.00	=	\$	-		\$	-
Sediment Trap	2.	EA	\$	538.00	=	\$	1,076.00		\$	1,076.00
Silt Fence	2.	LF	\$	3.00	=	\$	-		\$	-
		LF	_			-				
Slope Drain			\$	43.00		\$	-		\$	-
Straw Bale	400	EA	\$	33.00	=	\$			\$	
Straw Wattle/Rock Sock	180.	LF	\$	8.00	=	\$	1,440.00		\$	1,440.00
Surface Roughening		AC	\$	269.00		\$	-		\$	-
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-
Temporary Seeding and Mulching		AC	\$	1,793.00	=	\$	-		\$	-
Vehicle Tracking Control	1.	EA	\$	3,085.00	=	\$	3,085.00		\$	3,085.00
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
	INTENANCE (35°	% of Constr	uctio	on BMPs)	=	\$	2,567.95		\$	2,567.95
* - Subject to defect warranty financial assurance. A minimum of 20% shall				,		_	_,		7	_,-,
pe retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section	on 1	Subtotal	=	\$	75,889.95		\$	75,889.95
ALLOWED)						ļ.,	•			•
SECTION 2 - PUBLIC IMPROVEMENTS *										
ROADWAY IMPROVEMENTS										
ROADWAY IMPROVEMENTS  Construction Traffic Control		LS			=	\$	-		\$	-
		LS Tons	\$	37.00	= =	\$	- -		\$	- -
Construction Traffic Control	1300.		\$	37.00 66.00			- - 85,800.00			- - 85,800.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)	1300.	Tons	\$	66.00		\$	-		\$ \$	-
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)	1300.	Tons CY SY	\$	66.00 18.00		\$ \$ \$	- 85,800.00		\$ \$ \$	- 85,800.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	1300.	Tons CY SY SY	\$ \$ \$	66.00 18.00 25.00		\$ \$ \$	- 85,800.00 - -		\$ \$ \$	- 85,800.00 - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	1300.	Tons CY SY SY SY	\$ \$ \$ \$	66.00 18.00 25.00 38.00	=	\$ \$ \$ \$	85,800.00 - - -		\$ \$ \$ \$	85,800.00 - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick	1300.	Tons CY SY SY SY Tons	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$	85,800.00 - - - -		\$ \$ \$ \$	85,800.00 - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	1300.	Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$ \$	85,800.00 - - - - - -		\$ \$ \$ \$ \$	85,800.00 - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign	1300.	Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	= = = = =	\$ \$ \$ \$ \$ \$	85,800.00 - - - -		\$ \$ \$ \$ \$	85,800.00 - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	1300.	Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$ \$	85,800.00 - - - - - -		\$ \$ \$ \$ \$ \$	85,800.00 - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign	1300.	Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	= = = = =	\$ \$ \$ \$ \$ \$	85,800.00 - - - - - - -		\$ \$ \$ \$ \$	85,800.00 - - - - - - -
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign	1300.	Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = = =	\$ \$ \$ \$ \$ \$	85,800.00 - - - - - - - -		\$ \$ \$ \$ \$ \$	85,800.00 - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	1300.	Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - -		\$ \$ \$ \$ \$ \$ \$	85,800.00 - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	1300.	Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I	1300.	Tons CY SY SY SY Tons SF EA SF SF EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	1300.	Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	1300.	Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	1300.	Tons CY SY SY SY Tons SF EA EA SF SF EA EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	1300.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - -
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)	1300.	Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	1300.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	1300.	Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf)  —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	1300.	Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Asphalt Pavement (147 lbs/cf)  —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	1300.	Tons CY SY SY Tons EA EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00 - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	1300.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY SY SY SY EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 1,496.00 79.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00 - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	1300.	Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00 - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase	1300.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)	1300.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1,996.00 1,926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	1300.	Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, local (6" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete)	1300.	Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00 2,731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	1300.	Tons CY SY SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00 - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, local (6" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete)	1300.	Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00 2,731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator	1300.	Tons CY SY SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00 - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	1300.	Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1,926.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 85,800.00 - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- 85,800.00

PROJECT INFORMATION								
Silverado Ranch Filing No. 2 (15 lots)	10/4/2024		SF246					
Project Name	Date	ī	PCD File No.					

Description		Quantity	Units	Units Cost			Total	(with Pre-Plat Construction) % Complete Remaining			
		Quantity			=	\$	-		\$	-	
[insert items not listed but part of construction	n plans]				=	\$	-		\$	-	
TORM DRAIN IMPROVEMENTS											
Concrete Box Culvert (M Standard), Size ( \	VxH)		LF		=	\$	-		\$	-	
18" Reinforced Concrete Pipe	·		LF	\$ 82.00	=	\$	-		\$	-	
24" Reinforced Concrete Pipe		70.	LF	\$ 98.00	=	\$	6,860.00		\$	6,860.00	
30" Reinforced Concrete Pipe			LF	\$ 123.00	=	\$	-		\$	-	
36" Reinforced Concrete Pipe			LF	\$ 151.00	=	\$	-		\$	-	
42" Reinforced Concrete Pipe		70.	LF	\$ 201.00	=	\$	14,070.00		\$	14,070.00	
48" Reinforced Concrete Pipe			LF	\$ 245.00	=	\$			\$	,	
54" Reinforced Concrete Pipe			LF	\$ 320.00	=	\$			\$		
60" Reinforced Concrete Pipe			LF	\$ 374.00	=	\$			\$		
66" Reinforced Concrete Pipe			LF	\$ 433.00	=	\$			\$		
72" Reinforced Concrete Pipe			LF		=						
•						\$	-		\$		
18" Corrugated Steel Pipe			LF	\$ 105.00	=	\$	-		\$	-	
24" Corrugated Steel Pipe			LF	\$ 121.00	=	\$	-		\$	-	
30" Corrugated Steel Pipe			LF	\$ 154.00	=	\$	-		\$	-	
36" Corrugated Steel Pipe			LF	\$ 184.00	=	\$	<u> </u>		\$	-	
42" Corrugated Steel Pipe			LF	\$ 212.00	=	\$	-		\$	-	
48" Corrugated Steel Pipe			LF	\$ 223.00	=	\$	-		\$	-	
54" Corrugated Steel Pipe			LF	\$ 327.00	=	\$	-		\$	-	
60" Corrugated Steel Pipe			LF	\$ 353.00	=	\$	-		\$	-	
66" Corrugated Steel Pipe			LF	\$ 427.00	=	\$	-		\$	-	
72" Corrugated Steel Pipe			LF	\$ 502.00	=	\$	-		\$	-	
78" Corrugated Steel Pipe			LF	\$ 578.00	=	\$	-		\$	-	
84" Corrugated Steel Pipe			LF	\$ 691.00	=	\$	-		\$	-	
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)	24"	2.	EA	\$ 588.00	=	\$	1,176.00		\$	1,176.00	
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)	42"	2.	EA	\$ 1,206.00	=	\$	2,412.00		\$	2,412.00	
End Treatment- Headwall			EA		=	\$	-		\$	-	
End Treatment- Wingwall			EA		=	\$	-		\$	-	
End Treatment - Cutoff Wall			EA		=	\$	-		\$	-	
Curb Inlet (Type R) L=5', Depth < 5	,		EA	\$ 7,212.00	=	\$	-		\$	-	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 1			EA	\$ 9,377.00	=	\$	-		\$	-	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 1			EA	\$ 10,859.00	=	\$			\$	-	
Curb Inlet (Type R) L =10', Depth < 5			EA	\$ 9,925.00	=	\$			\$		
Curb Inlet (Type R) L =10', 5' ≤ Depth < 2			EA	\$ 10,230.00	=	\$			\$		
Curb Inlet (Type R) L = 10', $3 = \text{Depth} < 3$			EA	\$ 12,805.00		\$			\$	-	
			EA	\$ 12,803.00	=	\$			\$		
Curb Inlet (Type R) L =15', Depth < 5											
Curb Inlet (Type R) L =15', 5' ≤ Depth < 1			EA	\$ 13,835.00	=	\$	<u> </u>		\$		
Curb Inlet (Type R) L =15', 10' ≤ Depth < 1			EA	\$ 15,130.00	=	\$			\$		
Curb Inlet (Type R) L =20', Depth < 5			EA	\$ 13,755.00	=	\$	-		\$		
Curb Inlet (Type R) L =20', 5' ≤ Depth < 7			EA	\$ 15,181.00	=	\$	-		\$	-	
Grated Inlet (Type C), Depth < 5			EA	\$ 6,037.00	=	\$	-		\$	-	
Grated Inlet (Type D), Depth < 5			EA	\$ 7,458.00	=	\$	<u> </u>		\$	-	
Storm Sewer Manhole, Box Base			EA	\$ 15,130.00	=	\$	-		\$	-	
Storm Sewer Manhole, Slab Base			EA	\$ 8,322.00	=	\$	-		\$	-	
Geotextile (Erosion Control)			SY	\$ 9.00	=	\$	-		\$	-	
Rip Rap, d50 size from 6" to 24"		60.	Tons	\$ 104.00	=	\$	6,240.00		\$	6,240.00	
Rip Rap, Grouted			Tons	\$ 124.00	=	\$	-		\$	-	
Drainage Channel Construction, Size ( W x	H )		LF		=	\$	-		\$	-	
Drainage Channel Lining, Concrete			CY	\$ 741.00	=	\$	-		\$	-	
Drainage Channel Lining, Rip Rap			CY	\$ 145.00	=	\$	-		\$	-	
Drainage Channel Lining, Grass			AC	\$ 1,911.00	=	\$	-		\$	_	
Drainage Channel Lining, Other Stabilization				. ,:==:50	=	\$	_		\$	_	
go channo Emmig, Other Stabilization						\$	-		\$	_	
finsert items not listed but part of construction	n nlansi				=	\$			\$		
					_	Ψ.	_		Ψ	-	

PROJECT INFORMATION								
Silverado Ranch Filing No. 2 (15 lots) 10/4/2024 SF246								
Project Name	Date	PCD File No.						

				Unit			(with Pr	e-Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO	VEMENTS (Priv	vate or Dis	trict	t and NO	T Mainta	ined by EPC)**		
ROADWAY IMPROVEMENTS	(							
					=	\$ -		\$
					=	\$ -		\$
						\$ -		\$
					_	\$ -		\$
					_	\$ -		\$
						\$ -		\$
STORM DRAIN IMPROVEMENTS (Exce	ption: Permanent Po	nd/RMD shall b	oo ito	mized unde				Ψ
CACE	paon. i cimanont ru	na, Divir Strail L	) ILE	anazou uniue	=	\$ -		\$
					_	\$ -		\$
					_	\$ -		\$
					_	\$ -		\$
						\$ -		\$
					_	\$ -		\$
WATER SYSTEM IMPROVEMENTS					_	, p		Þ
		15	4	04.00		ė -		+
Water Main Pipe (PVC), Size 8"  Water Main Pipe (Ductile Iron), Size 8"		LF LF	\$	84.00 98.00	=	\$ - \$ -		\$
Gate Valves, 8"		EA	\$	2,418.00	=	Ψ		\$
Fire Hydrant Assembly, w/ all valves		EA	\$	8,584.00	=	\$ -		\$
Water Service Line Installation, inc. tap and valves		EA	\$	1,723.00	=	\$ -		\$
Fire Cistern Installation, complete		EA			=	\$ -		\$
					=	\$ -		\$
[insert items not listed but part of construction plans]					=	- \$		\$
SANITARY SEWER IMPROVEMENTS								
Sewer Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$ -		\$
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,708.00	=	\$ -		\$
Sanitary Service Line Installation, complete		EA	\$	1,825.00	=	\$ -		\$
Sanitary Sewer Lift Station, complete		EA			=	\$ -		\$
					=	\$ -		\$
[insert items not listed but part of construction plans]					=	\$ -		\$
LANDSCAPING IMPROVEMENTS	(For subdivision sp		of a	pproval, or	PUD)	_		
		EA			=	\$ -		\$
		EA			=	\$ -		\$
		EA			=	\$ -		\$
		EA			=	\$ -		\$
		EA			=	\$ -		\$
* - Section 3 is not subject to defect warranty requirements		Sectio	n 3	Subtotal	=	<b>s</b> -		<b>s</b> -

PROJECT INFORMATION								
Silverado Ranch Filing No. 2 (15 lots)	10/4/2024		SF246					
Project Name	Date	P	CD File No.					

				Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent WQ	CV BMPs)		\$	2,000.00	=	\$	2,000.00		\$	2,000.00
POND/BMP CERTIFICATION (inc. elevations and volume cal	culations)	LS	\$	2,000.00	=	\$	2,000.00		\$	2,000.00
					Tot	al Const	ruction Financia	l Assurance	\$	196,447.95
			(\$	Sum of all se	ction subt	totals plus a	as-builts and pond/BN	MP certification)		,
	Total Remai	ining Const	truc	tion Fina	ncial As	surance	(with Pre-Plat Co	onstruction)	\$	196,447.95
	(Sum of a	all section total	ls les	ss credit for i	tems com	plete plus a	as-builts and pond/BN	MP certification)		
					Total [	Defect Wa	arranty Financia	l Assurance	\$	36,508.60
(20% of all items identified as (*). To be collateralized at time of preliminary acceptance)										

Approvals								
I hereby certify that this is an accurate and complete estimate of costs for the work as $\boldsymbol{s}$	shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.							
Engineer (P.E. Seal Required)								
Approved by Owner / Applicant	Date							
Approved by El Paso County Engineer / ECM Administrator	Date							