2023 Financial Assurance Estimate Form (with pre-plat construction)

use the higher value of cut and fill volumes, not net volume.

PROJECT INFORMATION

MDP231

Updated: 12/8/2022

WATERSIDE AT LAKE WOODMOOR FILING NO. 1 - GEC 6/8/2023 PCD File No. Project Name Date (with Pre-Plat Construction) Unit Description Quantity Units Cost Remaining SECTION 1 - GRADING AND EROSION CONTROL (Construction and Permanent BMPs) Earthwork less than 1,000; \$5,300 min C١ 8.00 6 00 1 000-5 000: \$8 000 min CY \$ \$ \$ 5,001-20,000; \$30,000 min 5,607 CY \$ 5.00 \$ 30,000.00 \$ 30,000.00 20,001-50,000; \$100,000 min CY 3.50 \$ \$ 50.001-200.000: \$175.000 min CY \$ 2.50 \$ seems low. greater than 200,000; \$500,000 min CY \$ 2.00 confirm SY 8.00 Permanent Erosion Control Blanket \$ Permanent Seeding (inc. noxious weed mgmnt.) & Mulching 1.0 AC 1.875.00 = 1.875.00 1.875.00 Permanent Pond/BMP (provide engineer's estimate) EΑ Concrete Washout Basin 1 089 00 1,089.00 1.089.00 1 FΑ \$ \$ \$ Inlet Protection 5 EΑ \$ 202.00 1,010.00 1,010.00 Rock Check Dam EΑ \$ 605.00 Safety Fence LF \$ 3.00 = \$ \$ Sediment Basin 1 EΑ \$ 2,132.00 2,132.00 2,132.00 Sediment Trap EΑ \$ 500.00 867 2,601.00 2,601.00 Silt Fence 1 F \$ 3.00 \$ \$ Slope Drain LF 40.00 Straw Bale EΑ \$ 31.00 \$ Straw Wattle/Rock Sock 20 140.00 1 F \$ 7.00 140.00 Surface Roughening AC 250.00 Temporary Erosion Control Blanket SY 3.00 \$ = \$ Temporary Seeding and Mulching 3.5 AC \$ 1.666.00 5,831.00 \$ 5.831.00 Vehicle Tracking Control EΑ \$ 2,867.00 \$ 2,867.00 \$ 2,867.00 \$ [insert items not listed but part of construction plans] MAINTENANCE (35% of Construction BMPs) 5,103.35 5,103.35 \$ \$ - Subject to defect warranty financial assurance. A minimum of 20% shall Section 1 Subtotal d until final acceptance (MAXIMUM OF 80% COMPLETE = \$ 52,648.35 \$ 52,648.35 SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS LS Construction Traffic Control (135 lbs/cf) Aggregate Base Course Tons \$ 34.00 \$ Aggregate Base Course (135 lbs/cf) CY \$ 61.00 Asphalt Pavement (3" thick) SY \$ 17.00 Asphalt Pavement (4" thick) SY \$ 23.00 Asphalt Pavement (6" thick) SY 35.00 \$ Asphalt Pavement (147 lbs/cf) _" thick 106.00 Tons \$ Raised Median, Paved SF \$ 10.00 = Regulatory Sign/Advisory Sign EΑ \$ 364.00 Guide/Street Name Sign EΑ **Epoxy Pavement Marking** SE \$ 16.00 Thermoplastic Pavement Marking SF \$ 28.00 Barricade - Type 3 241.00 EΑ \$ \$ Delineator - Type I EΑ \$ 29.00 Curb and Gutter, Type A (6" Vertical) LF \$ 35.00 Curb and Gutter, Type B (Median) LF \$ 35.00 Curb and Gutter, Type C (Ramp) LF 35.00 4" Sidewalk (common areas only) SY \$ 58.00 \$ = 5" Sidewalk SY \$ 72 00 6" Sidewalk SY 87.00 8" Sidewalk SY \$ 116.00 \$ Pedestrian Ramp EΑ \$ 1.390.00 Cross Pan, local (8" thick, 6' wide to include return) LF 73.00 ΙF Cross Pan. collector (9" thick. 8' wide to include return) \$ 111 00 \$ \$ Curb Opening with Drainage Chase EΑ \$ 1,790.00 Guardrail Type 3 (W-Beam) LF 60.00 \$ Guardrail Type 7 (Concrete) LF \$ 87.00 \$ Guardrail End Anchorage EΑ \$ 2,538.00 Guardrail Impact Attenuator 4.556.00 EΑ \$ \$ Sound Barrier Fence (CMU block, 6' high) 1 F 95 00 \$ Sound Barrier Fence (panels, 6' high) LF \$ 97.00 Electrical Conduit LE 20.00 Size = \$ = \$ Traffic Signal, (provide engineer's estimate) EΑ \$

PROJECT INFORMATION						
WATERSIDE AT LAKE WOODMOOR FILING NO. 1 - GEC	6/8/2023					
Project Name	Date	PCD File No.				

	Unit						(with Pre-Plat Construction)			
Description	Quantity	Units	Cost			otal	% Complete	Remaining		
				=	\$	-		\$		
[insert items not listed but part of construction plans]				=	\$	-		\$		
TORM DRAIN IMPROVEMENTS										
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$	-		\$		
18" Reinforced Concrete Pipe		LF	\$ 76.00	=	\$	-		\$		
24" Reinforced Concrete Pipe		LF	\$ 91.00	=	\$	-		\$		
30" Reinforced Concrete Pipe		LF	\$ 114.00	=	\$	-		\$		
36" Reinforced Concrete Pipe		LF	\$ 140.00	=	\$	-		\$		
42" Reinforced Concrete Pipe		LF	\$ 187.00	=	\$	-		\$		
48" Reinforced Concrete Pipe		LF	\$ 228.00	=	\$	-		\$		
54" Reinforced Concrete Pipe		LF	\$ 297.00	=	\$	-		\$		
60" Reinforced Concrete Pipe		LF	\$ 348.00	=	\$	-		\$		
66" Reinforced Concrete Pipe		LF	\$ 402.00	=	\$	-		\$		
72" Reinforced Concrete Pipe		LF	\$ 460.00	=	\$	-		\$		
18" Corrugated Steel Pipe		LF	\$ 98.00	=	\$	-		\$		
24" Corrugated Steel Pipe		LF	\$ 112.00	=	\$	-		\$		
30" Corrugated Steel Pipe		LF	\$ 143.00	=	\$	-		\$		
36" Corrugated Steel Pipe		LF	\$ 171.00	=	\$	-		\$		
42" Corrugated Steel Pipe		LF	\$ 197.00	=	\$	-		\$		
48" Corrugated Steel Pipe		LF	\$ 207.00	=	\$	-		\$		
54" Corrugated Steel Pipe		LF	\$ 304.00	=	\$	-		\$		
60" Corrugated Steel Pipe		LF	\$ 328.00	=	\$	-		\$		
66" Corrugated Steel Pipe		LF	\$ 397.00	=	\$	_		\$		
72" Corrugated Steel Pipe		LF	\$ 467.00	=	\$	_		\$		
78" Corrugated Steel Pipe		LF	\$ 537.00	=	\$	_		\$		
84" Corrugated Steel Pipe		LF	\$ 642.00	=	\$			\$		
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	Ç 042.00	=	\$	-		\$		
Flared End Section (FES) CSP Size =					4			.		
(unit cost = 6x pipe unit cost)		EA		=	\$	-		\$		
End Treatment- Headwall		EA		=	\$	-		\$		
End Treatment- Wingwall		EA		=	\$	-		\$		
End Treatment - Cutoff Wall		EA		=	\$	-		\$		
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 6,703.00	=	\$	-		\$		
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 8,715.00	=	\$	-		\$		
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 10,092.00	=	\$	-		\$		
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 9,224.00	=	\$	-		\$		
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 9,507.00	=	\$	-		\$		
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 11,901.00	=	\$	-		\$		
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 11,995.00	=	\$	-		\$		
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 12,858.00	=	\$	-		\$		
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 14,061.00	=	\$	-		\$		
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 12,783.00	=	\$	-		\$		
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 14,109.00	=	\$	-		\$		
Grated Inlet (Type C), Depth < 5'		EA	\$ 5,611.00	=	\$	_		\$		
Grated Inlet (Type D), Depth < 5'		EA	\$ 6,931.00	=	\$	_		\$		
Storm Sewer Manhole, Box Base		EA	\$ 14,061.00	=	\$	_		\$		
Storm Sewer Manhole, Slab Base		EA	\$ 7,734.00	=	\$	_		\$		
Geotextile (Erosion Control)		SY	\$ 8.00		\$			¢		
Rip Rap, d50 size from 6" to 24"		Tons	\$ 97.00		\$	<u> </u>		\$		
Rip Rap, Grouted		Tons	\$ 115.00		\$	-		\$		
Drainage Channel Construction, Size (W x H)		LF	\$ 115.00		\$			\$		
Drainage Channel Lining, Concrete		CY	\$ 689.00	=	\$			\$		
								. '		
Drainage Channel Lining, Rip Rap		CY	\$ 135.00	=	\$			Ψ		
Drainage Channel Lining, Grass		AC	\$ 1,776.00	=	\$	-		\$		
Drainage Channel Lining, Other Stabilization				=	\$	-		\$		
				=	\$	-		\$		
[insert items not listed but part of construction plans]				=	\$	-		\$		
 Subject to defect warranty financial assurance. A minimum of 20% shall e retained until final acceptance (MAXIMUM OF 80% COMPLETE 		Section	n 2 Subtotal	=	\$	_		\$ -		

PROJECT INFORMATION						
WATERSIDE AT LAKE WOODMOOR FILING NO. 1 - GEC	6/8/2023					
Project Name	Date	PCD File No.				

				Unit			(with Pre-Plat Construction)		
Description	Quantity	Units		Cost		Total	% Complete	Remaining	
SECTION 3 - COMMON DEVELOPMENT IMPRO	VEMENTS (Pri	vate or Dis	trict	and NO	T Mainta	ained by EPC)**			
ROADWAY IMPROVEMENTS									
					=	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
STORM DRAIN IMPROVEMENTS (Excep	otion: Permanent Po	nd/BMP shall b	oe iter	mized unde	er Section 1)			<u> </u>	
					= '	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
					=	\$ -		\$ -	
WATER SYSTEM IMPROVEMENTS						т		T	
Water Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$ -		\$ -	
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	91.00	=	\$ -		\$ -	
Gate Valves, 8"		EA	-	2,247.00	=	\$ -		\$ -	
Fire Hydrant Assembly, w/ all valves		EA	-	7,978.00	=	\$ -		\$ -	
Water Service Line Installation, inc. tap and valves		EA		1,601.00	=	\$ -		\$ -	
Fire Cistern Installation, complete		EA	Ÿ	1,001.00	=	\$ -		\$ -	
The distant metallians, complete					=	\$ -		\$ -	
[insert items not listed but part of construction plans]					=	\$ -		\$ -	
SANITARY SEWER IMPROVEMENTS						, T		<u> </u>	
Sewer Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$ -		\$ -	
Sanitary Sewer Manhole, Depth < 15 feet		EA	-	5,305.00	=	\$ -		\$ -	
Sanitary Service Line Installation, complete		EA		1,696.00	=	\$ -		\$ -	
Sanitary Sewer Lift Station, complete		EA	Ė	,	=	\$ -		\$ -	
, ,					=	\$ -		\$ -	
[insert items not listed but part of construction plans]					=	\$ -		\$ -	
LANDSCAPING IMPROVEMENTS	(For subdivision sp	ecific condition	of an	oproval, or	PUD)	· ·			
	,	EA		, , , , , ,	=	\$ -		\$ -	
		EA			=	\$ -		\$ -	
		EA			=	\$ -		\$ -	
		EA			=	\$ -		\$ -	
		EA			=	\$ -		\$ -	
** - Section 3 is not subject to defect warranty requirements			n 3 9	Subtotal	=	\$ -		\$ -	

PROJECT INFORMATION							
WATERSIDE AT LAKE WOODMOOR FILING NO. 1 - GEC	6/8/2023						
Project Name	Date	PCD File No.					

			Unit				(with Pre	-Plat C	onstruction)
Description	Quantity	Units	Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent WC	(CV BMPs)	LS		=	\$	-		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS		=	\$	-		\$	-
				Total	Construc	ion Financia	I Assurance	\$	52,648.35
			(Sum of all se	ection subtot	als plus as-bi	ilts and pond/BN	MP certification)		
	Total Remai	ning Const	ruction Fina	ncial Assu	urance (wi	th Pre-Plat Co	onstruction)	\$	52,648.35
	(Sum of a	II section total	s less credit for	items comple	ete plus as-bı	ilts and pond/BN	MP certification)		
				Total De	efect Warra	ınty Financia	I Assurance	\$	6,375.00
(20% of all items identified as (*). To be collateralized at time of preliminary accepta					ary acceptance)				

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as shown o	n the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Engineer (1.12. Sear Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date