2021 Financial Assurance Estimate Form

PUDSP2110 Updated: 12/22/2020

 (with pre-plat construction)

 PROJECT INFORMATION

 Grandview Reserve Filing No. 1
 8/12/2021
 SF-21-XXX

 Project Name
 Date
 PCD File No.

Na	O			Unit			T-4-1	(with Pre	-Piat C	
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 1 - GRADING AND EROSION CONTRO * Earthwork	L (Construction	and Perma	nent	: BMPS)						
		CY	•	0.00					4	
less than 1,000; \$5,300 min			\$	8.00	=	\$	-		\$	
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-		\$	-
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min	190,459	CY	\$	2.50	=	\$	476,147.50		\$	476,147.50
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
* Permanent Seeding (inc. noxious weed mgmnt.)		AC	\$	828.00	=	\$	-		\$	-
* Mulching		AC	\$	777.00	=	\$	-		\$	-
* Permanent Erosion Control Blanket		SY	\$	6.00	=	\$			\$	_
* Permanent Pond/BMP Construction		CY	\$	21.00	=	\$			\$	
* Permanent Pond/BMP (provide engineer's estimate)		EA	\$	47,300.00	=	\$			\$	
		EA			=	\$	-		\$	-
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-
Vehicle Tracking Control	3	EA	\$	2,453.00	=	\$	7,359.00		\$	7,359.00
Silt Fence	28,456	LF	\$	2.60	=	\$	73,985.60		\$	73,985.60
Temporary Seeding	45	AC	\$	650.00	=	\$	29,250.00		\$	29,250.00
Temporary Mulch	45	AC	\$	777.00	=	\$	34,965.00		\$	34,965.00
Erosion Bales	כד	EA	\$	26.00	=	\$	34,903.00		\$	34,903.00
Erosion Logs/Straw Waddle		LF	\$	5.00	=	\$	-		\$	-
Rock Check Dams		EA	\$	518.00	=	\$	-		\$	-
Inlet Protection		EA	\$	173.00	=	\$	-		\$	-
Sediment Basin	5	EA	\$	1,824.00	=	\$	9,120.00		\$	9,120.00
Concrete Washout Basin 0?	3	EA	\$	932.00	=	\$	2,796.00		\$	2,796.00
Straw Bale Check Dams		EA	\$	100.00		\$	-		\$	-
Rock Socks		EA	\$	50.00	=	\$			\$	-
[insert items not listed but part of construction plans]			7	50.00	=	\$			\$	_
	AINTENANCE (3	E0/- of Cons	truct	ion PMDs\		\$	55,116.46		\$	55,116.46
 Subject to defect warranty financial assurance. A minimum of 20% shall be 										
etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)		Sect	tion '	1 Subtotal	=	\$	688,739.56		\$	688,739.56
- Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS		Sect	tion '	1 Subtotal	=	\$	688,739.56		\$	688,739.56
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS							688,739.56			688,739.56
stained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control		LS	\$	5,000.00	=	\$	-		\$	-
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick		LS Tons	\$	5,000.00 29.00		\$	- -		\$	-
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf)		LS Tons CY	\$ \$ \$	5,000.00 29.00 52.00	=	\$ \$	- - - - -		\$ \$ \$	- - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		LS Tons CY SY	\$ \$ \$	5,000.00 29.00 52.00 14.50	=	\$ \$ \$ \$	- - - - - -		\$ \$ \$	- - - - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		LS Tons CY SY	\$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00	=	\$ \$ \$ \$	- - - - -		\$ \$ \$ \$	- - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		LS Tons CY SY	\$ \$ \$	5,000.00 29.00 52.00 14.50	=	\$ \$ \$ \$	- - - - - -		\$ \$ \$	- - - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		LS Tons CY SY	\$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00	=	\$ \$ \$ \$	- - - - - -		\$ \$ \$ \$	- - - - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY	\$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00	= =	\$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY Tons	\$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30	= =	\$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Raised Median, Paved Regulatory Sign/Advisory Sign		LS Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00	= = = =	\$ \$ \$ \$ \$ \$ \$	- - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Guide/Street Name Sign		LS Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	·
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -		* * * * * * * * * * *	·
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * *	·
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3		LS Tons CY SY SY SY Tons SF EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00	= = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf) Aghalt Pavement (14T lbs/cf) Asphalt Pavement (14T lbs/cf)		LS Tons CY SY SY SY Tons SF EA EA SF EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 25.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * *	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		LS Tons CY SY SY SY Tons SF EA EA SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 25.00 31.00	= = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * *	·
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf) Aghalt Pavement (14T lbs/cf) Asphalt Pavement (14T lbs/cf)		LS Tons CY SY SY SY Tons SF EA EA SF EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 25.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * *	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		LS Tons CY SY SY SY Tons SF EA EA SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 25.00 31.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * *	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		LS Tons CY SY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 25.00 31.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	·
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 30.00 14.00 24.00 207.00 25.00 31.00 31.00 31.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	·
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 62.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf) 4" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		LS Tons CY SY SY SY Tons SF EA EA LF LF LF LF SY SY SY SY SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 31.00 31.00 31.00 50.00 62.00 99.00 1,190.00 63.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 31.00 31.00 31.00 50.00 62.00 99.00 1,190.00 63.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 30.00 14.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00 1,190.00 63.00 95.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (7" thick) Asphalt Pavement (8" thick) Asphalt Pavement (8" thick) Asphalt Pavement (8" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 1,190.00 63.00 95.00 1,532.00 51.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aspalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Curb Curb Curb Curb Curb (9" thick, 8' wide to include return) Curb Sae		LS Tons CY SY SY SY Tons SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 75.00 99.00 1,190.00 63.00 95.00 1,532.00 51.00 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) 8" Thick Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4 " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 31.00 31.00 31.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 1,190.00 63.00 95.00 1,532.00 75.00 2,172.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF LF LF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 1,190.00 63.00 95.00 1,532.00 51.00 2,172.00 3,899.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 31.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF LF LF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 1,190.00 63.00 95.00 1,532.00 51.00 2,172.00 3,899.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) 8" Thick Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) 4_" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	5,000.00 29.00 14.50 20.00 30.00 91.00 8.30 311.00 300.00 14.00 24.00 207.00 31.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

PROJECT INFORMATION							
Grandview Reserve Filing No. 1	8/12/2021	SF-21-XXX					
Project Name	Date	PCD File No.					

			Unit	t				(with Pre	e-Plat Construction)	
Description	Quantity	Units	Cost	t		Tota	l	% Complete	Remaining	
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
TORM DRAIN IMPROVEMENTS										
Concrete Box Culvert (M Standard), Size (W x H)		LF			=	\$	-		\$	-
18" Reinforced Concrete Pipe		LF	\$ 6	67.00	=	\$	-		\$	-
24" Reinforced Concrete Pipe		LF	\$ 8	81.00	=	\$	-		\$	-
30" Reinforced Concrete Pipe		LF	\$ 10	00.00	=	\$	-		\$	-
36" Reinforced Concrete Pipe		LF		24.00	=	\$	-			-
42" Reinforced Concrete Pipe		LF	\$ 16	66.00	=	\$	-			-
48" Reinforced Concrete Pipe		LF		02.00	=	\$	-		-	-
54" Reinforced Concrete Pipe		LF	-	54.00	=	\$	-		-	-
60" Reinforced Concrete Pipe		LF		98.00		\$	_			_
66" Reinforced Concrete Pipe		LF	-	44.00		\$			· ·	-
72" Reinforced Concrete Pipe		LF	-	93.00		\$				-
·		LF	-			-			Ψ	-
18" Corrugated Steel Pipe				87.00	=	\$			Ψ	
24" Corrugated Steel Pipe		LF	-	99.00	=	\$	-		Ψ	-
30" Corrugated Steel Pipe		LF	-	26.00	=	\$	-		Ψ	-
36" Corrugated Steel Pipe		LF	-	52.00	=	\$	-		Ψ	-
42" Corrugated Steel Pipe		LF	-	74.00	=	\$	-		Ψ	-
48" Corrugated Steel Pipe		LF	-	84.00	=	\$	-		Ψ	-
54" Corrugated Steel Pipe		LF	-	69.00	=	\$	-		\$	-
60" Corrugated Steel Pipe		LF		90.00	=	\$	-		\$	-
66" Corrugated Steel Pipe		LF	\$ 35	52.00	=	\$	-		\$	-
72" Corrugated Steel Pipe		LF	\$ 4	14.00	=	\$	-		\$	-
78" Corrugated Steel Pipe		LF	\$ 47	76.00	=	\$	-		\$	-
84" Corrugated Steel Pipe		LF	\$ 56	69.00	=	\$	-			-
Flared End Section (FES) RCP Size = 54 (unit cost = 6x pipe unit cost)		EA	\$ 32	24.00	=	\$	-		\$	-
Flared End Section (FES) CSP Size =			\$		=	\$	-		\$	_
(unit cost = 6x pipe unit cost)		EA	Þ						1	_
End Treatment- Headwall		EA			=	\$	-			-
End Treatment- Wingwall		EA			=	\$	-		\$	-
End Treatment - Cutoff Wall		EA			=	\$	-		\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 5,73	36.00	=	\$	-		\$	-
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,44	40.00	=	\$	-		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 8,63	37.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 7,89	94.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,13	36.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA		85.00	=	\$	-			-
Curb Inlet (Type R) L =15', Depth < 5'		EA		65.00	=	\$				_
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA		05.00	=	\$				
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA		34.00	=	\$				_
Curb Inlet (Type R) L =20', Depth < 5'		EA		40.00	=	\$				_
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA		75.00		\$	-		· ·	_
(3) / -										-
Grated Inlet (Type C), Depth < 5' Grated Inlet (Type D). Depth < 5'		EA		02.00	=	\$			Ψ	-
()1 //		EA		32.00	=	\$	-		Ψ	
Storm Sewer Manhole, Box Base		EA	\$ 12,03		=	\$	-		Ψ	-
Storm Sewer Manhole, Slab Base		EA		19.00	=	\$	-		4	-
Geotextile (Erosion Control)		SY	\$	6.20	=	\$	-		Ψ	-
Rip Rap, d50 size from 6" to 24"		Tons		83.00	=	\$	-		Ψ	-
Rip Rap, Grouted		Tons	\$ 9	98.00	=	\$	-		4	-
Drainage Channel Construction, Size (W x H)		LF			=	\$	-		Ψ	-
Drainage Channel Lining, Concrete		CY	\$ 59	90.00	=	\$	-		\$	-
Drainage Channel Lining, Rip Rap		CY	\$ 1	16.00	=	\$	-		\$	-
Drainage Channel Lining, Grass		AC	\$ 1,52	20.00	=	\$	-		· ·	-
Drainage Channel Lining, Other Stabilization			1		=	\$	-		· ·	-
<u> </u>					=	\$	-		· ·	-
[insert items not listed but part of construction plans]						\$	_			_
 Subject to defect warranty financial assurance. A minimum of 20% shall be 	e					'			T	
tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)		Sect	ion 2 Sub	total	=	\$	-		- \$	

	PROJECT INFORMATION	
Grandview Reserve Filing No. 1	8/12/2021	SF-21-XXX
Project Name	Date	PCD File No.

				Unit				(with Pre-F	Plat Construction)
Description	Quantity	Units		Cost			Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	vate or Dis	stric	t and NO	Maintai	ned by EP	C)**		
ROADWAY IMPROVEMENTS									
					=	\$	-	9	
					=	\$	-	9	
					=	\$	_		
					=	\$	_		
					=	\$	_		
					=	\$	_		
STORM DRAIN IMPROVEMENTS (Exce	otion: Permanent Por	i nd/BMP shall h	ne itei	mized under	Section 1)	Ψ			r
(EACO		Silin Silan k		00 0001	=	\$	-		
					=	\$	_		
					=	\$	_		
						\$			
					_	\$;
						\$;
NATER SYSTEM IMPROVEMENTS						Ψ			r
Water Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$			
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	78.00		\$			
Gate Valves, 8"		EA	\$	1,923.00		\$			·
Fire Hydrant Assembly, w/ all valves		EA	\$	6,828.00		\$			·
Water Service Line Installation, inc. tap and valves		EA	\$	1,370.00		\$			
Fire Cistern Installation, complete		EA	Ψ	1,370.00		\$			·
The distern installation, complete		LA				\$			
[insert items not listed but part of construction plans]						\$			
SANITARY SEWER IMPROVEMENTS					_	Ψ			P
Sewer Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$			
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,540.00		\$			·
Sanitary Service Line Installation, complete		EA	\$	1,451.00		\$			
Sanitary Sewer Lift Station, complete		EA	Ψ	1,431.00		\$			
Cantary Cower Ent Clatton, Complete		LA				\$, ;
[insert items not listed but part of construction plans]					_	\$,
ANDSCAPING IMPROVEMENTS	(For subdivision spe	ecific condition	n of a	nnroval or P		Ψ			Y
LANDSCAPING IMPROVEMENTS	(1 or subulvision spi	LS	\$	83,750.00	(OD) =	\$			<u>.</u>
K		EA	Ф	03,730.00	_	\$			
		EA			_	\$			
		EA			_	\$			
		EA				\$	<u> </u>		
* - Section 3 is not subject to defect warranty requirements				Subtotal	=	\$ \$	-		\$ -

This cost per item will be detailed at final plat stage FYI

Not needed for overlot grading without pond construction

		PROJECT			ON			
Grandview Reserve Filing No. 1			8/1	2/2021			SF	-21-XXX
Project Name	Date				=	PCD File No.		
				Unit			(with Pre-F	Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
					_			
AS-BUILT PLANS (Public Improvements inc. Permanent Wo		LS	\$	10,000.00	=	\$ 10,000.00		
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS	\ \$	5,000.00	\ =	\$ 5,000.00	\$	5,000.00
				ىد	\mathcal{O}_{-}			
						Construction Financi		\$ 703,739.56
			(S	Sum of all se	ction subtotal	s plus as-builts and pond/B	MP certification)	
	Total Bam	alalaa Caa		tion Fina	naial Aaau	ronge (with Dre Diet C	`anatuuatian\	
		_				rance (with Pre-Plat C	· -	<u>\$ 703,739.56</u>
	(Sum o	f all section tot	als les	ss credit for i	tems complet	e plus as-builts and pond/B	MP certification)	
					Total Dat	fact Marranti Cinanai	al Accurance	+ 0F 220 F0
		(000) 6 11 ::				fect Warranty Financi	_	\$ 95,229.50
		(20% of all it	ems id	entified as (). To be colla	ateralized at time of prelimin	ary acceptance)	
Approvals								
I hereby certify that this is an accurate and complete estimate	of costs for the w	ork as shown	on the	Grading and	d Erosion Con	trol Plan and Construction [Prawings associated	with the Project.
,				.			3	
Engineer (P.E. Seal Required)		_						
		_						
Approved by Owner / Applicant			Date	e				
		_	_					
Approved by El Paso County Engineer / ECM Administrator			Date	е				