2024 Financial Assurance Estimate Form

(with pre-plat construction) Updated: 10/2023

| PROJECT INFORMATION | | | | | | | | |
|-------------------------|-----------|--------------|--|--|--|--|--|--|
| Grandview Reserve PUDSP | 1/22/2024 | PUDSP2110 | | | | | | |
| Project Name | Date | PCD File No. | | | | | | |

| | | | Unit | | | | (with Pre | -Plat | Construction) |
|--|---------------|--|---|---|--|--------------------------------------|------------|--|----------------------------|
| Description | Quantity | Units | Cost | | | Total | % Complete | | Remaining |
| SECTION 1 - GRADING AND EROSION CONTR | | | | | | | | | |
| Earthwork | • | | , | | | | | | |
| less than 1,000; \$5,300 min | | CY | \$ 8.00 | = | \$ | - | | \$ | - |
| 1,000-5,000; \$8,000 min | | CY | \$ 6.00 | = | \$ | - | | \$ | - |
| 5,001-20,000; \$30,000 min | | CY | \$ 5.00 | = | \$ | - | | \$ | - |
| 20,001-50,000; \$100,000 min | | CY | \$ 3.50 | = | \$ | - | | \$ | - |
| 50,001-200,000; \$175,000 min | 155,211 | CY | \$ 2.50 | = | \$ | 388,027.50 | | \$ | 388,027.50 |
| greater than 200,000; \$500,000 min | | CY | \$ 2.00 | = | \$ | - | | \$ | - |
| Permanent Erosion Control Blanket | | SY | \$ 9.00 | = | \$ | - | | \$ | - |
| Permanent Seeding (inc. noxious weed mgmnt.) & Mulching | | AC | \$ 2,018.00 | = | \$ | - | | \$ | - |
| Permanent Pond/BMP (provide engineer's estimate) | | EA | | = | \$ | - | | \$ | - |
| Concrete Washout Basin | 3 | EA | \$ 1,172.00 | = | \$ | 3,516.00 | | \$ | 3,516.00 |
| Inlet Protection | | EA | \$ 217.00 | = | \$ | - | | \$ | - |
| Rock Check Dam | 627 | EA | \$ 651.00 | = | \$ | 408,177.00 | | \$ | 408,177.00 |
| Safety Fence | 659 | LF | \$ 3.00 | = | \$ | 1,977.00 | | \$ | 1,977.00 |
| Sediment Basin | 10 | EA | \$ 2,294.00 | = | \$ | 22,940.00 | | \$ | 22,940.00 |
| Sediment Trap | | EA | \$ 538.00 | = | \$ | - | | \$ | - |
| Silt Fence | 20,860 | LF | \$ 3.00 | = | \$ | 62,580.00 | | \$ | 62,580.00 |
| Slope Drain | | LF | \$ 43.00 | | \$ | - | | \$ | - |
| Straw Bale | | EA | \$ 33.00 | = | \$ | - | | \$ | - |
| Straw Wattle/Rock Sock | | LF | \$ 8.00 | = | \$ | - | | \$ | - |
| Surface Roughening | | AC | \$ 269.00 | | \$ | - | | \$ | - |
| Temporary Erosion Control Blanket | 11,861.0 | SY | \$ 3.00 | = | \$ | 35,583.00 | | \$ | 35,583.00 |
| Temporary Seeding and Mulching | 132.0 | AC | \$ 1,793.00 | = | \$ | 236,676.00 | | \$ | 236,676.00 |
| Vehicle Tracking Control | 2 | EA | \$ 3,085.00 | = | \$ | 6,170.00 | | \$ | 6,170.00 |
| 12" Gravel Access Road | 18,870 | SF | \$ 1.25 | = | \$ | 23,587.50 | | \$ | 23,587.50 |
| [insert items not listed but part of construction plans] | | | | = | \$ | - | | \$ | - |
| * - Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE | NTENANCE (35% | | n 1 Subtotal | = | \$ | 279,191.68 1,468,425.68 | | \$ | 279,191.68 |
| | | | | | | | | | |
| | | | | | ļ., | | | | |
| | | | | | <u> </u> | | | | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS | | 10 | | | | | | | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control | | LS | | = | \$ | - | | \$ | - |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) | | Tons | \$ 37.00 | | \$ | - | | \$ | - - |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) | | Tons CY | \$ 37.00 \$ 66.00 | = | \$ \$ | - | | \$ | |
| ROADWAY IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) | | Tons CY SY | \$ 37.00 \$ 66.00 \$ 18.00 | = | \$ \$ \$ \$ | - | | \$ \$ \$ | - |
| ROADWAY IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) | | Tons CY SY SY | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 | = | \$ \$ \$ \$ \$ | | | \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) | | Tons CY SY SY SY | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 | = = | \$ \$ \$ \$ \$ | - - - | | \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgragate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick | | Tons CY SY SY SY Tons | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 | = = | \$ \$ \$ \$ \$ \$ | - - - - | | \$ \$ \$ \$ | - - - - |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved | | Tons CY SY SY SY Tons SF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 | = = = = | \$ \$ \$ \$ \$ \$ | - - - - | | \$ \$ \$ \$ \$ | - |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign | | Tons CY SY SY SY Tons SF EA | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 | = = = = | \$ \$ \$ \$ \$ \$ \$ | - | | \$ \$ \$ \$ \$ | - - - - - - |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign | | Tons CY SY SY SY Tons SF EA EA | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 | = = = = = = | \$ \$ \$ \$ \$ \$ \$ \$ | - - - - - - | | \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking | | Tons CY SY SY SY Tons SF EA EA SF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 | = | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | - - - - - - - | | \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking | | Tons CY SY SY SY Tons SF EA EA SF SF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 | = | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | - - - - - - - - | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | - |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 | | Tons CY SY SY SY Tons SF EA EA SF SF EA | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 | = | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I | | Tons CY SY SY SY Tons SF EA EA SF EA EA | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 31.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | - | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) | | Tons CY SY SY SY Tons SF EA EA SF EA LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 31.00 \$ 38.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) | | Tons CY SY SY Tons SF EA EA SF EA LF LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 17.00 \$ 392.00 \$ 30.00 \$ 37.00 \$ 38.00 \$ 38.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) | | Tons CY SY SY SY Tons SF EA EA LF LF LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | - |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) | | Tons CY SY SY SY Tons SF EA EA LF LF LF SY | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk | | Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 359.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk | | Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 359.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk | | Tons CY SY SY SY Tons SF EA EA EA LF LF LF SY SY SY | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 77.00 \$ 94.00 \$ 125.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp | | Tons | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 37.00 \$ 30.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 17.00 \$ 392.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asghalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) | | Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 314.00 \$ 11.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 77.00 \$ 94.00 \$ 1,496.00 \$ 79.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| Construction 7 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) | | Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 125.00 \$ 1,496.00 \$ 79.00 \$ 119.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase | | Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 31.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 125.00 \$ 125.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Wedian) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) | | Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 30.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.00 \$ 1,926.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) | | Tons CY SY SY SY Tons SF EA EA EA LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 11.00 \$ 392.00 \$ 30.00 \$ 30.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 1496.00 \$ 77.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.00 \$ 94.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curd Curd rail Type 3 (Medan) Guardrail Type 7 (Concrete) Guardrail End Anchorage | | Tons CY SY SY SY Tons SF EA EA SF EA LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 17.00 \$ 392.00 \$ 37.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 17.00 \$ 39.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.00 \$ 94.00 \$ 94.00 \$ 1,926.00 \$ 94.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk Bedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator | | Tons CY SY SY SY Tons SF EA EA SF EA LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 392.00 \$ 30.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.00 \$ 94.00 \$ 2,731.00 \$ 4,902.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) | | Tons CY SY SY SY Tons SF EA EA SF EA LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 \$ 31.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 4.00 \$ 77.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.00 \$ 4,902.00 \$ 4,902.00 \$ 4,902.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk Bedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator | | Tons CY SY SY SY Tons SF EA EA SF EA LF | \$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 392.00 \$ 30.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.00 \$ 94.00 \$ 2,731.00 \$ 4,902.00 | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | | | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |

| PROJECT INFORMATION | | | | | | | | |
|-------------------------|-----------|--------------|--|--|--|--|--|--|
| Grandview Reserve PUDSP | 1/22/2024 | PUDSP2110 | | | | | | |
| Project Name | Date | PCD File No. | | | | | | |

| | Unit | | | | | (with Pre-Plat Construction) | | | |
|--|----------|--------|--------------|---|-------|------------------------------|-----------|--|--|
| Description | Quantity | Units | Cost | | Total | % Complete | Remaining | | |
| | | | | = | \$ - | | \$ - | | |
| [insert items not listed but part of construction plans] | | | | = | \$ - | | \$ - | | |
| STORM DRAIN IMPROVEMENTS | | | | | | | | | |
| Concrete Box Culvert (M Standard), Size (W x H) | | LF | | = | \$ - | | \$ - | | |
| 18" Reinforced Concrete Pipe | | LF | \$ 82.00 | = | \$ - | | \$ - | | |
| 24" Reinforced Concrete Pipe | | LF | \$ 98.00 | = | \$ - | | \$ - | | |
| 30" Reinforced Concrete Pipe | | LF | \$ 123.00 | = | \$ - | | \$ - | | |
| 36" Reinforced Concrete Pipe | | LF | \$ 151.00 | = | \$ - | | \$ - | | |
| 42" Reinforced Concrete Pipe | | LF | \$ 201.00 | = | \$ - | | \$ - | | |
| 48" Reinforced Concrete Pipe | | LF | \$ 245.00 | = | \$ - | | \$ - | | |
| 54" Reinforced Concrete Pipe | | LF | \$ 320.00 | = | \$ - | | \$ - | | |
| 60" Reinforced Concrete Pipe | | LF | \$ 374.00 | = | \$ - | | \$ - | | |
| 66" Reinforced Concrete Pipe | | LF | \$ 433.00 | = | \$ - | | \$ - | | |
| 72" Reinforced Concrete Pipe | | LF | \$ 495.00 | = | \$ - | | \$ - | | |
| 18" Corrugated Steel Pipe | | LF | \$ 105.00 | = | \$ - | | \$ - | | |
| 24" Corrugated Steel Pipe | | LF | \$ 121.00 | = | \$ - | | \$ - | | |
| 30" Corrugated Steel Pipe | | LF | \$ 154.00 | = | \$ - | | \$ - | | |
| 36" Corrugated Steel Pipe | | LF | \$ 184.00 | = | \$ - | | \$ - | | |
| 42" Corrugated Steel Pipe | | LF | \$ 212.00 | = | \$ - | | \$ - | | |
| 48" Corrugated Steel Pipe | | LF | \$ 223.00 | = | \$ - | | \$ - | | |
| 54" Corrugated Steel Pipe | | LF | \$ 327.00 | = | \$ - | | \$ - | | |
| 60" Corrugated Steel Pipe | | LF | \$ 353.00 | | \$ - | | \$ - | | |
| 66" Corrugated Steel Pipe | | LF | \$ 427.00 | = | \$ - | | \$ - | | |
| 72" Corrugated Steel Pipe | | LF | \$ 502.00 | = | \$ - | | \$ - | | |
| 78" Corrugated Steel Pipe | | LF | \$ 578.00 | | \$ - | | \$ - | | |
| 84" Corrugated Steel Pipe | | LF | \$ 691.00 | | \$ - | | \$ - | | |
| Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost) | | EA | ψ 071.00 | = | \$ - | | \$ - | | |
| Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost) | | EA | | = | \$ - | | \$ - | | |
| | | EA | | | | | | | |
| End Treatment- Headwall | | | | = | \$ - | | \$ - | | |
| End Treatment- Wingwall | | EA | | = | \$ - | | \$ - | | |
| End Treatment - Cutoff Wall | | EA | ¢ 7.010.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L=5', Depth < 5' | | EA | \$ 7,212.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L=5', 5' ≤ Depth < 10' | | EA | \$ 9,377.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =5', 10' ≤ Depth < 15' | | EA | \$ 10,859.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =10', Depth < 5' | | EA | \$ 9,925.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =10', 5' ≤ Depth < 10' | | EA | \$ 10,230.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =10', 10' ≤ Depth < 15' | | EA | \$ 12,805.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =15', Depth < 5' | | EA | \$ 12,907.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =15', 5' ≤ Depth < 10' | | EA | \$ 13,835.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =15', 10' ≤ Depth < 15' | | EA | \$ 15,130.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =20', Depth < 5' | | EA | \$ 13,755.00 | = | \$ - | | \$ - | | |
| Curb Inlet (Type R) L =20', 5' ≤ Depth < 10' | | EA | \$ 15,181.00 | = | \$ - | | \$ - | | |
| Grated Inlet (Type C), Depth < 5' | | EA | \$ 6,037.00 | = | \$ - | | \$ - | | |
| Grated Inlet (Type D), Depth < 5' | | EA | \$ 7,458.00 | = | \$ - | | \$ - | | |
| Storm Sewer Manhole, Box Base | | EA | \$ 15,130.00 | = | \$ - | | \$ - | | |
| Storm Sewer Manhole, Slab Base | | EA | \$ 8,322.00 | = | \$ - | | \$ - | | |
| Geotextile (Erosion Control) | | SY | \$ 9.00 | = | \$ - | | \$ - | | |
| Rip Rap, d50 size from 6" to 24" | | Tons | \$ 104.00 | = | \$ - | | \$ - | | |
| Rip Rap, Grouted | | Tons | \$ 124.00 | = | \$ - | | \$ - | | |
| Drainage Channel Construction, Size (W x H) | | LF | | = | \$ - | | \$ - | | |
| Drainage Channel Lining, Concrete | | CY | \$ 741.00 | = | \$ - | | \$ - | | |
| Drainage Channel Lining, Rip Rap | | CY | \$ 145.00 | = | \$ - | | \$ - | | |
| Drainage Channel Lining, Grass | | AC | \$ 1,911.00 | = | \$ - | | \$ - | | |
| Drainage Channel Lining, Other Stabilization | | | | = | \$ - | | \$ - | | |
| | | | | = | \$ - | | \$ - | | |
| [insert items not listed but part of construction plans] | | | | = | \$ - | | \$ - | | |
| Subject to defect warranty financial assurance. A minimum of 20% shape retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) | 11 | Sectio | n 2 Subtotal | = | \$ - | | \$ - | | |

| PROJECT INFORMATION | | | | | | | | |
|-------------------------|-----------|--------------|--|--|--|--|--|--|
| Grandview Reserve PUDSP | 1/22/2024 | PUDSP2110 | | | | | | |
| Project Name | Date | PCD File No. | | | | | | |

| | | | | Unit | | | | (with Pre | -Plat Co | onstruction) |
|---|----------------------|------------------|--------|--------------|--------------|--------|-----------|------------|----------|--------------|
| Description | Quantity | Units | | Cost | | | Total | % Complete | | Remaining |
| SECTION 3 - COMMON DEVELOPMENT IMPRO | OVEMENTS (Pr | ivate or Di | str | ict and N | IOT Main | tained | by EPC)** | | | - |
| ROADWAY IMPROVEMENTS | (| | | | | | , , | | | |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | _ | | \$ | |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| STORM DRAIN IMPROVEMENTS (Except | ion: Permanent Por | nd/BMP shall l | be ite | emized und | er Section 1 |) | | | | |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| WATER SYSTEM IMPROVEMENTS | ' | | | | | | | | ĺ | |
| Water Main Pipe (PVC), Size 8" | | LF | \$ | 84.00 | = | \$ | - | | \$ | - |
| Water Main Pipe (Ductile Iron), Size 8" | | LF | \$ | 98.00 | - | \$ | - | | \$ | - |
| Gate Valves, 8" | | EA | \$ | 2,418.00 | = | \$ | - | | \$ | - |
| Fire Hydrant Assembly, w/ all valves | | EA | \$ | 8,584.00 | - | \$ | - | | \$ | - |
| Water Service Line Installation, inc. tap and valves | | EA | \$ | 1,723.00 | = | \$ | - | | \$ | - |
| Fire Cistern Installation, complete | | EA | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| [insert items not listed but part of construction plans] | | | | | = | \$ | - | | \$ | - |
| SANITARY SEWER IMPROVEMENTS | | | | | | | | | | |
| Sewer Main Pipe (PVC), Size 8" | | LF | \$ | 84.00 | = | \$ | - | | \$ | - |
| Sanitary Sewer Manhole, Depth < 15 feet | | EA | \$ | 5,708.00 | = | \$ | - | | \$ | - |
| Sanitary Service Line Installation, complete | | EA | \$ | 1,825.00 | = | \$ | - | | \$ | - |
| Sanitary Sewer Lift Station, complete | | EA | | | = | \$ | - | | \$ | - |
| | | | | | = | \$ | - | | \$ | - |
| [insert items not listed but part of construction plans] | | | | | = | \$ | - | | \$ | - |
| LANDSCAPING IMPROVEMENTS | (For subdivision spe | ecific condition | of a | approval, or | PUD) | | | | | |
| | | EA | | | = | \$ | - | | \$ | - |
| | | EA | | | = | \$ | - | | \$ | - |
| | | EA | | | = | \$ | - | | \$ | - |
| | | EA | | | = | \$ | - | | \$ | - |
| | | EA | | | = | \$ | - | | \$ | - |
| ** - Section 3 is not subject to defect warranty requirements | | Section | n 3 | Subtotal | = | \$ | - | | \$ | - |

| Project Name | | Date | | | | PCD File No. | | | |
|--|------------------------|-----------------|--------------------|-------------|--------------|---------------------------------------|--------------------|-------|---------------|
| | | | Unit | | | | (with Pre | -Plat | Construction) |
| Description | Quantity | Units | Cost | | | Total | % Complete | | Remaining |
| AS-BUILT PLANS (Public Improvements inc | . Permanent WQCV BMPs) | | | = | \$ | - | | \$ | - |
| POND/BMP CERTIFICATION (inc. elevations and volume calculations) | | LS | | = | \$ | - | | \$ | - |
| | Total Ramair | oina Conoti | ` | ction subto | tals plus as | uction Financi -builts and pond/E | BMP certification) | 7 | 1,468,425.68 |
| | | • | | | • | with Pre-Plat (-builts and pond/E | • | | 1,468,425.68 |
| | (2 | 20% of all item | s identified as (* | | | rranty Financi at time of prelimir | | | 77,605.50 |

PROJECT INFORMATION
1/22/2024

PUDSP2110

Grandview Reserve PUDSP

| Approvals | |
|---|---|
| t hereby certify that this is an accurate and complete estimate of costs for the wo | ork as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project. |
| Engineer (P.E. Seal Required) Approved by Owner / Applicant | 01/22/2024 Date |
| Approved by El Paso County Engineer / ECM Administrator | Date |