

APPENDIX B

Hydrologic Computations

COMPOSITE % IMPERVIOUS CALCULATIONS: EXISTING & INTERIM

Subdivision: Grandview Reserve
 Location: CO, El Paso County

Project Name: Grandview Subdivision PDR - Interim Conditions
 Project No.: HRG01
 Calculated By: TJE
 Checked By: BAS
 Date: 12/21/23

Basin ID	Total Area (ac)	Paved/Gravel Roads			Lawns/Undeveloped			Residential - 1/8 Acre			Residential - 1/4 Acre			Residential - 1/3 Acre			Residential - 1/2 Acre			Residential - 1 Acre			Basins Total Weighted % Imp.
		% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	
EXISTING																							
<i>For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023</i>																							
ES-1	16.37	100	0	0	2	16.37	2	65	0	0	40	0	0	30	0	0	25	0	0	20	0	0	2
ES-2	46.05	100	0	0	2	46.05	2	65	0	0	40	0	0	30	0	0	25	0	0	20	0	0	2
ES-3	64.3	100	0	0	2	64.3	2	65	0	0	40	0	0	30	0	0	25	0	0	20	0	0	2
ES-4	2.68	100	0	0	2	2.68	2	65	0	0	40	0	0	30	0	0	25	0	0	20	0	0	2
ES-5	26.15	100	0	0	2	26.15	2	65	0	0	40	0	0	30	0	0	25	0	0	20	0	0	2
ES-6	31.26	100	0	0	2	31.26	2	65	0	0	40	0	0	30	0	0	25	0	0	20	0	0	2
INTERIM																							
<i>For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023</i>																							
A-1	2.29	100	0.00	0.0	2	2.29	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
A-2	3.96	100	0.00	0.0	2	3.96	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
EA-1	2.50	100	0.00	0.0	2	2.50	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-A1	10.67	100	0.00	0.0	2	10.67	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-A2	4.56	100	0.00	0.0	2	4.56	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-A3	13.72	100	0.00	0.0	2	13.72	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-B1	14.03	100	0.00	0.0	2	14.03	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-B2	14.48	100	0.00	0.0	2	14.48	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-C1	11.26	100	0.00	0.0	2	11.26	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-C2	11.92	100	0.00	0.0	2	11.92	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-C3	15.29	100	0.00	0.0	2	15.29	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-D1	10.09	100	0.00	0.0	2	10.09	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-E1	8.21	100	0.00	0.0	2	8.21	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
TSB-E2	13.57	100	0.00	0.0	2	13.57	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0

Lot Type Identification:	
Lot Size (SF)	Lot Size (Acre)
0 - 8,167	1/8 Acre
8,168 - 12,704	1/4 Acre
12,705 - 18,149	1/3 Acre
18,150 - 32,670	1/2 Acre
32,671 - 43,560	1 Acre

NOTES:
 % Impervious values are taken directly from Table 6-6 in the Colorado Springs DCM Vol. 1. CH. 6 (Referencing UDFCD 2001)

COMPOSITE RUNOFF COEFFICIENT CALCULATIONS: EXISTING & INTERIM

Subdivision: Grandview Reserve
 Location: CO, El Paso County

Project Name: Grandview Subdivision PDR - Interim Conditions
 Project No.: HRG01
 Calculated By: TJE
 Checked By: BAS
 Date: 12/21/23

Basin ID	Total Area (ac)	Paved/Gravel Roads			Lawns/Undeveloped			Roofs			Residential - 1/8 Acre			Residential - 1/4 Acre			Residential - 1/3 Acre			Residential - 1/2 Acre			Residential - 1 Acre			Composite C ₅	Composite C ₁₀₀
		C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)		
EXISTING																											
<i>For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023</i>																											
ES-1	16.37	0.90	0.96	0.00	0.09	0.36	16.37	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
ES-2	46.05	0.90	0.96	0.00	0.09	0.36	46.05	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
ES-3	64.30	0.90	0.96	0.00	0.09	0.36	64.30	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
ES-4	2.68	0.90	0.96	0.00	0.09	0.36	2.68	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
ES-5	26.15	0.90	0.96	0.00	0.09	0.36	26.15	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
ES-6	31.26	0.90	0.96	0.00	0.09	0.36	31.26	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
INTERIM																											
<i>For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023</i>																											
A-1	2.29	0.90	0.96	0.00	0.09	0.36	2.29	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
A-2	3.96	0.90	0.96	0.00	0.09	0.36	3.96	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
EA-1	2.50	0.90	0.96	0.00	0.09	0.36	2.50	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-A1	10.67	0.90	0.96	0.00	0.09	0.36	10.67	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-A2	4.56	0.90	0.96	0.00	0.09	0.36	4.56	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-A3	13.72	0.90	0.96	0.00	0.09	0.36	13.72	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-B1	14.03	0.90	0.96	0.00	0.09	0.36	14.03	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-B2	14.48	0.90	0.96	0.00	0.09	0.36	14.48	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-C1	11.26	0.90	0.96	0.00	0.09	0.36	11.26	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-C2	11.92	0.90	0.96	0.00	0.09	0.36	11.92	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-C3	15.29	0.90	0.96	0.00	0.09	0.36	15.29	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-D1	10.09	0.90	0.96	0.00	0.09	0.36	10.09	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-E1	8.21	0.90	0.96	0.00	0.09	0.36	8.21	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
TSB-E2	13.57	0.90	0.96	0.00	0.09	0.36	13.57	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36

Lot Type Identification:	
Lot Size (SF)	Lot Size (Acre)
0 - 8,167	<= 1/8 Acre
8,168 - 12,704	1/4 Acre
12,705 - 18,149	1/3 Acre
18,150 - 32,670	1/2 Acre
32,671 - 43,560	1 Acre

NOTES:
 C values are taken directly from Table 6-6 in the Colorado Springs DCM Vol. 1. CH. 6 (Referencing UDFCD 2001)
 Coefficients use HSG A&B soils - Refer to "Appendix A: Exhibits and Figures" for soil map

STANDARD FORM SF-2: EXISTING & INTERIM TIME OF CONCENTRATION

Subdivision: Grandview Reserve
Location: CO, El Paso County

Project Name: Grandview Subdivision PDR - Interim Conditions
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 12/21/23

SUB-BASIN						INITIAL/OVERLAND			TRAVEL TIME					T _c CHECK			FINAL
BASIN ID	D.A. (AC)	Hydrologic Soils Group	Impervious (%)	C ₅	C ₁₀₀	(T _i)			(T _t)					(T _c)			T _c (MIN)
						L (FT)	S (%)	T _i (MIN)	L (FT)	S (%)	C _v	VEL. (FPS)	T _t (MIN)	COMP. T _c (MIN)	TOTAL LENGTH(FT)	Calculated T _c (MIN)	
EXISTING																	
For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																	
ES-1	16.37	A	2.0	0.09	0.36	300	3.3	21.6	1433	2.5	15	2.4	10.0	31.6	1732.7	19.6	31.6
ES-2	46.05	A	2.0	0.09	0.36	300	2.5	23.6	3127	2.0	15	2.1	24.7	48.3	3427.0	29.0	48.3
ES-3	64.30	A	2.0	0.09	0.36	300	3.2	21.7	3964	2.1	15	2.2	30.4	52.1	4263.6	33.7	52.1
ES-4	2.68	A	2.0	0.09	0.36	300	2.5	23.8	462	2.4	15	2.3	3.3	27.1	762.3	14.2	27.1
ES-5	26.15	A	2.0	0.09	0.36	300	3.1	22.1	2121	2.3	15	2.3	15.6	37.7	2420.8	23.4	37.7
ES-6	31.26	A	2.0	0.09	0.36	300	3.6	20.9	1488	2.1	15	2.2	11.4	32.3	1788.5	19.9	32.3
INTERIM																	
For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																	
A-1	2.29	A	2.0	0.09	0.36	40	2.0	9.3	927	2.9	10	1.7	9.1	18.4	967.0	15.4	15.4
A-2	3.96	A	2.0	0.09	0.36	56	2.0	11.0	828	2.5	10	1.6	8.7	19.7	884.0	14.9	14.9
EA-1	2.50	A	2.0	0.09	0.36	160	5.0	13.7	1254	0.5	10	0.7	29.6	43.2	1414.0	17.9	17.9
TSB-A1	10.67	A	2.0	0.09	0.36	136	2.0	17.1	865	3.0	10	1.7	8.4	25.5	1001.0	15.6	15.6
TSB-A2	4.56	A	2.0	0.09	0.36	163	2.0	18.7	749	3.8	10	1.9	6.4	25.1	912.0	15.1	15.1
TSB-A3	13.72	A	2.0	0.09	0.36	159	2.0	18.5	1220	2.3	10	1.5	13.4	31.9	1379.0	17.7	17.7
TSB-B1	14.03	A	2.0	0.09	0.36	212	2.0	21.4	1035	3.2	10	1.8	9.6	31.0	1247.0	16.9	16.9
TSB-B2	14.48	A	2.0	0.09	0.36	60	2.0	11.4	1245	2.8	10	1.7	12.4	23.7	1305.0	17.3	17.3
TSB-C1	11.26	A	2.0	0.09	0.36	300	2.0	25.4	1105	2.0	10	1.4	12.9	38.3	1405.0	17.8	17.8
TSB-C2	11.92	A	2.0	0.09	0.36	50	2.0	10.4	1151	3.1	10	1.8	10.9	21.3	1201.0	16.7	16.7
TSB-C3	15.29	A	2.0	0.09	0.36	181	2.0	19.7	1745	2.6	10	1.6	18.2	38.0	1926.0	20.7	20.7
TSB-D1	10.09	A	2.0	0.09	0.36	155	2.0	18.3	1450	2.0	10	1.4	17.1	35.4	1605.0	18.9	18.9
TSB-E1	8.21	A	2.0	0.09	0.36	150	2.0	18.0	842	4.1	10	2.0	6.9	24.9	992.0	15.5	15.5
TSB-E2	13.57	A	2.0	0.09	0.36	300	2.0	25.4	989	2.0	10	1.4	11.7	37.1	1289.0	17.2	17.2

NOTES:

$T_i = (0.395 * (1.1 - C_5) * L)^{0.5} / ((S)^{0.33})$, S in ft/ft

$T_t = L / 60V$ (Velocity From Fig. 501)

Velocity $V = C_v * S^{0.5}$, S in ft/ft

T_c Check = 10 + L/180

For Urbanized basins a minimum T_c of 5.0 minutes is required.

For non-urbanized basins a minimum T_c of 10.0 minutes is required

**STANDARD FORM SF-3: EXISTING & INTERIM
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve
 Location: CO, El Paso County
 Design Storm: 5-Year

Project Name: Grandview Subdivision PDR - Interim Conditions
 Project No.: HRG01
 Calculated By: TJE
 Checked By: BAS
 Date: 12/21/23

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE		TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	
EXISTING																				
	1	EX1	321.53				28.3				28.3									**SEE NOTE
	2	EX2	18.88				1.7				1.7									**SEE NOTE
	3	EX3	131.26				6.1				6.1									**SEE NOTE
	4	EX4	832.70				22.4				22.4									**SEE NOTE
	5	EX5	22.35				7.0				7.0									**SEE NOTE
	6	EX6	3.05				1.2				1.2									**SEE NOTE
	7	EX7	1.47				0.9				0.9									**SEE NOTE
	X1	ES-1	16.37	0.09	31.6	1.47	2.35	3.5			4.7									Sheet flow to Channel A Total Flow from DP 6 & Basin ES-1
	X2	ES-2	46.05	0.09	48.3	4.14	1.82	7.5			36.9									Sheet flow to Channel A Total Flow from DP 4, DP 5 & Basin ES-2
	X3	ES-3	64.30	0.09	52.1	5.79	1.73	10.0			10.0									Sheet flow offsite - outfalls to Channel B
	X4	ES-4	2.68	0.09	27.1	0.24	2.57	0.6			0.6									Sheet flow offsite - outfalls to Channel B
	X5	ES-5	26.15	0.09	37.7	2.35	2.12	5.0			5.0									Sheet flow offsite - outfalls to Channel B
	X6	ES-6	31.26	0.09	32.3	2.81	2.32	6.5			40.9									Sheet flow offsite - outfalls to Channel B Total Flow from DP 1, DP 3 & ES-6
	X7										56.5									Total Existing Flow offsite - outfalls to Channel B
**For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																				
INTERIM																				
	8	A-1	2.29	0.09	15.4	0.21	3.42	0.7			0.7									Flows offsite through Pr. Swale A-1
	9	TSB-A1	10.67	0.09	15.6	0.96	3.40	3.3			3.3									Residential Undeveloped-Overland Graded
	10	A-2	3.96	0.09	14.9	0.36	3.47	1.2			10.6									Flows offsite through Pr. Swale A-2 Combined flow of Basin A-2, DP 3 & DP 9
	11	TSB-A2	4.56	0.09	15.1	0.41	3.46	1.4			1.4									Residential Undeveloped-Overland Graded
	12	TSB-A3	13.72	0.09	17.7	1.23	3.21	3.9			5.4									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-A3 & DP 11
	13	TSB-B1	14.03	0.09	16.9	1.26	3.27	4.1			4.1									Residential Undeveloped-Overland Graded
	14	TSB-B2	14.48	0.09	17.3	1.30	3.24	4.2			8.3									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-B2 & DP13
	15	TSB-C1	11.26	0.09	17.8	1.01	3.19	3.2			3.2									Residential Undeveloped-Overland Graded
	16	TSB-C2	11.92	0.09	16.7	1.07	3.30	3.5			3.5									Residential Undeveloped-Overland Graded
	17	TSB-C3	15.29	0.09	20.7	1.38	2.96	4.1			7.3									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-C3 & DP 15
	18	TSB-D1	10.09	0.09	18.9	0.91	3.10	2.8			2.8									Residential Undeveloped-Overland Graded
	19	TSB-E1	8.21	0.09	15.5	0.74	3.41	2.5			2.5									Residential Undeveloped-Overland Graded
	20	TSB-E2	13.57	0.09	17.2	1.22	3.25	4.0			6.5									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-E2 & DP 19
	21	EA-1	2.50	0.09	17.9	0.23	3.19	0.7			8.9									Existing Eastonville Road Combined flow of Basin EA-1, DP 5 & DP 6

**STANDARD FORM SF-3: EXISTING & INTERIM
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve
Location: CO, El Paso County
Design Storm: 100-Year

Project Name: Grandview Subdivision PDR - Interim Conditions
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 12/21/23

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE			TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	Tt (min)	
EXISTING																					
	1	EX1	321.53					365.2				365.2									**SEE NOTE
	2	EX2	18.88					18.8				18.8									**SEE NOTE
	3	EX3	131.26					112.1				112.1									**SEE NOTE
	4	EX4	832.70					491.0				491.0									**SEE NOTE
	5	EX5	22.35					43.3				43.3									**SEE NOTE
	6	EX6	3.05					6.9				6.9									**SEE NOTE
	7	EX7	1.47					4.2				4.2									**SEE NOTE
	X1	ES-1	16.37	0.36	31.6	5.89	4.19	24.7				31.6									Sheet flow to Channel A Total Flow from DP 6 & Basin ES-1
	X2	ES-2	46.05	0.36	48.3	16.58	3.24	53.7				588.0									Sheet flow to Channel A Total Flow from DP 4, DP 5 & Basin ES-2
	X3	ES-3	64.30	0.36	52.1	23.15	3.09	71.5				71.5									Sheet flow offsite - outfalls to Channel B
	X4	ES-4	2.68	0.36	27.1	0.96	4.57	4.4				4.4									Sheet flow offsite - outfalls to Channel B
	X5	ES-5	26.15	0.36	37.7	9.41	3.77	35.5				35.5									Sheet flow offsite - outfalls to Channel B
	X6	ES-6	31.26	0.36	32.3	11.25	4.13	46.5				523.8									Sheet flow offsite - outfalls to Channel B Total Flow from DP 1, DP 3 & ES-6
	X7											635.2									Total Existing Flow offsite - outfalls to Channel B
**For Existing Western Offsite Sub-basin analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																					
INTERIM																					
	8	A-1	2.29	0.36	15.4	0.82	6.09	5.0				5.0									Flows offsite through Pr. Swale A-1
	9	TSB-A1	10.67	0.36	15.6	3.84	6.06	23.3				23.3									Residential Undeveloped-Overland Graded
	10	A-2	3.96	0.36	14.9	1.43	6.18	8.8				144.2									Flows offsite through Pr. Swale A-2 Combined flow of Basin A-2, DP 3 & DP 9
	11	TSB-A2	4.56	0.36	15.1	1.64	6.15	10.1				10.1									Residential Undeveloped-Overland Graded
	12	TSB-A3	13.72	0.36	17.7	4.94	5.71	28.2				38.3									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-A3 & DP 11
	13	TSB-B1	14.03	0.36	16.9	5.05	5.82	29.4				29.4									Residential Undeveloped-Overland Graded
	14	TSB-B2	14.48	0.36	17.3	5.21	5.77	30.1				59.5									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-B2 & DP13
	15	TSB-C1	11.26	0.36	17.8	4.05	5.68	23.0				23.0									Residential Undeveloped-Overland Graded
	16	TSB-C2	11.92	0.36	16.7	4.29	5.87	25.2				25.2									Residential Undeveloped-Overland Graded
	17	TSB-C3	15.29	0.36	20.7	5.50	5.27	29.0				52.0									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-C3 & DP 15
	18	TSB-D1	10.09	0.36	18.9	3.63	5.52	20.0				20.0									Residential Undeveloped-Overland Graded
	19	TSB-E1	8.21	0.36	15.5	2.96	6.07	18.0				18.0									Residential Undeveloped-Overland Graded
	20	TSB-E2	13.57	0.36	17.2	4.89	5.79	28.3				46.3									Residential Undeveloped-Overland Graded Combined flow of Basin TSB-E2 & DP 19
	21	EA-1	2.50	0.36	17.9	0.90	5.68	5.1				55.3									Existing Eastonville Road Combined flow of Basin EA-1, DP 5 & DP 6

COMPOSITE % IMPERVIOUS CALCULATIONS: EXISTING & PROPOSED

Subdivision: Grandview Reserve
 Location: CO, El Paso County

Project Name: Grandview Subdivision PDR
 Project No.: HRG01
 Calculated By: TJE
 Checked By: BAS
 Date: 9/20/23

Basin ID	Total Area (ac)	Paved/Gravel Roads			Lawns/Undeveloped			Residential - 1/8 Acre			Residential - 1/4 Acre			Residential - 1/3 Acre			Residential - 1/2 Acre			Residential - 1 Acre			Basins Total Weighted % Imp.
		% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	% Imp.	Area (ac)	Weighted % Imp.	
PROPOSED																							
For Existing Western Offsite Sub-basin analysis and Proposed Eastonville Road Basin Analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																							
A-1	11.60	100	0.00	0.0	2	11.67	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
A-2a	4.42	100	0.00	0.0	2	0.00	0.0	65.0	4.42	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
A-2b	2.75	100	1.80	65.5	2	0.00	0.0	65.0	0.95	22.5	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	88.0
A-3	0.36	100	0.36	100.0	2	0.00	0.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	100.0
A-4a	6.31	100	0.00	0.0	2	0.00	0.0	65.0	6.31	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
A-4b	3.99	100	0.00	0.0	2	0.00	0.0	65.0	3.99	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
A-5	0.35	100	0.35	100.0	2	0.00	0.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	100.0
A-6	2.76	100	0.00	0.0	2	0.00	0.0	65.0	2.76	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
A-7	0.23	100	0.23	100.0	2	0.00	0.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	100.0
A-8	5.44	100	4.06	74.5	2	1.39	0.5	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	75.0
A-9	4.91	100	0.00	0.0	2	0.00	0.0	65.0	4.91	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
A-10	1.02	100	0.00	0.0	2	0.00	0.0	65.0	1.02	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
A-11	3.56	100	0.00	0.0	2	2.77	1.6	65.0	0.79	14.4	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	16.0
B-1	3.81	100	0.00	0.0	2	0.00	0.0	65.0	3.33	56.8	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	56.8
B-2	4.62	100	0.00	0.0	2	0.00	0.0	65.0	4.51	63.5	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	63.5
B-3	4.15	100	0.00	0.0	2	0.00	0.0	65.0	4.15	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
B-4	1.37	100	1.07	78.1	2	0.30	0.4	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	78.5
B-5	5.12	100	0.00	0.0	2	0.00	0.0	65.0	5.12	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
B-6	2.28	100	0.00	0.0	2	0.00	0.0	65.0	2.28	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
B-7	0.89	100	0.00	0.0	2	0.00	0.0	65.0	0.89	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
B-8	3.23	100	0.00	0.0	2	0.00	0.0	65.0	3.23	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
B-9	2.42	100	0.00	0.0	2	0.00	0.0	65.0	2.42	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
B-10	1.10	100	0.00	0.0	2	1.10	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
C-1	4.12	100	0.00	0.0	2	0.00	0.0	65.0	4.12	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-2	2.71	100	0.00	0.0	2	0.00	0.0	65.0	2.71	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-3	1.56	100	0.08	5.1	2	1.48	1.9	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	7.0
C-4	2.47	100	0.00	0.0	2	0.00	0.0	65.0	2.47	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-5	3.09	100	0.00	0.0	2	0.00	0.0	65.0	3.09	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-6	2.1	100	0.00	0.0	2	0.00	0.0	65.0	2.10	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-7a	0.81	100	0.00	0.0	2	0.26	0.6	65.0	0.55	44.1	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	44.7
C-7b	5.91	100	0.00	0.0	2	0.00	0.0	65.0	5.91	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-8	5.11	100	0.00	0.0	2	0.00	0.0	65.0	5.11	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-9a	3.5	100	0.00	0.0	2	0.00	0.0	65.0	3.50	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-9b	3.69	100	0.00	0.0	2	0.00	0.0	65.0	3.69	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-10	3.47	100	0.00	0.0	2	0.00	0.0	65.0	3.47	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-11	0.46	100	0.00	0.0	2	0.00	0.0	65.0	0.46	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-12	1.66	100	0.00	0.0	2	0.00	0.0	65.0	1.66	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
C-13	2.37	100	0.00	0.0	2	2.37	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
C-14	1.53	100	0.00	0.0	2	1.53	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
C-15	0.16	100	0.01	6.3	2	0.15	1.9	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	8.2
D-1	3.48	100	0.00	0.0	2	0.00	0.0	65.0	3.48	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
D-2	0.87	100	0.00	0.0	2	0.00	0.0	65.0	0.87	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
D-3	3.69	100	0.00	0.0	2	0.00	0.0	65.0	3.69	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
D-4	1.75	100	0.00	0.0	2	0.00	0.0	65.0	1.75	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
D-5	1.53	100	0.00	0.0	2	0.71	0.9	65.0	0.82	34.8	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	35.7
D-6	0.83	100	0.00	0.0	2	0.83	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
D-7a	0.27	100	0.02	7.4	2	0.23	1.7	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	9.1
D-7b	0.88	100	0.00	0.0	2	0.00	0.0	65.0	0.88	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
E-1	5.33	100	0.00	0.0	2	0.00	0.0	65.0	5.33	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
E-2	5.42	100	0.00	0.0	2	0.00	0.0	65.0	5.42	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
E-3	3.20	100	0.00	0.0	2	0.00	0.0	65.0	3.20	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
E-4	6.28	100	0.00	0.0	2	0.00	0.0	65.0	6.28	65.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	65.0
E-5	1.13	100	0.00	0.0	2	1.13	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0
E-6	0.74	100	0.00	0.0	2	0.74	2.0	65.0	0.00	0.0	40	0.00	0.0	30	0.00	0.0	25	0.00	0.0	20	0.00	0.0	2.0

Lot Type Identification:	
Lot Size (SF)	Lot Size (Acre)
0 - 8,167	1/8 Acre
8,168 - 12,704	1/4 Acre
12,705 - 18,149	1/3 Acre
18,150 - 32,670	1/2 Acre
32,671 - 43,560	1 Acre

NOTES:
 % Impervious values are taken directly from Table 6-6 in the Colorado Springs DCM Vol. 1, CH. 6 (Referencing UDFCD 2001)

COMPOSITE RUNOFF COEFFICIENT CALCULATIONS: EXISTING & PROPOSED

Subdivision: Grandview Reserve
 Location: CO, El Paso County

Project Name: Grandview Subdivision PDR
 Project No.: HRG01
 Calculated By: TJE
 Checked By: BAS
 Date: 9/20/23

Basin ID	Total Area (ac)	Paved/Gravel Roads			Lawns/Undeveloped			Roofs			Residential - 1/8 Acre			Residential - 1/4 Acre			Residential - 1/3 Acre			Residential - 1/2 Acre			Residential - 1 Acre			Composite C ₅	Composite C ₁₀₀
		C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)	C ₅	C ₁₀₀	Area (ac)		
PROPOSED																											
<i>For Existing Western Offsite Sub-basin analysis and Proposed Eastonville Road Basin Analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023</i>																											
A-1	11.60	0.90	0.96	0.00	0.09	0.36	11.67	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
A-2a	4.42	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	4.42	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
A-2b	2.75	0.90	0.96	1.80	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	0.95	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.74	0.83
A-3	0.36	0.90	0.96	0.36	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.90	0.96
A-4a	6.31	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	6.31	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
A-4b	3.99	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.99	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
A-5	0.35	0.90	0.96	0.35	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.90	0.96
A-6	2.76	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	2.76	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
A-7	0.23	0.90	0.96	0.23	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.90	0.96
A-8	5.44	0.90	0.96	4.06	0.09	0.36	1.39	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.69	0.81
A-9	4.91	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	4.91	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
A-10	1.02	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	1.02	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
A-11	3.56	0.90	0.96	0.00	0.09	0.36	2.77	0.73	0.81	0.00	0.45	0.59	0.79	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.17	0.41
B-1	3.81	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.33	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.39	0.52
B-2	4.62	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	4.51	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.44	0.58
B-3	4.15	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	4.15	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
B-4	1.37	0.90	0.96	1.07	0.09	0.36	0.30	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.72	0.83
B-5	5.12	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	5.12	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
B-6	2.28	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	2.28	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
B-7	0.89	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	0.89	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
B-8	3.23	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.23	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
B-9	2.42	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	2.42	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
B-10	1.10	0.90	0.96	0.00	0.09	0.36	1.10	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
C-1	4.12	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	4.12	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-2	2.71	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	2.71	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-3	1.56	0.90	0.96	0.08	0.09	0.36	1.48	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.13	0.39
C-4	2.47	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	2.47	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-5	3.09	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.09	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-6	2.10	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	2.10	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-7a	0.81	0.90	0.96	0.00	0.09	0.36	0.26	0.73	0.81	0.00	0.45	0.59	0.55	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.33	0.52
C-7b	5.91	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	5.91	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-8	5.11	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	5.11	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-9a	3.50	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.50	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-9b	3.69	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.69	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-10	3.47	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.47	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-11	0.46	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	0.46	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-12	1.66	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	1.66	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
C-13	2.37	0.90	0.96	0.00	0.09	0.36	2.37	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
C-14	1.53	0.90	0.96	0.00	0.09	0.36	1.53	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.09	0.36
C-15	0.16	0.90	0.96	0.01	0.09	0.36	0.15	0.73	0.81	0.00	0.45	0.59	0.00	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.14	0.40
D-1	3.48	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.48	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
D-2	0.87	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	0.87	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
D-3	3.69	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	3.69	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
D-4	1.75	0.90	0.96	0.00	0.09	0.36	0.00	0.73	0.81	0.00	0.45	0.59	1.75	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.45	0.59
D-5	1.53	0.90	0.96	0.00	0.09	0.36	0.71	0.73	0.81	0.00	0.45	0.59	0.82	0.30	0.50	0.00	0.25	0.47	0.00	0.22	0.46	0.00	0.20	0.44	0.00	0.28	0.48
D-6																											

**STANDARD FORM SF-2: EXISTING & PROPOSED
TIME OF CONCENTRATION**

Subdivision: Grandview Reserve
Location: CO, El Paso County

Project Name: Grandview Subdivision PDR
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 9/20/23

SUB-BASIN DATA						INITIAL/OVERLAND (T _i)			TRAVEL TIME (T _t)					T _c CHECK (T _c)			FINAL
BASIN ID	D.A. (AC)	Hydrologic Soils Group	Impervious (%)	C _s	C ₁₀₀	L (FT)	S (%)	T _i (MIN)	L (FT)	S (%)	C _v	VEL. (FPS)	T _t (MIN)	COMP. T _c (MIN)	TOTAL LENGTH(FT)	Calculated T _c (MIN)	T _c (MIN)
PROPOSED																	
For Existing Western Offsite Sub-basin analysis and Proposed Eastonville Road Basin Analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																	
A-1	11.60	A	2.0	0.09	0.36	50	10.0	6.1	957	5.0	20	4.5	3.6	9.6	1007.0	15.6	9.6
A-2a	4.42	A	65.0	0.45	0.59	50	5.0	4.9	742	2.5	20	3.2	3.9	8.8	792.0	14.4	8.8
A-2b	2.75	A	88.0	0.74	0.83	250	2.0	8.3	300	2.5	20	3.2	1.6	9.9	550.0	13.1	9.9
A-3	0.36	A	100.0	0.90	0.96	18	2.0	1.2	560	1.9	20	2.8	3.4	4.6	578.0	13.2	5.0
A-4a	6.31	A	65.0	0.45	0.59	230	2.0	14.3	700	2.5	20	3.2	3.7	18.0	930.0	15.2	15.2
A-4b	3.99	A	65.0	0.45	0.59	100	2.0	9.4	770	2.5	20	3.2	4.1	13.5	870.0	14.8	13.5
A-5	0.35	A	100.0	0.90	0.96	18	2.0	1.2	332	1.4	20	2.4	2.3	3.6	350.0	11.9	5.0
A-6	2.76	A	65.0	0.45	0.59	217	4.5	10.6	310	1.0	20	2.0	2.6	13.2	527.0	12.9	12.9
A-7	0.23	A	100.0	0.90	0.96	36	3.0	1.5	340	2.3	20	3.0	1.9	3.4	376.0	12.1	5.0
A-8	5.44	A	75.0	0.69	0.81	250	2.0	9.4	300	2.0	20	2.8	1.8	11.2	550.0	13.1	11.2
A-9	4.91	A	65.0	0.45	0.59	160	2.0	11.9	950	1.5	20	2.4	6.5	18.4	1110.0	16.2	16.2
A-10	1.02	A	65.0	0.45	0.59	18	3.0	3.5	450	1.0	20	2.0	3.8	7.3	468.0	12.6	7.3
A-11	3.56	A	16.0	0.17	0.41	450	5.0	21.1	718	1.0	20	2.0	6.0	27.1	1168.0	16.5	16.5
B-1	3.81	A	56.8	0.39	0.52	210	3.5	12.4	560	1.7	20	2.6	3.6	16.0	770.0	14.3	14.3
B-2	4.62	A	63.5	0.44	0.58	230	3.0	12.7	611	2.5	20	3.2	3.2	15.9	841.0	14.7	14.7
B-3	4.15	A	65.0	0.45	0.59	34	2.0	5.5	680	2.7	20	3.3	3.4	9.0	714.0	14.0	9.0
B-4	1.37	A	78.5	0.72	0.83	10	6.0	1.2	700	1.0	20	2.0	5.8	7.0	710.0	13.9	7.0
B-5	5.12	A	65.0	0.45	0.59	60	1.0	9.2	946	1.7	20	2.6	6.0	15.3	1006.0	15.6	15.3
B-6	2.28	A	65.0	0.45	0.59	186	3.0	11.3	480	1.0	20	2.0	4.0	15.3	666.0	13.7	13.7
B-7	0.89	A	65.0	0.45	0.59	62	3.0	6.5	509	1.0	20	2.0	4.2	10.7	571.0	13.2	10.7
B-8	3.23	A	65.0	0.45	0.59	177	5.0	9.3	700	2.0	20	2.8	4.1	13.4	877.0	14.9	13.4
B-9	2.42	A	65.0	0.45	0.59	152	3.0	10.2	800	2.4	20	3.1	4.3	14.5	952.0	15.3	14.5
B-10	1.10	A	2.0	0.09	0.36	66	25.0	5.1	187	1.0	20	2.0	1.6	6.7	253.0	11.4	6.7
C-1	4.12	A	65.0	0.45	0.59	65	3.0	6.7	1077	2.0	20	2.8	6.3	13.0	1142.0	16.3	13.0
C-2	2.71	A	65.0	0.45	0.59	55	2.0	7.0	620	1.9	20	2.8	3.7	10.8	675.0	13.8	10.8
C-3	1.56	A	7.0	0.13	0.39	77	4.0	9.8	0	0.0	20	0.0	0.0	9.8	77.0	10.4	9.8
C-4	2.47	A	65.0	0.45	0.59	194	2.0	13.2	345	1.3	20	2.3	2.5	15.7	539.0	13.0	13.0
C-5	3.09	A	65.0	0.45	0.59	38	4.0	4.6	761	1.0	20	2.0	6.3	11.0	799.0	14.4	11.0
C-6	2.10	A	65.0	0.45	0.59	61	3.0	6.4	1176	1.0	20	2.0	9.8	16.2	1236.5	16.9	16.2
C-7a	0.81	A	44.7	0.33	0.52	142	8.3	8.3	136	2.5	15	2.4	1.0	9.3	278.0	11.5	9.3
C-7b	5.91	A	65.0	0.45	0.59	35	4.0	4.4	1278	1.7	20	2.6	8.2	12.6	1313.0	17.3	12.6
C-8	5.11	A	65.0	0.45	0.59	58	2.0	7.2	834	1.6	20	2.5	5.5	12.7	892.0	15.0	12.7
C-9a	3.50	A	65.0	0.45	0.59	193	2.0	13.1	570	0.7	20	1.7	5.7	18.8	763.0	14.2	14.2
C-9b	3.69	A	65.0	0.45	0.59	160	3.0	10.4	665	2.0	20	2.8	3.9	14.4	825.0	14.6	14.4
C-10	3.47	A	65.0	0.45	0.59	122	3.0	9.1	1084	1.5	20	2.4	7.4	16.5	1206.0	16.7	16.5
C-11	0.46	A	65.0	0.45	0.59	26	2.0	4.8	152	0.5	20	1.4	1.8	6.6	178.0	11.0	6.6
C-12	1.66	A	65.0	0.45	0.59	160	4.0	9.5	200	0.5	20	1.4	2.4	11.8	360.0	12.0	11.8
C-13	2.37	A	2.0	0.09	0.36	225	15.0	11.3	352	1.0	20	2.0	2.9	14.2	577.0	13.2	13.2
C-14	1.53	A	2.0	0.09	0.36	300	5.0	18.7	0	0.0	10	0.0	0.0	18.7	300.0	11.7	11.7
C-15	0.16	A	8.2	0.14	0.40	72	5.0	8.7	0	0.0	20	0.0	0.0	8.7	72.0	10.4	8.7
D-1	3.48	A	65.0	0.45	0.59	170	3.0	10.8	715	1.0	20	2.0	6.0	16.7	885.0	14.9	14.9
D-2	0.87	A	65.0	0.45	0.59	10	2.0	3.0	700	1.3	20	2.3	5.1	8.1	710.0	13.9	8.1
D-3	3.69	A	65.0	0.45	0.59	140	3.0	9.8	660	2.2	20	3.0	3.7	13.5	800.0	14.4	13.5
D-4	1.75	A	65.0	0.45	0.59	50	3.0	5.8	663	2.0	20	2.8	3.9	9.7	713.0	14.0	9.7
D-5	1.53	A	35.7	0.28	0.48	110	25.0	5.4	201	1.0	20	2.0	1.7	7.1	311.0	11.7	7.1
D-6	0.83	A	2.0	0.09	0.36	300	5.0	18.7	0	0.0	10	0.0	0.0	18.7	300.0	11.7	11.7
D-7a	0.27	A	9.1	0.14	0.38	75	5.0	8.9	0	0.0	20	0.0	0.0	8.9	75.0	10.4	8.9
D-7b	0.88	A	65.0	0.45	0.59	75	8.0	5.2	478	2.0	15	2.1	3.8	8.9	553.0	13.1	8.9
E-1	5.33	A	65.0	0.45	0.59	25	4.0	3.7	1360	3.3	20	3.6	6.2	10.0	1385.0	17.7	10.0
E-2	5.42	A	65.0	0.45	0.59	20	2.0	4.2	1250	3.5	20	3.7	5.6	9.8	1270.0	17.1	9.8
E-3	3.20	A	65.0	0.45	0.59	10	2.0	3.0	965	1.5	20	2.4	6.6	9.6	975.0	15.4	9.6
E-4	6.28	A	65.0	0.45	0.59	305	7.0	10.9	1125	1.6	20	2.5	7.4	18.3	1430.0	17.9	17.9
E-5	1.13	A	2.0	0.09	0.36	127	25.0	7.1	315	1.0	20	2.0	2.6	9.8	442.0	12.5	9.8
E-6	0.74	A	2.0	0.09	0.36	350	2.0	27.5	113	2.0	10	1.4	1.3	28.8	463.0	12.6	12.6

NOTES:

$T_i = (0.395 * (1.1 - C_s) * (L)^{0.5}) / ((S)^{0.33})$, S in ft/ft

$T_t = L / 60V$ (Velocity From Fig. 501)

Velocity $V = C_v * S^{0.5}$, S in ft/ft

$T_c \text{ Check} = 10 + L / 180$

For Urbanized basins a minimum T_c of 5.0 minutes is required.

For non-urbanized basins a minimum T_c of 10.0 minutes is required

**STANDARD FORM SF-3: EXISTING & PROPOSED
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve
Location: CO, El Paso County
Design Storm: 5-Year

Project Name: Grandview Subdivision PDR
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 9/20/23

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE			TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	Tt (min)	
PROPOSED																					
For Existing Western Offsite Sub-basin analysis and Proposed Eastonville Road Basin Analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																					
	1	A-1	11.60	0.09	9.6	1.04	4.16	4.3				4.3									Institutional Tract Basin will have own water quality & detention pond
	2a	A-2a	4.42	0.45	8.8	1.99	4.29	8.5				8.5									On-Grade 15' CDOT Type R Inlet (0.6 cfs bypass to DP 2b)
	2b	A-2b	2.75	0.74	9.9	2.04	4.13	8.4				9.0									Sump 20' CDOT Type R Inlet (Receives 0.6 cfs upstream bypass)
	3	A-3	0.36	0.90	5.0	0.32	5.10	1.6				1.6									Sump 5' CDOT Type R Inlet
	4a	A-4a	6.31	0.45	15.2	2.84	3.44	9.8				9.8									On-Grade 15' CDOT Type R Inlet (1.2 cfs bypass to DP 4)
	4b	A-4b	3.99	0.45	13.5	1.80	3.63	6.5				6.5									On-Grade 15' CDOT Type R Inlet (1.3 cfs bypass to DP 4)
	4							2.5				2.5									Sump 15' CDOT Type R Inlet (Receives 2.5 cfs upstream bypass)
	5	A-5	0.35	0.90	5.0	0.32	5.10	1.6				1.6									Sump 5' CDOT Type R Inlet
	6	A-6	2.76	0.45	12.9	1.24	3.70	4.6				4.6									On-Grade 10' CDOT Type R Inlet (0.4 cfs bypass to DP 7a)
	7	A-7	0.23	0.90	5.0	0.21	5.10	1.1				1.1									On-Grade 5' CDOT Type R Inlet (0.1 cfs bypass to DP 7b)
	8	A-8	5.44	0.69	11.2	3.75	3.93	14.7				14.7									Proposed Amenity Center - Assumed 75% Imperviousness
	7a	A-9	4.91	0.45	16.2	2.21	3.34	7.4				7.8									Sump 20' CDOT Type R Inlet (Receives 0.4 cfs upstream bypass)
	7b	A-10	1.02	0.45	7.3	0.46	4.59	2.1				2.2									Sump 5' CDOT Type R Inlet (Receives 0.1 cfs upstream bypass)
	8a	A-11	3.56	0.17	16.5	0.61	3.31	2.0	16.5	17.79	3.31	58.9									Total of Flows to Pond A
	9	B-1	3.81	0.39	14.3	1.49	3.54	5.3				5.3									Sump 15' CDOT Type R Inlet
	10a	B-2	4.62	0.44	14.7	2.03	3.50	7.1				7.1									On-Grade 10' CDOT Type R Inlet (1.6 cfs bypass to DP 10b)
	10b	B-3	4.15	0.45	9.0	1.87	4.27	8.0				9.6									Sump 20' CDOT Type R Inlet (Receives 1.6 cfs of upstream bypass)
	11	B-4	1.37	0.72	7.0	0.99	4.63	4.6				4.6									Sump 15' CDOT Type R Inlet
	12a	B-5	5.12	0.45	15.3	2.30	3.43	7.9				7.9									On-Grade 10' CDOT Type R Inlet (2.0 cfs bypass to DP 12b)
	14	B-6	2.28	0.45	13.7	1.03	3.61	3.7				3.7									On-Grade 10' CDOT Type R Inlet (0.1 cfs bypass to DP 12b)
	15	B-7	0.89	0.45	10.7	0.40	3.99	1.6				1.6									On-Grade 10' CDOT Type R Inlet (0.0 cfs bypass to DP 12b)
	12b	B-8	3.23	0.45	13.4	1.45	3.64	5.3				7.4									Sump 20' CDOT Type R Inlet (Receives 2.1 cfs of upstream bypass)
	13	B-9	2.42	0.45	14.5	1.09	3.52	3.8				3.8									Sump 10' CDOT Type R Inlet
	16	B-10	1.10	0.09	6.7	0.10	4.70	0.5	15.3	12.75	3.43	43.7									Total of flows to Pond B
	17b	C-1	4.12	0.45	13.0	1.85	3.69	6.8				6.8									On-Grade 15' CDOT Type R (0.1 cfs bypass to DP 17c)
	17a	C-2	2.71	0.45	10.8	1.22	3.99	4.9				4.9									On-Grade 15' CDOT Type R (1.7 cfs bypass to DP 17c)
	17c	C-4	2.47	0.45	13.0	1.11	3.69	4.1				5.8									Receives 1.7 cfs of Bypass from DP 17a On-Grade 15' CDOT Type R (0.0 cfs bypass to DP 17d)
	17d	C-5	3.09	0.45	11.0	1.39	3.96	5.5				5.5									Receives 0.0 cfs of Bypass from DP 17c On-Grade 15' CDOT Type R (0.0 cfs bypass to DP 17h)
	17e	C-6	2.10	0.45	16.2	0.95	3.34	3.2				3.3									Receives 0.1 cfs of Bypass from DP 17b On-Grade 15' CDOT Type R (0.0 cfs bypass to DP 17h)
	17f	C-8	5.11	0.45	12.7	2.30	3.73	8.6				8.6									On-Grade 15' CDOT Type R (0.6 cfs bypass to DP 17g)

**STANDARD FORM SF-3: EXISTING & PROPOSED
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve
Location: CO, El Paso County
Design Storm: 5-Year

Project Name: Grandview Subdivision PDR
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 9/20/23

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE			TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	Tt (min)	
	17g	C-9a	3.50	0.45	14.2	1.58	3.54	5.6				6.2									Receives 0.6 cfs of Bypass from DP 17f On-Grade 15' CDOT Type R (0.0 cfs bypass to DP 17h)
	17h	C-9b	3.69	0.45	14.4	1.66	3.53	5.9				5.9									Sump 20' CDOT Type R (Receives 0.0 cfs of upstream bypass)
	18a	C-7a	0.81	0.33	9.3	0.27	4.22	1.1				1.1									Drainage Swale/SW Chase - Flows to DP 18b
	18b	C-7b	5.91	0.45	12.6	2.66	3.74	9.9	12.6	2.93	3.74	11.0									On-Grade 15' CDOT Type R (1.6 cfs bypass to DP 18c)
	18c	C-10	3.47	0.45	16.5	1.56	3.31	5.2				6.9									Sump 15' CDOT Type R (Receives 1.6 cfs of upstream bypass)
	19	C-11	0.46	0.45	6.6	0.21	4.72	1.0				1.0									Sump 5' CDOT Type R (Receives 0.0 cfs of upstream bypass)
	20a	C-12	1.66	0.45	11.8	0.75	3.84	2.9				2.9									Sump 5' CDOT Type R (Receives 0.0 cfs of upstream bypass)
	20b	C-13	2.37	0.09	13.2	0.21	3.66	0.8	16.5	17.72	3.31	58.7									Total combined flows to Pond C
		C-3	1.56	0.13	9.8	0.20	4.13	0.8													Back of Lots 409-426 - Sheet Flows to MS 2
		C-14	1.53	0.09	11.7	0.14	3.86	0.5													Un-developed area - Sheet flows to MS 2
		C-15	0.16	0.14	8.7	0.02	4.31	0.1													Portion of Lot 444 - Sheet flows to MS 2
	22	D-1	3.48	0.45	14.9	1.57	3.47	5.4				5.4									On-Grade 10' CDOT Type R Inlet (0.7 cfs bypass to DP 24)
	23	D-2	0.87	0.45	8.1	0.39	4.42	1.7				1.7									On-Grade 10' CDOT Type R Inlet (0.0 cfs bypass to DP 24)
	24	D-3	3.69	0.45	13.5	1.66	3.63	6.0				6.7									Receives 0.7 cfs of upstream bypass Sump 15' CDOT Type R Inlet
	25	D-4	1.75	0.45	9.7	0.79	4.14	3.3				3.3									Sump 10' CDOT Type R Inlet
	25a	D-7b	0.88	0.45	8.9	0.40	4.28	1.7				1.7									Sheet flows to Channel and Conveyed to Pond D
	26	D-5	1.53	0.28	7.1	0.43	4.63	2.0	14.9	5.24	3.47	18.2									Total of flows to Pond D
		D-6	0.83	0.09	11.7	0.07	3.86	0.3													Un-developed area - Sheet flows to MS
		D-7a	0.27	0.14	8.9	0.04	4.28	0.2													Back of Lots 18-20 - Sheet Flows to MST

**STANDARD FORM SF-3: EXISTING & PROPOSED
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve _____
Location: CO, El Paso County _____
Design Storm: 5-Year _____

Project Name: Grandview Subdivision PDR _____
Project No.: HRG01 _____
Calculated By: TJE _____
Checked By: BAS _____
Date: 9/20/23 _____

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE			TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	Tt (min)	
	27	E-1	5.33	0.45	10.0	2.40	4.10	9.8				9.8									On-Grade 15' CDOT Type R Inlet (0.9 cfs bypass to DP 29)
	28	E-2	5.42	0.45	9.8	2.44	4.13	10.1				10.1									On-Grade 15' CDOT Type R Inlet (1.2 cfs bypass to DP 29)
	29	E-3	3.20	0.45	9.6	1.44	4.17	6.0				8.1									Receives 2.1 cfs of upstream bypass
	30	E-4	6.28	0.45	17.9	2.83	3.18	9.0				9.0									Sump 15' CDOT Type R Inlet Sump 20' CDOT Type R Inlet
	31	E-5	1.13	0.09	9.8	0.10	4.14	0.4	17.9	9.21	3.18	29.3									Total of flows to Pond E
		E-6	0.74	0.09	12.6	0.07	3.74	0.3													Un-developed area - Sheet flows to MS

**STANDARD FORM SF-3: EXISTING & PROPOSED
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve
Location: CO, El Paso County
Design Storm: 100-Year

Project Name: Grandview Subdivision PDR
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 9/20/23

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE			TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	Tt (min)	
PROPOSED																					
For Existing Western Offsite Sub-basin analysis and Proposed Eastonville Road Basin Analysis, see Rational Calcs Included, from titled "Eastonville Road Preliminary Drainage Report", by HR Green, September 2023																					
	1	A-1	11.60	0.36	9.6	4.18	7.40	30.9				30.9									Institutional Tract Basin will have own water quality & detention pond
	2a	A-2a	4.42	0.59	8.8	2.61	7.64	19.9				19.9									On-Grade 15' CDOT Type R Inlet (7.0 cfs bypass to DP 2b)
	2b	A-2b	2.75	0.83	9.9	2.28	7.34	16.7				23.7									Sump 20' CDOT Type R Inlet (Receives 7.0 cfs upstream bypass)
	3	A-3	0.36	0.96	5.0	0.35	9.09	3.2				3.2									Sump 5' CDOT Type R Inlet
	4a	A-4a	6.31	0.59	15.2	3.72	6.13	22.8				22.8									On-Grade 15' CDOT Type R Inlet (9.0 cfs bypass to DP 4)
	4b	A-4b	3.99	0.59	13.5	2.35	6.46	15.2				15.2									On-Grade 15' CDOT Type R Inlet (7.1 cfs bypass to DP 4)
	4											16.1									Sump 15' CDOT Type R Inlet (Receives 16.1 cfs upstream bypass)
	5	A-5	0.35	0.96	5.0	0.34	9.09	3.1				3.1									Sump 5' CDOT Type R Inlet
	6	A-6	2.76	0.59	12.9	1.63	6.58	10.7				10.7									On-Grade 10' CDOT Type R Inlet (3.8 cfs bypass to DP 7a)
	7	A-7	0.23	0.96	5.0	0.22	9.09	2.0				2.0									On-Grade 5' CDOT Type R Inlet (0.4 cfs bypass to DP 7b)
	8	A-8	5.44	0.81	11.2	4.41	6.99	30.8				30.8									Proposed Amenity Center - Assumed 75% Imperviousness
	7a	A-9	4.91	0.59	16.2	2.90	5.95	17.3				21.1									Sump 20' CDOT Type R Inlet (Receives 3.8 cfs upstream bypass)
	7b	A-10	1.02	0.59	7.3	0.60	8.17	4.9				5.3									Sump 5' CDOT Type R Inlet (Receives 0.4 cfs upstream bypass)
	8a	A-11	3.56	0.41	16.5	1.46	5.90	8.6	16.5	22.87	5.90	134.9									Total of Flows to Pond A
	9	B-1	3.81	0.52	14.3	1.98	6.30	12.5				12.5									Sump 15' CDOT Type R Inlet
	10a	B-2	4.62	0.58	14.7	2.68	6.22	16.7				16.7									On-Grade 10' CDOT Type R Inlet (8.3 cfs bypass to DP 10b)
	10b	B-3	4.15	0.59	9.0	2.45	7.61	18.6				26.9									Sump 20' CDOT Type R Inlet (Receives 8.3 cfs of upstream bypass)
	11	B-4	1.37	0.83	7.0	1.14	8.25	9.4				9.4									Sump 15' CDOT Type R Inlet
	12a	B-5	5.12	0.59	15.3	3.02	6.11	18.5				18.5									On-Grade 10' CDOT Type R Inlet (9.5 cfs bypass to DP 12b)
	14	B-6	2.28	0.59	13.7	1.35	6.42	8.7				8.7									On-Grade 10' CDOT Type R Inlet (2.5 cfs bypass to DP 12b)
	15	B-7	0.89	0.59	10.7	0.53	7.10	3.8				3.8									On-Grade 10' CDOT Type R Inlet (0.1 cfs bypass to DP 12b)
	12b	B-8	3.23	0.59	13.4	1.91	6.48	12.4				24.5									Sump 20' CDOT Type R Inlet (Receives 12.1 cfs of upstream bypass)
	13	B-9	2.42	0.59	14.5	1.43	6.26	9.0				9.0									Sump 10' CDOT Type R Inlet
	16	B-10	1.10	0.36	6.7	0.40	8.37	3.3	15.3	16.89	6.11	103.2									Total of flows to Pond B
	17b	C-1	4.12	0.59	13.0	2.43	6.57	16.0				16.0									On-Grade 15' CDOT Type R (4.3 cfs bypass to DP 17c)
	17a	C-2	2.71	0.59	10.8	1.60	7.10	11.4				11.4									On-Grade 15' CDOT Type R (11.2 cfs bypass to DP 17c)
	17c	C-4	2.47	0.59	13.0	1.46	6.57	9.6				20.8									Receives 11.2 cfs of Bypass from DP 17a On-Grade 15' CDOT Type R (7.4 cfs bypass to DP 17d)
	17d	C-5	3.09	0.59	11.0	1.82	7.04	12.8				20.2									Receives 7.4 cfs of Bypass from DP 17c On-Grade 15' CDOT Type R (7.0 cfs bypass to DP 17h)
	17e	C-6	2.10	0.59	16.2	1.24	5.94	7.4				11.7									Receives 4.3 cfs of Bypass from DP 17b On-Grade 15' CDOT Type R (2.0 cfs bypass to DP 17h)
	17f	C-8	5.11	0.59	12.7	3.01	6.63	20.0				20.0									On-Grade 15' CDOT Type R (6.9 cfs bypass to DP 17g)

**STANDARD FORM SF-3: EXISTING & PROPOSED
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve
Location: CO, El Paso County
Design Storm: 100-Year

Project Name: Grandview Subdivision PDR
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 9/20/23

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE			TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	Tt (min)	
	17g	C-9a	3.50	0.59	14.2	2.07	6.31	13.1				20.0									Receives 6.9 cfs of Bypass from DP 17f On-Grade 15' CDOT Type R (6.8 cfs bypass to DP 17h)
	17h	C-9b	3.69	0.59	14.4	2.18	6.29	13.7				29.5									Sump 20' CDOT Type R (Receives 15.8 cfs of upstream bypass)
	18a	C-7a	0.81	0.52	9.3	0.42	7.51	3.2				3.2									Drainage Swale/SW Chase - Flows to DP 18b
	18b	C-7b	5.91	0.59	12.6	3.49	6.65	23.2	12.6	3.91	6.65	26.0									On-Grade 15' CDOT Type R (11.3 cfs bypass to DP 18c)
	18c	C-10	3.47	0.59	16.5	2.05	5.90	12.1				23.3									Sump 15' CDOT Type R (Receives 11.3 cfs of upstream bypass)
	19	C-11	0.46	0.59	6.6	0.27	8.41	2.3				2.3									Sump 5' CDOT Type R (Receives 0.0 cfs of upstream bypass)
	20a	C-12	1.66	0.59	11.8	0.98	6.83	6.7				6.7									Sump 5' CDOT Type R (Receives 0.0 cfs of upstream bypass)
	20b	C-13	2.37	0.36	13.2	0.85	6.52	5.5	16.5	23.87	5.90	140.8									Total combined flows to Pond C
		C-3	1.56	0.39	9.8	0.61	7.35	4.5													Back of Lots 409-426 - Sheet Flows to MS 2
		C-14	1.53	0.36	11.7	0.55	6.87	3.8													Un-developed area - Sheet flows to MS 2
		C-15	0.16	0.40	8.7	0.06	7.68	0.5													Portion of Lot 444 - Sheet flows to MS 2
	22	D-1	3.48	0.59	14.9	2.05	6.18	12.7				12.7									On-Grade 10' CDOT Type R Inlet (5.2 cfs bypass to DP 24)
	23	D-2	0.87	0.59	8.1	0.51	7.88	4.0				4.0									On-Grade 10' CDOT Type R Inlet (0.2 cfs bypass to DP 24)
	24	D-3	3.69	0.59	13.5	2.18	6.46	14.1				19.5									Receives 5.4 cfs of upstream bypass
	25	D-4	1.75	0.59	9.7	1.03	7.37	7.6				7.6									Sump 15' CDOT Type R Inlet Sump 10' CDOT Type R Inlet
	25a	D-7b	0.88	0.59	8.9	0.52	7.62	4.0				4.0									Sheet flows to Channel and Conveyed to Pond D
	26	D-5	1.53	0.48	7.1	0.73	8.24	6.0	14.9	7.02	6.18	43.4									Total of flows to Pond D
		D-6	0.83	0.36	11.7	0.30	6.87	2.1													Un-developed area - Sheet flows to MS
		D-7a	0.27	0.38	8.9	0.10	7.62	0.8													Back of Lots 18-20 - Sheet Flows to MST

**STANDARD FORM SF-3: EXISTING & PROPOSED
STORM DRAINAGE SYSTEM DESIGN
(RATIONAL METHOD PROCEDURE)**

Subdivision: Grandview Reserve
Location: CO, El Paso County
Design Storm: 100-Year

Project Name: Grandview Subdivision PDR
Project No.: HRG01
Calculated By: TJE
Checked By: BAS
Date: 9/20/23

STREET	Design Point	DIRECT RUNOFF							TOTAL RUNOFF				STREET		PIPE			TRAVEL TIME			REMARKS
		Basin ID	Area (Ac)	Runoff Coeff.	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Tc (min)	C*A (Ac)	I (in/hr)	Q (cfs)	Slope (%)	Street Flow (cfs)	Design Flow (cfs)	Slope (%)	Pipe Size (inches)	Length (ft)	Velocity (fps)	Tt (min)	
	27	E-1	5.33	0.59	10.0	3.14	7.30	22.9				22.9									On-Grade 15' CDOT Type R Inlet (8.8 cfs bypass to DP 29)
	28	E-2	5.42	0.59	9.8	3.20	7.36	23.6				23.6									On-Grade 15' CDOT Type R Inlet (9.3 cfs bypass to DP 29)
	29	E-3	3.20	0.59	9.6	1.89	7.43	14.0													Receives 18.1 cfs of upstream bypass
	30	E-4	6.28	0.59	17.9	3.71	5.66	21.0				21.0									Sump 15' CDOT Type R Inlet Sump 20' CDOT Type R Inlet
	31	E-5	1.13	0.36	9.8	0.41	7.37	3.0													Total of flows to Pond E
		E-6	0.74	0.36	12.6	0.27	6.66	1.8	17.9	12.35	5.66	69.9									Un-developed area - Sheet flows to MS