

EL PASO COUNTY PLANNING & COMMUNITY DEVELOPMENT SIGN APPLICATION

	Vicinity Map	Sign Plan
DATE:	Tax Schedule # Please show major intersections.	(Please indicate dimensions and sign copy)
Business	NORTH	
Name Starbucks #5 Address: 209 Cleneogle C/5, co 80921	1410	
Zone: Q 20 Q 30 Q 00 Z Legal Description: Lo + (2) () COO Emulary gateway Sw2		
Type of Sign		
Illuminated: US Non-Illuminated: Valuation 20,000		
Storefront Length &/or Width: U01411550411 Eust 2 WC5+ Eleve Proposed Sign Sq. Ft.	ekuutions 70' long Hism 30' long	
Existing Sign Sq. Ft.	Elevation Drawing	
Total Sign Sq. Ft. 94.33	Indicate storefront length & placement of sign.	
Contractor Information Name: Freman 3:405		
Address 2003 Manuco PC	wy.	For Planning & Community Davalanment Use Only
Phone: 303-461-0100		Approved Date: Resubmittal? Yes No No
Type of License CONTYO	TION 2	Comments:
Contractor ID#18256		
Fee of \$26	2.00 must accompany this Application. Additional si	gns at time of first Application are \$125.00. Make checks payable to El Paso County.


STARBUCKS #51410 Northgate Blvd & Struthers 209 Gleneagle Gate View Colorado Springs, CO 80921




17-38415



125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com







THE INTERT OF THIS DRAWING IS 10 SHOW A CONCEPTUAL PROBLEM OF THE PROPOSED SIGNACE OF IT OF PROPUSES AND SUBSTRATES. THE FINISH OF THE PROPOSE AND SUBSTRATES. THE PROPUSE AND SUBSTRATES THE PROPUSE AND SUBSTRATES.

SLS/PM: LANDLORD:

EST: CLIENT:

DESIGN SPECIFICATIONS ACCEPTED BY:

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

FILE

betoN sA

SCALE

08-23-17 CL / Notes & DT 08-24-17 CW / changes

REV. DATE / REVISION

71-81-80

DWG. DATE

Jesse Black

DESIGNER

Jennifer Nichols

SALESMAN / PM

CUSTOMER CONTACT

209 Gleneagle Gate View Colorado Springs, CO 80921

LOCATION

Starbucks #51410


JOB NAME

OID 17-38415

MAM-HIGOURISDIPARCOM

1 S2 HIFFSIDE DBIAE • CREENAITE 2C 5000

SAVIUSIONOITIH




- **УЧОИАЭ**
- ОВ ВІВІТАТ СОИТВОГ ВОХ
- DIGITAL ORDER SCREEN
 - **П** МЕИЛ ВОАКD
 - **ПРРЕ-МЕМИ ВОАК**В
 - (1) CLEARANCE BAR
- **46" TY/EO DIRECTIONAL**
 - 10 46" DT DIRECTIONAL
 - **1** 48" DT WALL SIGN
- 1 22" CHANNEL LETTERS
- 11" SIREN WALL SIGN
 -

ELEVATION

ELEVATION

- **(A)** 71" SIREN WALL SIGN
- **(B)** 22" CHANNEL LETTERS
- (B) 48" DT WALL SIGN
- **1** 46" DT DIRECTIONAL
- **(3)** 46" TY/EO DIRECTIONAL
- **G** CLEARANCE BAR
- **(**) PRE-MENU BOARD
- **(II)** MENU BOARD
- **1** DIGITAL ORDER SCREEN
- **1** DIGITAL CONTROL BOX
- (CANOPY



COLOR LEGEND PMS/PAINT VINYL PMS 3425 C 3M 3630-76 RAL 7021M 3M 3630-22 PMS WHITE 3M 5630-22/ 7725-1 PMS 369 C NA REFL. WHITE 3M 680-10

HILTONDISPLAYS

125 HILLSIDE DRIVE - GREENVILLE SC 29607 P 800 353 9132 - F 864 242 2204

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG. DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

DESIGN SPECIFICATIONS ACCEPTED BY:

EST: CLIENT:


SLS/PM: LANDLORD:

THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SKINAGE. DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING.






CNECK	согов г
TANIA	INIVd/SWd
97-0£9£ M£	bW 2 3452 C
3M 3630-22	MISOT JAR
3M 3630-20/ 7725-10	PMS WHITE
AN	DW2 369 C
3M 680-10	этінм тая



- **М** САИОРУ
- **IDEITAL CONTROL BOX**
- DIGITAL ORDER SCREEN
 - (I) MENU BOARD
 - **ПРРЕ-МЕНИ ВОАК**В
 - (B) CLEARANCE BAR
- € 46" TY/EO DIRECTIONAL
 - 46" DT DIRECTIONAL

 - Male 48" DT WALL SIGN
- 22" CHANNEL LETTERS
- M 11" SIREN WALL SIGN
 - **ELEVATION**



CUSTOMER CONTACT

SALESMAN / PM

Tin

SLS/PM: LANDLORD: EST: CLIENT:

Laboratories Inc. Underwriters AVENTIONS IN PRINTING DEVICES AND SUBSTRATES, THE FINISHED PRODUCT MAY DIFFER SUBHTLY FROM DEAMING. THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SICKAGE, DUE TO

DESIGN SPECIFICATIONS ACCEPTED BY:

2017/Starbucks/Colorado

FILE betoN aA SCALE

8L 71-70-11 08-23-17 CL / Notes & DT 08-24-17 CW / changes REV. DATE / REVISION 71-81-80

DWG. DATE

Jesse Black DESIGNER Jennifer Michols

Colorado Springs.cdr Springs CO/17-38415/SB

Colorado Springs, CO 80921 209 Gleneagle Gate View

LOCATION

Starbucks #51410

JOB NAME


GID 17-38415

www.hiltondisplays.com P 800 353 9132 - F 864 242 2204 132 HITTSIDE DRIAE - CREENAITTE 2C 3000

SAVTUSIONOITIH

ELEVATION

- **(A)** 71" SIREN WALL SIGN
- **B** 22" CHANNEL LETTERS
- **(B)** 48" DT WALL SIGN
- **1** 46" DT DIRECTIONAL
- 46" TY/EO DIRECTIONAL
- **G** CLEARANCE BAR
- **(**) PRE-MENU BOARD
- **(II)** MENU BOARD
- **1** DIGITAL ORDER SCREEN
- **1** DIGITAL CONTROL BOX
- (CANOPY



COLOR LEGEND

PMS/PAINT VINYL

PMS 3425 C 3M 3630-76

RAL 7021M 3M 3630-22

PMS WHITE 3M 3630-22/ 7725-10

PMS 369 C NA

REFL. WHITE 3M 680-10

HILTONDISPLAYS

125 HILLSIDE DRIVE - GREENVILLE 5C 29607 P 800 353 9132 - F 864 242 2204 www.hiltondisplays.com

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG. DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

DESIGN SPECIFICATIONS ACCEPTED BY:

EST: CLIENT:

SLS/PM: LANDLORD:


THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE. DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE FINISHED PRODUCT MAY DIFFER SUGHTLY FROM OPAWING.





ELEVATION

- **(A)** 71" SIREN WALL SIGN
- **B** 22" CHANNEL LETTERS
- (48" DT WALL SIGN
- 1 46" DT DIRECTIONAL
- (3 46" TY/EO DIRECTIONAL
- CLEARANCE BAR
- (f) PRE-MENU BOARD
- **(II)** MENU BOARD
- **1** DIGITAL ORDER SCREEN
- **1** DIGITAL CONTROL BOX
- (CANOPY



ELEVATION @ ENTRY

Scale: 3/16" = 1'

NO SIGNS ON THIS ELEVATION

	COLOR	EGEND.		
	PMS/PAINT	VINYL		
	PMS 3425 C	3M 3630-76		
R	RAL 7021M	3M 3630-22		
	PMS WHITE	3M 3630-20/ 7725-10 TRANSLUCENT OPAQUE		
	PMS 369 C	NA		
	REFL. WHITE	3M 680-10		

HILTONDISPLAYS

125 HILLSIDE DRIVE • GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG. DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

DESIGN SPECIFICATIONS ACCEPTED BY:


EST: CLIENT:

SLS/PM: LANDLORD:

THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING.







48" DT WALL SIGN

Qty. 1

SBC S14099





Left Side View


Front Elevation View

Right Side View

.090 Aluminum back

with sealing boot

UL Label



Service Position View

Section View at Installation Detail

Sign Specifications:

Cabinet:

- Fabricated .090" [2mm] aluminum housing painted black to match RAL 7021M with 3M #180-10 white vinyl end cap as shown.
- Directional copy and chevrons backed up with .125" white polycarb. All polycarb face elements to be attached to aluminum face panel with weld studs.
- Welded aluminum construction with no visible fasteners. Fasteners retaining the hinged face will be located on the bottom such that they are not visible. All fasteners used in the assembly of internal components shall be coated to prevent corrosion.
- · Internal structure of cabinet shall be per approved shop drawings.
- Graphic elements are internally illuminated using GE Tetra MiniMax LED system or Starbucks approved equal. LED's to be mounted on back panel with self-contained power supply. All electrical components are removable for service.

Regulatory

- Sign must meet all regulations in the National Electric Code as well as any local or state electrical codes.
- As per NEC 600.6, sign is equipped with a service disconnect switch.
- Sign must be listed as an Electric Sign per Underwriters Laboratories UL48 and/or CSA and bear the appropriate UL, CUL or CSA relevant certification marks.
- · Primary power by electrical contractor per NEC.

Si	ze	Sq. Ft.1	Sq. Ft.2	Volts	Amps
2	1"	4.52	6.96	120	0.85

Figured as illuminated center part
 Figured as complete signage

HILTONDISPLAYS

125 HILLSIDE DRIVE - GREENVILLE SC 29607 P 800 353 9132 - F 864 242 2204 www.hiltondisplays.com

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG. DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

DESIGN SPECIFICATIONS ACCEPTED BY:

EST: CLIENT: SLS/PM: LANDLORD:

THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE. DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE PRINSHED PROPORTIC THAN DIFFER IS INSTITUTE FROM DRAWING.





3M 680-10

REFL. WHITE

COLOR LEGEND

22" CHANNEL LETTERS - REMOTE

SBC-S13293-SB-W

Qty. 1






Scale: 3/8" = 1' (11x17 Paper)

SPECIFICATIONS

- A Internally illuminated channel letters to be fabricated from .040/3003 aluminum with pre-painted White interiors and painted satin finish Black polyurethane exteriors. Letter backs to be aluminum pop-riveted to sidewalls and sealed.
- B Faces to be 3/16" (5mm) White acrylic with 1" (25mm) Black trimcap retainer edging.
- C Letters illuminated w/ "Lumificient LED's w/ remote power supply.
- D Letters to be installed flush to wall.



HILTONDISPLAYS

125 HILLSIDE DRIVE - GREENVILLE SC 29607 P 800 353 9132 - F 864 242 2204

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG. DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

DESIGN SPECIFICATIONS ACCEPTED BY:

EST: CLIENT:


SLS/PM: LANDLORD:


THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE PRINSHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING.











PMS 369 C

REFL. WHITE

NA

3M 680-10

Sign Specifications:

- Fabricated .090" [2mm] aluminum housing painted black to match RAL 7021 with white end cap as shown.
- · Directional copy and chevrons backed up with 1/8" White polycarb. Siren logo is 6" [152mm] diameter, 3/8" clear polycarb routed to push thru aluminum face. Decorate logo with 1st surface computer cut vinyl film to match PMS 3425. Edges of push thru logo are to be polished. All acrylic face elements to be attached to aluminum face panel with weld studs.
- Interior aluminum surfaces of sign cabinet to be painted white with Lacryl Starbrite.
- Internal structure of cabinet shall be per approved shop drawings.
 Graphic elements are internally illuminated using GE Tetra MiniMax LED system or Starbucks approved equal. LED's to be mounted on an internal baffle with self-contained power supply. All electrical components are removable for service.

Support:

- Supporting structure will be all welded aluminum tube and channel construction painted black to match RAL 7021 as per approved shop drawings and shall be integral to the sign cabinet.
- · Base tube will be constructed so that it can be retro-fittable to existing sign foundations. All foundations, existing and new must be analyzed for suitability and must meet all local city or state codes regulations.

Size	Sq. Ft.1	Sq. Ft.2	Volts	Amps
46" (1168mm)	3.23	9.90	120	0.85

HILTONDISPLAYS

125 HILLSIDE DRIVE - GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG, DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

DESIGN SPECIFICATIONS ACCEPTED BY:


EST-

CLIENT: SLS/PM: LANDLORD:

REPRESENTATION OF THE PROPOSED SIGNAGE, DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES. THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING







Sign Specifications:

- · Fabricated .090" [2mm] aluminum housing painted black to match RAL 7021M.
- · Areas using black paint to match RAL 7021M shall have a max 20% gloss level, match sample.
- Directional copy backed up with .125" [3mm] white solar grade polycarbonate matching R&H #7328. · Interior aluminum surfaces of sign cabinet to be painted white with
- Lacryl Starbrite. · Welded aluminum construction. All fasteners used in the assembly
- of internal components shall be coated to prevent corrosion. Internal structure of cabinet shall be per approved shop drawings.
- · Graphic elements are internally illuminated using GE Tetra MiniMax LED system or Starbucks approved equal. LED's to be mounted on an internal baffle with self-contained power supply. All electrical components are removable for service.

Support:

- · Supporting structure will be all welded aluminum tube and channel construction painted black to match RAL 7021M as per approved shop drawings and shall be integral to the sign cabinet.
- Areas using black paint to match RAL 7021M shall have a max 20% gloss level, match sample.
- Base will be constructed so that it can be retro-fittable to existing sign foundations. All foundations, existing and new must be analyzed for suitability and must meet all local city or state codes regulations.

Regulatory:

- Sign must meet all regulations in the National Electric Code as well as any local or state electrical codes.
- · As per NEC 600.6, sign is equipped with a service disconnect switch.
- · Sign must be listed as an Electric Sign per Underwriters Laboratories UL48 and/or CSA and bear the appropriate UL, CUL or CSA relevant certification marks.
- · Primary power by electrical contractor per NEC.

Size	Sq. Ft.1	Sq. Ft.2	Volts	Amps
46" (1168mm)	2.60	7.99	120	0.85

HILTONDISPLAYS

125 HILLSIDE DRIVE - GREENVILLE SC 29607 P 800 353 9132 - F 864 242 2204 www.hiltondisplays.com

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG. DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr


DESIGN SPECIFICATIONS ACCEPTED BY:

CLIENT: SLS/PM: LANDLORD:

THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL REPRESENTATION OF THE PROPOSED SIGNAGE. DUE TO VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING









moo.eyelqeibnoflir.www 5 800 323 8135 • E 864 545 5504

GID 17-38415

JOB NAME

Starbucks #51410

LOCATION

Colorado Springs, CO 80921 209 Gleneagle Gate View

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

08-23-17 CL / Notes & DT

8L 71-70-11

SCALE

VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUAL OF THE PROPOSED SIGNAGE DUE TO

DESIGNER

дегге Віяск

DWG. DATE

71-81-80

REV. DATE / REVISION

08-24-17 CW / changes

betoN sA

FILE

Colorado Springs.cdr Springs CO/17-38415/SB 2017/Starbucks/Colorado

DESIGN SPECIFICATIONS ACCEPTED BY:

CLIENT


In)


SLS/PM: LANDLORD:





Laboratories inc.

INT LESSACRI [II.8cm] L[mo7.8] '85 t. [10.2cm] -S. [5.2cm] (WO['SZ] . \$6 17. [33.0cm] --25¾. [65.4cm]









-35% (90.5cm) HALD-

-32%, [90.5cm]-

- t#

LZ#

-24%. [63.2cm]-

DJAH [MD0.7]

[45.7cm]

183€. [122.9cm]

[165,6cm]

0

Cty. 1

DTE - PRE-MENU FREESTANDING

2csje: 1/5. = 1. (11x17 paper)


ABREA

MZC

38-1/8

MT93.6Cm] (29.8Cm

PRE-MENU BOARD - FREESTANDING



KEA #E3-59-818-12

#8 - TWO SIDE MOUNT LOCKS, RETAIN EXISTING

#6 - WATER-TIGHT BOX W/SWITCHES & SENSOR,

(WELDED TO STEEL POST) #4 - EXTRUDED ALUMINUM MENU BOARD (1x)

#1 -¾" [19mm] STEEL BASE PLATE W/ 18deg HOLES
PATTERN LEFT SQUARE / SYMETRICAL

#2 - 5"x3"X%," STEEL SUPPORT ANGLES (2x)

#2 - MELDED ALUMINUM BASE COVER

ONE SPLIT PANEL LIGHTBOX

BELOW BASE COVER, 120 WATT, 0.30Aac RIDGID CONDUIT RUN TO SECOND EXT BOX

STANDARD LED TUBE LIGHTING, SIDE LOCKS GRAPHIC ASSEMBLY CENTERED, NOT SHIFTED TWO 25%" A18%" GRAPHICS











5-PANEL MENU - FREESTANDING

Qty. 1 0









#1 -34" [19mm] STEEL BASE PLATE w/ 18deg HOLES PATTERN ROTATED FOR 15deg THRU 3deg POSITION

#2 - C6X10.5 (6"x2"x1/4") STEEL POST (2x) #3 - 5"x3"X1/4" STEEL SUPPORT ANGLES (2x)

(BOLTED TO WELDED ¼" STEEL CROSSBARS) #4 - EXTRUDED ALUMINUM MENU BOARDS (3x) ONE FULL AND TWO SPLIT PANEL LIGHTBOXES ONE - 25¼"x38" AND FOUR 25½"x18%" GRAPHICS ALL GRAPHIC ASSEMBLIES SHIFTED ½" TO RIGHT

STANDARD LED TUBE LIGHTING, SIDE LOCKS #5 - WELDED ALUMINUM BASE COVER

#6 - WATER-TIGHT BOX w/SWITCH & SENSOR RIDGID CONDUIT RUN TO SECOND EXT BOX BELOW BASE COVER, 120 WATT, 0.90Aac

#7 - 8 BASE WASHERS, ½" THICK #8 - TWO SIDE MOUNT LOCKS per MENUBOARD RETAIN EXISTING KEY #E3-26-819-15

HILTONDISPLAYS

125 HILLSIDE DRIVE - GREENVILLE SC 29607 P 800 353 9132 • F 864 242 2204 www.hiltondisplays.com

QID 17-38415

JOB NAME

Starbucks #51410

LOCATION

209 Gleneagle Gate View Colorado Springs, CO 80921

CUSTOMER CONTACT

SALESMAN / PM

Jennifer Nichols

DESIGNER

Jesse Black

DWG. DATE

08-18-17

REV. DATE / REVISION

08-23-17 CL / Notes & DT 08-24-17 CW / changes 11-07-17 JB

SCALE

As Noted

FILE

2017/Starbucks/Colorado Springs CO/17-38415/SB Colorado Springs.cdr

DESIGN SPECIFICATIONS ACCEPTED BY:

CLIENT:

SLS/PM: LANDLORD:

THE INTENT OF THIS DRAWING IS TO SHOW A CONCEPTUA REPRESENTATION OF THE PROPOSED SIGNAGE QUE T VARIATIONS IN PRINTING DEVICES AND SUBSTRATES, THE FINISHED PRODUCT MAY DIFFER SLIGHTLY FROM DRAWING.






DTE - MENU 5 PANEL FREESTANDING

Scale: 1/2" = 1' (11x17 paper)





Scale: 3/8" = 1' (11x17 paper)

