Gary Hammann Ohana Acres 17825 Jones Road Peyton, CO 80831

April 25, 2024

Attn: County Attorney (Water)

**EDARP** 

The original decree was for a 100 year period and I was informed by Planning that it needed to be a 300 year plan. I was told that the original decree needed to be divided by three to reach the 300 year mark.

In the ground water evaluation it has a 300 year allowance for the Arapahoe aquifer on page 2 of the report. It states 2.49 AF for the four lots. I have changed the Water Supply Information Summary to reflect that number.

**Gary Hammann** 

### FORM NO. GWS-76 05/2011

## WATER SUPPLY INFORMATION SUMMARY

STATE OF COLORADO, OFFICE OF THE STATE ENGINEER

1313 Sherman St., Room 821, Denver, CO 80203 Main (303) 866-3581 <u>water.state.co.us</u>

	Section 30-28-133,(d), C.R.S. requires that the applicant submit to the County, "Adequate evidence that a water supply that is sufficient in terms of quantity, quality, and dependability will be available to ensure an adequate supply of water."									
1. NAME OF DE	1. NAME OF DEVELOPMENT AS PROPOSED: OHANA ACRES									
2 LANDLISE AC	2. LAND USE ACTION: VACATE & Re Plat									
	3 NAME OF EXISTING PAPCEL AS DECORDED.									
	SUBDIVISION: VIL FILING # 1 , FILING (UNIT) , BLOCK , LOT									
4. TOTAL ACREAGE: 19,31 5. NUMBER OF LOTS PROPOSED 4 PLAT MAP ENCLOSED? A YES or □ NO										
6. PARCEL HISTORY - Please attach copies of deeds, plats, or other evidence or documentation.										
			e 1, 1972?  YES		Dogg	oded				
B. Has the pa	B. Has the parcel ever been part of a division of land action since June 1, 1972? YES or NO RECORDED NO RECORDED If yes, describe the previous action: 40 ACRES OF VIOLED IN DATE OCT 13 - 1995									
7. LOCATION O	F PARCEL - Inclu	de a map deline	ating the project are	ea and tie to a section corner.	***************************************					
		9		Nor⊠S, Range <u>43</u> ☐ Eo	r 🗷 W					
			New Mexico Ut							
				Format must be <b>UTM</b> , Units I, ☐ Zone 12 or ☐ Zone 13	Easting:					
					Northing:					
			plotted and permit ed hand drawn sket	ch: YES or NO						
9. ESTIMATED				10. WATER SUPPLY SOURCE						
U	SE	WATER RE	QUIREMENTS	CACALOTINO EL DEVELOPED	NEW WELLS -					
	. )	Gallons per Day	Acre-Feet per Year	EXISTING DEVELOPED WELL SPRING	PROPOSED AQUIFERS	S – (CHECK ONE)				
HOUSEHOLD USE	# $\underline{\mathcal{L}}$ of units	72	72	WELL PERMIT NUMBERS	☐ ALLUVIAL	☐ UPPER ARAPAHOE				
COMMERCIAL USE	# of S. F		8-6225	53485 H	☐ UPPER DAWSON	LOWER ARAPAHOE				
					☐ LOWER DAWSON	☐ LARAMIE FOX HILLS				
IRRIGATION #	of acres	0.6225			☐ DENVER	☐ DAKOTA				
					OTHER:					
STOCK WATERING	$6#_2$ of head		0.6225	☐ MUNICPAL						
OTHER:			0.6225	☐ ASSOCIATION ☐ COMPANY	WATER COURT DECREE CASE					
TOTAL	-	***************************************		DISTRICT	NUMBERS: 714	BD				
2,49	AF for	0,6229	5 X4 lots	114445						
4 lots 3	00 4R	= 2,4	7 AF/8R	LETTER OF COMMITMENT FOR SERVICE ☐ YES or ☐ NO		***************************************				
	SINEER'S WATER	SUPPLY REPO	ORT DEVELOPED?	PYES or NO IF YES, PLEAS	SE FORWARD WIT	TH THIS FORM.				
12. TYPE OF SE	required before ou		pieted.)							
	ANK/LEACH FIEL			☐ CENTRAL SYSTEM						
	DISTRICT NAME:									
☐ LAGOON	☐ LAGOON ☐ VAULT									
☐ ENGINEE	LOCATION SEWAGE HAULED TO:									
	OTHER:									
# 2,49	Hr 7	- FUN (	See are de	La ?	1001010	INVIC				
page 2	ot 2	300 yR	HRAPO	inoc)						

To: Gary Hammann

17825 Jones Road Peyton CO 80831

Date: June 13, 2018

RE: Groundwater Evaluation

The following presents the results of the groundwater availability evaluation for the 19.31 Acre property located at 17825 Jones Road, Peyton in El Paso County and with legal location as Lot 1 VIL SUB FIL1. The property is located in Upper Black Squirrel Groundwater Management District.

The purpose of this groundwater assessment was to quantify the amount of groundwater underlying the property available for a proposed subdivision of the existing property into four (4) lots. Review of existing water rights in the area confirm the water underlying the Property is available and has not been previously claimed and is not encumbered. There is one well on the property that will be re-permitted under the determination of water rights and replacement plan.

# Proposed Use and Existing and Proposed Wells

There is an existing well having permit 53486 which is an alluvial well. The well will need to be abandoned and a new well drilled for the existing residence under the Determination of water rights and replacement plan. The proposed use is for domestic, agricultural, commercial and replacement.

All water will be used on the overlying land and wastewater will be treated with an Individual non-evaporative septic system.

### Methodology

The Denver Basin atlas maps, neighboring well data along with geophysical data, if available, were used to verify the State's assessment tool (SB5) which generates the physical parameters of the groundwater aquifers. The State's approved groundwater model (AUG3) was used to evaluate the amount of depletion that occurs to the hydraulically connected stream system(s).

### Results

1. Aquifer Assessment.

The table below represents the total estimated amount of water that is available in each aquifer under the Property. Aquifer tops and bottoms were corrected from SB5 values based on the Denver Basin Atlas Maps.

	Gro	undwa	ter Qua	antificatio	n					
Elevation 6420 Acres 19.31 NW 1/4 NW 1/4 Sec 30 T13S R63W										
Denver Basin Aquifer	Elevation (ft amsl)		Net Sand	Depth (feet)		Total	100 Year	300 Year		
	Bottom	Тор	(ft)	Bottom	Тор	(AF)	(AF)	(AF)		
Denver (NNT)	6125	6405	155	295	15	509	5.05	1.68		
Arapahoe (NNT)	5525	6010	228	895	400	748	7.48	2.49		
Laramie Fox Hills (NT)	4915	5210	207	1325	1210	600	6.0	-		

The Denver and Arapahoe aquifers are not non-tributary and use from this aquifer will require a replacement plan. The Laramie Fox hills aquifer is non-tributary and all groundwater from this aquifer minus 2 percent (.12AF) may be pumped out at a rate not to exceed a 100-year rate of depletion. El Paso County requires a 300-year water supply for new subdivisions therefore a 300 year pumping duration was evaluated and is supported by the stream depletion analysis (below).

# 3. Stream Depletions.

Actual stream depletions resulting from pumping the Denver and Arapahoe aquifer will need to be replaced during the pumping period.

### 4. Depletion Analysis.

A stream depletion analysis for the not non-tributary Denver and Arapahoe aquifers was accomplished using the states' AUG3 groundwater model. Total Depletion in the Denver Aquifer was 1.25 AF at 100 years and 1.57 AF at 300 years pumping 1.67 AF/Yr. With household returns at 0.68 AF/yr, there would be an insufficiency of replacement water to prevent injury to Upper Black Squirrel Creek using the Denver aquifer as a source of groundwater.

The Arapahoe depletion analysis indicates that depletion in the 100<sup>th</sup> year of pumping 2.0 AF/Yr (0.5 AF/yr per home) is 0.004 AF or 0.181 percent and in the 300<sup>th</sup> and final year of pumping, is 0.77 AF or 3.87 percent of pumping. All depletion occurs to Upper Black Squirrel Creek. Septic return flows based on an in home use of 0.25 AF/Yr with a presumptive 10% consumption results in 0.23 AF per year returning to the stream system; with four homes the total replaced is 0.68 AF/Yr. This exceeds the maximum total depletion needed to prevent injury to surface water rights.

### Summary Paragraph for Publication


The applicant proposes to divert 2.0 acre-feet annually for 300 years from the Arapahoe aquifer for use on the overlying land comprised of four lots on a total of 19.31 Acres in the NW1/4 WW1/4 Section 30 Township 13S Range 63W. Groundwater for each lot will be

Designated Basin Summary Table Arapahoe Aquifer 2.47 AF/Yr for 300 Yrs											
Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)	Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)	Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)	Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)
5	0.00	0.000	105	0.20	0.005	205	1.59	0.039	305	4.00	0.099
10	0.00	0.000	110	0.24	0.006	210	1.70	0.042	310	4.13	0.102
15	0.00	0.000	115	0.28	0.007	215	1 80	0.045	315	4.27	0.105
20	0.00	0.000	120	0.32	0.008	220	1.91	0.047	320	4.40	0.109
25	0.00	0.000	125	0.37	0.009	225	2.02	0.050	325	4.54	0.112
30	0.00	0.000	130	0.42	0.010	230	2.13	0.053	330	4.67	0.115
35	0.00	0.000	135	0.47	0.012	235	2.25	0.055	335	4.80	0.119
40	0.01	0.000	140	0.53	0.013	240	2.36	0.058	340	4.94	0.122
45	0.01	0.000	145	0.59	0.015	245	2.48	0.061	345	5.07	0.125
50	0.01	0.000	150	0.66	0.016	250	2.60	0.064	350	5.20	0.129
55	0.02	0.000	155	0.73	0.018	255	2.72	0.067	355	5.34	0,132
60	0.03	0.001	160	0.80	0.020	260	2.84	0.070	360	5.46	0.135
65	0 04	0.001	165	0.87	0.022	265	2.97	0.073	365	5.59	0.138
70	0.05	0.001	170	0.95	0.024	270	3.09	0.076	370	5.72	0.141
75	0.06	0.002	175	1.04	0.026	275	3.22	0.080	375	5.84	0.144
80	0.08	0.002	180	1.12	0.028	280	3.35	0.083	380	5.96	0.147
85	0.10	0.002	185	1.21	0.030	285	3.48	0.086	385	6.08	0.150
90	0.12	0.003	190	1.30	0.032	290	3.61	0.089	390	6.19	0.153
95	0.14	0.004	195	1 40	0.035	295	3.74	0.092	395	6.30	0.156
100	0.17	0.004	200	1.49	0.037	300	3.87	0.096	400	6.41	0.158


Hammann

	Designated Basin Summary Table Arapahoe Aquifer 2.0 AF/Yr for 300 Yrs											
Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)	Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)	Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)	Year	Depletion as a % of Pumping	Annual Depletion (AF/YR)	
5	0.00	0.000	105	0.20	0.004	205	1.60	0.032	305	4.00	0.080	
10	0.00	0.000	110	0.24	0.005	210	1.70	0.034	310	4 14	0.083	
15	0.00	0.000	115	0.28	0.006	215	1.80	0.036	315	4.27	0.085	
20	0.00	0.000	120	0.32	0.006	220	1 91	0.038	320	4.40	0.088	
25	0.00	0.000	125	0.37	0.007	225	2.02	0.040	325	4.54	0.091	
30	0.00	0.000	130	0.42	0.008	230	2.13	0.043	330	4.67	0 093	
35	0.00	0.000	135	0.47	0.009	235	2.25	0.045	335	4.81	0.096	
40	0.01	0.000	140	0.53	0.011	240	2.36	0.047	340	4.94	0.099	
45	0.01	0.000	145	0.59	0.012	245	2.48	0.050	345	5.07	0.101	
50	0.01	0.000	150	0.66	0.013	250	2.60	0.052	350	5.20	0.104	
55	0.02	0.000	155	0.73	0.015	255	2.72	0.054	355	5.34	0.107	
60	0.03	0.001	160	0.80	0.016	260	2.84	0.057	360	5.47	0.109	
65	0.04	0.001	165	0.87	0.017	265	2.97	0.059	365	5.59	0.112	
70	0.05	0.001	170	0.95	0.019	270	3.09	0.062	370	5.72	0.114	
75	0.06	0.001	175	1.04	0.021	275	3.22	0.064	375	5,84	0.117	
80	0.08	0.002	180	1.12	0.022	280	3.35	0.067	380	5.96	0.119	
85	0.10	0 002	185	1.21	0.024	285	3.48	0.070	385	6.08	0.122	
90	0.12	0.002	190	1.30	0.026	290	3.61	0.072	390	6.19	0.124	
95	0.14	0.003	195	1.40	0.028	295	3.74	0.075	395	6.31	0.126	
100	0.17	0.003	200	1.49	0.030	300	3.87	0.077	400	6.41	0 128	

Sum	mary Table 1		Summary Table 2								
			Model Period (years)	300	I						
Applicant Name	Hammann	eriter very frame garger progressive view of season and season designed and season and season when the season	Applicant Name	Hammann							
Case No. or Receipt No.	0	The state of the s	Case No. or Receipt No.	0							
Number of Years of Pumping	100		Number of Years of Pumping	100							
Pumping Rate (ac-ft/yr)	2.00	ing and the state of the state	Pumping Rate (ac-ft/yr)	2.00							
Total Volume (ac-ft)	200		Total Volume (ac-ft)	200							
Legal for All Sections	SEC 30 T13S R63	and the state of t	Legal for All Sections	SEC 30 T13S R63							
Model	AR09		Model	AR09							
Aquifer	ARAPAHOE		Aquifer	ARAPAHOE							
100th Yea	r Stream Depletion		Maximum Stream Depletion								
Ctrooms	100th Year Depletion (ac-ft/yr)	q/Q	Streams	Max.Depletion during	Year during	Max. Depletion during	di				
Streams		(%)	Streams	model period	model	pumping period	pui				
				(ac-ft/yr)	period	(ac-ft/yr)	P				
MONUMENT	0.000	0.000	MONUMENT	0.000	400	A					
KETTLE	0.000	0.000	KETTLE	0.000	400						
COTTONWOOD	0.000	0.000	COTTONWOOD	0.000	400						
SHOOKS RUN	0.000	0.000	SHOOKS RUN	0.000	400	0.000					
SAND-DIV2	0.000	0.000	SAND-DIV2	0.001	400	0.000					
JIMMY CAMP	0.000	0.008	JIMMY CAMP	0.020	400	0.000					
BLACK SQUIRREL-UBSCDB	0.003	0.173	BLACK SQUIRREL-UBSCDB	0.128	400						
Total	0.004	0.181	Total	0.149	400	0.004					
South Platte (Division 1)	0.000	0.000	South Platte Basin	- Montana			T				
Arkansas (Division 2)	0.000	0.008	Arkansas Basin	0.149	400	e video					
Designated Basin	0.003	0.173	Designated Basin	0.128	400	***	T				



# Stream Depletion caused by Pumping from SEC 30 T13S R63



used for in home uses, irrigation of lawn and gardens, domestic animals, replacements of stock watering, and commercial uses. Based on groundwater flow modeling, the proposed pumping will cause depletion to the alluvial aquifer of Upper Black Squirrel Creek, with depletions increasing annually to 0.077 acre-feet in the 300th year or 0.77 percent of the annual amount withdrawn. The applicant proposes to provide actual replacement of depletions to the alluvium of Black Squirrel Creek. The proposed source of replacement water is four individual non-evaporative septic systems and leach field return flows, one on each proposed lot, from in-house use of 0.25 AF/Yr to produce 0.23 AF/Yr per residence of replacement water for a total of 0.90 AF/Yr which is sufficient to meet actual depletions during the pumping period.

Sincerely,

Julia M Murphy MS PG

Professional Geologist /Hydrogeologist

CA Lic 6964

MURPHY

818 Centennial Bldg., 1313 Sherman St., Denver, Co. Deva Deva

Application must be complete where applicable. Type or print in <u>BLACK INK</u>. No overstrikes or erasures unless initialed.

# PERMIT APPLICATION FORM MAR 0 4 1988

( Y A PERMIT TO USE GROUND WATER RESOURCES ( Y) A PERMIT TO CONSTRUCT A WELL STATE, ENGINEER FOR: ( Y) A PERMIT TO INSTALL A PUMP

( REPLACEMENT FOR NO. 53485.
( ) OTHER WATER COURT CASE NO.

RECEIVED

MAR 2 6 1986

WATER RESOURCES STATE, ENGINEER COLD

(1) APPLICANT - mailing address	FOR OFFICE USE ONLY: DO NOT WRITE IN THIS COLUMN
Time Od Dairellia L. Omials	Receipt No. 63412 A
NAME Jivamy R. + Uniquia L. Daniels STREET 34881 Rd 32	Basin Dist. 12
STREET DY 081 Rd 02	Basin Dist
CITY La Junta Colo 81050 (Zip)	CONDITIONS OF APPROVAL
TELEPHONE NO. 303 - 853-6274	This well shall be used in such a way as to cause
AND A CONTROL OF ADORDOUR MELL	no material injury to existing water rights. The issuance of the permit does not assure the applicant
(2) LOCATION OF PROPOSED WELL	that no injury will occur to another vested water
County El Paso	right or preclude another owner of a vested water right from seeking relief in a civil court action.
<u>Nω ¼ of the Nω ¼, Section 30</u>	ISSUED PURSUANT TO SECTION 37-90-105, C.R.S.
7,00 % of the 7,000 %, section 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	APPROVED AS A REPLACEMENT OF WELL 53485
Twp. 13 5 Ang. 63 14 P.M.	THE EXISTING WELL MUST BE PLUGGED AND ABANDONED ACCORDING TO THE REVISED AND
(3) WATER USE AND WELL DATA	AMENDED RULES AND REGULATIONS FOR WATER
0 - 15	WELL AND PUMP INSTALLATION CONTRACTORS. THE WELL ABANDONMENT AFFIDAVIT FORM MUST BE
Proposed maximum pumping rate (gpm) 8 - 10	SUBMITTED WITHIN SO DAYS AFTER THE
Average annual amount of ground water to be appropriated (acre-feet):	CONSTRUCTION OF THE REPLACEMENT WELL AFFIRMING THAT WELL \$3485 WAS PLUGGED
Number of acres to be irrigated:	ANU ABANDONED.
Proposed total depth (feet): 18 - 80	THE MAXIMUM PUMPING RATE OF THIS WELL SHALL NOT EXCEED 10 G.P.M.
Aquifer ground water is to be obtained from:	THE AVERAGE ANNUAL APPROPRIATION OF THIS WELL SHALL NOT EXCEED ACRE-FOOT (FEET).
Allavium	THIS WELL MUST BE CONSTRUCTED TO WITHDRAW
Owner's well designation House & Stock	WATER ONLY FROM THE ALLUVIUM OF BLACK SETTIREE
GROUND WATER TO BE USED FOR:	CREEK OR ITS TRIBUTARIES. THE DEPTH OF THIS WELL SHALL NOT EXCEED 3.5. FEET OR THE DEPTH AT
(X) HOUSEHOLD USE ONLY - no irrigation (0)	WHICH SANDSTONE OR SHALE IS FIRST
(X) DOMESTIC (1) ( ) INDUSTRIAL (5)	ENCOUNTERED.
(X) DOMESTIC (1) ( ) INDUSTRIAL (5) (X) LIVESTOCK (2) ( ) IBRIGATION (6) ( ) COMMERCIAL (4) ( ) MUNICIPAL (8)	CONTINUED ON PAGE 2
( ) OTHER (9)	APPLICATION APPROVED
DETAIL THE USE ON BACK IN (11)	C 2 2 C 2 N
	PERMIT NUMBER 53485-A
of Con-America	DATE ISSUED MAR 2 8 1988
Name Bill Townly & Drilling Dec	EXPIRATION DATE MAR 28 1989
Street	Juin a. Danielen.
City Colo	STATE ENGINEER
Telephone No. 541-2967 Lic. No. 1149	BY Junes & Jass
The West Administration of the West Administrati	10 8-2-10 COUNTY 21

December 7, 2021

John Green El Paso County Development Services Department 2880 International Circle, Suite 110 Colorado Springs, CO 80910

RE:

Ohana Acres Minor Subdivision - Final Plat

File # SF2141

Part of the NW1/4 of the NW1/4 of Section 30, T13S, R63W, 6th P.M.

Upper Black Squirrel Creek Designated Ground Water Basin Upper Black Squirrel Creek Groundwater Management District

Water Division 2, Water District 10

Dear Mr. Green:

We have reviewed the information received by this office on November 24, 2021, on the above referenced proposal to subdivide approximately 19.31 acres into four lots of approximately 5 acres each. The proposed minor subdivision will create four lots, all of which are intended for single-family residential use.

## **Water Supply Demand**

According to the Water Supply Information Summary Sheet provided, the estimated water requirement for the subdivision totals 7.56 acre-feet/year, consisting of 1 acre-foot/year/lot for each of the four residential lots (4 acre-feet total), 3 acre-feet for the irrigation of 4 acres and 0.56 acre-feet for the watering of 10 head of livestock.

### Source of Water Supply

Each lot will be served by a proposed individual on lot well withdrawing the allocation for the Arapahoe aquifer approved in Determination of Water Right No. 3714-BD.

Determination of Water Right No. 3714-BD was issued June 26<sup>th</sup>, 2019 pursuant to section 37-90-107(7), and the Designated Basin Rules, 2 CCR 410-1 ("Rules"). The determination allocates 755 acre-feet (7.55 acre-feet per year based on a 100-year aquifer life) of water from the Arapahoe aquifer underlying 19.31 acres generally described as a portion of the NW1/4 of the NW1/4 of Section 30, Township 13 South, Range 63 West of the 6th P.M. ("Overlying Land"). The allowed place of use is the above-described 19.31-acre Overlying Land. The use of the groundwater under 3714-BD is limited to in-home, lawn and gardens, domestic animals, commercial, agricultural, stock and replacement.

The proposed source of water for this subdivision is a bedrock aquifer in the Denver Basin. The State Engineer's Office does not have evidence regarding the length of time for which this source will be a physically and economically viable source of water. According to 37-90-107(7)(a), C.R.S., "Permits issued pursuant to this subsection (7) shall allow withdrawals on the basis of an aquifer life of 100 years." Based on this <u>allocation</u> approach, the annual amount of water determined in 3714-BD are equal to one percent of the total amount, as determined by rule 5.3.2.1 of the



Designated Basin Rules, 2 CCR 410-1. Therefore, the water may be withdrawn in those annual amounts for a maximum of 100 years.

The El Paso County Land Development Code, Section 8.4.7.(B)(7)(b) states:

"(7) Finding of Sufficient Quantity

(b) Required Water Supply. The water supply shall be of sufficient quantity to meet the average annual demand of the proposed subdivision for a period of 300 years."

The State Engineer's Office does not have evidence regarding the length of time for which this source will "meet the average annual demand of the proposed subdivision." However, treating El Paso County's requirement as an <u>allocation</u> approach based on three hundred years, the allowed average annual amount of withdrawal of 7.55 acre-feet/year would be reduced to one third of that amount, or 2.51 acre-feet/year, which is less than the annual demand for this subdivision.

The Water Supply Information Summary references existing well 53485-A. As described in the attached February 29, 1996 memorandum, which is a part of the well permit files, the well on the subject property was constructed in April 1986 without a valid well permit. In addition, a well construction report was never submitted for the well, therefore the source of the well is unknown. Should the applicant wish to use the existing well as a water supply for the proposed lots a valid large capacity well permit would need to be obtained for the well. Depending on the source of the well a Commission approved replacement plan may be required in order to obtain a large capacity well permit for the existing well.

### State Engineer's Office Opinion

Based on the above and pursuant to section 30-28-136(1)(h)(l), C.R.S., the State Engineer's Office has not received enough information to render an opinion regarding the potential for causing material injury to decreed water rights, or the adequacy of the proposed water supply. Prior to further review of the subdivision water supply plan the following information is required:

- 1. The Applicant must provide a subdivision water supply plan that is consistent with El Paso County's 300-year water supply requirement and does not exceed the amounts allocated in the Determination.
- 2. The Applicant must clarify if the existing well on the property will as a water supply for the proposed lots or if the well will be plugged and abandoned prior to subdivision approval. If the well will be used then the Applicant must demonstrate that a valid large capacity well permit has been obtained for the well.

Should you or the applicant have any questions, please contact Melissa Van Der Poel at (303) 866-3581 x8208.

Sincerely,

Joanna Williams, P.E. Water Resource Engineer

Ec:

Division 1 Division Engineer
District 1 Water Commissioner
SEO Subdivision file: 28860

FWSID		☐ Finished	Date Official Line Code					
Sample Point ID:		☐ LT2 ☐ Quantitative	Lab Sample # 1491					
Sample Taken Date: 01/24/2022 Time: 0830			Collert Results Per 100ml					
Address where sample was taken: 17825 Jon		Comerc Nesdits Fer 100m						
Sample site location: Bathtub	Collector Name: Gary	Chlorine: mg/L	Absence: Absence of coliform bacteria					
☐ Well ☐ City	☐ Recreational		☐ Presence: Presence of coliform bacteria &					
☐ Surface/Spring ☐ Cistem	☐ Wastewater		non-compliance with drinking water standards.					
Results to: Gary Hammann	Phone: (719	) 650-5952	MPN/100 ml:					
Mailing address: 17825 JONES RD			Absence: E. Coli: Escherichia coli bacteria					
City/State/Zip: , CO			☐ Presence:E. Coli: Escherichia coli bacteria					
Fax/Email: gary.hsquared@gmail.com			MPN/100 ml:					
Comments:								

IN THE MATTER OF AN APPLICATION FOR DETERMINATION OF WATER RIGHT TO GROUND WATER IN THE UPPER BLACK SQUIRREL CREEK DESIGNATED GROUND WATER BASIN

**DETERMINATION NO.: 3714-BD** 

AQUIFER:

Arapahoe

APPLICANT:

Gary Hammann and Darlene Noel-Hammann

In compliance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, 2 CCR 410-1, Gary Hammann and Darlene Noel-Hammann (hereinafter "Applicant") submitted an application for determination of water right to designated ground water from the Arapahoe Aquifer.

#### **FINDINGS**

- 1. The application was received by the Colorado Ground Water Commission on July 24, 2018.
- 2. The Applicant requests a determination of right to designated ground water in the Arapahoe Aquifer (hereinafter "Aquifer") underlying 19.31 acres, generally described as Lot 1 VIL Filing No. 1 Subdivision and generally located in the NW1/4 of the NW1/4, Section 30, Township 13 South, Range 63 West, 6<sup>th</sup> P.M., in El Paso County. According to a signed Ownership Statement dated April 24, 2019, attached hereto as Exhibit A, the Applicant owns the 19.31 acres of land, which are further described in said Ownership Statement (hereinafter "Overlying Land"), and claims control of the right to the ground water in the Aquifer underlying this land (hereinafter "Underlying Ground Water").
- 3. The Overlying Land is located within the boundaries of the Upper Black Squirrel Creek Designated Ground Water Basin and within the Upper Black Squirrel Creek Ground Water Management District. The Colorado Ground Water Commission (hereinafter "Commission") has jurisdiction over the ground water that is the subject of this Determination.
- 4. The Commission Staff has evaluated the application relying on the claims to control of the Underlying Ground Water in the Aquifer made by the Applicant.
- 5. The Applicant intends to apply the Underlying Ground Water to the following beneficial uses: in home, lawn and gardens, domestic animals; commercial, agricultural; stock and replacement. The Applicant's proposed place of use of the Underlying Ground Water is the above described 19.31 acres of overlying land.
- 6. The quantity of water in the Aquifer underlying the 19.31 acres of Overlying Land claimed by the applicant is 755 acre-feet. This determination was based on the following as specified in the Designated Basin Rules:
  - a. The average specific yield of the saturated permeable material of the Aquifer beneath the Overlying Land that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is 17 percent.
  - b. The average thickness of the saturated permeable material of the Aquifer beneath the Overlying Land that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is 230 feet.

Aquiter: Arapanoe

Applicant: Gary Hammann and Darlene Noel-Hammann

7. Pursuant to Section 37-90-107(7)(a), C.R.S., and in accordance with the Designated Basin Rules, the Commission shall allocate the underlying ground water based on ownership of the overlying land and an aquifer life of one hundred years. Should the entire quantity of underlying ground water identified above be available for allocation, the allowed average annual amount of withdrawal from the Aquifer that could be allocated from beneath the Overlying Land would be 7.55 acre-feet per year.

- 8. A review of the records in the Office of the State Engineer has disclosed that none of the Underlying Ground Water in the Aquifer beneath the Overlying Land has been previously allocated or permitted for withdrawal.
- 9. Pursuant to Section 37-90-107(7)(c)(III), C.R.S., an approved determination of water right shall be considered a final determination of the amount of ground water so determined; except that the Commission shall retain jurisdiction for subsequent adjustment of such amount to conform to the actual local aquifer characteristics from adequate information obtained from well drilling or test holes.
- 10. The ability of wells permitted to withdraw the authorized amount of water from this non-renewable Aquifer may be less than the one hundred years upon which the amount of water in the Aquifer is allocated, due to anticipated water level declines.
- 11. In accordance with Rule 5.3.6 of the Designated Basin Rules, it has been determined that withdrawal of ground water from the Aquifer underlying the land claimed by the Applicant will, within one hundred years, deplete the flow of a natural stream or its alluvial aquifer at an annual rate greater than one-tenth of one percent of the annual rate of withdrawal and, therefore, the Underlying Ground Water is considered to be not-nontributary ground water. Also, the location of the land claimed by the Applicant is farther than one mile from the Aquifer contact with the alluvium. Pursuant to the Rules, at least four percent (4%) of the amount of the underlying water withdrawn annually must be returned to the uppermost aquifer in the vicinity of the permitted point or points of withdrawal, unless other locations are approved by the Commission.
- 12. On May 2, 2019, in accordance with Rule 9.1 of the Designated Basin Rules, a letter was sent to the Upper Black Squirrel Creek Ground Water Management District requesting written recommendations concerning this application. Written recommendations from the district were received on May 21, 2019.
- 13. In accordance with Sections 37-90-107(7)(c)(II) and 37-90-112, C.R.S., the application was published in the Ranchland News newspaper on May 9, 2019 and May 16, 2019. No objections to the application were received within the time limit set by statute.

### **ORDER**

In accordance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, the Colorado Ground Water Commission orders that the application for determination of right to designated ground water in the Arapahoe Aquifer underlying 19.31 acres of land, generally described as Lot 1 VIL Filing No. 1 Subdivision and generally located in the NW1/4 of the NW1/4, Section 30, Township 13 South, Range 63 West, 6<sup>th</sup> P.M., further described in Exhibit A, is approved subject to the following conditions:

14. The allowed average annual amount of withdrawal of Underlying Ground Water from the Aquifer shall not exceed 7.55 acre-feet.

Applicant: Gary Hammann and Darlene Noel-Hammann

15. The total volume of Underlying Ground Water that may be withdrawn from the Aquifer pursuant to this Determination of Water Right shall not exceed 755 acre-feet.

- 16. The Commission may adjust the total volume and the allowed average annual amount of withdrawal of Underlying Ground Water that may be withdrawn from the Aquifer to conform to actual Aquifer characteristics based on analysis of geophysical logs or other site-specific data if such analysis indicates that the initial estimate of the amount of Underlying Ground Water in the Aquifer was incorrect.
- 17. The allowed maximum annual amount of withdrawal may exceed the allowed average annual amount of withdrawal as long as the total volume of Underlying Ground Water withdrawn does not exceed the product of the number of years since the date of approval of this determination times the allowed average annual amount of withdrawal.
- 18. The Applicant may pump the allowed average annual amount of withdrawal and the allowed maximum annual amount of withdrawal from one or more wells of a well field in any combination, so long as the total combined withdrawal of the wells does not exceed the amounts described in this Order.
- 19. At least four percent (4%) of the allowed amount of Underlying Ground Water withdrawn annually must be returned to the uppermost aquifer in the vicinity of the permitted point or points of withdrawal, unless other locations are approved by the Commission.
- 20. The use of the allowed amount of Underlying Ground Water from this allocation shall be limited to the following beneficial uses: in home, lawn and gardens, domestic animals, commercial, agricultural, stock and replacement. The place of use shall be limited to the above described 19.31 acres of Overlying Land. The ground water that is the subject of this Determination may be reused and successively used to extinction to the extent dominion and control over the water is maintained and its volume can be distinguished from the volume of any stream system into which it is introduced to the satisfaction of the Commission. The ground water right determined herein is located within the Upper Black Squirrel Creek Ground Water Management District where local District rules apply which may further limit the withdrawal and use of the subject designated ground water.
- 21. Approval of this determination meets the requirements of Section 37-90-107(7)(d)(II) that requires a determination of ground water be made prior to the granting of a well permit pursuant to Section 37-90-107(7).
- 22. Wells withdrawing the allowed amount of Underlying Ground Water allocated herein are subject to the following conditions:
  - a. The wells must be located on the above described 19.31 acres of Overlying Land.
  - b. No well shall be located within 600 feet of any existing large-capacity well in the same Aquifer unless a Waiver of Claim of Injury is obtained from the owner of the existing well or unless the Commission, after a hearing, finds that circumstances in a particular instance warrant that a well may be permitted without regard to this limitation.
  - c. The wells must be constructed to withdraw water from only the Arapahoe Aquifer.

Aquifer: Arapahoe

Applicant: Gary Hammann and Darlene Noel-Hammann

d. The entire depth of each well must be geophysically logged prior to installing the casing as set forth in Rule 9 of the Statewide Nontributary Ground Water Rules, 2 CCR 402-7.

- e. A totalizing flow meter or other Commission approved measuring device shall be installed on each well and maintained in good working order by the well owner. Annual diversion records shall be collected and permanently maintained by the well owner and submitted to the Commission and the Upper Black Squirrel Creek Ground Water Management District upon request.
- f. The well shall be marked in a conspicuous place with this determination number, the well permit number, and the name of the Aquifer. The well owner shall take necessary means and precautions to preserve these markings.
- 23. A copy of this Findings and Order shall be recorded by the Applicant in the public records of the county in which the Overlying Land is located so that a title examination of the above described 19.31 acres of Overlying Land area, or any part thereof, shall reveal the existence of this determination.
- 24. The ground water right determined herein is a vested property right with specific ownership. The ground water right may be transferred independent of the land under which the right originated. Any action taken that is intended to convey, transfer, and/or sell the subject water right shall explicitly identify this Determination of Water Right number, the specific aguifer, and the annual volume (based on a 100-year aguifer life) or total volume of ground water that is being conveyed.

Dated this 26th day of June, 2019.

Kevin G. Rein, P.E

**Executive Director** Colorado Ground Water Commission

Prepared by: aat F&O3714-BD.doc

Keith Vander Horst, P.E.

Chief of Water Supply, Basins

Keich Vander Horst

Water V Review form Hand comple	NTIAL Note: All Vell Permit All Instructions prior to ted forms must be detected.	Appl	ication									
	nt Information	a lagarini kalikara pad a kalandaran	ary area commendent and the place of the property was advertised in the party of the	gar si in a gara halal garandi ki dingkan bina ki ngapanda naganin saka sinda nagankan pan	6. Use Of Well (check applicable boxes)							
Name(s) Gary Hamm	Gary Hammann / G & D Hammann Ohana Trust					See instructions to determine use(s) for which you may qualify  A. Ordinary household use in one single-family dwelling						
Mailing address		and the second state of the second	the transition of the state of	ye fa asir mineme) i magai i nayawi ina sil danayen jiwin danaki silahada isa sila sina	(no outside use)  B. Ordinary household use in 1 to 3 single-family dwellings: Number of dwellings: 1							
17825 Jone	s Road											
City	1	State	Zip code									
Peyton Telephone (w/area	The second secon	O nail	80831		Home garden/lawn irrigation, not to exceed one acre:							
719-650-59			ared@gmail.d	com	area irrigated 5000 sq. ft. $\square$ acre							
	Application (che				1	-	- (non-commercia					
Construct	the base of the property of th		Change source		C. Livestock w	- Contract of the Contract of		•				
Replace ex			Reapplication (e				turanorurango/pasi	uro,				
Use existing			Rooftop precip.	collection	7. Well Data (pr	oposea)	Annual amount to be	. Alle des com	al disease a 100 mentals adjuncted in management (supplement one statement on			
☐ Change or			Other:		Maximum pumping rate	gpm	0.6275	withdrawn	acre-feet			
	(if applicable)	majoine		and the supplemental state of the supplement	Total depth	and the second s	Aquifer	aan dia dia manda ay kanan sa kan	and an angular content of the second of the			
Well permit # 53486		Water	Court case #		600	feet	Arapahoe					
Designated Basin	Determination #	Well na	me or #		8. Water Suppli	er						
3714-BD		origin	al replacemen	nt	Is this parcel within	ooundaries of	a water service are	a?□ YES	M NO			
	Of Proposed V	Name and Address of the Owner, where	Name of Street, Street, or other Designation of the Owner, where the Publisher,	AND DESCRIPTION OF THE PERSON	If yes, provide name							
County			AND THE RESIDENCE OF THE PARTY	A CONTRACTOR OF THE PARTY OF TH	9. Type Of Sew	age Syster	n					
El Paso	The state of the s				Septic tank / absorption leach field							
Section 30						☐ Central system: District name:						
	om section lines (section line	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			☐ Vault: Location s			**************************************	The state of the s			
Distance of wearing	Ft. from N S	190		from $\square$ E $\square$ W		sewage to be r	lauled to:					
For replacement w	For replacement wells only - distance and direction from old well to new well					Other (explain)						
eveletti, kojajopianske, v. j. ok. s. ne rena enjineerit i ne renesistiske	feet Direction				10. Proposed Well Driller License #(optional): 1148							
Well location addre	ess (Include City, State, Zip)	☐ Ch	eck if well address is sa	ame as in Item 1.	11. Sign or Enter Name of Applicant(s) or Authorized Agent							
					The making of false							
	and the second of the second o				degree, which is pur 24-4-104 (13)(a). 11							
the representation to any large strong restricts of the patern and the	ell location information in UT	M format. C	SPS unit settings are as	follows:	thereof and state that	at they are true	to my knowledge.					
Format must be U		Eact	ing: 543655		Sign or enter name(s) of pe	erson(s) submitting	application	D	ate (mm/dd/yyyy)			
Units must be Mete		1		A STATE OF THE PARTY OF THE PAR	Marel	XXX	no	_ 06	/19/2023			
Datum must be N		Nort	hing: 4305357		If signing print name and tit	de						
Unit must be set to Was GPS unit che	true north cked for above?	Rem	ember to set Datum to	NAD83	Gary L. Hamman							
5. Parcel C	n Which Well W	ill Be I	_ocated		Office Use Only	1						
A Principle Party will be provided and with the same of the company of	must attach a curre			parcel)	USGS map name	a adaptation and a last for street, that is the street, the	DWR map no.	Surface	elev.			
	heck and complete o	ne of the	following:									
Subdivision					•	Receipt are	a only					
Lot 1	Block _		Filing/L	Jnit 1A		1944						
☐ County ex	kemption (attach copy	of count	ty approval & surv	rey)								
Name/#			Lot	#								
☐ Parcel les	s than 35 acres, not i	n a subd	ivision attach a de	eed with metes								
& bounds description recorded prior to June 1, 1972, and current deed												
Mining claim (attach copy of deed or survey) Name/#:												
☐ Square 40	Parties and Partie					- A To med require and each loss many a person of the many		art mer sagle kase mag oppin, deur Magen kilosofieler	mentalika albasityalah termenakan gerbasian eta di kabu			
Parcel of 35 or more acres (attach metes & bounds description or survey)					AQUAMAP							
Other: (attach metes & bounds description or survey)					WE							
B. # of acres in pa	arcel		ou the owner of this par	rcel?	WR							
19.31	anakan katikan kinus apartahan diasanan kitua bapata parta parti (mendapis o	X YES			смсв				*			
	only well on this parcel?				торо							
The William with publication and a series assessment to	t 3 more wells on	ce min	or subdivision	is approved	MYLAR							
E. State Parcel II	ля (optional):	-			SB5	DIV	WDBA	MI	)			
					L							