2022 Financial Assurance Estimate Form

(with pre-plat construction)

PROJECT INFORMATION

Rolling Hills Booster Pump Station

6/21/2022

PPR-21-75

olling Hills Booster Pump Station			6/21/2022			PPR-21-75					
roject Name			Date		•	PCD File No.					
escription	Quantity	Units	Unit Cost			Total	(with Pre- % Complete	Plat Construction) Remaining			
ECTION 1 - GRADING AND EROSION CONTRO	L (Construction	and Permai	nent BMPs)								
* Earthwork											
less than 1,000; \$5,300 min		CY	\$ 8.00	=	\$	-		\$ -			
1,000-5,000; \$8,000 min	1,355	CY	\$ 6.00	=	\$	8,132.34		\$ 8,132.3			
5,001-20,000; \$30,000 min		CY	\$ 5.00	=	\$	-		\$ -			
20,001-50,000; \$100,000 min		CY	\$ 3.50 \$ 2.50	=	\$			\$ - \$ -			
50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min		CY	\$ 2.00		\$	-	· ·	\$ -			
* Permanent Seeding (inc. noxious weed mgmnt.)	0.19	AC	\$ 886.00		\$	168.34	-	\$ 168.3			
* Mulching	0.15	AC	\$ 831.00		\$	-		\$ -			
* Permanent Erosion Control Blanket		SY	\$ 7.00	=	\$	-		\$ -			
* Permanent Pond/BMP Construction		CY	\$ 22.00	=	\$	-		\$ -			
* Permanent Pond/BMP (provide engineer's estimate)		EA	·	=	\$	-		\$ -			
-		EA		=	\$	-		\$ -			
Safety Fence		LF	\$ 3.00	=	\$	-		\$ -			
Temporary Erosion Control Blanket		SY	\$ 3.00	=	\$	-		\$ -			
Vehicle Tracking Control	1	EA	\$ 2,625.00	=	\$	2,625.00		\$ 2,625.0			
Silt Fence	360	LF	\$ 3.00	=	\$	1,080.00		\$ 1,080.0			
Temporary Seeding		AC	\$ 695.00	=	\$	-		\$ -			
Temporary Mulch		AC	\$ 831.00	=	\$	-		\$ -			
Erosion Bales	5	EA	\$ 28.00	=	\$	140.00	The state of the s	\$ 140.0			
Erosion Logs/Straw Wattles		LF	\$ 6.00	=	\$	-		\$ -			
Rock Check Dams		EA	\$ 554.00	=	\$	-		\$ -			
Inlet Protection		EA	\$ 185.00	=	\$	-	l	\$ -			
Sediment Basin		EA	\$ 1,952.00	=	\$	-		\$ -			
Concrete Washout Basin	1	EA	\$ 997.00	=	\$	997.00		\$ 997.0			
				=	\$	-		\$ -			
				=	\$	-		\$ -			
[insert items not listed but part of construction plans]	THE !!	4	···· BMB.		4	1 (01 70		4 6047			
MAI Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED)	INTENANCE (35%		uction BMPs) on 1 Subtotal	=	\$	1,694.70 14,837.38		\$ 1,694.7 \$ 14,837.3 8			
MAJ Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS *	INTENANCE (35º		-			,					
MAJ Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS *	INTENANCE (35º		-		\$,					
MAI Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS	INTENANCE (35%	Section	-	=		14,837.38		\$ 14,837.3			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control	INTENANCE (35°	Section	on 1 Subtotal	=	\$	14,837.38		\$ 14,837.3			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)	INTENANCE (35°	Section LS Tons	\$ 31.00	=	\$	14,837.38		\$ 14,837.3 \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)	INTENANCE (35°	LS Tons CY	\$ 31.00 \$ 56.00	=	\$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	INTENANCE (35°	LS Tons CY SY	\$ 31.00 \$ 56.00 \$ 16.00	=	\$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	INTENANCE (35°	LS Tons CY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00	=	\$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	INTENANCE (35°	LS Tons CY SY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00	= = =	\$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)	INTENANCE (35°	LS Tons CY SY SY SY Tons	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00	= = =	\$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Rajsed Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	INTENANCE (35°	LS Tons CY SY SY SY Tons SF EA EA SF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	INTENANCE (35°	LS Tons CY SY SY SY Tons SF EA EA SF SF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA SF SF EA	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 1	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA SF EA EA EA	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA EA SF EA EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 27.00 \$ 32.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA SF EA LF LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 25.00 \$ 221.00 \$ 27.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	INTENANCE (35°	LS Tons CY SY SY SY Tons SF EA EA SF EA LF LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA EA LF LF LF SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA EA LF LF LF SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 99.00 \$ 333.00 \$ 25.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE COWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (747 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA LF LF LF LF SY SY SY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 97.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 27.00 \$ 32.00 \$ 32.		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 97.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 221.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 15.00 \$ 15.00 \$ 15.00 \$ 15.00 \$ 15.00 \$ 17.00 \$ 17		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	INTENANCE (35°	LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 15.00 \$ 106.00 \$ 106.00 \$ 1,273.00 \$ 67.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	INTENANCE (35°	LS Tons CY SY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 106.00 \$ 1,273.00 \$ 67.00 \$ 102.00 \$ 1,639.00 \$ 55.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Egiste Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Carbase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	INTENANCE (35°	Section LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 15.00 \$ 32.00 \$ 106.00 \$ 1,273.00 \$ 102.00 \$ 1639.00 \$ 102.00 \$ 1639.00 \$ 1639.00 \$ 155.00 \$ 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete)	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 15.00 \$ 32.00 \$ 32.		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	INTENANCE (35°	Section LS Tons CY SY SY SY Tons SF EA EA EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 15.00 \$ 27.00 \$ 32.00 \$ 32.		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	INTENANCE (35°	LS Tons CY SY SY Tons SF EA EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 97.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 221.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 15.00 \$ 27.00 \$ 32.00 \$ 32		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	INTENANCE (35°	Section LS Tons CY SY SY SY Tons SF EA EA EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 15.00 \$ 27.00 \$ 32.00 \$ 32.		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14,837.38		\$ 14,837.3 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -			

PROJECT INFORMATION								
Rolling Hills Booster Pump Station	6/21/2022	PPR-21-75						
Project Name	Date	PCD File No.						

			Unit			(with Pr	re-Plat Construction)		
Description	Quantity	Units	Cost		Total	% Complete	Remaining		
				=	\$ -		\$ -		
[insert items not listed but part of construction plans]				=	\$ -		\$ -		
TORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$ -		\$ -		
18" Reinforced Concrete Pipe		LF	\$ 70.00	=	\$ -		\$ -		
24" Reinforced Concrete Pipe		LF	\$ 83.00	=	\$ -		\$ -		
30" Reinforced Concrete Pipe		LF	\$ 104.00	=	\$ -		\$ -		
36" Reinforced Concrete Pipe		LF	\$ 128.00	=	\$ -		\$ -		
42" Reinforced Concrete Pipe		LF	\$ 171.00	=	\$ -		\$ -		
48" Reinforced Concrete Pipe		LF	\$ 209.00	=	\$ -		\$ -		
54" Reinforced Concrete Pipe		LF	\$ 272.00	=	\$ -		\$ -		
60" Reinforced Concrete Pipe		LF	\$ 319.00	=	\$ -		\$ -		
66" Reinforced Concrete Pipe		LF	\$ 368.00	=	\$ -		\$ -		
72" Reinforced Concrete Pipe		LF	\$ 421.00	=	\$ -		\$ -		
18" Corrugated Steel Pipe		LF	\$ 90.00	=	\$ -		\$ -		
24" Corrugated Steel Pipe		LF	\$ 103.00	=	\$ -		\$ -		
30" Corrugated Steel Pipe		LF	\$ 131.00	=	\$ -		\$ -		
36" Corrugated Steel Pipe		LF	\$ 157.00	=	\$ -		\$ -		
42" Corrugated Steel Pipe		LF	\$ 180.00	=	\$ -		\$ -		
48" Corrugated Steel Pipe		LF	\$ 190.00	=	\$ -		\$ -		
54" Corrugated Steel Pipe		LF	\$ 278.00	=	\$ -		\$ -		
60" Corrugated Steel Pipe		LF	\$ 300.00	=	\$ -		\$ -		
66" Corrugated Steel Pipe		LF	\$ 364.00	=	\$ -		\$ -		
72" Corrugated Steel Pipe		LF	\$ 428.00		\$ -		\$ -		
78" Corrugated Steel Pipe		LF	\$ 492.00		\$ -		\$ -		
84" Corrugated Steel Pipe		LF	\$ 588.00		\$ -		\$ -		
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	3 388.00	=	\$ -		\$ -		
Flared End Section (FES) CSP Size =					_		_		
(unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -		
End Treatment- Headwall		EA		=	\$ -		\$ -		
End Treatment- Wingwall		EA		=	\$ -		\$ -		
End Treatment - Cutoff Wall		EA		=	\$ -		\$ -		
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 6,138.00	=	\$ -		\$ -		
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,981.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 9,242.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 8,447.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,706.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,898.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,984.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,775.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,876.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 11,706.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 12,920.00	=	\$ -		\$ -		
Grated Inlet (Type C), Depth < 5'		EA	\$ 5,138.00	=	\$ -		\$ -		
Grated Inlet (Type D), Depth < 5'		EA	\$ 6,347.00	=	\$ -		\$ -		
Storm Sewer Manhole, Box Base		EA	\$ 12,876.00	=	\$ -		\$ -		
Storm Sewer Manhole, Slab Base		EA	\$ 7,082.00	=	\$ -		\$ -		
Geotextile (Erosion Control)		SY	\$ 7.00	=	\$ -		\$ -		
Rip Rap, d50 size from 6" to 24"		Tons	\$ 89.00		\$ -		\$ -		
Rip Rap, Grouted		Tons	\$ 105.00		\$ -		\$ -		
Drainage Channel Construction, Size (W x H)		LF	\$ -		\$ -		\$ -		
Drainage Channel Lining, Concrete		CY	\$ 631.00		\$ -		\$ -		
Drainage Channel Lining, Concrete Drainage Channel Lining, Rip Rap		CY	\$ 124.00		\$ -		\$ -		
Drainage Channel Lining, Rip Rap Drainage Channel Lining, Grass		AC	\$ 1,626.00						
		AC	1,020.00	=	Ψ		4		
Drainage Channel Lining, Other Stabilization				=	Ψ		Ψ		
Financial House and History but no different states and a				=	\$ -		\$ -		
[insert items not listed but part of construction plans] - Subject to defect warranty financial assurance. A minimum of 20% shall				=	\$ -		\$ -		
- subject to defect warranty infancial assurance. A minimum of 20% shall e retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED)		Sectio	n 2 Subtotal	=	\$ -		\$ -		

PROJECT INFORMATION								
Rolling Hills Booster Pump Station	6/21/2022	PPR-21-75						
Project Name	Date	PCD File No.						

				Unit				(with Pre	-Plat Construction)
Description	Quantity	Units		Cost			Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	vate or Dis	tric	t and NO	T Mainta	ined by	v EPC)**		
ROADWAY IMPROVEMENTS									
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
STORM DRAIN IMPROVEMENTS (Exc	eption: Permanent Po	nd/BMP shall b	e ite	emized unde	r Section 1))			
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
WATER SYSTEM IMPROVEMENTS	'								
Water Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$	-		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	83.00	=	\$	-		\$ -
Gate Valves, 8"		EA	\$	2,058.00	=	\$	-		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	7,306.00	=	\$	-		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,466.00	=	\$	-		\$ -
Fire Cistern Installation, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
SANITARY SEWER IMPROVEMENTS									
Sewer Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$	-		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,858.00	=	\$	-		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,553.00	=	\$	-		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
LANDSCAPING IMPROVEMENTS	(For subdivision sp	ecific condition	of a	approval, or	PUD)				
Hoopsi Blue Spruce		EA	\$	379.00	=	\$	-		\$ -
Ponderosa Pine		EA	\$	249.00	=	\$	-		\$ -
Red Sunset Maple		EA	\$	350.00	=	\$	-		\$ -
Golden Rain Tree		EA	\$	350.00		\$	-		\$ -
Prariefire Crab Apple		EA	\$	237.00		\$	-		\$ -
3/8" Gravel Mulch		TONS	\$	31.50		\$	-		\$ -
Basecourse		TONS	\$	29.00	=	\$	-		\$ -
** - Section 3 is not subject to defect warranty requirements		Sectio	n 3	Subtotal	=	\$	-		\$ -

PROJECT INFORMATION							
Rolling Hills Booster Pump Station	6/21/2022	PPR-21-75					
Project Name	Date	PCD File No.					

			Unit				(with Pre-Plat Construction)		
Description	Quantity	Units	Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvement	s inc. Permanent WQCV BMPs)	LS		=	\$			\$	
POND/BMP CERTIFICATION (inc. eleva	tions and volume calculations)	LS		=	\$	•		\$	
				Tota	l Construc	tion Financia	Assurance	\$	14,837.38
			(Sum of all sec	ction subto	tals plus as-t	uilts and pond/Bl	MP certification)		
	Total Remai	ning Const	ruction Finan	cial Ass	urance (w	ith Pre-Plat C	onstruction)	\$	14,837.38
		The state of the s	s less credit for ite						

Total Defect Warranty Financial Assurance \$ 1,660.14

(20% of all items identified as (*). To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Conscious and Duli Conscious Applicant Control Plan and Conscious Control Plan and Control P