

El Paso County MS4 Post Construction Detention / Water Quality Facility Documentation Form

This document **must be completed and submitted** with required attachments to the County for projects requiring a detention and/or a water quality facility. A separate completed form must be submitted for each facility.

Project name: ELDORADO SPRINGS	
Owner name: MICHAEL E. WINTERFELD	
Location Address:	
3312-3372 HWY 85-87	
Latitude and Longitude:	
LAT: 38.78515 LONG: -104.79367	
Assessor's Parcel #: 6433301049 Section: 33	Township: 14 S. Range: 66 W.
Expected Completion date: 12/1/2020	
Project acreage: 13.7 Design Ponding Acres:	0.5 Design Storm: 100-YR
Design Engineer Email Address: CHAD@WESTWORKSE	NGINEERING.COM
To ensure compliance with C.R.S. 37-92-602(8), the completed S Detention and Infiltration Design Data Sheet must be attached . <u>https://maperture.digitaldataservices.com/gvh/?viewer=cswdif</u>	The form can be found here:
List all permanent water quality control measure(s) (EDBs, rain point of the point	-
BASIN WATER QUALITY FACILITY.	
For all projects for which the constrained redevelopment sites s	tandard is applied, provide an explanation of why it is
not practicable to meet the full design standards.	
Attach Operations and Maintenance (O&M) Plan describing th long-term observation, maintenance, and operation of control r maintenance activities. If multiple, different water quality cont & M Plan must be provided for each facility.	measure(s), including routine inspection frequencies and
Attach Private Detention Basin / Stormwater Quality Best Mar	nagement Practice Maintenance Agreement and
Easement addressing maintenance of BMPs that shall be bindin	
Attachments:	Review Engineer
Stormwater Detention and Infiltration Design Data Sheet O & M Plan	EPC Project File No.
Maintenance and Access Agreement	



El Paso County MS4 Post Construction Detention / Water Quality Facility Documentation Form

This document **must be completed and submitted** with required attachments to the County for projects requiring a detention and/or a water quality facility. A separate completed form must be submitted for each facility.

Project name: ELDORADO SPRINGS	
Owner name: MICHAEL E. WINTERFELD	
Location Address:	
3312-3372 HWY 85-87	
Latitude and Longitude:	
LAT: 38.78515 LONG: -104.79367	
Assessor's Parcel #: 6433301049 Section: 33	Township: 14 S. Range: 66 W.
Expected Completion date: 12/1/2020	
Project acreage: 13.7 Design Ponding Acres:	.5 Design Storm: 100-YR
Design Engineer Email Address: CHAD@WESTWORKSEN	GINEERING.COM
To ensure compliance with C.R.S. 37-92-602(8), the completed St Detention and Infiltration Design Data Sheet must be attached . T <u>https://maperture.digitaldataservices.com/gvh/?viewer=cswdif#</u>	he form can be found here:
List all permanent water quality control measure(s) (EDBs, rain ga POND B IS A FULL-SPECTRUM DETENTION AND E	
BASIN WATER QUALITY FACILITY.	
For all projects for which the constrained redevelopment sites sta	indard is applied, provide an explanation of why it is
not practicable to meet the full design standards.	
Attach Operations and Maintenance (O&M) Plan describing the long-term observation, maintenance, and operation of control m maintenance activities. If multiple, different water quality control & M Plan must be provided for each facility.	easure(s), including routine inspection frequencies and
Attach Private Detention Basin / Stormwater Quality Best Mana	gement Practice Maintenance Agreement and
Easement addressing maintenance of BMPs that shall be binding	
Attachments:	Review Engineer
Stormwater Detention and Infiltration Design Data Sheet O & M Plan	EPC Project File No.
Maintenance and Access Agreement	

This document must be completed and submitted with required attachments to the County for projects requiring a detention and/or a water quality facility. A separate completed form must be submitted for each facility. Project name: ELDORADO SPRINGS Two forms needed Project name: MICHAEL E. WINTERFELD WINTERFELD The form indicates plural measures on one form. Lattude and Longitude: LAT: 38.78515 LONG: -104.79367 Assessor's Parcel #: 6433301049 Section: Boomen ame: Expected Completion date: 12/1/2020 Project acreage: 13.7 Design Ponding Acres: 0.5 Design Storm: 100-YR Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet Stormwater Detention and Infiltration Design CRUM Pan Section: Attach Private Detention and Infiltration Design Data Sheet Stormwater Detention and Infiltration Design Data Sheet Stormwater Detention and Infiltration Design Data Sheet Expert Output Fields Stormwater Detention and Infiltration Design Data Sheet Expert Output Fields CHAD West State Storm State Storm State Stormwater Detention and Infiltration Design Pandards For an are compliance with C.R.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet Stormwater Detention and Infiltration Design Data Sheet Design Engineer Email Address: CHAD West Storm C.R.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet Stormwater Detention and Infiltration Design Data Sheet Design Engineer Email Address: CHAD West Stormwater C.B.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet Design Engineer Email Address: CHAD West Stormwater C.B.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet Design Engineer Email Address: CHAD West Stormwater C.B.S. Stormwater C.B.S. Stormwater C.B.S. Stormwater Detention and Infiltration Design Data Sheet Design Engineer Email Addre	EL PASO COLORADO COLO
detention and/or a water quality facility. A separate completed form must be submitted for each facility. Project name: ELDORADO SPRINGS Owner name: MICHAEL E. WINTERFELD Unterfease and the second s	EPC Planning & Community El Paso County MS4 Post Construction Detention / Water Quality Facility Documentation Form Development Department
Project name: ELDORADO SPRINGS Owner name: MICHAEL E. WINTERFELD Design Address: Dural measures on one form. Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the dompleted Stormwater Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://magerture.digitaldataser/cles.com/gh/?vietwere.cswdiff (click on Download SDI Design Data Sheet) List all permanent water quality control measure(5) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and ope Dends are FS EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. AttachMents: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	This document must be completed and submitted with required attachments to the County for projects requiring a detention and/or a water quality facility. A separate completed form must be submitted for each facility.
Owner name: The form inducates Status plural measures on one form. Status glural measures on one form. Status plural measures on one form. Latitude and Longitude: plural measures on one form. Expected Completion date: plural measures on one form. Project acreage: 13.7 pesign Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM posign Starm: 100-YR Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the completed Stormwater potention and Infiltration Design Data Sheet Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM Desetention and infiltr	
Location Address: plural measures on one form. 3312-3372 HWY 85-87 on one form. Latitude and Longitude: LAT: 38.78515 LONG: -104.79367 Assessor's Parcel #: 6433301049 Section: 63 Township: 14 S. Range: 66 W. Expected Completion date: 12/1/2020 Project acreage: 13.7 Design PondingAcres: 0.5 Design Storm: 100-YR Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://maperture.digitaldataservices.com/gvh/?vi/wercswdliff (click on Download SDI Design Data Sheet) List all permanent water quality control measure(S) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and ope EDBs. sures are used at the same location, a separate O & M Plan must be provided for each facility. Attach P	Owner name: MICHAEL E. WINTERFELD The form indicates
Latitude and Longitude: LAT: 38.78515 LONG: -104.79367 Assessor's Parcel #: 6433301049 Section: 37 Township: 14 S. Range: 66 W. Expected Completion date: 12/1/2020 Project acreage: 13.7 Design PondingAcres: 0.5 Design Storm: 100-YR • Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the completed Stormwater Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://maperture.digitaldataservices.com/gwh/?vi/wer=cswdiff (click on Download SDI Design Data Sheet) List all permanent water quality control measure(s) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (0&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance (0&M) Plan describing the operation and maintenance procedures that ensure the BDB. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	
LAT: 38.78515 LONG: -104.79367 Assessor's Parcel #: 6433301049 Section: 33 Township: [14 S. Range: 66 W. Expected Completion date: 12/1/2020 Design Ponding Acres: 0.5 Design Storm: 100-YR Image: 66 W. Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM Image: Image: 66 W. To ensure compliance with C.R.S. 37-92-602(8), the completed Stormwater Design Data Sheet must be attached. The form can be found here: Image:	3312-3372 HWY 85-87 on one form.
Assessor's Parcel #: 6433301049 Section: 33 Township: 14 S. Range: 66 W. Expected Completion date: 12/1/2020 Project acreage: 13.7 Design PondingAcres: 0.5 Design Storm: 100-YR Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://maperture.digitaldataservices.com/gvh/?vif.wer=cswdiff! (click on Download SDI Design Data Sheet) List all permanent water quality control measure(s) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and oper maintenance activities. If multiple, different w EDBs. & M Plan must be provided for each facility. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Stormwater Detention and Infiltration Design Data Sheet	Latitude and Longitude:
Expected Completion date: 12/1/2020 Project acreage: 13.7 Design Ponding Acres: 0.5 Design Storm: 100-YR Project acreage: 13.7 Design Ponding Acres: 0.5 Design Storm: 100-YR Project acreage: 13.7 Design Ponding Acres: 0.5 Design Storm: 100-YR Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://maperture.digitaldataservices.com/gvh/?viewercswdiff! (click on Download SDI Design Data Sheet) List all permanent water quality control measure(s) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (0&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and ope Ponds are FS EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Berc Project File No.	LAT: 38.78515 LONG: -104.79367
Project acreage: 13.7 Design Ponding Acres: 0.5 Design Storm: 100-YR Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the ompleted Stormwater Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://maperture.digitaldataservices.com/gvh/?viewer=cswdiff (click on Download SDI Design Data Sheet) List all permanent water quality control measure(s) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and oper Ponds are FS EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet	Assessor's Parcel #: 6433301049 Section: 33 Township: 14 S. Range: 66 W.
Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM To ensure compliance with C.R.S. 37-92-602(8), the completed Stormwater Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://maperture.digitaldataservices.com/gvh/?vir/wer=cswdiff (click on Download SDI Design Data Sheet) List all permanent water quality control measure(s) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (0&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and ope Ponds are FS EDBs. e(s), including routine inspection frequencies and maintenance activities. If multiple, different w EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet	Expected Completion date: 12/1/2020
To ensure compliance with C.R.S. 37-92-602(8), the completed Stormwater Detention and Infiltration Design Data Sheet must be attached . The form can be found here: https://maperture.digitaldataservices.com/gvh?tviewer=cswdif# (click on Download SDI Design Data Sheet) List all permanent water quality control measure(s) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (0&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and ope Ponds are FS EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet	Project acreage: 13.7 Design Ponding Acres: 0.5 Design Storm: 100-YR
Detention and Infiltration Design Data Sheet must be attached. The form can be found here: https://maperture.digitaldataservices.com/gvh/?viewer=cswdiff (click on Download SDI Design Data Sheet) List all permanent water quality control measure(s) (EDBs, rain gardens, etc): POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and ope Ponds are FS EDBS. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet	Design Engineer Email Address: CHAD@WESTWORKSENGINEERING.COM
POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and operation and maintenance procedures that ensure the maintenance activities. If multiple, different weights BASIN WATER Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	To ensure compliance with C.R.S. 37-92-602(8), the completed Stormwater Detention and Infiltration Design Data Sheet must be attached . The form can be found here: <u>https://maperture.digitaldataservices.com/gvh/?viewer=cswdif#</u> (click on Download SDI Design Data Sheet)
BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV. For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and ope Ponds are FS EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	List all permanent water quality control measure(s) (EDBs, rain gardens, etc):
For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and operation and maintenance procedures that ensure the long-term observation, maintenance, and operation and provide are FS maintenance activities. If multiple, different we & M Plan must be provided for each facility. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	POND A & B ARE BOTH FULL-SPECTRUM DETENTION AND EXTENDED DETENTION
not practicable to meet the full design standards. Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and operation and perform observation, maintenance, and operation and perform observation. Ponds are FS e(s), including routine inspection frequencies and sures are used at the same location, a separate O & M Plan must be provided for each facility. Basement Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	BASIN WATER QUALITY FACILITIES. The drainage report indicates the ponds are only SWQCV.
Attach Operations and Maintenance (O&M) Plan describing the operation and maintenance procedures that ensure the long-term observation, maintenance, and operation are FS ensurement and ensure activities. If multiple, different we ensure the long are FS ensurement and the same location, a separate O & M Plan must be provided for each facility. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	For all projects for which the constrained redevelopment sites standard is applied, provide an explanation of why it is
long-term observation, maintenance, and ope Ponds are FS maintenance activities. If multiple, different w Ponds are FS & M Plan must be provided for each facility. EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	not practicable to meet the full design standards.
long-term observation, maintenance, and ope Ponds are FS maintenance activities. If multiple, different w Ponds are FS & M Plan must be provided for each facility. EDBs. Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	
Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs. Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	Folius are FS
Attachments: Review Engineer Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	Attach Private Detention Basin / Stormwater Quality Best Management Practice Maintenance Agreement and
Stormwater Detention and Infiltration Design Data Sheet EPC Project File No.	Easement addressing maintenance of BMPs that shall be binding on all subsequent owners of the permanent BMPs.
	Attachments: Review Engineer
	Stormwater Detention and Infiltration Design Data Sheet EPC Project File No. O & M Plan Maintenance and Access Agreement