# PURPOSE AND INTENT:

FO CREATE A COHESIVE AND WELL PLANNED COMMUNITY TO ALLOW A MAXIMUM 418 DWELLING UNITS (224 TOWNHOMES & 194 DUPLEXES) - THAT GENERALLY CONFORMS TO THE SKETCH PLAN APPROVED BY THE EL PASO BOARD OF COUNTY COMMISSIONERS. ON SEPTEMBER 22, 2020. THE DEVELOPMENT WILL BE IN HARMONY WITH THE CHARACTER OF THE SURROUNDING AREA AND IS SUITABLE FOR THE INTENDED USE. THAT INCLUDES RESIDENTIAL, PARKS, AND OPEN SPACE.

AUTHORITY THIS PUD IS AUTHORIZED BY CHAPTER 4 OF THE EL PASO COUNTY LAND DEVELOPMENT CODE, ADOPTED PURSUANT TO THE COLORADO PLANNED UNIT DEVELOPMENT ACT OF 1972, AS AMENDED

#### APPLICABILITY

THE PROVISIONS OF THIS PUD SHALL RUN WITH THE LAND. THE LANDOWNERS, THEIR SUCCESSORS, HEIRS, OR ASSIGNS SHALL BE BOUND BY THIS DEVELOPMENT PLAN, AS AMENDED AND APPROVED BY THE PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT DIRECTOR OR BOARD OF COUNTY COMMISSIONERS

## ADOPTION

THE ADOPTION OF THIS DEVELOPMENT PLAN SHALL EVIDENCE THE FINDINGS AND DECISIONS OF THE EL PASO COUNTY BOARD OF COUNTY COMMISSIONERS THAT THIS DEVELOPMENT PLAN FOR GRANDVIEW RESERVE PHASE 2 IS IN GENERAL CONFORMITY WITH THE EL PASO COUNTY MASTER PLAN, EL PASO COUNTY POLICY PLAN AND APPLICABLE SMALL AREA PLAN(S); IS AUTHORIZED UNDER THE PROVISION OF THE EL PASO COUNTY LAND DEVELOPMENT CODE, AND THAT THE EL PASO COUNTY LAND DEVELOPMENT CODE AND THIS DEVELOPMENT PLAN COMPLIES WITH THE COLORADO PLANNED UNIT DEVELOPMENT ACT OF 1972, AS AMENDED.

### **RELATIONSHIP TO COUNTY REGULATIONS**

THE PROVISIONS OF THIS DEVELOPMENT PLAN SHALL PREVAIL AND GOVERN THE DEVELOPMENT OF GRANDVIEW RESERVE PHASE 2. PROVIDED, HOWEVER, THAT WHERE THE PROVISIONS OF THIS DEVELOPMENT PLAN DO NOT ADDRESS A PARTICULAR SUBJECT, THE RELEVANT PROVISIONS OF THE EL PASO COUNTY LAND DEVELOPMENT CODE. AS AMENDED AND IN EFFECT AT THE TIME OF THE PUD PLAN APPROVAL (OR OWNER ACKNOWLEDGE THE PUD CHANGES WITH THE CODE), OR ANY OTHER APPLICABLE RESOLUTIONS OR REGULATIONS OF EL PASO COUNTY, SHALL BE APPLICABLE

### ENFORCEMENT

O FURTHER THE MUTUAL INTEREST OF THE RESIDENTS, OCCUPANTS, AND OWNERS OF THE PUD AND OF THE PUBLIC IN THE PRESERVATION OF THE INTEGRITY OF THIS DEVELOPMENT PLAN, THE PROVISIONS OF THIS PLAN RELATING TO THE USE OF LAND AND THE LOCATION OF COMMON OPEN SPACE SHALL RUN IN FAVOR OF EL PASO COUNTY AND SHALL BE ENFORCEABLE AT LAW OR IN EQUITY BY THE COUNTY WITHOUT LIMITATION ON ANY POWER OR REGULATION OTHERWISE GRANTED BY LAW. CONFLICT

#### WHERE THERE IS MORE THAN ONE PROVISION WITHIN THE DEVELOPMENT PLAN THAT COVERS THE SAME SUBJECT MATTER, THE PROVISION WHICH IS MOST RESTRICTIVE OR IMPOSES HIGHER STANDARDS OR REQUIREMENTS SHALL GOVERN.

MAXIMUM LEVEL OF DEVELOPMENT

THE TOTAL NUMBER OF DWELLINGS OR THE TOTAL COMMERCIAL, BUSINESS, OR INDUSTRIAL INTENSITY SHOWN ON THE DEVELOPMENT PLAN FOR DEVELOPMENT WITHIN THE SPECIFIED PLANNING AREAS IS THE MAXIMUM DEVELOPMENT REQUESTED FOR PLATTING OR CONSTRUCTION (PLUS ANY APPROVED DENSITY TRANSFERS). THE ACTUAL NUMBER OF DWELLINGS OR LEVEL OF DEVELOPMENT MAY BE LESS DUE TO SUBDIVISION OR SITE DEVELOPMENT PLAN REQUIREMENTS, LAND CARRYING CAPACITY, OR OTHER REQUIREMENTS OF THE BOARD OF COUNTY COMMISSIONERS

### PROJECT TRACKING

AT THE TIME OF ANY FINAL PLAT APPLICATION, THE APPLICANT SHALL PROVIDE A SUMMARY OF THE DEVELOPMENT, TO DATE, TO PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT, IN ORDER TO ASSURE MAXIMUM DEVELOPMENT LIMITS ARE NOT EXCEEDED. **OVERALL PROJECT STANDARDS** 

THE STANDARD ZONING REQUIREMENTS OF THE EL PASO COUNTY LAND DEVELOPMENT CODE INCLUDING OFF-STREET PARKING, LANDSCAPING, SITE DEVELOPMENT, ACCESSORY AND TEMPORARY USES, BY SPECIAL REVIEW AND VARIANCE PROCESSES SHALL APPLY TO THIS PUD, EXCEPT AS MODIFIED BY THE PUD.

### NOTE REGARDING REPORTS ON FILE:

THE FOLLOWING REPORTS HAVE BEEN SUBMITTED IN ASSOCIATION WITH THE PRELIMINARY PLAN AND ARE ON FILE AT THE COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT: TRANSPORTATION IMPACT STUDY; PRELIMINARY DRAINAGE REPORT; WATER RESOURCES REPORT; WASTEWATER DISPOSAL REPORT; GEOLOGY AND SOILS REPORT; NATURAL FEATURES REPORT

### WATER NOT

WATER SERVICE FOR THIS SUBDIVISION IS PROVIDED BY THE GRANDVIEW RESERVE METROPOLITAN DISTRICT AND SUBJECT TO THE DISTRICT'S RULES, REGULATIONS AND SPECIFICATIONS. WASTEWATER NOTE: WASTEWATER SERVICE FOR THIS SUBDIVISION IS PROVIDED BY THE WOODMAN HILLS METROPOLITAN DISTRICT AND SUBJECT TO THE DISTRICT'S RULES, REGULATIONS AND SPECIFICATIONS

SOIL AND GEOLOGY CONDITIONS

MITIGATION MEASURES AND A MAP OF THE HAZARD AREA CAN BE FOUND IN THE REPORT ENTITLED: GEOLOGIC HAZARD EVALUATION AND PRELIMINARY GEOTECHNICAL INVESTIGATION GRANDVIEW RESERVE, PHASE 3, COLORADO BY CTL THOMPSON INC. DATED OCTOBER 7, 2024 IN FILE GRANDVIEW RESERVE PUDSP FILE NUMBER: PUDSP-241. AVAILABLE AT THE EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT. THE FOLLOWING GEOLOGIC HAZARDS HAVE BEEN IDENTIFIED:

- 1. SHALLOW GROUNDWATER: REFER TO GROUNDWATER CONDITIONS MAP (FIGURE 3) IN REPORT FOR LOTS WHERE GROUNDWATER COULD POTENTIAL IMPACT CRAWL SPACE FOUNDATIONS. THE SITE PLAN ALSO GRAPHICALLY IDENTIFIES (HATCHED) WHERE GROUNDWATER IS KNOW TO BE WITHIN 10' OF FINISHED GRADE. WHERE GROUNDWATER CONDITIONS ARE ENCOUNTERED THAT IMPACT CRAWLS SPACE FOUNDATIONS, SLAB ON GRADE FOUNDATIONS SYSTEMS ARE RECOMMENDED. SUBSURFACE DRAIN-AGE CONCEPTS ARE BEING STUDIED BY A HYDROGEOLOGY CONSULTANT TO POTENTIALLY LOWER GROUNDWATER LEVELS THROUGHOUT THE SITE. BASEMENTS MAY BE ALLOWED IN THOSE AREAS WHERE GROUNDWATER HAS BEEN SUFFICIENTLY LOWERED.
- 2. HARD BEDROCK: THE SANDSTONE AND CLAYSTONE OF THE DAWSON FORMATION ARE HARD TO VERY HARD AND PRESENT AT SHALLOW DEPTHS WITHIN THE SITE. THE HARD TO VERY HARD BEDROCK WILL BE DIFFICULT TO EXCAVATE AND WILL REQUIRE HEAVY DUTY EXCAVATION EQUIPMENT. DEEP EXCAVA-TIONS INTO BEDROCK WILL REQUIRE AGGRESSIVE EXCAVATION TECHNIQUES. THE RATE OF EXCAVA-TION WILL BE SLOW WITHIN THE BEDROCK.
- 3. EXPANSIVE SOILS AND BEDROCK: EXPANSIVE BEDROCK IS PRESENT AT THIS SITE, WHICH CONSTITUTES A GEO-LOGIC HAZARD. THERE IS RISK THAT FOUNDATIONS AND SLAB-ON-GRADE FLOORS WILL EXPERIENCE HEAVE OR SETTLEMENT AND DAMAGE. IT IS CRITICAL THAT PRECAUTIONS ARE TAKEN TO INCREASE THE CHANCES THAT THE FOUNDATIONS AND SLABS-ON-GRADE WILL PERFORM SATISFACTORILY. IT IS NOTED THAT THE PRESENCE OF EXPANSIVE MATERIALS WITHIN THE DAWSON FORMATION IS HIGHLY VARIABLE AND WILL NEED TO BE FURTHER EVALUATED AT THE TIME OF LOT SPECIFIC SOILS AND FOUNDATION INVESTIGATIONS. ENGINEERED PLANNING, DESIGN AND CONSTRUCTION OF GRADING, PAVEMENTS, FOUNDATIONS, SLABS-ON-GRADE, AND DRAINAGE CAN MITIGATE, BUT NOT ELIMINATE, THE EFFECTS OF EXPANSIVE AND COMPRESSIBLE SOILS. SUB-EXCAVATION IS A GROUND IMPROVEMENT METHOD THAT CAN BE USED TO REDUCE THE IMPACTS OF SWELLING SOILS.
- 4. FLOODING: THE MAJORITY OF THE SITE LIES WITHIN ZONE D (UNDETERMINED FLOOD HAZARD), AS SHOWN ON FIRM COMMUNITY MAP NUMBER 08041C0556G, REVISED DECEMBER 7 2018. ZONE D INDICATES FLOODS ARE POSSIBLE, BUT NOT LIKELY. SOME PORTIONS OF THE SITE WITHIN DRAINAGE AREAS LIE WITHIN ZONE A. A LOMR IS CURRENTLY IN PROCEES WITH FEMA TO REALIGN THE FLOODPLAIN WITHIN AN NEW CHANNEL. ALL PROPOSED LOTS WILL BE REMOVED FROM FLOOPLAIN WITH THE CONSTRUCTION OF CHANNEL B AND THE CORRESPONDING LOMR.

NOTE: NO GEOLOGIC HAZARDS WERE IDENTIFIED THAT PRECLUDE THE PROPOSED DEVELOPMENT. POTENTIAL HAZARDS CAN BE MITIGATED WITH PROPER ENGINEERING, DESIGN, AND CONSTRUCTION PRACTICES

### LEGAL DESCRIPTION

FEET.

A TRACT OF LAND BEING A PORTION THE SOUTHEAST QUARTER OF SECTION 21, A PORTION OF THE SOUTHWEST QUARTER OF SECTION 22, A PORTION OF THE NORTHWEST QUARTER OF SECTION 27 AND A PORTION OF THE NORTHEAST QUARTER OF SECTION 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6<sup>TH</sup> PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO, BEING DESCRIBED AS FOLLOWS:

BASIS OF BEARINGS: THE EAST LINE OF SECTION 21, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6<sup>TH</sup> PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO, BEING MONUMENTED AT THE SOUTHERLY END BY A 3-1/4" ALUMINUM SURVEYOR'S CAP STAMPED ACCORDINGLY, "PLS 30087," AND BEING MONUMENTED AT THE NORTHERLY END BY A 3-1/4" ALUMINUM SURVEYOR'S CAP STAMPED ACCORDINGLY, "PLS 30087," BEING ASSUMED TO BEAR N00°52'26"W, A DISTANCE OF 5,290.17

COMMENCING AT THE NORTHWEST CORNER OF SECTION 27, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6<sup>TH</sup> PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO; THENCE N89°38'06"E A DISTANCE OF 602.59 FEET TO THE POINT OF BEGINNING; THENCE S32°03'23"E A DISTANCE OF 447.39 FEET TO A POINT OF CURVE; THENCE ON THE ARC OF A CURVE TO THE LEFT HAVING A DELTA OF 07°12'46", A RADIUS OF 1,300.00 FEET A DISTANCE OF 163.65 FEET TO A POINT ON CURVE; THENCE S45°55'49"W A DISTANCE OF 1,166.50 FEET; THENCE N89°47'08"W A DISTANCE OF 88.92 FEET TO THE SOUTHEAST CORNER OF THE NORTH HALF OF THE NORTH HALF OF SECTION 28; THENCE N89°47'08"W, ON THE SOUTH LINE OF THE NORTH HALF OF THE NORTH HALF OF SAID SECTION 28. A DISTANCE OF 1.127.53 FEET: THENCE N00°12'52"E: A DISTANCE OF 11.41 FEET: THENCE N89°44'32"W A DISTANCE OF 289.10 FEET TO A POINT OF CURVE; THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 61°56'07", A RADIUS OF 290.00 FEET A DISTANCE OF 313.48 FEET TO A POINT OF TANGENT: THENCE N27°48'24"W A DISTANCE OF 779.86 FEET TO A POINT OF CURVE: THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 08°00'18". A RADIUS OF 2,050.00 FEET A DISTANCE OF 286.41 FEET TO A POINT OF TANGENT; THENCE N19°48'06"W A DISTANCE OF 438.38 FEET TO A POINT OF CURVE; THENCE ON THE ARC OF A CURVE TO THE LEFT HAVING A DELTA OF 29°29'59", A RADIUS OF 950.00 FEET, A DISTANCE OF 489.12 FEET TO A POINT OF TANGENT; THENCE N49°18'05"W A DISTANCE OF 29.46 FEET; THENCE N38°44'17"E A DISTANCE OF 100.06 FEET; THENCE S53°13'21"E A DISTANCE OF 159.27 FEET; THENCE S60°22'39"E A DISTANCE OF 211.52 FEET TO A POINT ON CURVE; THENCE ON THE ARC OF A CURVE TO THE RIGHT WHOSE CENTER BEARS S22°55'07"W HAVING A DELTA OF 26°23'43"E, A RADIUS OF 1,668.20 FEET A DISTANCE OF 768.52 FEET TO A POINT ON CURVE; THENCE ON THE ARC OF A CURVE TO THE RIGHT WHOSE CENTER BEARS \$46°15'00"W HAVING A DELTA OF 12°10'43", A RADIUS OF 1,363.49 FEET A DISTANCE OF 289.82 FEET TO A POINT ON CURVE; THENCE S31°44'28"E A DISTANCE OF 23.97 FEET; THENCE N65°27'05"E A DISTANCE OF 122.04 FEET; THENCE S72°44'18"E A DISTANCE OF 15.00 FEET1 28.4 TO A POINT ON CURVE; THENCE ON THE ARC OF A CURVE OT THE RIGHT WHOSE CENTER BEARS S72°44'18"E HAVING A DELTA OF 76°32'04", A RADIUS OF 60.00 FEET A ; DISTANCE

OF 80.15 FEET TO A POINT ON CURVE; THENCE N28°43'11"E A DISTANCE OF 325.08 FEET; THENCE N14°14'45"W A DISTANCE OF 65.01 FEET; THENCE N54°32'52"W A DISTANCE OF 5.87 FEET; THENCE N06°45'50"W A DISTANCE OF 66.21 FEET TO A POINT OF CURVE: THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 29°56'47". A RADIUS OF 142.50 FEET A DISTANCE OF 74.48 FEET TO A POINT OF TANGENT; THENCE N23°10'57"E A DISTANCE OF 204.59 FEET; THENCE N19°42'45"E A DISTANCE OF 111.00 FEET TO A POINT ON CURVE; THENCE ON THE ARC OF A CURVE WHOSE CENTER BEARS N19°42'45"E HAVING A DELTA OF 22°06'06". A RADIUS OF 839.00 FEET A DISTANCE OF 323.64 FEET TO A POINT OF ON CURVE; THENCE N87°36'38"E A DISTANCE OF 202.47 FEET TO A POINT OF CURVE; THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 28°38"49", A RADIUS OF 1,306.00 FEET A DISTANCE OF 652.98 FEET TO A POINT ON CURVE; THENCE N76°41'58"E A DISTANCE OF 55.78 FEET; THENCE S58°18'02"E A DISTANCE OF 185.25 FEET; THENCE S13°18'02"E A DISTANCE OF 76.12 FEET; THENCE S30°22'37"W A DISTANCE OF 119.64 FEET TO A POINT ON CURVE; THENCE ON THE ARC OF A CURVE TO THE RIGHT WHOSE CENTER BEARS S30°22'37"W A DELTA OF 27°34'01", A RADIUS OF 700.00 FEET A DISTANCE OF 336.79 FEET TO A POINT OF TANGENT; THENCE S32°03'23"E A DISTANCE OF 15.72 FEET TO THE POINT OF BEGINNING.

CONTAINING A CALCULATED AREA OF 4,478,988 SQUARE FEET OR 102.823 ACRES, MORE OR LESS.

DRAWN BY:	CVW	JOB DATE:	PUD DEVELOPMENT PLAN	BAR IS ONE INCH ON OFFICIAL DRAWINGS.	NO.	DATE	BY	REVISION DE
APPROVED:	KVH	JOB NUMBER:	201662	0 1				
CAD DATE:	10/17/2024		AD	IF NOT ONE INCH, JUST SCALE ACCORDINGLY.				
CAD FILE:	J:\2020\201662	CAD\Dwgs\C\PUD_	Phase_3_662.203\PUD\Cover_	_PUD				



CRIPTION



HR GREEN - COLORADO SPRINGS 1975 RESEARCH PKWY SUITE 230 COLORADO SPRINGS CO 80920 PHONE: 719.300.4140

**GRANDVIEW RESERVE - PHASE 3** D.R. HORTON EL PASO COUNTY, CO



#### ALL STREETS SHALL BE NAMED AND CONSTRUCTED TO EL PASO COUNTY STANDARDS, DEDICATED TO EL PASO COUNTY FOR AND UPON ACCEPTANCE BY EL PASO COUNTY, SHALL BE MAINTAINED BY EL PASO COUNTY DEPARTMENT OF PUBLIC WORKS EXCEPT FOR LANDSCAPE AREAS WHICH SHALL BE MAINTAINED BY GRANDVIEW RESERVE METROPOLITAN DISTRICT OR HOME OWNERS ASSOCIATION

ALL LANDSCAPING WITHIN THE PUBLIC RIGHTS-OF-WAY WILL BE MAINTAINED BY THE GRANDVIEW RESERVE METROPOLITAN DISTRICT VIA DEVELOPMENT AGREEMENT, LICENSE AGREEMENT OR INTER-GOVERNMENT AGREEMENT

REX ROAD AS ILLUSTRATED ON THE DRAWINGS WILL BE A PUBLIC STREET DESIGNED AND CONSTRUCTED TO EL PASO COUNTY STANDARDS, DEDICATED TO EL PASO COUNTY FOR AND UPON ACCEPTANCE BY EL PASO COUNTY, AND SHALL BE MAINTAINED BY EL PASO COUNTY DEPARTMENT OF TRANSPORTATION. PUBLIC STREETS WITHIN THIS DEVELOPMENT PROVIDE LEVELS OF VEHICULAR CIRCULATION REQUIRED BY THE TRAFFIC STUDY ON FILE FOR THIS PROJECT

**TRAFFIC IMPACT FEES** 

THE SUBDIVIDER(S) AGREES ON BEHALF OF HIM/HERSELF AND ANY DEVELOPER OR BUILDER SUCCESSORS AND ASSIGNEES THAT SUBDIVIDER AND/OR SAID SUCCESSORS AND ASSIGNS SHALL BE REQUIRED TO PAY TRAFFIC IMPACT FEES IN ACCORDANCE WITH THE EL PASO COUNTY ROAD IMPACT FEE PROGRAM RESOLUTION (RESOLUTION NO. 19-471), OR ANY AMENDMENTS THERETO. AT OR PRIOR TO THE TIME OF BUILDING PERMIT SUBBMITTALS. THE FEE OBLIGATION, IF NOT PAID AT FINAL PLAT RECORDING, SHALL BE DOCUMENTED ON ALL SALES DOCUMENTS AND ON PLAT NOTES TO ENSURE THAT A TITLE SEARCH WOULD FIND THE FEE OBLIGATION BEFORE SALE OF THE PROPERTY.

#### LANDSCAPE

1. COMMON OPEN SPACE AREAS SHALL BE XERISCAPED AS MUCH AS FEASIBLE BALANCING WITH AESTHETICALLY PLEASING LANDSCAPE DESIGN APPROACHES. URBAN PARK IMPROVEMENTS PROVIDED BY THE DEVELOPER MAY BE APPLIED TO PARK LAND DEDICATION AND/ OR FEES WITH REVIEW AND APPROVAL BY EL PASO COUNTY PARKS. ANY URBAN PARK IMPROVEMENTS WILL BE COORDINATED AT A LATER DATE WITH EL PASO COUNTY PARKS VIA PARK LAND AGREEMENTS.

LANDSCAPING AREAS, TRAILS, COMMON OPEN SPACE AND BUFFERS SHALL BE MAINTAINED BY THE GRANDVIEW RESERVE METROPOLITAN DISTRICT NO LANDSCAPING SHALL OBSTRUCT SIGHT DISTANCE TRIANGLES PER ENGINEERING CRITERIA MANUAL REFERENCE 2.4.1.D. THE MINIMUM HORIZONTAL CLEARANCE FOR SIDEWALKS AROUND UTILITY STRUCTURES, FURNITURE, AND OTHER ENCROACHMENTS SHALL BE 4 FEET OR GREATER TO PROVIDE SAFE CONDITIONS FOR PEDESTRIANS AND BICYCLISTS PER

THE ENGINEERING CRITERIA MANUAL TRAILS TO BE SOFT SURFACE (I.E. CRUSHED REFINES) AND FINAL TRAIL ALIGNMENT TO BE DETERMINED IN THE BASED ON GRADE, VEGETATION, AND OTHER EXISTING SITE FEATURES AT THE TIME OF THE FINAL PLAT.

ANY FUTURE NON-REGIONAL TRAILS TO BE OWNED AND MAINTAINED BY THE GRANDVIEW RESERVE METROPOLITAN DISTRICT

### **GENERAL NOTES**

THE GRANDVIEW RESERVE PHASE 3 OVERALL GROSS DENSITY IS 4.11 DU/ AC, ON 78.30 ACRES, FOR A TOTAL OF 322 UNITS. PER SKETCH PLAN APPROVAL DENSITY TRANSFERS MAY OCCUR IN WHICH SPECIFIC AREAS EXCEED 4.24 DU/ AC SO LONG AS THE OVERALL DENSITY OF THE PROJECT IS BELOW THE APPROVED MAXIMUM UNIT COUNT. ANY DENSITY BELOW THIS CAP MAY BE USED IN SUBSEQUENT PHASES AND TRANSFERRED TO OTHER PARCELS AS LONG AS THE TOTAL MAXIMUM UNIT COUNT ON THE APPROVED SKETCH PLAN IS NOT EXCEEDED

DEVELOPMENT OF THIS PROPERTY SHALL BE IN ACCORDANCE WITH THIS PUD DEVELOPMENT PLAN. MAJOR MODIFICATIONS ARE SUBJECT TO REVIEW AND APPROVAL BY THE EL PASO COUNTY BOARD OF COUNTY COMMISSIONERS UNLESS OTHERWISE PROVIDED BY THE EPC LAND DEVELOPMENT CODE.

CENTRAL WATER INFRASTRUCTURE TO BE CONSTRUCTED. OWNED AND OPERATED BY GRANDVIEW RESERVE METROPOLITAN DISTRICT TO PROVIDE WATER SERVICE TO THE PROJECT CENTRAL WASTEWATER INFRASTRUCTURE WILL CONSIST OF A COLLECTION SYSTEM OWNED AND OPERATED BY WOODMAN HILLS METROPOLITAN DISTRICT WHO WILL PROVIDE SERVICE TO THE INDIVIDUAL HOMES. THE COLLECTIONS SYSTEM WILL ULTIMATELY CONNECT TO THE WOODMAN HILLS METROPOLITAN DISTRICT (WHMD) WASTEWATER SYSTEM WHICH WILL CONVEY THE WASTEWATER TO THE TREATMENT FACILITY WHERE CMD WILL BE RESPONSIBLE FOR TREATMENT. REFERENCE TRACT PLAN FOR TRACTS TO BE OWNED AND MAINTAINED BY THE GRANDVIEW RESERVE METROPOLITAN DISTRICT. TRACTS INCLUDE LANDSCAPE EASEMENTS,

DRAINAGE TRACTS, STORM WATER FACILITIES, OPEN SPACE TRACTS, STREETSCAPE PLANTINGS, DETENTION PONDS, UTILITIES, FENCES, PARKS AND RECREATIONAL FACILITIES. TRAILS. MAILBOX CLUSTERS, AND OTHER USES. FUTURE DEVELOPMENT TRACT FOR THE SCHOOL SITE WILL BE HELD BY THE COUNTY UNTIL THE APPROPRIATE SCHOOL DISTRICT REQUESTS THE SITE ALL ELECTRICAL SERVICES SHALL BE PROVIDED BY MOUNTAIN VIEW ELECTRIC ASSOCIATION. ALL TRACTS THROUGH WHICH MVEA UTILITIES WILL BE LOCATED WILL BE GIVEN

EASEMENTS AS REQUIRED. BLACK HILLS ENERGY WILL PROVIDE NATURAL GAS.

PUBLIC UTILITY/ DRAINAGE EASEMENTS SHALL BE PROVIDED ON ALL LOTS AS INDICATED ON THE DRAWINGS AND/ OR AS SHOWN WITHIN THE DETAILS. PARK IMPROVEMENTS PROVIDED BY THE DEVELOPER MAY BE APPLIED TO PARK LAND DEDICATION AND/ OR FEES WITH REVIEW AND APPROVED BY EL PASO COUNTY PARKS. PARK IMPROVEMENTS WILL BE SUBMITTED FOR REVIEW AND APPROVAL WITH THE FINAL PLAT.

FEES IN LIEU OF LAND WILL BE PROVIDED FOR SCHOOLS AND PARKS, IF REQUIREMENTS ARE NOT MET WITH LAND DEDICATION.

ALL COMMON LANDSCAPE AREAS AND OPEN SPACE WITHIN THE DEVELOPMENT SHALL BE OWNED AND MAINTAINED BY THE GRANDVIEW RESERVE METROPOLITAN DISTRICT. PRELIMINARY MAILBOX KIOSK LOCATIONS SHOWN, FINAL LOCATIONS SUBJECT TO APPROVAL BY THE USPS . ADJUSTMENTS TO LOCATION MAY BE MADE WITH FINAL PLAT AND CONSTRUCTION DRAWINGS.

THIS PUD DEVELOPMENT PLAN & PRELIMINARY PLAN IS NOT FOR CONSTRUCTION.

13. PUBLIC UTILITY/ DRAINAGE EASEMENTS SHALL BE PROVIDED AROUND THE PERIMETER OF THE LOTS PERIMETER AS FOLLOWS: FRONT: TEN FEET (10')

b. SIDE: FIVE FEET (5')

REAR: TEN FEET (10') ALL TRACTS, LANDSCAPE AND DETENTION FACILITIES WILL BE DESIGNED FOR PUBLIC UTILITIES AS REQUIRED.

MVEA: TWENTY FEET (20') MIN. WIDTH EASMENT WILL BE PROVIDED TO MVEA IN SELECT AREAS AROUND THE PERIMETER OF THE OVERALL SITE OR THROUGH OPEN SPACE TRACTS. THE EXACT LOCATIONS SHALL BE COORDINATED WITH MVEA WITH FINAL LOCATIONS TO BE INCLUDED ON THE FINAL PLAT. MVEA INFRASTRUCTURE DESIGN WAS IN PROGRESS AT THE TIME OF THIS PUD PRELIMINARY PLAN APPROVAL.

INDIVIDUAL LOT SIDE YARD SWALES SHALL BE CONSTRUCTED DURING INDIVIDUAL LOT CONSTRUCTION / LANDSCAPING TO PROVIDE ADEQUATE DRAINAGE. ALL PROPERTY OWNERS ARE RESPONSIBLE FOR MAINTAINING PROPER STORM WATER DRAINAGE IN AND THROUGH THEIR PROPERTY. PUBLIC DRAINAGE EASEMENTS AS SPECIFICALLY NOTED ON THE PLAT SHALL BE MAINTAINED BY THE INDIVIDUAL LOT OWNERS UNLESS OTHERWISE INDICATED. HOMEBUILDERS ARE RESPONSIBLE TO ENSURE PROPER DRAINAGE AROUND STRUCTURES. INCLUDING ELEVATIONS OF FOUNDATIONS AND WINDOW WELLS IN RELATION TO SIDE-LOT DRAINAGE EASEMENTS AND SWALES. HOMEOWNERS SHALL NOT CHANGE THE GRADE OF THE LOT OR DRAINAGE SWALES, WITHIN SAID EASEMENTS, AS CONSTRUCTED BY THE BUILDER, IN A MANNER THAT WOULD CAUSE ADVERSE DRAINAGE IMPACTS TO PROPERTIES. STRUCTURES, FENCES, MATERIALS OR LANDSCAPING THAT COULD IMPEDE THE FLOW OF RUNOFF SHALL NOT BE PLACED IN DRAINAGE EASEMENTS. GRASS BUFFER BMPS WILL BE MAINTAINED IN ACCORDANCE WITH A PERMANENT BMP AGREEMENT AND EASEMENT AND O&M MANUAL TO BE RECORDED AT THE TIME OF FINAL PLAT 15. STREET LIGHTS WILL BE RESTRICTED TO MOUNTAIN VIEW ELECTRIC ASSOCIATIONS AND EL PASO COUNTY DETAILS AND SPECIFICATIONS. SITE LIGHTING WILL MEET THE REQUIREMENTS SET FORTH IN SECTION 6.2.3 OF THE EL PASO COUNTY LAND DEVELOPMENT CODE, AS AMENDED, THE DECLARATION OF COVENANTS CONDITIONS AND RESTRICTIONS FOR GRANDVIEW RESERVE AND THE GRANDVIEW RESERVE DESIGN GUIDELINES.

• ALL PROPOSED FENCING IS SUBJECT TO DESIGN REVIEW COMMITTEE APPROVAL AS SET FORTH IN THE COVENANTS AND ANY FUTURE DESIGN GUIDELINES FOR GRANDVIEW RESERVE

• NO FENCES SHALL IMPEDE DRAINAGE IN ANY WAY. 18. NEW SIDEWALKS ADJACENT TO RESIDENTIAL LOTS ARE TO BE 5" THICK AND SUBJECT TO THE DEVELOPER COLLATERALIZING AND INSTALLING SAID SIDEWALKS. THE FUTURE LOT OWNER OR BUILDER IS RESPONSIBLE FOR REPAIR OF ANY DAMAGES AFTER THE INITIAL INSTALLATION. ENVIRONMENTAL NOTE: DEVELOPER SHALL COMPLY WITH FEDERAL AND STATE LAWS, REGULATIONS, ORDINANCES, REVIEW AND PERMIT REQUIREMENTS, AND OTHER AGENCY

REQUIREMENTS, IF ANY, OF APPLICABLE AGENCIES INCLUDING, BUT NOT LIMITED TO, THE COLORADO DIVISION OF WILDLIFE, COLORADO DEPARTMENT OF TRANSPORTATION, U.S. ARMY CORPS OF ENGINEERS AND THE U.S. FISH AND WILDLIFE SERVICE REGARDING THE ENDANGERED SPECIES ACT, PARTICULARLY AS IT RELATES TO THE LISTED SPECIES (E.G. PREBLE'S MEADOW JUMPING MOUSE).

20. ADA NOTE: THE SUBDIVIDER / DEVELOPER HAS FAMILIARIZED ITSELF WITH THE CURRENT AMERICANS WITH DISABILITIES ACT (ADA) LAWS AND ACCESSIBILITY STANDARDS AND HAS AID OUT THE PLAT AND ASSOCIATED GRADING AND CONSTRUCTION PLANS SO THAT ALL SITE ELEMENTS MEET THE APPLICABLE ADA DESIGN STANDARDS AS PUBLISHED BY THE UNITED STATES DEPARTMENT OF JUSTICE. APPROVAL OF THIS PLAT AND ASSOCIATED CONSTRUCTION DOCUMENTS BY EL PASO COUNTY DOES NOT ASSURE COMPLIANCE WITH THE ADA OR ANY REGULATIONS OR GUIDELINES ENACTED OR PROMULGATED UNDER OR WITH RESPECT TO SUCH LAWS. IT IS THE RESPONSIBILITY OF THE DEVELOPER / HOME BUILDER TO ENSURE ADA ACCESSIBILITY DURING CONSTRUCTION OF THE PRIVATE SIDEWALKS. ALL TRAILS ARE TO BE NON-MOTORIZED TRAILS.

THERE SHALL BE NO DIRECT LOT ACCESS TO REX ROAD AND WISHAW PL

23. THE SUBDIVIDER(S) AGREES ON BEHALF OF HIM/HERSELF AND ANY DEVELOPER OR BUILDER SUCCESSORS AND ASSIGNEES THAT SUBDIVIDER AND/OR SAID SUCCESSORS AND ASSIGNS SHALL BE REQUIRED TO PAY TRAFFIC IMPACT FEES IN ACCORDANCE WITH THE EL PASO COUNTY ROAD IMPACT FEE PROGRAM RESOLUTION (RESOLUTION NO. 19-471). OR ANY AMENDMENTS THERETO, AT OR PRIOR TO THE TIME OF BUILDING PERMIT SUBMITTALS. THE FEE OBLIGATION, IF NOT PAID AT FINAL PLAT RECORDING, SHALL BE DOCUMENTED ON ALL SALES DOCUMENTS AND ON PLAT NOTES TO ENSURE THAT A TITLE SEARCH WOULD FIND THE FEE OBLIGATION BEFORE SALE OF THE PROPERTY. MINOR CHANGES SUCH AS MINOR LOT OR TRACT LINE ADJUSTMENTS UPON FINAL ENGINEERING WILL NOT REQUIRE A PUD OR PRELIMINARY PLAN AMENDMENT.

**FLOODPLAIN NOTES** 

THIS PROPERTY IS LOCATED WITHIN A DESIGNED FEMA FLOODPLAIN AS DETERMINED BY THE FLOOD INSURANCE RATE MAP, COMMUNITY MAP NUMBERS '08041C0556G' AND '08041C05520 EFFECTIVE DATE 7, 2018.

THE EXISTING FLOODPLAIN BOUNDARIES WILL BE REVISED VIA A LOMR MODELING THE PROPOSED IMPROVEMENTS TO ESTABLISH FLOOD ELEVATIONS AND THEN PROCESSED THROUGH TO FEMA TO ESTABLISH ZONE AE FLOODPLAIN LIMITS. NO GRADING WILL TAKE PLACE WITHIN THE EXISTING FLOODPLAIN LIMITS UNTIL THE CLOMR HAS BEEN APPROVED. THOSE LOTS EITHER PARTIALLY OR ENTIRELY LOCATED WITHIN THE CURRENT FLOODPLAIN SHALL NOT BE PLATTED UNTIL THE FLOODPLAIN BOUNDARY REVISION PROCESS IS COMPLETED EFFECTIVELY REMOVING THE FLOODPLAIN LIMITS FROM THESE LOTS.

THE SUBMITTAL AND REVIEW OF THE FLOODPLAIN REVISION OCCUR INDEPENDENTLY OF THIS PRELIMINARY PLAN AND SHALL BE APPROVED PRIOR TO THE PLATTING OF ANY LOTS CURRENTLY LOCATED WITHIN FLOODPLAIN BOUNDARIES.

NO STRUCTURES OR SOLID FENCES ARE PERMITTED WITHIN THE DESIGNATED FLOODPLAIN AREA.

UPPER BLACK SQUIRREL CREEK GROUNDWATER MANAGEMENT DISTRICT NOTE:

THE UPPER BLACK SQUIRREL CREEK (UBSC) GROUNDWATER MANAGEMENT DISTRICT REQUIRES THAT ANY GROUNDWATER DISCHARGED TO THE SURFACE OR INTO AN UNDERDRAIN SYSTEM MUST BE INFILTRATED BACK INTO THE GROUND. IT IS THE DEVELOPER'S RESPONSIBILITY TO COMPLY WITH THE UBSC DISTRICT REQUIREMENTS. EL PASO COUNTY DOES NOT OWN AND IS NOT RESPONSIBLE FOR THE UNDERDRAINS OR GROUNDWATER DISCHARGE SYSTEMS SHOWN ON THESE PLANS AND ASSUMES NO LIABILITY

FOR WATER RIGHTS ADMINISTRATION BY APPROVING THESE PLANS. MAINTENANCE AND WATER RIGHTS ARE THE RESPONSIBILITY OF THE DEVELOPER AND GRANDVIEW RESERVE METROPOLITAN DISTRICT.


D OWNER CERTIFICATION ness Whereof: EXECUTED THESE PRESENTS THIS DAY OF A.D., A DELAWARE CORPORATION IAM CARLISLE, VICE PRESIDENT OF LAND DDY HOMES, INC.	LAND OWNER CERTIFICATION         In Witness Whereof:         HAS EXECUTED THESE PRESENTS THISDAY OF         20A.D., A DELAWARE CORPORATION         PAUL HOWARD         4 SITE INVESTMENTS LLC
INTY CERTIFICATION PUD Development Plan and Preliminary Plan for Grandview Reserve Phase 3 was approved ing by the El Paso County, Colorado Board of County Commissioners on the ff, 20, subject to any notes specified hereon and any conditions included resolution of approval. The dedications of land to the public (streets, tracts, easements: sose applicable) will be accepted upon recordation of the final plat(s), but public by the El Paso County until ninary acceptance of the public improvements in accordance with the requirements of the Development Code and Engineering Criteria Manual, and the Subdivision Improvements ement.	CLERK AND RECORDER         STATE OF COLORADO         COUNTY OF EL PASO         I hereby certify that this instrument was filed in my office on this day of, 20, and was recorded at Reception Number         of the records of El Paso County.         El Paso County Clerk and Recorder       Date
, Board of County Commissioners Date	
tor, Planning and Community Development Date	

**D**·R·HORTON America's Builder

COVER AND TYPICAL SECTIONS COVER SHEET


LAND USE REVIEW FILE NO: PUDSP-241

SHEET




PTION		
	Ē	JD
		IN

TON.	COVER AND TYPICAL SECTIONS	SHEET TVD	
uilder	TYPICAL SECTIONS		



A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO




	HR GREEN - COLORADO SPRINGS 1975 RESEARCH PKWY SUITE 230	GRANDVIEW RESERVE - PHASE 3
HRGreen	COLORADO SPRINGS CO 80920 PHONE: 719 300 4140	D.R. HORTON EL PASO COUNTY, CO




**D**·R·HORTON America's Builder


COVER AND TYPICAL SECTIONS TYPICAL SECTIONS

LAND USE REVIEW FILE NO: PUDSP-241





(refs: xat-1-arch dh01 PH2 PUD: xv-row-662: xc-row-F4: xc-row-F3: xc-row-F2: xc-row-F1-662.10: xc-row-PH2: 01-XC-channel: xc-row 662.08 Eastonville: xv-dson 662: xc-filing-bndvs: xc-row





ERVE PHASE 3 OPEN SPACE TABLE
AREA (AC)
7.43
8.80
1.00
1.86
6.89

\*\* TRACTS IDENTIFIED FOR PARK & USEABLE OPEN SPACE ( REF. TRACT USE TABLE)

	GRANDVIEW RESERVE PHASE 3 - TRACT USE AND AREA TABLE										
AC	ACREAGE		PUBLIC	PEDESTRIAN	PEDESTRIAN	SIGNAGE	FUTURE	OWNERSHIP AND			
REA (SF)	(AC)	PUBLIC UTILITIES	DRAINAGE	ACCESS	LANDSCAPING	SPACE	POCKET PARK	CHANNEL	SIGINAGE	SCHOOL	MAINTENANCE
109,154	2.506	Р	Х		Х	х					GVRMD
12,745	0.293				Х						GVRMD
90,743	2.083		Х		Х			Х	Х		GVRMD
20,531	0.471	Р	Х	Х	Х						GVRMD
61,938	1.422	Р	Х	Х	Х	Х					GVRMD
9,420	0.216	Р	Х	Х	Х	Х					GVRMD
5,694	0.131	Р		Х	Х	Х					GVRMD
7,909	0.182	Р		Х	Х	Х					GVRMD
44,020	1.011	Р		Х	Х	Х	Х				GVRMD
9,776	0.224				Х						GVRMD
117,781	2.704	Р	Х		Х			Х			GVRMD
86,640	1.989				Х						GVRMD
62,210	1.428	Р		Х	Х	Х					GVRMD
40,347	0.926	Р	х	Х	Х						GVRMD
105,739	2.427	Р	Х		Х			Х			GVRMD
223,414	5.129		Х					Х			GVRMD
36,943	0.848		Х					Х			GVRMD
.088,922	24.998									Х	SEE NOTE 1
133,927	48.988					6.89		13.19			

NOTE 1 - GVMD RESPONSIBLE FOR MAINTENANCE & OWNERSHIP UNTIL SCHOOL DISTRICT ASSUMES OWNERSHIP.

# LAND USE REVIEW FILE NO: PUDSP-241

SHEET

TΡ

05

In	DTON!
U	RTON <sup>.</sup>
at.	Builder
as	Bumaer

TRACT PLAN TRACT PLAN

Line Table					
Line #					
	Length	Direction			
L1	202.47	N 87°36'38" E			
L2	58.08	S 5°14'50" E			
L3	104.27	S 16°57'43" W			
L4	101.59	S 24°12'01" W			
L5	42.20	S 33°32'34" W			
L6	136.34	N 15°33'32" W			
L7	67.31	N 17°20'16" E			
L8	48.57	N 36°06'41" E			
L9	48.57	N 27°55'10" E			
L10	48.47	N 13°49'18" E			
L11	39.03	N 13°33'35" E			
L12	35.00	N 13°04'02" E			
L13	35.00	N 13°04'02" E			
L14	70.06	N 37°16'32" E			
L15	77.93	N 10°56'07" E			
L16	112.00	S 87°26'30" W			
L17	137.63	N 54°00'30" W			
L18	141.66	N 75°54'01" W			
L19	117.87	N 89°29'22" W			
L20	116.36	S 87°36'38" W			
L21	537.50	S 75°34'07" W			
L22	110.00	S 14°25'53" E			
L23	32.19	S 75°34'07" W			
L24	0.01	N 14°14'45" W			
L25	5.87	N 54°32'52" W			

Line Table					
Line #	Length	Direction			
L26	66.21	N 6°45'50" W			
L27	204.59	N 23°10'57" E			
L28	0.66	S 70°18'27" E			
L29	11.00	S 19°42'45" W			
L30	202.47	S 87°36'38" W			
L31	42.09	S 79°47'02" E			
L32	202.47	N 87°36'38" E			
L33	0.59	S 70°17'15" E			
L34	94.81	S 69°12'01" W			
L35	208.97	N 74°45'56" E			
L36	140.61	N 35°03'41" E			
L37	133.04	S 86°38'21" E			
L38	2.48	N 9°55'07" W			
L39	43.57	S 51°56'11" E			
L40	134.69	S 24°12'01" W			
L41	58.44	S 75°32'06" W			
L42	132.38	S 33°32'58" W			
L43	136.28	N 33°32'58" E			
L44	50.00	N 18°24'23" W			
L45	110.00	S 18°24'23" E			
L46	161.42	N 9°55'07" W			
L47	23.08	S 33°32'58" W			
L48	110.01	N 55°35'16" W			
L49	110.00	S 56°27'02" E			
L50	48.14	S 36°32'28" W			

Line Table				
Line #	Length	Direction		
L51	122.35	S 73°08'10" W		
L52	262.24	S 74°33'44" W		
L53	110.00	N 14°27'54" W		
L54	110.00	S 14°27'54" E		
L55	25.00	S 75°32'06" W		
L56	110.00	N 14°27'54" W		
L57	352.64	N 0°12'52" E		
L58	388.21	S 89°47'08" E		
L59	24.17	S 15°57'12" W		
L60	112.14	N 53°24'31" W		
L61	112.00	N 55°39'27" W		
L62	31.35	N 33°32'58" E		
L63	112.00	S 56°27'02" E		
L64	112.11	S 56°12'49" E		
L65	46.55	S 33°47'11" W		
L66	111.26	N 47°34'33" W		
L67	110.00	N 56°12'49" W		
L68	25.99	N 33°47'11" E		
L69	110.28	S 53°23'24" E		
L70	109.87	S 55°46'37" E		
L71	33.95	S 33°47'11" W		
L72	110.78	N 54°37'09" W		
L73	111.00	N 56°12'49" W		
L74	38.06	N 33°47'11" E		
L75	112.29	S 56°12'49" E		

Line #	Le
L76	1
L77	1(
L78	4
L79	12
L80	20
L81	1
L82	1
L83	5
L84	(
L85	5
L86	4
L87	4
L88	4
L89	4
L90	5
L91	!
L92	4(
L93	16
L94	2
L95	42
L96	2
L97	6
L98	6
L99	6
L100	6
	-

	Curv	e Table		
Curve #	Length	Radius	Delta	
C1	365.80	950.00	22°03'42"	
C2	610.69	1195.00	29°16'49"	
C3	328.90	595.00	31°40'19"	
C4	135.78	55.00	141°27'00"	
C5	1.54	475.00	0°11'08"	
C6	74.48	142.50	29°56'47"	
C7	323.64	839.00	22°06'06"	
C8	652.98	1306.00	28°38'49"	
C9	607.02	1295.00	26°51'24"	
C10	327.29	850.00	22°03'42"	
C11	318.25	700.00	26°02'56"	
C12	117.04	505.00	13°16'46"	
C13	292.99	535.00	31°22'38"	
C23	8.17	590.00	0°47'36"	
C24	2.48	325.00	0°26'12"	
C25	27.77	300.00	5°18'11"	

	Curv	e Table		
Curve #	Curve # Length		Delta	
C26	1.70	525.00	0°11'08"	
C27	281.84	250.00	64°35'32"	
C28	47.02	60.00	44°54'02"	
C29	16.87	63.08	15°19'06"	
C30	408.21	2040.27	11°27'48"	
C31	730.90	1568.20	26°42'15"	
C32	271.37	1263.49	12°18'22"	
C33	378.63	1940.27	11°10'51"	
C34	34.10	1025.00	1°54'21"	
C35	489.12	950.00	29°29'59"	
C36	84.34	975.00	4°57'22"	
C37	291.22	2052.58	8°07'45"	
C48	768.52	1668.20	26°23'43"	
C49	C49 289.82		12°10'43"	
C54	6.62	2040.27	0°11'09"	
C57	21.07	27.79	43°25'39"	

$\times$									
: 01-	DRAWN BY:	EB	JOB DATE:	PUD DEVELOPMENT PLA	N BAR IS ONE INCH ON OFFICIAL DRAWINGS.	NO.	DATE	ΒY	REVISION DESC
Xrefs	APPROVED:	КМН	JOB NUMBER:	201662	0 1				
GREEN	CAD DATE:	10/17/2024			IF NOT ONE INCH, ADJUST SCALE ACCORDINGLY.				
<u> </u>	CAD FILE:	J:\2020\201662\0	CAD\Dwgs\C\PUD_	Phase_3_662.203\PUD\Trac	t_Plan_PUD				
2									


A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO

Line Table				
Length	Direction			
112.31	S 49°19'49" E			
103.89	S 75°34'07" W			
40.05	N 56°18'17" W			
124.64	N 59°51'14" E			
268.80	S 2°02'03" W			
15.00	S 14°14'45" E			
10.00	N 58°15'32" E			
512.14	S 31°44'28" E			
0.16	S 31°44'11" E			
50.00	S 30°17'57" E			
49.24	S 26°58'27" E			
47.93	S 26°31'11" E			
47.96	S 20°32'44" E			
48.76	S 15°15'08" E			
59.98	S 14°27'54" E			
5.04	S 75°32'06" W			
403.68	N 31°44'28" W			
168.94	N 53°13'21" W			
223.72	N 60°22'39" W			
428.47	N 31°44'28" W			
25.04	N 75°32'06" E			
62.25	S 14°27'54" E			
65.59	S 14°59'14" E			
65.46	S 26°23'54" E			
602.22	S 30°37'31" E			

Line Table				
Line # Length		Direction		
L101	54.31	S 32°22'56" E		
L102	54.31	S 35°06'00" E		
L103	54.31	S 37°50'30" E		
L104	54.31	S 40°35'00" E		
L105	54.31	S 43°19'30" E		
L106	110.00	N 45°18'15" E		
L107	110.00	S 43°23'54" W		
L108	54.39	S 45°51'57" E		
L109	54.40	S 50°42'51" E		
L110	54.40	S 53°27'21" E		
L111	50.89	S 55°19'18" E		
L112	50.00	S 55°22'54" E		
L113	41.58	S 27°19'07" E		
L114	113.33	S 51°55'10" E		
L115	113.33	N 89°08'18" E		
L116	113.33	N 50°11'45" E		
L117	114.56	N 12°55'13" E		
L118	130.57	S 19°48'06" E		
L119	29.46	S 49°18'05" E		
L120	122.15	S 76°08'36" E		
L121	106.55	S 61°23'04" E		
L122	78.49	S 52°46'53" E		
L123	110.00	N 39°49'08" E		
L124	259.66	S 52°44'02" W		
L125	39.80	S 43°10'53" W		

	Line T	able
L		
Line #	Length	Direction
L126	40.25	S 33°53'31" W
L127	115.00	S 37°15'58" E
L128	57.35	S 31°14'26" W
L129	29.99	N 27°48'14" W
L130	177.71	N 19°48'06" W
L131	111.86	S 16°01'40" E
L132	57.23	S 73°58'20" W
L133	150.00	S 75°32'06" W
L134	124.54	N 16°01'40" W
L135	110.00	S 14°27'54" E
L136	9.03	S 75°32'06" W
L137	110.05	S 0°00'00" E
L138	110.00	N 4°47'12" W
L139	131.37	N 90°00'00" W
L140	281.84	N 89°06'25" W
L141	108.04	S 75°00'29" W
L142	124.54	N 16°01'40" W
L143	13.43	N 15°57'12" E
L144	79.51	S 89°47'08" E
L145	11.41	S 0°12'52" W
L146	289.10	S 89°44'32" E
L147	564.56	S 27°48'24" E
L148	159.27	N 53°13'21" W
L149	211.52	N 60°22'39" W
L150	25.23	N 31°44'28" W


	Line T Length 397.41	able Direction
	_	Direction
1 151	397.41	
		N 27°48'24" W
L152 <sup>-</sup>	100.42	N 75°32'06" E
L153 <sup>-</sup>	109.98	N 62°11'36" E
L154	92.80	S 31°14'26" W
L155	37.06	S 89°57'16" W
L156 <sup>-</sup>	100.06	S 38°44'17" W
L157	18.24	S 75°32'06" W
L158 <sup>-</sup>	100.22	N 75°32'06" E
L159	27.96	S 75°32'06" W
L160 <sup>-</sup>	129.50	S 27°48'24" E
L161 <sup>-</sup>	109.77	N 89°47'08" W
L176 <sup>-</sup>	138.47	S 16°01'40" E





TRACT PLAN TRACT PLAN TABLES LAND USE REVIEW FILE NO: PUDSP-241

HEET	
[PT	06



INTERSECTION SIGHT DISTANCE TABLE					
	ROADWAY CLAS	SSIFICATION			
LOCATION ID	STOPED LOCATION	THRU STREET	SIGHT DISTANCE LEFT (FEET)(1)	SIGHT DISTANCE RIGHT (FEET) (1)	
S1	LOCAL	LOCAL	280	280	
S2	LOCAL	LOCAL	280	280	
S3	LOCAL	LOCAL	280	280	
S4	LOCAL	LOCAL	280	280	
S5	LOCAL	LOCAL	280	280	
S6	LOCAL	LOCAL	280	280	
S7	LOCAL	LOCAL	280	280	
S8	LOCAL	LOCAL	280	280	
S9	LOCAL	LOCAL	280	280	
S10	LOCAL	LOCAL	280	280	
S11	LOCAL	LOCAL	280	280	

(1) PER EPC Table 2-21. Intersection Sight Distance Note: At local/local road intersections only, "D" shall be 10 feet and the sight distance shall be measured to the centerline of the road.

# LEGEND

AREA OF PHASE 1 (PUDSP2110) TO BE REVISED

PHASE 3 BOUNDARY





S76° 41' 58"W 55.78'

N58° 18' 02"W 185.25'

SECTION 22 TOWNSHIP 12 SOUTH RANGE

SECTION 27 TOWNSHIP 12 SOUTH RANGE 64

+N13° 18' 02"W 76.12'

N30° 22' 37"E 119.64'

R=700.00' L=336.79 Δ=27°34'01'





FUTURE PHASE

**D**·R·HORTON America's Builder

SITE PLAN OVERALL SITE PLAN LAND USE REVIEW FILE NO: PUDSP-241







# KEY MAP SCALE: 1/500


# LINEWORK LEGEND

MATCH LINE	
PR Phase 3 Boundary	
EX PROPERTY LINE	
PR EASEMENT LINE	
PR RIGHT OF WAY	
EX RIGHT OF WAY	
PR LOT LINE	
FUT LOT LINE	
EX SWALE	
PR SWALE	- <b>-</b>
PR TRAIL	
PR MAINTENANCE	
ROAD (15' TYP.)	
PR CURB & GUTTER	
EX CURB & GUTTER	
PR SIDEWALK	
PR CONCRETE	
PR RIP-RAP	
PR POND RIM	
PR INDEX CONTOUR	
EX INDEX CONTOUR	
PR INTER. CONTOUR	
EX INTER. CONTOUR	
EX 100 YR FLOODPLAIN	100 YR
GROUNDWATER 0' - 10' BELOV	V
PROPOSED SURFACE (REFER TO GEOLOGICAL	
(REFER TO GEOLOGICAL HAZZARD REPORT)	

# SITE SCHEDULE

- 1 PR 30" R1-1 STOP SIGN W. STREET NAME SIGNS
- (2) PR 6' CONCRETE CROSS PAN
- (3) PR 8' CONCRETE CROSS PAN
- (4) PR 5' CONCRETE SIDEWALK
- 5) PR EPC TYPE C MOUNTABLE CURB & GUTTER


- (6) PR EPC TYPE A VERTICAL CURB & GUTTER
- 7) PR CONCRETE CURB RAMP
- (8) PR 15' MAINTENANCE ACCESS ROAD AND TRAIL 6" MIN. OF GRAVEL SHALL MEET MATERIAL SPECIFICATIONS PRESENTED ON TABLE D-7 IN
- THE EPC ECM.
- (9) PR CONCRETE FOREBAY (PRIVATE)
- (10) PR CONCRETE TRICKLE CHANNEL (PRIVATE)
- (11) PR EMERGENCY SPILLWAY WITH EMBANKMENT PROTECTION (RIP-RAP)
- (12) PR CONCRETE OUTLET STRUCTURE (PRIVATE)
- (13) PR MICRO-POOL (PRIVATE)
- (14) PR ENTRY SIGN (SEE LANDSCAPE PLANS)
- 15) PR MODULAR BLOCK WALL (NOT UTILIZED)
- (16) PR CONCRETE MID-BLOCK CURB RAMP
- (17) PR TRAIL (5' TYP.) 4" MIN. CRUSHED GRAVEL OR FINES
- (18) PR. MAIL KIOSK LOCATION




SITE PLAN SITE PLAN - 1 OF 8 LAND USE REVIEW FILE NO: PUDSP-241

SHEET

SP1





# KEY MAP SCALE: 1/500

# LINEWORK LEGEND

ATCH LINE	
R Phase 3 Boundary	
PROPERTY LINE	
R EASEMENT LINE	
R RIGHT OF WAY	
RIGHT OF WAY	
R LOT LINE	
IT LOT LINE	
SWALE	
R SWALE	_ <b>_</b>
RTRAIL	
RMAINTENANCE	
DAD (15' TYP.)	
R CURB & GUTTER	
CURB & GUTTER	
R SIDEWALK	
R CONCRETE	
RIP-RAP	
R POND RIM	
R INDEX CONTOUR	
(INDEX CONTOUR	
R INTER. CONTOUR	
INTER. CONTOUR	
( 100 YR FLOODPLAIN	100 YR
OUNDWATER 0' - 10' BELOW	/
OPOSED SURFACE FER TO GEOLOGICAL	
ZZARD REPORT)	

## SITE SCHEDULE

- 1 PR 30" R1-1 STOP SIGN W. STREET NAME SIGNS
- (2) PR 6' CONCRETE CROSS PAN
- (3) PR 8' CONCRETE CROSS PAN
- (4) PR 5' CONCRETE SIDEWALK
- 5) PR EPC TYPE C MOUNTABLE CURB & GUTTER

- (6) PR EPC TYPE A VERTICAL CURB & GUTTER
- 7) PR CONCRETE CURB RAMP
- (8) PR 15' MAINTENANCE ACCESS ROAD AND TRAIL 6" MIN. OF GRAVEL SHALL MEET MATERIAL SPECIFICATIONS PRESENTED ON TABLE D-7 IN THE EPC ECM.
- (9) PR CONCRETE FOREBAY (PRIVATE)
- (10) PR CONCRETE TRICKLE CHANNEL (PRIVATE)
- (11) PR EMERGENCY SPILLWAY WITH EMBANKMENT
- PROTECTION (RIP-RAP) (12) PR CONCRETE OUTLET STRUCTURE (PRIVATE)
- (13) PR MICRO-POOL (PRIVATE)
- PR ENTRY SIGN (SEE LANDSCAPE PLANS)
- 15) PR MODULAR BLOCK WALL (NOT UTILIZED)
- (16) PR CONCRETE MID-BLOCK CURB RAMP
- (17) PR TRAIL (5' TYP.) 4" MIN. CRUSHED GRAVEL OR FINES
- (18) PR. MAIL KIOSK LOCATION

**D**·R·HORTON America's Builder

TRACT E -

- TRACT Q -

36,943 SF

- TRACT N 40,347 SF

61,938 SF

TRACT P


223,414 SF


289

4,485 SF

SITE PLAN SITE PLAN - 2 OF 8 LAND USE REVIEW FILE NO: PUDSP-241

SHEET SP2 09





# KEY MAP SCALE: 1/500

# LINEWORK LEGEND

MATCH LINE	
PR Phase 3 Boundary	
EX PROPERTY LINE	
PR EASEMENT LINE	
PR RIGHT OF WAY	
EX RIGHT OF WAY	
PR LOT LINE	
FUT LOT LINE	
EX SWALE	
PR SWALE	_ <b>_</b>
PR TRAIL	
PR MAINTENANCE	
ROAD (15' TYP.)	
PR CURB & GUTTER	
EX CURB & GUTTER	=========
PR SIDEWALK	
PR CONCRETE	
PR RIP-RAP	K XY XY XY
PR POND RIM	
PR INDEX CONTOUR	
EX INDEX CONTOUR	
PR INTER. CONTOUR	
EX INTER. CONTOUR	
EX 100 YR FLOODPLAIN	100 YR
GROUNDWATER 0' - 10' BELOV	v
PROPOSED SURFACE	
(REFER TO GEOLOGICAL HAZZARD REPORT)	

# SITE SCHEDULE

- (1) PR 30" R1-1 STOP SIGN W. STREET NAME SIGNS
- (2) PR 6' CONCRETE CROSS PAN
- (3) PR 8' CONCRETE CROSS PAN
- (4) PR 5' CONCRETE SIDEWALK
- (5) PR EPC TYPE C MOUNTABLE CURB & GUTTER

- (6) PR EPC TYPE A VERTICAL CURB & GUTTER
- (7) PR CONCRETE CURB RAMP
- (8) PR 15' MAINTENANCE ACCESS ROAD AND TRAIL 6" MIN. OF GRAVEL SHALL MEET MATERIAL SPECIFICATIONS PRESENTED ON TABLE D-7 IN THE EPC ECM.
- (9) PR CONCRETE FOREBAY (PRIVATE)
- (10) PR CONCRETE TRICKLE CHANNEL (PRIVATE)
- (11) PR EMERGENCY SPILLWAY WITH EMBANKMENT PROTECTION (RIP-RAP)
- (12) PR CONCRETE OUTLET STRUCTURE (PRIVATE)
- (13) PR MICRO-POOL (PRIVATE)
- (14) PR ENTRY SIGN (SEE LANDSCAPE PLANS)
- (15) PR MODULAR BLOCK WALL (NOT UTILIZED)
- (16) PR CONCRETE MID-BLOCK CURB RAMP
- (17) PR TRAIL (5' TYP.) 4" MIN. CRUSHED GRAVEL OR FINES
- (18) PR. MAIL KIOSK LOCATION




LAND USE REVIEW FILE NO: PUDSP-241


SITE PLAN SITE PLAN - 3 OF 8 10


SHEET


SP3



LINEWORK LEGE	ND				
MATCH LINE PR Phase 3 Boundary					
EX PROPERTY LINE PR EASEMENT LINE					
PR RIGHT OF WAY					
PR LOT LINE					
EX SWALE PR SWALE					
PR TRAIL PR MAINTENANCE ROAD (15' TYP.)					
PR CURB & GUTTER EX CURB & GUTTER					
PR SIDEWALK PR CONCRETE	<u>د م</u>				
PR RIP-RAP PR POND RIM	Y XY XY XY			2400 0.5	50/0 4 1
PR INDEX CONTOUR			2	2+00	
PR INTER. CONTOUR EX INTER. CONTOUR EX 100 YR FLOODPLAIN				7	T
GROUNDWATER 0' - 10' BELOW PROPOSED SURFACE		EE PAGE 1	14		
(REFER TO GEOLOGICAL HAZZARD REPORT)		TCHLINE: SET 131 5,815 SF	RELE		74
	W	131 5,815 SF	1.2T62		4,378 SF
		1: 6,22	30 3 SF	1. A00 (6,823 S	
				PUBLIC-LOCAL 50' RO	
			129 6,227 SF	S-LOC	
The second secon			RACT J 770 SF	AL SO	
TOTEL				TON)	\ 76 \ 8,351 SF
MATCHLINE: SEE PAGE			128 5,976 SF	5	\ \ \ \\$14° 27
E PAG		ACT P		T	108.92'
( )	8		127		
	L		FL R20.00' T	YP.	15+00
				4+00	
			N75° 32' 05.94"E 4	4+00 5	
		3 0.1% 13+00	N75 000 388.89		
	12+00	000 000			
				125 5,500 SF	124 5,500 SF
		TRACT E 61,938 SF	126 5,500 SF	!\i 1\1	, )
	289 4,485	SF			TRACT E
		36,943 SF			
		- TRA( 40,34	CT N 47 SF		
	, ,				
	MA			(12)	
			TRACT		
1) PR 30" R1-1 STOP SIGN W. S	TREET NAME SIGNS	8 0 0 0 0 0 0 0 0 0 0 0 0 0	RAINAGE CHANNEL		
<ul> <li>2) PR 6' CONCRETE CROSS PA</li> <li>3) PR 8' CONCRETE CROSS PA</li> </ul>	N	PAGE 200000 - 100'L			202020202000
<ul> <li>4) PR 5' CONCRETE SIDEWALK</li> <li>5) PR EPC TYPE C MOUNTABLE</li> </ul>		0		000000000000000000000000000000000000000	000000000000000000000000000000000000000
6 PR EPC TYPE A VERTICAL C			TRACT 0 105,739 SF	(11)	200000000000000000000000000000000000000
<ul><li>7) PR CONCRETE CURB RAMP</li><li>8) PR 15' MAINTENANCE ACCES</li></ul>	SS ROAD AND TRAIL		121		
6" MIN. OF GRAVEL SHALL M	IEET MATERIAL	NDARY SERVE			
SPECIFICATIONS PRESENTE THE EPC ECM.	U UN TABLE D-7 IN	Y 2022)		×, /	
9) PR CONCRETE FOREBAY (PI 10) PR CONCRETE TRICKLE CHA					
PR EMERGENCY SPILLWAY			08"E 577.49'-	-6910	
PROTECTION (RIP-RAP) 12) PR CONCRETE OUTLET STR	UCTURE (PRIVATE)				
PR MICRO-POOL (PRIVATE)					
<ul> <li>PR ENTRY SIGN (SEE LANDS</li> <li>PR MODULAR BLOCK WALL (</li> </ul>	(NOT UTILIZED)		₹(		
<ol> <li>PR CONCRETE MID-BLOCK ( 17) PR TRAIL (5' TYP.) 4" MIN. CR</li> </ol>					ر بر بر
FINES	-				
18) PR. MAIL KIOSK LOCATION DRAWN BY: <u>CVW</u> J					









# LINEWORK LEGEND

MATCH LINE PR Phase 3 Boundary EX PROPERTY LINE PR EASEMENT LINE PR RIGHT OF WAY EX RIGHT OF WAY PR LOT LINE FUT LOT LINE EX SWALE PR SWALE PR TRAIL PR MAINTENANCE ROAD (15' TYP.) PR CURB & GUTTER EX CURB & GUTTER PR SIDEWALK PR CONCRETE PR RIP-RAP PR POND RIM PR INDEX CONTOUR EX INDEX CONTOUR PR INTER. CONTOUR EX INTER. CONTOUR EX 100 YR FLOODPLAIN GROUNDWATER 0' - 10' BELOW PROPOSED SURFACE (REFER TO GEOLOGICAL HAZZARD REPORT)

		 	~~~
	= = :		

# SITE SCHEDULE

- 1 PR 30" R1-1 STOP SIGN W. STREET NAME SIGNS
- (2) PR 6' CONCRETE CROSS PAN
- (3) PR 8' CONCRETE CROSS PAN
- (4) PR 5' CONCRETE SIDEWALK
- (5) PR EPC TYPE C MOUNTABLE CURB & GUTTER
- (6) PR EPC TYPE A VERTICAL CURB & GUTTER
- (7) PR CONCRETE CURB RAMP
- (8) PR 15' MAINTENANCE ACCESS ROAD AND TRAIL 6" MIN. OF GRAVEL SHALL MEET MATERIAL SPECIFICATIONS PRESENTED ON TABLE D-7 IN
- THE EPC ECM.
- (9) PR CONCRETE FOREBAY (PRIVATE)
- (10) PR CONCRETE TRICKLE CHANNEL (PRIVATE) (11) PR EMERGENCY SPILLWAY WITH EMBANKMENT
- PROTECTION (RIP-RAP) (12) PR CONCRETE OUTLET STRUCTURE (PRIVATE)
- (13) PR MICRO-POOL (PRIVATE)
- (14) PR ENTRY SIGN (SEE LANDSCAPE PLANS)
- (15) PR MODULAR BLOCK WALL (NOT UTILIZED)
- (16) PR CONCRETE MID-BLOCK CURB RAMP
- (17) PR TRAIL (5' TYP.) 4" MIN. CRUSHED GRAVEL OR FINES
- (18) PR. MAIL KIOSK LOCATION




LAND USE REVIEW FILE NO: PUDSP-241

13

SHEET


SP6



PRO
I AND
: PLAN AND
v map; 01-XC-PR 100YR FP DELINEATION; PLAN AND PROF
Щ Ц
0YR F
Ч 10
1-XC-1
nap; 0
n kev r
Plan
le: Site
Legend; Site Schedule; Site Plan
Site S
gend;
~
-inewo
Plan I
Site Plan Linework
n-PH3
xc-dsg
-PH3: )
<pre></pre>
n-F3
xc-dsgn-F3
Ę
row-F3; xc-dsgn-
xv-util 662; xgt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsgn-
662; xv-util 662; xqt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsqn-
662; xv-util 662; xqt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsqn-
662; xv-util 662; xqt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsqn-
xv-util 662; xgt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsgn-
xv-row-662; xv-dsan 662; xv-util 662; xqt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
662; xv-util 662; xqt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsqn-
xv-row-662; xv-dsan 662; xv-util 662; xqt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
4; xc-dsan-F4; xv-row-662; xv-dsan 662; xv-util 662; xat-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
; xc-row-F4; xc-dsan-F4; xv-row-662; xv-dsan 662; xv-util 662; xat-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
; xc-row-F4; xc-dsan-F4; xv-row-662; xv-dsan 662; xv-util 662; xat-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
san-PH2: xc-row-F4; xc-dsan-F4; xv-row-662; xv-dsan 662; xv-util 662; xq-1til 662; xq-1 arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
san-PH2: xc-row-F4; xc-dsan-F4; xv-row-662; xv-dsan 662; xv-util 662; xq-1til 662; xq-1 arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
san-PH2: xc-row-F4; xc-dsan-F4; xv-row-662; xv-dsan 662; xv-util 662; xq-1til 662; xq-1 arch dh01 PH3 PUD; xc-row-F3; xc-dsan-
1-XC-channel; xc-dsgn-PH2; xc-row-F4; xc-dsgn-F4; xv-row-662; xv-dsgn 662; xv-util 662; xqt-1-arch dh01 PH3 PUD; xc-row-F3; xc-dsgn-

CAD DATE: CAD FILE:		CAD\Dwgs\C\PUD_	_Phase_3_662.203\	ADJUST SC	ALE ACCORDINGLY.					
DRAWN BY: APPROVED:	KMH	JOB DATE: JOB NUMBER:	PUD DEVELOPM 201662	0	ONE INCH ON AL DRAWINGS. 1" DT ONE INCH,	NO.	DATE	BY	REVIS	SION DES
						<b>.</b>				
										1
										ARTERIAL 10 5+00 0.3%
							55+00	(P	UBLIC-MINOR	REX RD ARTERIAL 10
								SECTION 21 TOWNSHIP SOUTH RANGE 64 WES	SECTION 22 TOWNSHIP SOUTH RANGE 64 WES	10/VR 12,7
								_10 Wh 16 64	О М 64	

A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO




SCRIPTION



HR GREEN - COLORADO SPRINGS 1975 RESEARCH PKWY SUITE 230 COLORADO SPRINGS CO 80920 PHONE: 719.300.4140 FAX: 713.965.0044

GRANDVIEW RESERVE - PHASE 3 D.R. HORTON EL PASO COUNTY, CO






# KEY MAP SCALE: 1/500

# LINEWORK LEGEND

MATCH LINE	
PR Phase 3 Boundary	
EX PROPERTY LINE	
PR EASEMENT LINE	
PR RIGHT OF WAY	
EX RIGHT OF WAY	
PR LOT LINE	
FUT LOT LINE	
EX SWALE	
PR SWALE	
PR TRAIL	· · · · · · · · · · · · · · · · · · ·
PR MAINTENANCE	
ROAD (15' TYP.)	$\bigcirc - \bigcirc - \bigcirc - \bigcirc - \bigcirc$
PR CURB & GUTTER	
EX CURB & GUTTER	
PR SIDEWALK	
PR CONCRETE	
PR RIP-RAP	Y XY XY XY
PR POND RIM	
PR INDEX CONTOUR	
EX INDEX CONTOUR	
PR INTER. CONTOUR	
EX INTER. CONTOUR	
EX 100 YR FLOODPLAIN	100 YR
GROUNDWATER 0' - 10' BELOW	V
PROPOSED SURFACE	
(REFER TO GEOLOGICAL HAZZARD REPORT)	

# SITE SCHEDULE

- 1 PR 30" R1-1 STOP SIGN W. STREET NAME SIGNS
- (2) PR 6' CONCRETE CROSS PAN
- (3) PR 8' CONCRETE CROSS PAN
- (4) PR 5' CONCRETE SIDEWALK
- (5) PR EPC TYPE C MOUNTABLE CURB & GUTTER
- (6) PR EPC TYPE A VERTICAL CURB & GUTTER
- (7) PR CONCRETE CURB RAMP
- (8) PR 15' MAINTENANCE ACCESS ROAD AND TRAIL 6" MIN. OF GRAVEL SHALL MEET MATERIAL SPECIFICATIONS PRESENTED ON TABLE D-7 IN THE EPC ECM.
- (9) PR CONCRETE FOREBAY (PRIVATE)
- (10) PR CONCRETE TRICKLE CHANNEL (PRIVATE)
- (11) PR EMERGENCY SPILLWAY WITH EMBANKMENT PROTECTION (RIP-RAP)
- (12) PR CONCRETE OUTLET STRUCTURE (PRIVATE)
- (13) PR MICRO-POOL (PRIVATE)
- (14) PR ENTRY SIGN (SEE LANDSCAPE PLANS)
- (15) PR MODULAR BLOCK WALL (NOT UTILIZED)
- (16) PR CONCRETE MID-BLOCK CURB RAMP
- (17) PR TRAIL (5' TYP.) 4" MIN. CRUSHED GRAVEL OR FINES
- (18) PR. MAIL KIOSK LOCATION



LAND USE REVIEW FILE NO: PUDSP-241

SITE PLAN SITE PLAN - 8 OF 8 15

SHEET

SP8

# SHEET INDEX:

SHEET 16 - LANDSCAPE COVER SHEET 17 - LANDSCAPE PLAN (OVERALL) SHEET 18-33 - LANDSCAPE PLAN SHEET 34-35 - LANDSCAPE DETAILS

# GENERAL LANDSCAPE PLAN NOTES:

- 1. LANDSCAPE IMPROVEMENTS AND MAINTENANCE SHALL BE THE RESPONSIBILITY OF THE METRO DISTRICT OR HOA (HOME OWNERS ASSOCIATION). ALL INTERNAL L SHALL BE OWNED AND MAINTAINED BY THE METRO DISTRICT OR HOA (HOME OWNERS ASSOCIATION) AFTER INSTALLATION.
- 2. LANDSCAPE CONTRACTOR SHALL PROVIDE ALL LABOR, MATERIALS AND SERVICES NECESSARY TO FURNISH AND INSTALL LANDSCAPE ELEMENTS AND PLANTINGS SHOWN ON THESE PLANS.
- 3. NO MATERIAL SUBSTITUTIONS SHALL BE MADE WITHOUT LANDSCAPE ARCHITECT'S APPROVAL. ALTERNATE MATERIALS OF SIMILAR SIZE AND CHARACTER MAY BE MATERIALS CANNOT BE OBTAINED. OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REVISE PLANT LIST AS DEEMED NECESSARY.
- 4. ALL PLANT LOCATIONS ARE APPROXIMATE, ADJUST AS NECESSARY TO AVOID CONFLICTS.
- 5. CONTRACTOR SHALL LOCATE ALL UTILITIES BEFORE WORK. UTILITIES HAVE BEEN SHOWN ON PLAN FOR ROUGH LOCATION OF SERVICES. LOCATE EXACT UTILITY "CALL BEFORE YOU DIG" AT (800) 922-1987 OR 811. CONTRACTOR WILL BE RESPONSIBLE FOR THE REPAIR OF ANY DAMAGE HE MAY CAUSE TO UTILITIES.
- 6. REMOVE ALL RUBBISH, EQUIPMENT, AND MATERIAL AND LEAVE THE AREA IN A NEAT, CLEAN CONDITION EACH DAY. MAINTAIN PAVED AREAS UTILIZED FOR HAULING OTHER TRADES IN A CLEAN AND UNOBSTRUCTED CONDITION AT ALL TIMES.
- 7. STORAGE OF ANY MATERIALS, BUILDINGS, VEHICLES OR EQUIPMENT, FENCING AND WARNING SIGNS SHALL BE MAINTAINED THROUGHOUT THE SITE WORK AND CO CONTRACTOR. 8. STREET TREES, STREETSCAPE IMPROVEMENTS, AND VEGETATION WITHIN THE COUNTY ROW SHALL BE OWNED BY THE COUNTY AND MAINTAINED BY THE CURREN

### **IRRIGATION:**

1. ALL SHRUBS AND TREES SHALL BE DRIP IRRIGATED. ALL TREES LOCATED WITHIN SEEDING AREAS SHALL BE WATERED BY A DRIP VALVE

### SHRUB/TREE PLANTING NOTES:

- 1. OWNER AND OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REJECT AT ANY TIME OR PLACE PRIOR TO FINAL ACCEPTANCE OF WORK, ANY AND ALL PLANTS TO MEET THE REQUIREMENTS OF THE SPECIFICATIONS.
- 2. ALL TREE AND SHRUB LOCATIONS ARE APPROXIMATE; ADJUST AS NECESSARY TO AVOID CONFLICTS. PLANTING LOCATIONS OF SHRUBS, GRASSES AND PERENNIA OWNERS REPRESENTATIVE'S APPROVAL OF LOCATIONS PRIOR TO PLANTING TREES AND SHRUBS.
- 3. ALL PLANT MATERIAL SHALL BE WELL-FORMED AND DEVELOPED IN GOOD CONDITION, HEALTHY AND DISEASE FREE, AND BE TYPICAL OF THE SPECIES. 4. PLANTS SHALL COMPLY IN ALL APPLICABLE RESPECTS WITH ACCEPTABLE STANDARDS SET FORTH IN THE COLORADO NURSERY ACT OF 1965 - TITLE 35, ARTICLE 25 NURSERY ACT).
- 5. AT THE COMPLETION OF PLANTING OPERATIONS ALL PLANTS SHALL BE INSPECTED BY THE OWNER AND OWNERS'S REPRESENTATIVE. CONTRACTOR SHALL REPL NOT IN HEALTHY AND VIGOROUS CONDITION AT THAT TIME AT NO EXPENSE TO THE OWNER. ANY PLANT NOT IN HEALTHY CONDITION DURING THE WARRANTY PER THE ORIGINAL SPECIFICATIONS, AT NO CHARGE TO THE OWNER.
- 6. PLANTS ARE TO BE SELECTED AND SIZED AS SHOWN ON THE PLANT SCHEDULE.
- 7. PLANTS BED RECEIVING 3" DEPTH MIN. ROCK WOOD ARE TO BE FREE OF WEEDS AND GRASS. TREAT BEDS WITH A PRE-EMERGENT HERBICIDE PRIOR TO PLANTING APPLY IN ACCORDANCE WITH STANDARD TRADE PRACTICE. DO NOT APPLY HERBICIDE IN PERENNIAL BEDS.
- 8. POROUS WEED BARRIER FABRIC SHALL BE INSTALLED WHERE NOTED IN THE DETAILS.
- 9. USE TRIANGULAR SPACING IN ALL GROUNDCOVER AND PERENNIAL BEDS

10. THE CONTRACTOR SHALL PROVIDE WATER, WATERING DEVICES, AND LABOR NEEDED TO IRRIGATE PLANT MATERIALS UNTIL AUTOMATIC IRRIGATION SYSTEMS A ACCEPTED. THE CONTRACTOR SHALL SUPPLY ENOUGH WATER TO MAINTAIN THE PLANT'S HEALTHY CONDITION BASED ON SEASONAL CONSIDERATIONS.

### SODDING & SEEDING:

1. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING EXISTING EROSION CONTROL MEASURES DURING THE DURATION OF WORK ON-SITE.


- 2. ALL PROPOSED TURF AND PLANTING AREAS ARE TO BE ROTO-TILLED TO A DEPTH OF 8". FINE GRADE, AND REMOVE ALL CONSTRUCTION DEBRIS AND ROCKS OVER 3. AFTER TILLING APPLY SOIL AMENDMENTS & FERTILIZERS TO ALL TURF AND PLANTING AREAS. GRADE SHALL BE ADJUSTED FOR SOD THICKNESS. ALL FINISH GRAD
- LANDSCAPE CONTRACTOR.
- 4. FINE GRADE SOD AREAS TO ELIMINATE IRREGULARITIES ON THE SURFACE. ROLL OR PERFORM ADDITIONAL FINE GRADING.
- 5. ALL AREAS TO BE SEEDED SHALL BE TILLED AS SPECIFIED AND THEN HARROWED, RAKED OR ROLLED TO PRODUCE A FIRM SEED BED FOR PLANTING. IMPORTED T PROVIDE AN ACCEPTABLE PLANTING MEDIUM. LARGE ROCKS (1" DIAMETER) AND DEBRIS THAT MAY IMPEDE SEEDING SHALL BE CLEARED FROM THE SITE. ANY REV FEATURES (E.G., WATER BARS, BERMS, BASINS, TURNOUTS) SHALL BE CONSTRUCTED PRIOR TO SEEDING. SITES THAT ARE NOT ADEQUATELY PREPARED PRIOR TO SOIL, INSUFFICIENT TOPSOIL, ROCKY, ERODED SURFACE, ETC.) SHALL BE REJECTED.
- 6. ALL SPECIFIED SEED MIXES SHALL CONSIST OF CERTIFIED SEE VARIETIES THAT ARE FREE OF NOXIOUS WEEDS AND HAVE BEEN TESTED FOR PURITY AND GERMIN.
- THE PLANTING DATE. CERTIFICATION LABELS WHICH INDICATE THE SPECIES, PURITY, GERMINATION, WEED CONTENT, ORIGIN, AND TEST DATE SHALL BE SUBMITTE 7. SEEDING SHALL OCCUR DEPENDING ON THE PROJECT SCHEDULE, IT IS PREFERABLE THAT SEEDING OCCUR DURING THE FALL (SEPTEMBER-NOVEMBER) OR SPRIN PLANTING SUCCESS. IF THE PROJECT SCHEDULED DOES NOT COINCIDE WITH THE PREFERRED SEEDING PERIODS, OR THERE ARE UNSUITABLE SITE CONDITIONS SOIL STABILIZATION AND/OR STORM WATER BEST MANAGEMENT PRACTICES SHALL BE IMPLEMENTED TO STABILIZE THE AREA UNTIL THE NEXT APPROPRIATE SEEI
- 9. ANY SEEDING CONDUCTED OUTSIDE THE PREFERRED MONTHS SHALL BE APPROVED BY THE OWNER. SEEDING METHOD: DRILL SEEDING OR BROADCAST SEEDING REVEGETATION. AS OUTLINED BELOW, THE SIZE AND SLOPE OF THE DISTURBED AREA SHALL DETERMINE WHICH SEEDING METHOD(S) IS APPROPRIATE AND ACCEPT RANGELAND DRILL SEEDING COMBINED WITH A COVER OF CRIMPED HAY MULCH OR HYDRO-MULCH IS THE REQUIRED METHOD.
- 9.1 SLOPES LESS THAN 3:1 SEED SHALL BE PLANTED USING A RANGELAND DRILL WITH A SMALL SEED/LEGUME BOX AND AN AGITATOR BOX FOR FLUFFY OR BU BE SPACED 7-10 INCHES APART, AND PLANTED TO 0.5 TO 0.75 INCHES DEEP. THE DRILL SHALL HAVE DOUBLE-DISL FURROW OPENERS WITH DEPTH BANDS AND SHALL BE ACCOMPLISHED USING BI-DIRECTIONAL DRILLING AND FOLLOWING THE SLOPE CONTOUR. THE DRILL EQUIPMENT SHALL BE CALIBRATED EACH DAY ( CHANGE IN THE SEED MIX TO ENSURE PROPER SEED DISTRIBUTION AND RATE.
- 9.2 SLOPES GREATER THAN 3:1 OR AREAS LESS THAN 0.10 ACRE SEED SHALL BE BROADCAST BY HAND, MECHANICAL SPREADER, OR HYDRO-SEEDING EQUIPM AREAS SHALL BE RAKED OR HARROWED TO INCORPORATE THE SEED INTO THE SOIL AT A DEPTH NOT EXCEEDING 0.75 INCHES. SLOPES GREATER THAN 3:1 SH BLANKET AFTER SEEDING. REFER TO ENGINEERING SHEETS FOR EROSION CONTROL APPLICATIONS.
- 9.2.1. FOR AREAS LARGER THAN 0.1 ACRE-HYDRO-SEEDING SHALL BE USED. THE SEED SHALL NOT BE TANK MIXED WITH THE HYDRO-MULCH AN 9.2.2. BROADCAST SEEDING SHALL BE AVOIDED WHEN WIND SPEED EXCEEDS 15 MILES PER HOUR.
- 10. MULCHING: WEED-FREE NATIVE HAY, WEED-FREE STRAW, OR VIRGIN WOOD FIBER HYDRO-MULCH SHALL BE USED TO CONTROL EROSION AND PROMOTE SEE GE ESTABLISHMENT. NATIVE HAY, STRAW, OR HYDRO-MULCH SHALL BE APPLIED AT 2,000 POUNDS/ACRE ON SLOPES LESS THAN 3:1. ON STEEPER SLOPES, A MULCHIN
- SHALL BE USED. 11. NATIVE HAY OR STRAW SHALL BE CRIMPED INTO THE SOIL TO A DEPTH OF AT LEAST 3 INCHES, AND SHALL PROTRUDE ABOVE THE GROUND AT LEAST 3 INCHES. USED TO HOLD THE HAY OR STRAW IN PLACE IF THE CRIMPING RESULTS ARE INSUFFICIENT. HYDRO-MULCH SHALL BE APPLIED USING A COLOR DYE AND THE MAN
- RATE OF AN ORGANIC TACKIFIER. 12. FINE GRADE SEED TO ELIMINATE IRREGULARITIES ON THE SURFACE. ROLL OR PERFORM ADDITIONAL FINE GRADING. SEED AREAS BY MEANS OF APPROVED BRC SPREADERS. DO NOT SEED DURING WINDY WEATHER. MULCH SEEDED AREAS WITH WOOD CELLULOSE FIBER MULCH WITHIN 24 HOURS OF SEEDING. APPLY MULC RECOMMENDED BY MANUFACTURER'S RECOMMENDATIONS.
- 13. SUPPLEMENTAL IRRIGATION SHALL NORMALLY NOT BE NECESSARY OR REQUIRED IF THE SEEDING IS ACCOMPLISHED DURING THE PREFERRED PLANTING PERIOD HOOK-UP IS AVAILABLE A SPRINKLER SYSTEM MAY BE USED TO PROMOTE A RAPID PLANT ESTABLISHMENT. GENERALLY, WATERING AT 0.75-1.0 INCHES/WEEK IS RE APRIL-OCTOBER GROWING SEASON DEPENDING ON NATURAL RAINFALL. THE USE OF WATER TRUCKS FOR IRRIGATION IS PROHIBITED DUE TO TRAFFIC IMPACTS C TYPICAL POOR WATER DISTRIBUTION OBSERVED WITH THIS TYPE OF WATERING.
- 14. APPROVAL OF SEEDED TURF AREAS SHALL BE BASED UPON THE SEED PROCEDURES GUARANTEED SEEDING GERMINATION RATE FOR A ONE SQUARE FOOT ARE GERMINATION RATE IS NOT ACHIEVED, THE CONTRACTOR SHALL OVERSEED UNTIL THE GERMINATION RATE IS ACHIEVED. REVEGETATION SHALL HAVE AT LEAST 3 SEEDLINGS/SQUARE FOOT AND NO BARE AREAS EXCEEDING ONE SQUARE METER AFTER THE SECOND GROWING SEASON. FOR DRILL SEEDED AREAS, PLANTING ROWS SHALL BE NOTICEABLE BY THE END OF THE FIRST FULL GROWING SEASON. IF A PARTIAL OR TOTAL SEEDING FAILURE IS APPARENT AFTER THE SECOND GROWING SEASON, POORLY VEGETATED AREAS SHALL BE RESEEDED IN THE SAME MANNER DESCRIBED ABOVE. APPROPRIATE SITE PREPARATION PRACTICES SHALL BE USED TO CREATE A SUITABLE SEEDBED FOR PLANTING, BUT ANY ESTABLISHED NATIVE VEGETATION SHALL BE UNDISTURBED TO THE EXTENT POSSIBLE. AREAS THAT ERODE BEFORE GERMINATION AND ESTABLISHMENT CAN OCCUR SHALL BE REPAIRED AND IMMEDIATELY RESEEDED DURING THE SAME SEASON.

DRAWN BY:	JAG	JOB DATE:	9/27/2024	BAR IS ONE INCH ON OFFICIAL DRAWINGS.	NO.	DATE	BY	REVISION DI
APPROVED:	JFR	JOB NUMBER:	201662	0 1"				
CAD DATE:	10/17/2024			IF NOT ONE INCH, ADJUST SCALE ACCORDINGLY.				
CAD FILE:	J:\2020\201662	\CAD\Dwgs\C\PUD_	Phase_3_662.203\PUD\I	_andscape-Plan_PUD				

# **GRANDVIEW RESERVE PHASE 3 PUD DEVELOPMENT PLAN & PRELIMINARY PLAN**

A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO

	PLANT SCHED	DULE				DEVELOPMENT PLAN DATA			
	SYMBOL CODE QTY	BOTANICAL / COMMON NAME	PLANTING SIZE	E MATURE HEIGHT	MATURE WIDTH	STREET NAME OR ZONE BOUNDARY	REX ROAD	)	WISHAW PLAC
	DECIDUOUS TREES					LANDSCAPE SETBACK LOCATION	NORTH EA	ST	EAST
	CO 13	CELTIS OCCIDENTALIS / COMMON HACKBERRY	2.5" CAL.	40 - 65ft. ht.	40 - 65ft. w.	ZONE DISTRICT BOUNDARY	NO		NO
						STREET CLASSIFICATION	MINOR AR	TERIAL	COLLECTOR
	GI 11	GLEDITSIA TRIACANTHOS INERMIS 'SKYCOLE' / SKYLINE® HONEY LOCUST	2.5" CAL.	40 - 65ft. ht.	25 - 40ft. w.	SETBACK DEPTH REQUIRED/PROVIDED	20' / 20'		10' / 10'
LANDSCAPE AND OPEN SPACE						LINEAR FOOTAGE	1,223'		1,015'
S AS SPECIFIED HEREIN AND AS	60% 00 00 600 000 600 000 600 000 600 00 600 00 600 9	GYMNOCLADUS DIOICUS 'ESPRESSO' / KENTUCKY COFFEETREE	2.5" CAL.	40 - 65ft. ht.	25 - 40ft. w.	TREE/FEET REQUIRED	1 TREE / 25	5'	1 TREE / 30'
CONSIDERED IF SPECIFIED PLANT						NUMBER OF TREES REQUIRED/PROVIDED	49 / 49		34 / 34
	KP 6	KOELREUTERIA PANICULATA / GOLDEN RAIN TREE	2.5" CAL.	25 - 40ft. ht.	25 - 40ft. w.	SHRUB SUBSTITUTION REQUIRED/PROVIDED	0 / 0		0/0
LOCATIONS BY CONTACTING	A.F.					ORNAMENTAL GRASS SUBSTITUTION REQ./PROV.	0 / 0		0/0
G EQUIPMENT AND MATERIALS BY	QA 8	QUERCUS ACUMINATA / CHINKAPIN OAK	2.5" CAL.	25 - 40ft. ht.	25 - 40ft. w.	PLANT ABBREVIATION DENOTED ON PLAN *	RR		WP
ONSTRUCTION PERIODS BY THE						% GROUND PLANE VEG. REQUIRED/PROVIDED	75% / 75%		75% / 75%
NT PROPERTY OWNER.	• • • • • • • • • • • • • • • • • • •	TILIA CORDATA / LITTLELEAF LINDEN	2.5" CAL.	40 - 65ft. ht.	25 - 40ft. w.		I		_
	EVERGREEN TREES					GROUND COVER LEGEND			
	Smr 1		0=	05 105		SYMBOL DESCRIPTION	QUANTITY	UNITS	-
	$\begin{bmatrix} 2 & 0 \\ 0 & 0 \end{bmatrix} = \begin{bmatrix} 3 & 0 \\ 0 & 0 \end{bmatrix} = \begin{bmatrix} 3 & 0 \\ 0 & 0 \end{bmatrix}$	JUNIPERUS SCOPULORUM / ROCKY MOUNTAIN JUNIPER	6` HT.	25 - 40ft. ht.	10 - 15ft. w.	* * * * <u>ENVIRO TURF SOD</u>			-
S WHICH, IN THEIR OPINION, FAIL ALS AS SPECIFIED. OBTAIN	PB 17	PICEA PUNGENS GLAUCA / COLORADO BLUE SPRUCE	6` HT.	40 - 65ft. ht.	25 - 40ft. w.	*       *       *       *       *       *       *       IRRIGATED. HYBRID BLEND OF FESCUE AND         *       *       *       *       *       *       OTHER DROUGHT-TOLERANT GRASSES.         *       *       *       *       *       *       INSTALLED PER SUPPLIER'S SPECIFICATIONS.         IRRIGATED 1-2 TIMES PER WEEK.       *       *       *       *       *	4449	SQ. FT.	
						2-4" BLUE GREY RIVER ROCK TO BE ROCK NOTED ABOVE OR APPROVED			-
5, CRS 1974 (SEE LANDSCAPE THE	PL 15	PINUS FLEXILIS / LIMBER PINE	6` HT.	40 - 65ft. ht.	25 - 40ft. w.	EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS.	1883	SQ. FT.	
ACE IMMEDIATELY ANY PLANTS RIOD SHALL BE REPLACED AS PER	PN 17	PINUS NIGRA / AUSTRIAN PINE	6` HT.	40 - 65ft. ht.	25 - 40ft. w.	1-1/2" DENVER GRANITE         TO BE ROCK NOTED ABOVE OR APPROVED         EQUAL. WEED BARRIER FABRIC IS TO BE         INSTALLED IN ALL LOCATIONS. INSTALLED PER         SUPPLIER'S SPECIFICATIONS.	1134	SQ. FT.	
G AND ROCK MULCH PLACEMENT.	PP 23	PINUS PONDEROSA / PONDEROSA PINE	6` HT.	> 65ft. ht.	25 - 40ft. w.	SUPPLIER'S SPECIFICATIONS.         NATIVE LOW GROW SEED MIX         PRE-BLENDED. EL PASO COUNTY ALL PURPOSE         LOW GROW MIX INSTALLED PER SUPPLIER'S         SPECIFICATIONS. TEMPORARILY IRRIGATED	548727	SQ. FT.	
RE OPERATIONAL AND	PT 15	PINUS STROBIFORMIS / SOUTHWESTERN WHITE PINE	6` HT.	40 - fft. ht.	25 - 40ft. w.	+ + + + + + + + + + + + + + + + + + +	31258	SQ. FT.	
	ORNAMENTAL TREES					+ + + + HRRIGATED 1-2 TIMES PER MONTH. MOWED TO 6" HEIGHT 3 TIMES PER YEAR.			_
R 1" IN DIAMETER FROM THE SITE. DING SHALL BE PERFORMED BY	AT 6	ACER TATARICUM / TATARIAN MAPLE	1.5" CAL.	15 - 25ft. ht.	15 - 25ft. w.	DETENTION SEED MIX PRE-BLENDED. EL PASO COUNTY CONSERVATION DISTRICT ALL PURPOSE MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS.	252111	SQ. FT.	
TOPSOIL MAY BE REQUIRED TO	MS 6	MALUS X 'SPRING SNOW' / SPRING SNOW CRABAPPLE	1.5" CAL.	15 - 25ft. ht.	15 - 25ft. w.	TEMPORARILY IRRIGATED UNTIL ESTABLISHED.         PLAY GROUND SURFACE         PLAYGROUND SURFACE TO BE DETERMINED.	2080	SQ. FT.	
EQUIRED EROSION CONTROL TO SEEDING (E.G., COMPACTED	PC 6	PRUNUS CERASIFERA 'NEWPORT' / NEWPORT FLOWERING PLUM	1.5" CAL.	25 - 40ft. ht.	15 - 25ft. w.	NOTES: 1. ALL PLANTINGS SHALL BE LESS THAN 3.5' AND MORE THAN 8' CANOPY WHE			-
NATION WITHIN SIX MONTHS OF ED FOR ALL SEED MATERIALS. NG (MARCH-MAY) TO MAXIMIZE 5 (I.E. FROZEN GROUND), THEN	• PA 6	PRUNUS MAACKII CANADA RED / CANADA RED CHOKECHERRY	1.5" CAL.	15 - 25ft. ht.	15 - 25ft. w.	EXIST. 2. PROPOSED SCHOOL TRACT (NOT PART OF THIS SUBMITTAL) SHALL MEET A SEPARATE PLAN TO BE SUBMITTED FOR SCHOOL TRACT BY OTHERS.			
EING DATE. G SHALL BE USED FOR EPTABLE. WHERE FEASIBLE,	SYMBOL CODE QTY	BOTANICAL / COMMON NAME	SIZE	MATURE HEIGHT	MATURE WIDTH	SEEDING SPECIFICATIONS			
ULKY SEED. SEED ROWS SHALL	(+)) AL 11	AMORPHA CANESCENS / LEADPLANT	#5	18 - 36in. ht.	1 - 3ft. w.	NATIVE SEEDING EL PASO COUNTY ALL PURPOSE LOW GROW MIX			
D PACKER WHEELS. SEEDING OR WHENEVER THERE IS A	DF 16	DASIPHORA FRUTICOSA / BUSH CINQUEFOIL	#5	18 - tft. ht.	1 - tft. w.	25% BUFFALOGRASS 20% GRAMA, BLUE			
MENT. BROADCAST SEEDED	(•) RA 10	RHUS AROMATICA 'GRO-LOW' / GRO-LOW FRAGRANT SUMAC	#5	3 - 6ft. ht.	3 - 6ft. w.	20% GRAMA, BLUE 29% GRAMA, SIDEOATS 5% GREEN NEEDLEGRASS			
IALL HAVE EROSION CONTROL		RIBES AUREUM / GOLDEN CURRANT		3 - 6ft. ht.	3 - 6ft. w.	20% WHEATGRASS, WESTERN 1% DROPSEED, SAND			
D BROADCAST.	Zumma <sup>rt</sup>		#5		0 - 011. W.	SEEDING RATE: 42 LBS PLS/ACRE			
RMINATION AND PLANT	EVERGREEN SHRUBS		#5	18 - 36in. ht.	1 - 3ft. w.	LOW MAINTAINED SEED MIX			
NG RATE OF 2,500 POUNDS/ACRE	AR 5 MR 8	ARTEMISIA CANA / SILVER SAGEBRUSH MAHONIA REPENS / CREEPING MAHONIA	#5	18 - 36in. ht. 6 - 18in. ht.	1 - 3ft. w. 1 - 3ft. w.	BUFFALOGRASS AND BLUE GRAMA GRASS MIX 50% BUFFALOGRASS 50% GRAMA, BLUE			
AN ORGANIC TACKIFIER SHALL BE NUFACTURER RECOMMENDED	GRASSES					SEEDING RATE: 3 LBS. PER 1,000 SF			
OADCAST OR HYDRAULIC-TYPE .CH TACKIFIER AT RATE	BB 23	BOUTELOUA GRACILIS 'BLONDE AMBITION' / BLONDE AMBITION BLUE GRAMA	#1	18 - 36in. ht.	1 - 3ft. w.	DETENTION SEEDING EL PASO COUNTY CONSERVATION DISTRICT ALL PURPOSE MIX			
ODS. HOWEVER, IF A WATER	PH 6	PANICUM VIRGATUM 'HEAVY METAL' / HEAVY METAL SWITCH GRASS	#1	3 - 6ft. ht.	1 - 3ft. w.	20%BLUESTEM, BIG10%GRAMA, BLUE			
DDS. HOWEVER, IF A WATER RECOMMENDED DURING THE ON THE SEEDED AREAS AND	SH 15	SPOROBOLUS HETEROLEPIS / PRAIRIE DROPSEED	#1	18 - ft. ht.	1 - 3ft. w.	10%GREEN NEEDLEGRASS20%WHEATGRASS, WESTERN10%GRAMA, SIDEOATS10%SWITCHGRASS			
EA. IF GUARANTEED 3 NATIVE GRASS 3 ROWS SHALL BE NOTICEABLE BY						10% PRAIRIE SANDREED 10% YELLOW INDIANGRASS			






DEVEL	OPMEN	AN C	ΑΤΑ


SEEDING RATE: 19.3 LBS PLS/ACRE


**D**·**R**·HORTON America's Builder


# **GRANDVIEW- PHASE 3- PUD PLAN** LANDSCAPE COVER

LAND USE REVIEW FILE NO: PUDSP-241









# GROUND COVER LEGEND



- <u>X X X X</u>

2-4" BLUE GREY RIVER ROCK TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS.

TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. NATIVE LOW GROW SEED MIX


PRE-BLENDED. EL PASO COUNTY ALL PURPOSE LOW GROW MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED.


LOW MAINTAINED SEED MIX → PRE-BLENDED. BUFFALO/BLUE GRAMA SEED MIX. INSTALLED PER SUPPLIER'S SPECIFICATIONS. RRIGATED 1-2 TIMES PER MONTH. MOWED TO 6" HEIGHT 3 TIMES PER YEAR.


CONSERVATION DISTRICT ALL PURPOSE MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED.

PLAY GROUND SURFACE PLAYGROUND SURFACE TO BE DETERMINED.


LAND USE REVIEW FILE NO: PUDSP-241







# **GRANDVIEW RESERVE PHASE 3**




**D**·R·HORTON America's Builder


GRANDVIEW- PHASE 3- PUD PLAN LANDSCAPE PLAN

L.05






A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO




TEMPORARILY IRRIGATED UNTIL ESTABLISHED.

PLAY GROUND SURFACE PLAYGROUND SURFACE TO BE DETERMINED.


 $\rightarrow \times \times \rightarrow$ 








LAND USE REVIEW FILE NO: PUDSP-241


SHEET L.06
































GRANDVIEW- PHASE 3- PUD PLAN LANDSCAPE PLAN


LAND USE REVIEW FILE NO: PUDSP-241


















A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO







EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. 1-1/2" DENVER GRANITE TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. NATIVE LOW GROW SEED MIX PRE-BLENDED. EL PASO COUNTY ALL PURPOSE LOW GROW MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED.

LOW MAINTAINED SEED MIX PRE-BLENDED. BUFFALO/BLUE GRAMA SEED MIX. INSTALLED PER SUPPLIER'S SPECIFICATIONS. IRRIGATED 1-2 TIMES PER MONTH. MOWED TO 6" HEIGHT 3 TIMES PER YEAR. DETENTION SEED MIX PRE-BLENDED. EL PASO COUNTY

+ +

+ + +

+ + +

 $\langle X X \rangle$  $( \times \times \times \times$  $( \times \times \times)$ 

+ + -

CONSERVATION DISTRICT ALL PURPOSE MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED. PLAY GROUND SURFACE


PLAYGROUND SURFACE TO BE DETERMINED.






GRANDVIEW- PHASE 3- PUD PLAN LANDSCAPE PLAN

LAND USE REVIEW FILE NO: PUDSP-241





# GROUND COVER LEGEND

1/500



 $\rightarrow$   $\times$   $\times$   $\times$  $- \times \times \times$ 

#### ✓ ENVIRO TURF SOD Ψ Ψ Ψ Ψ **IRRIGATED. HYBRID BLEND** OF FESCUE AND $\psi$ $\psi$ $\psi$ $\psi$ OTHER DROUGHT-TOLERANT GRASSES. INSTALLED PER SUPPLIER'S SPECIFICATIONS. 2-4" BLUE GREY RIVER ROCK TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS.

1-1/2" DENVER GRANITE TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. NATIVE LOW GROW SEED MIX PRE-BLENDED. EL PASO COUNTY ALL PURPOSE LOW GROW MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED

UNTIL ESTABLISHED. LOW MAINTAINED SEED MIX PRE-BLENDED. BUFFALO/BLUE GRAMA SEED MIX. INSTALLED PER SUPPLIER'S SPECIFICATIONS. IRRIGATED 1-2 TIMES PER MONTH. MOWED TO 6" HEIGHT 3 TIMES PER YEAR.


DETENTION SEED MIX PRE-BLENDED. EL PASO COUNTY CONSERVATION DISTRICT ALL PURPOSE MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS.


TEMPORARILY IRRIGATED UNTIL ESTABLISHED PLAY GROUND SURFACE PLAYGROUND SURFACE TO BE DETERMINED.

GRANDVIEW- PHASE 3- PUD PLAN


LAND USE REVIEW FILE NO: PUDSP-241








# **GRANDVIEW RESERVE PHASE 3**





 $\rightarrow$  X X  $\rightarrow$ 

### ✓ ENVIRO TURF SOD \* \* IRRIGATED. HYBRID BLEND OF FESCUE AND OTHER DROUGHT-TOLERANT GRASSES. INSTALLED PER SUPPLIER'S SPECIFICATIONS. IRRIGATED 1-2 TIMES PER WEEK. 2-4" BLUE GREY RIVER ROCK TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. 1-1/2" DENVER GRANITE

TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. NATIVE LOW GROW SEED MIX

PRE-BLENDED. EL PASO COUNTY ALL PURPOSI LOW GROW MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED.


LOW MAINTAINED SEED MIX PRE-BLENDED. BUFFALO/BLUE GRAMA SEED MIX. INSTALLED PER SUPPLIER'S SPECIFICATIONS. IRRIGATED 1-2 TIMES PER MONTH. MOWED TO 6" HEIGHT 3 TIMES PER YEAR. DETENTION SEED MIX


PRE-BLENDED. EL PASO COUNTY CONSERVATION DISTRICT ALL PURPOSE MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED


PLAY GROUND SURFACE PLAYGROUND SURFACE TO BE DETERMINED.


GRANDVIEW- PHASE 3- PUD PLAN

LAND USE REVIEW FILE NO: PUDSP-241









#### v v v v other drought-tolerant grasses. $\psi \quad \psi \quad \psi \quad \psi \quad \psi$ INSTALLED PER SUPPLIER'S SPECIFICATIONS. IRRIGATED 1-2 TIMES PER WEEK. 2-4" BLUE GREY RIVER ROCK TO BE ROCK NOTED ABOVE OR APPROVED EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. 1-1/2" DENVER GRANITE

EQUAL. WEED BARRIER FABRIC IS TO BE INSTALLED IN ALL LOCATIONS. INSTALLED PER SUPPLIER'S SPECIFICATIONS. NATIVE LOW GROW SEED MIX

PRE-BLENDED. EL PASO COUNTY ALL PURPOSE LOW GROW MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED.


LOW MAINTAINED SEED MIX + PRE-BLENDED. BUFFALO/BLUE GRAMA SEED MIX. INSTALLED PER SUPPLIER'S SPECIFICATIONS. IRRIGATED 1-2 TIMES PER MONTH. MOWED TO 6" HEIGHT 3 TIMES PER YEAR. DETENTION SEED MIX

PRE-BLENDED. EL PASO COUNTY CONSERVATION DISTRICT ALL PURPOSE MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED


PLAY GROUND SURFACE PLAYGROUND SURFACE TO BE DETERMINED.

GRANDVIEW- PHASE 3- PUD PLAN

LAND USE REVIEW FILE NO: PUDSP-241




A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO



HR GREEN - COLORADO SPRINGS 1975 RESEARCH PKWY SUITE 230 COLORADO SPRINGS CO 80920 PHONE: 719.300.4140 FAX: 713.965.0044

GRANDVIEW RESERVE - PHASE 3 D.R. HORTON EL PASO COUNTY, CO





NATIVE LOW GROW SEED MIX PRE-BLENDED. EL PASO COUNTY ALL PURPOSE LOW GROW MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED

LOW MAINTAINED SEED MIX

DETENTION SEED MIX PRE-BLENDED. EL PASO COUNTY

PRE-BLENDED. BUFFALO/BLUE GRAMA SEED MIX.

RRIGATED 1-2 TIMES PER MONTH. MOWED TO 6" HEIGHT 3 TIMES PER YEAR.

INSTALLED PER SUPPLIER'S SPECIFICATIONS.

CONSERVATION DISTRICT ALL PURPOSE MIX INSTALLED PER SUPPLIER'S SPECIFICATIONS. TEMPORARILY IRRIGATED UNTIL ESTABLISHED.

PLAY GROUND SURFACE PLAYGROUND SURFACE TO BE DETERMINED.

UNTIL ESTABLISHED.


+ +

+ + +

+ + +

 $\langle X X X \rangle$ 

+ + -




GRANDVIEW- PHASE 3- PUD PLAN LANDSCAPE PLAN


LAND USE REVIEW FILE NO: PUDSP-241

SHEET	
L.18	






A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO



# DECIDUOUS TREE PLANTING DETAIL (SLOPE CONDITION) SCALE: NTS

- NOTES: PRUNE ONLY DEAD OR BROKEN BRANCHES AND WEAK OR NARROW CROTCHES. KEEP PLANTS MOIST AND SHADED UNTIL PLANTING.
- 3. DO NOT FERTILIZE FOR AT LEAST ONE GROWING SEASON. 4. AMENDED BACKFILL SHALL BE  $\frac{1}{3}$  COMPOST (PREFERABLY CLASSIFIED) AND  $\frac{2}{3}$  NATIVE
- AND/OR IMPORTED TOPSOIL.
- 5. ALL SHRUBS IN ROCK AREAS TO RECIEVE SHREDDED MULCH RINGS. 6. DEEP WATER ALL PLANTS AT TIME OF PLANTING.



SET SHRUBS VERTICAL. SHRUBS SPACING AS PER PLANS. LAYOUT VARIES. FINISHED GRADE OF SHRUB BED TO BE 2" BELOW ADJACENT GINISHED GRADE AT EDGE TO HOLD MULCH.

3-4" DEPTH OF SPECIFIED MULCH. PROVIDE A 6" PLANTING RIM FOR SHRUBS NOT IN PLANTING BED. PROVIDE SAUCER ON DOWNHILL SIDE ON SLOPES. NO PLANTING RIM FOR SHRUBS IN PLANTING BED. KEEP MULCH AWAY FOM CONTACT WITH WOODY TRUNK.

PROPOSED GRADE SCARIFY SIDE OF PLANTING PIT. BACKFILL WITH AMENDED SOIL MIX. ROOTBALL SHALL REST ON FIRM, UNDISTURBED SOIL.


REMOVE ALL PACKAGING MATERIAL. FOR POT BOUND PLANTS ONLY: MAKE 4-5 VERTICAL CUTS IN ROOTBALL 1" DEEP. PLANT IMMEDIATELY.

FOR ROOT BIND AT BOTTOM OF BALL: SPLIT ROOTBALL VERTICALLY FROM BOTTOM HALFWAY TO TOP. SPREAD THE TWO HALVES OVER A MOUND OF SOIL IN THE PLANTING HOLE.

TYP. SHRUB PLANTING DETAIL SCALE: NTS

HR GREEN - COLORADO SPRINGS 1975 RESEARCH PKWY SUITE 230 COLORADO SPRINGS CO 80920 PHONE: 719.300.4140 HRGreen FAX: 713.965.0044





# TYP. SHRUB PLANTING DETAIL (SLOPE CONDITION)


SCALE: NTS


LAND USE REVIEW FILE NO: PUDSP-241




**GRANDVIEW- PHASE 3- PUD PLAN** LANDSCAPE DETAILS

SHEET L.19






A TRACT OF LAND BEING A PORTION SECTIONS 21,22,27, & 28, TOWNSHIP 12 SOUTH, RANGE 64 WEST OF THE 6TH/ PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO




\*APPLIES TO SINGLE TRUNK DECIDUOUS TREES GREATER THAN 3" CAL. & EVERGREEN TREES GREATER THAN 8' HT.






TYP. CRUSHED GRAVEL TRAIL SCALE: NTS



HR GREEN - COLORADO SPRINGS  $\square \square \square$ 1975 RESEARCH PKWY SUITE 230 COLORADO SPRINGS CO 80920 PHONE: 719.300.4140 HRGreen FAX: 713.965.0044

**GRANDVIEW RESERVE - PHASE 3** D.R. HORTON EL PASO COUNTY, CO





LAND USE REVIEW FILE NO: PUDSP-241



**GRANDVIEW- PHASE 3- PUD PLAN** LANDSCAPE DETAILS

SHEET L.20