

COMMISSIONERS: CAMI BREMER (CHAIR) CARRIE GEITNER (VICE-CHAIR) HOLLY WILLIAMS STAN VANDERWERF LONGINOS GONZALEZ, JR.

PLANNING & COMMUNITY DEVELOPMENT

COLORADO

TO: El Paso County Board of Adjustment

FROM: Ryan Howser, AICP, Planner III

Carlos Hernandez Martinez, El Paso County Engineer I

Meggan Herington, AICP, Executive Director

RE: Project File #: BOA-22-007

Project Name: Hill Subdivision

Parcel No.: 51290-09-002

OWNER:	REPRESENTATIVE:
Douglas Hill	M.V.E., Inc.
13985 Silverton Road	1903 Lelaray Street, Suite 200
Colorado Springs, CO, 80921	Colorado Springs, CO, 80909

Commissioner District: 1

Board of Adjustment Hearing Date:	4/26/2023
-----------------------------------	-----------

EXECUTIVE SUMMARY

A request by M.V.E., Inc. for approval of a dimensional variance to allow a 1.78-acre parcel where 5 acres is required in the RR-5 (Residential Rural) zone district. The property is currently platted as a tract which is not eligible for building permits. The size and geometry of the property is the result of a property acquisition by El Paso County for the future realignment of Black Forest Road. The property is zoned RR-5 (Residential Rural) and is located on the east side of the existing Black Forest Road, approximately one-quarter (1/4) mile south of Hodgen Road. If the request for a dimensional variance is approved, the applicant intends to replat the property as a Lot, which may be eligible for building permits.

ANT. INDIV

A. APPROVAL CRITERIA

Section 5.5.2.B.2.a, Variance to Physical Requirements, of the El Paso County Land Development Code (2022), states the following:

The Board of Adjustment is authorized to grant variances from the strict application of any physical requirement of this Code which would result in peculiar and exceptional practical difficulties to, or exceptional and undue hardship upon, the owner of the property. Practical difficulties and hardship, in this context, may exist where the legal use of the property is severely restricted due to:

1) The exceptional narrowness, shallowness, or shape of the specific piece of property.

The subject property does have exceptional narrowness, shallowness, size, and shape. The property is 1.78 acres in size and does not conform to the minimum lot size requirements of the RR-5 zoning district. The triangular shape of the property is a unique circumstance created by the acquisition of land for a future realignment of Black Forest Road.

2) The exceptional topographic conditions or other extraordinary or exceptional situation or condition of the piece of property.

The property is not encumbered by exceptional topographic or geographic conditions.

However, Section 5.5.2.B.2.a, Variance to Physical Requirements, of the <u>Code</u> continues by stating the following:

The Board of Adjustment may also grant variances from the strict application of any physical requirement of this Code based upon equitable consideration, finding that the burdens of strict compliance with the zoning requirement(s) significantly exceed the benefits of such compliance for the specific piece of property and;

• The variance provides only reasonably brief, temporary relief; or

If approved, the variance would provide for permanent relief.

2880 INTERNATIONAL CIRCLE OFFICE: (719) 520 – 6300



• The variance request includes an alternative plan, standards or conditions that substantially and satisfactorily mitigate the anticipated impacts or serve as a reasonably equivalent substitute for current zoning requirements; or

An alternative plan, standard, or condition was not submitted by the applicant with this application.

 Some other unique or equitable consideration compels that strict compliance not be required.

The size of the property is due to a land acquisition by El Paso County for a future public right-of-way realignment during the platting of the parent parcel. Due to the unique shape and size of the property having been created by the direct result of the acquisition of land for the County right-of-way, development of the subject property may be considered an exceptional practical difficulty.

B. LOCATION

North:	RR-5 (Residential Rural)	Single-family residential
South:	RR-5 (Residential Rural)	Single-family residential
East:	RR-5 (Residential Rural)	Single-family residential
West:	PUD (Planned Unit Development)	Single-family residential



Figure B.1: Zoning Map



C. BACKGROUND

On March 9, 2006, the subject property was created by minor subdivision (PCD File No. MS-05-004). A condition of the subdivision included the dedication of land to El Paso County for a potential future road realignment of Black Forest Road. The acquisition of land for right-of-way purposes split the parent parcel, creating a 1.78-acre piece of property on the west side of the proposed realigned right-of-way and a 14.69-acre piece of property on the east side of the proposed realigned right-of-way. The subject property on the west side of the right-of-way was platted as a tract due to it not meeting the minimum lot size at the time, and the property on the east side of the proposed realigned right-of-way was platted as Lot 1, C and H Estates (Plat No. 12276). Please see below for a depiction of the property as it currently exists with the realigned right-of-way for Black Forest Road.

The applicant requests a dimensional variance for lot size to replat the tract as a lot which may be eligible for building permits. If approved, the applicant will be required to submit an application for subdivision prior to obtaining any building permits on the property.



Figure C.1: Road Realignment Exhibit

ST. 180

D. ZONING ANALYSIS

The subject parcel is zoned RR-5 (Rural Residential). The RR-5 zoning district is intended to accommodate low-density, rural, single family residential development. The density and dimensional standards for the RR-5 zoning district are as follows:

- Minimum lot size: 5 acres *
- Minimum width at the front setback line: 200 feet
- Minimum setback requirement: front 25 feet, rear 25 feet, side 25 feet *
- Maximum lot coverage: 25%
- Maximum height: 30 feet
 - * In the event that the land to be partitioned, platted, sold or zoned abuts a section line County road, the minimum lot area for lots abutting the road shall be 4.75 acres and minimum lot width shall be 165 ft.
 - *Agricultural stands shall be setback a minimum of 35 feet from all property lines.

The property is currently vacant and is not eligible for building permits, as it is currently platted as a tract. If the request for dimensional variance is approved, the applicant will need to demonstrate compliance with the remaining dimensional standards for the RR-5 zoning district.

E. ALTERNATIVES EXPLORED

There are two (2) alternatives that would not require a dimensional variance request:

- **1.** The applicant could retain the property as a tract; this would not allow the property to be considered as a buildable lot.
- **2.** The applicant could obtain additional property from the property owner to the north of the subject property to meet the minimum five (5) acres required in the RR-5 zoning district.

F. APPLICABLE RESOLUTIONS

See attached resolution.

G. SERVICE

1. WATER

Water would be provided by a well. If the applicant proposed to re-designate this property as a lot, a finding of water sufficiency with regards to quality, quantity, and dependability will be required at the time of subdivision.

2880 INTERNATIONAL CIRCLE OFFICE: (719) 520 – 6300



2. WASTEWATER

Wastewater would be provided by an on-site wastewater treatment system (OWTS). The Land Development Code requires 2.5 acres for permitting of an OWTS. The applicant will be required to obtain approval from El Paso County Public Health for approval of an OWTS on a lot less than 2.5 acres.

3. EMERGENCY SERVICES

The parcel is located within the Black Forest Fire Protection District. The District was sent a referral and provided the following comments:

"Black Forest Fire Rescue, at this time the only comment is related to adequate fire dept. access to the property in question. It must meet current LDC as no firefighting water cistern will be required with less than 5 homes."

H. ENGINEERING

1. FLOODPLAIN

The parcel is not located within a flood zone designated by FEMA.

2. DRAINAGE AND EROSION

The parcel is within the East Cherry Creek Drainage Basin. The East Cherry Creek drainage basin currently does not have a drainage basin planning study, and there are no drainage or bridge fees associated with the basin. Additionally, drainage basin fees are not assessed for non-platting applications such as this in accordance with approved resolutions and the El Paso County Engineering Criteria Manual (ECM) Appendix L.

The applicant has stated in their Letter of Intent that the proposed request will not adversely impact adjacent properties nor existing stormwater runoff patterns due to the size of the proposed residence compared to the lot.

However, a drainage report per the El Paso County Engineering Criteria Manual (ECM) and Drainage Criteria Manual (DCM) will be required in the subsequent vacation replat application. Any additional engineering documents if applicable will be requested in the vacation replat phase.



3. TRANSPORTATION

The parcel is adjacent to the existing Black Forest Road, which is a county-maintained roadway. Black Forest Road is classified as an urban minor arterial.

The granting of the proposed variance will generate approximately 10 trips per day to the parcel. A traffic impact study was not required with this variance request because the number of trips is below the county's threshold of 100 trips to require a traffic impact study per ECM Appendix B.1.2.D.

The development will be subject to Road Impact Fees per Resolution 19-471 as the proposed variance will allow for the building of a residence which generates additional trips as discussed above. Road Impact Fees will be assessed at the time of building permit.

The applicant will be required to apply for a driveway access permit prior to obtaining a building permit. The location of the driveway will be analyzed at a future stage in the planning process.

The county will require the applicant to obtain access from a lower classified roadway if possible. If no other roadway is available to be used per ECM Chapter 2.2, lot access may be permitted as long as ECM standards are met. The subdivision currently has a private road named Alpaca Heights that is used to access the lot east of the parcel. Due to the parcel's location, it does not appear Alpaca Heights would be able to be used. Furthermore, at the time of Black Forest Road's realignment, Alpaca Heights will be closed and access will be off Black Forest Road as it exists today.

I. RECOMMENDED CONDITIONS OF APPROVAL

Should the Board of Adjustment determine that the application is consistent with the criteria for approval of a dimensional variance for a lot size of 1.78 acres where 5 acres is required, and that the applicant has met the review and approval criteria for granting variances from the applicable standards, staff recommends the following condition and notations of approval:

CONDITION

1. The approval applies only to the plans as submitted. Any expansion or additions beyond those depicted on the associated site plan may require separate Board of Adjustment application(s) and approval(s) if the development requirements of the applicable zoning district cannot be met.

2880 INTERNATIONAL CIRCLE OFFICE: (719) 520 – 6300



NOTATIONS

- 1. Physical variances approved for a proposed structure or use (except for lot area variances) are valid only if construction of the structure is initiated within twelve (12) months of the date of the Board of Adjustment approval or if the use of the property in the approved location does not cease for a continuous period of greater than twelve (12) months.
- **2.** The PCD Director may require a survey, certified by a registered surveyor, licensed in the State of Colorado, depicting the improvement in relationship to the lot lines affected to demonstrate compliance with the approval of the dimensional variance.

J. PUBLIC COMMENT AND NOTICE

The Planning and Community Development Department notified eleven (11) adjoining property owners on 4/5/2023, for the Board of Adjustment meeting. Responses will be provided at the hearing.

K. ATTACHMENTS

Letter of Intent Vicinity Map Site Plan





February 13, 2023 PCD File No.: BOA227

LETTER OF INTENT TRACT A, C and H ESTATES BOARD OF ADJUSTMENT REQUEST

Owners:

Owner/Applicant:

Douglas Hill and Katherine Hill 13985 Silverton Road Colorado Springs, CO 80921 (719) 231-2718 doug8397@msn.com

Applicant:

M.V.E., Inc. 1903 Lelaray Street, Suite 200 Colorado Springs, CO 80909 (719) 635-5736 Attn: David Gorman daveg@mvecivil.com

Site Location Size and Zoning:

The site of this Board of Adjustments request is a 1.783± acre triangular shaped platted parcel known as Tract A, C and H Estates recorded under Reception No. 206712276 in the records of El Paso County, Colorado. The tract is located in the North ½ of the Southwest ¼ of the Northwest ¼ of Section 29, Township 11 South, Range 65 west of the 6th principal meridian in El Paso County, Colorado. The site is located on the east side of existing Black Forest Road, north of Shoup Road and south of Hodgen Road. The property has El Paso County Tax Schedule No. 51290-09-002 and is owned by Douglas E. Hill and Katherine L. Hill together with Lot 1, C and H Estates. The current address of the site listed "Black Forest Road" with no assigned address number. The triangular shaped tract is currently vacant range land containing natural grass and a few sparse trees. There is 30' wide Ingress, Egress & Public Utility Easement located along the northerly property boundary. The site is zoned RR-5 (Rural Residential – 5 acres) and is not located in an overlay zone.

The site is situated on the east side of existing Black Forest Road approximately one-quarter mile south of Hodgen Road in the Black Forest area of El Paso County, but the site is not located in forested terrain. Existing Black Forest Road, a paved public roadway, is adjacent to the western edge of the site. An unplatted parcel, zoned RR-5 and containing one single family residence, borders the site on the north side. Another unplatted parcel, zoned PUD with no existing structures, is located on the west side of existing Black Forest Road opposite the site. A vacant 100' wide right-of-way which is intended for the future realignment of Black Forest Road, is located along the east side of the site. Lot 1, C and H Estates (zoned RR-5) lies on the east side of the 100' wide vacant public right-of-way and contains a single family residence, barn, windmill and garage buildings. Said Lot 1 is owned by the same property owner

Letter of Intent – Tract A, C and H Estates - Board of Adjustment Request February 13, 2023 Page 2

as the subject Tract A. Lot 3, C and H Estates (Zoned RR-5), containing a single family residence, is located southeast of the site and just south of Lot 1.

The C and H Estates subdivision plat was recorded March 24, 2006 and established three (3) single family residential lots and one (1) tract. The plat provided for dedication of 30' of right-of-way for existing Black Forest Road adjacent to the west side of Tract A. The plat also established the 100' wide right-of-way for future realignment of Black Forest Road as required by El Paso County Development Services Department at the time of the original platting because the realignment was shown on the Major Transportation Corridors Plan (MTCP) in effect at the time in order to eliminate the existing jog in the road. The MTCP has been updated twice since the initial platting and the Black Forest Road realignment project is still included in the current 2016 MTCP. The dedicated road right-of-way is not utilized at this time.

Request:

The property owners would like to vacate and replat the existing $1.783\pm$ acre parcel into one single family residential lot and make it available for construction of a new residence on the site. Section 5.4.2, Table 5-4 of the El Paso County Land Development Code requires that Minimum Lot Size in the RR-5 zone be 5.0 acres or more in area. However, Section 5.5.2(B)(2)(a) of the Land Development Code also provides that "The Board of Adjustment is authorized to grant variances from the strict application of any physical requirement of this Code which would result in peculiar and exceptional practical difficulties to, or exceptional and undue hardship upon, the owner of the property." The request is for approval of an El Paso County Board of Adjustment dimensional variance to allow the existing tract to be replatted into a $1.783\pm$ acre lot in the RR-5 zone. The granting of the request, together with a subsequent vacation and replat application, would result in a legally platted lot for which a residential building permit may be obtained.

Justification:

The hardship on the property was created by the requirement imposed by El Paso County Development Services Department (2006 terminology) and the MTCP for dedication of a 100' wide curvilinear right-of-way swath that separated the 1.783± acre tract from the remainder of the property, preventing use of the property for single family residential use in the RR-5 zone. The owner of the property was not compensated for the right-of-way and the loss of use of the remainder tract, except that the platting of the remaining property was allowed by the department. In the absence of a subdivision plat, the property owner would have been compensated for the property handed over as right-of-way for a road realignment or expansion. Compensation aside, the land dedication significantly reduced the size of the property on the east side of Black Forest Road, reducing the number of potential 5.0 acre lots that would be allowed in the RR-5 zone. It also cut off the 1.783± acre tract from the main portion of the property, preventing the use of the property for single-family residential purposes and preventing efficient use of the remaining 14.692± acres of Lot 1 for any more than two potential single family residential units.

The dedication for the Black Forest Road right-of-way and the separation of Tract A from the property of Lot 1 presents a hardship on the owners. The wide separation, which is later to become an arterial roadway, deprives the owners of the enjoyment and beneficial use of the property that would have been attained if the area of Tract A was contiguous with Lot 1. The allowance of the proposed zone change will restore the potential beneficial use of the property by allowing a single-family residence to be placed on the site.

Letter of Intent – Tract A, C and H Estates - Board of Adjustment Request February 13, 2023
Page 3

Development of existing Tract A as a single family residential lot is certainly possible while still observing all the remaining dimensional criteria contained in the Land Development Code including Width at Front Setback Line, Front, Rear and Side Building Setbacks, Maximum Lot Coverage and Maximum Building Height. The boundary dimension of the site are 333' on the north, 558' on the west and 659' along the southeast line. Furthermore, if Black Forest Road is ever realigned, it is highly likely that the land dedicated on the 2006 plat for existing Black Forest Road would be returned to the tract, adding $0.384\pm$ acre to the property for a total of $2.167\pm$ acres. Subtracting the setback and easement area from the total property area, leaves $0.99\pm$ acres available to place a residence. Discounting the unusable areas at the south and northeast triangle points, the remaining usable area is still $0.90\pm$ acres, which is more than adequate for a single family residence. The area of the property will allow maximum lot coverage of 19,400 square feet, more than enough to place a single family residence on the site.

The District Court, Water Division 1 Colorado, has decreed certain water rights and approved a plan for augmentation as necessary to allow drilling of a new well on the property to provide an adequate water supply for the site in accordance with the decree having Case No. 21CW3203 recorded under reception number 222096473 of the records of El Paso County. The owner will seek a finding of sufficiency from the Colorado Division of Water Resources El Paso County Board of County Commissioners based on the decreed water rights with the Vacation and Replat application. An Onsite Wastewater Treatment System (OWTS) report has been prepared which demonstrates that the site can support a septic system for wastewater treatment. Furthermore, the project consultant has contacted the El Paso County Health Department and verified that an OWTS would be allowed on the smaller lot subject to the actual soil conditions as determined by investigation and analysis such as that contained within the OWTS report.

Because the site is considerably large compared to the area of the potential residential improvements, the granting the requested variance will not adversely impact adjacent properties with regard to drainage nor will the development of the lot impact existing drainage patterns.

The proposed lot will be not impact traffic patterns as it will contain one (1) single family residential unit. The development for one residence is expected to generate a total of 9 trips per day (9.44 trips per unit for Average weekday trips ends), 1 trips in the peak AM Hour (0.75 trips/unit for AM), and 1 trips in the peak PM hour (1.00 trips/unit for PM) in accordance with Trip Generation, 10th Edition, 2017 by the Institute of Transportation Engineers. This number of trips is below the County threshold of 100 trips per day or 10 trip during the peak hour and the project does not significantly alter existing traffic or safety conditions. Even when considered together with the lots to be created with the Vacation and Replat of Lot 1, C and H Estates (a total of 3 new residential lots), the project will have minimal impact regarding traffic conditions. For all proposed lots, there will be one existing and three proposed single family residential units with access to Black Forest Road. The development is expected to generate a total of 38 trips per day based on 9.44 trips per unit for Single Family Detached Housing (Average weekday trips ends), 3 trips in the peak AM Hour (0.75 trips/unit for peak AM traffic), and 4 trips in the peak PM hour (1.00 trips/unit for peak PM traffic) according to Trip Generation, 10th Edition, 2017 by the Institute of Transportation Engineers. This number of trips is below the County threshold of 100 trips per day or 10 trip during the peak hour. Therefore, a Transportation Impact Study (TIS) is not required for the project. This development is subject to fees established by the El Paso County Road Impact Fee Program per El Paso County Resolution Number 19-471. The owners have elected to not be included in any Public Improvements District. Traffic Impact Fees will be paid at time of building permit.

Although the resulting lot size will be smaller than allowed in the RR-5 zone, the Board of Adjustment request will still provide compatibility with the existing and future surrounding land uses. For the time being, the lot would remain on the east side of existing Black Forest Road, but be separated by the unused alignment right-of-way which will provide adequate open distance between Tract A and the residential

Letter of Intent – Tract A, C and H Estates - Board of Adjustment Request February 13, 2023
Page 4

lots to the east. In the case when Black Forest Road is realigned, Tract A will be separated from the existing lots on the east by the new roadway. Since the property to the west of Tract A is zoned PUD, nearby development densities could be higher than in the RR-5 zone. The proposed lot will be compatible with developed and undeveloped properties in the neighborhood. The residential classification will remain rural residential with an lot area just less than 2.0 acres. The resulting density of the single lot would be 1 unit per 1.783 acres or 0.56 units per acre. Upon relocation of existing Black Forest Road, the western right-of-way could potentially be vacated and a portion added back to the Track A property, increasing the area to over 2.1 acres and decreasing the density value. The Black Forest Road realignment will eventually create a buffer/barrier between the site and the larger lot developments to the east and south. The recently approved Flying Horse North Sketch Plan is located on the west side of existing Black Forest Road. The sketch plan authorizes Commercial use with potential fire station at the nearby southwest corner of Black Forest Road and Hodgen Road. Low Density housing with density of 1.9 dwelling units per acre (0.53 acres per unit) is planned to the west of a Landscape Buffer/Open Space area in Flying Horse North. The 1.783 lot size will function as a transition between the 5 acre zoning on the east and the higher density development on the west.

This application was examined in light of the current El Paso County Master Plan. "Your El Paso Master Plan" (2021) is a comprehensive document communicating a vision for many factors that influence the quality of El Paso County, including Land Use. The Master Plan provides a strategy to achieve the vision by putting forth goals and policies that can be used as a framework for decision-making regarding development of the County. This masterplan also replaces any previous Small Area Plans.


The site is not located in any of the designated Key Areas of the county. However, the site is located on the east side of existing Black Forest Road, adjacent to the Potential Area for Annexation shown southwest of Hodgen and Black Forest Roads. This particular adjacent area also recently received Sketch Plan approval for Flying Horse North located east of Black Forest Road, north of Shoup Road, and south of Hodgen Road. The sketch plan provides for a mix of residential densities west of Black Forest Road, including 5 Acre Estate Lots (0.225 Dwelling Units per Acre), 2.5 Acre Estate Lots (0.32 Dwelling Units per Acre), Low Density Residential Lots (1.9 Dwelling Units per Acre) and Medium Density Residential Lots (3.0 Dwelling Units per Acre) with Commercial use at the southwest corner of Hodgen and Black Forest Roads. As mentioned above, the proposed density for the rezone property is 0.56 Dwelling Units per Acre or 1.9 acres per dwelling unit. The site is designated to be a Large-Lot Residential Placetype. The Primary Land Use of this place-type is Single Family Detached housing with Agriculture, Commercial Retail, Commercial Service and Parks and Open Space as Supporting Land Uses. The location of this site and existing infrastructure is suited to single family residential use. However, Commercial Service could also be appropriate given the amenable terrain and location on both existing and future alignments of Black Forest Road, not too far removed from the commercial area designated at the southwest corner of Hodgen Road and Black Forest Road. In the Land Use category, Goal 1.1 is "Ensure compatibility with established character and infrastructure capacity". This area of the County is conducive to rural residential development that allows residential use of property but preserves the natural character of the landscape. The proposed use is still large lot residential with nearly 2 acres in area for the proposed single family lot. The proposed zone change is compatible to the existing neighborhood and surrounding development even though it would be slightly smaller lot size than 2.5 acres. The proposed density will not overburden the existing roadway infrastructure or capacity of the land to support the water and wastewater needs of the development. The proposed zone change will not create the need for additional roadways or public facilities.

Letter of Intent – Tract A, C and H Estates - Board of Adjustment Request February 13, 2023
Page 5

Goal 1.3 is "Encourage a range of development types to support a variety of land uses.". The proposed zone change and single family residential use will keep the upper grassland nature of the area mostly intact. However, the zone change will allow the beneficial use separated tract that resulted from the ROW realignment. The tract is still large enough to support the rural residential use. Density and land use are compatible with the existing and future surrounding area and the natural features of the site will remain preserved with the 1.9 acres lot size.


The granting of the request will enable the site to be utilized for single family residential, thereby mitigating the hardship placed on the property by the previous public street right-of-way dedication. Granting the request will maintain compatibility with the surrounding properties in the current time frame and in future surrounding development scenarios.

Z:\61174\Documents\Letter of Intent\61174-Hill BOA-Letter Of Intent.odt



HILL SUBDIVISION BOARD OF ADJUSTMENT EXHIBIT

FOR TRACT A, C AND H ESTATES



UNPLATTED

TAX ID: 5130000004

PRI #2 LLC & C/O ELITE PROPERTIES OF

AMERICA

BLACK FOREST ROAD

ZONE: PUD

USE: VACANT

SITE DATA

ZONING

DOUGLAS E. HILL KATHERINE L. HILL 13985 SILVERTON RD

CURRENT ZONING: RR-5 MAX LOT COVERAGE

COLORADO SPRINGS CO, 80921 25%

CONSULTANT

SETBACKS DAVID GORMAN, P.E. 1903 LELARAY STREET COLORADO SPRINGS CO 80909 Ph (719) 635-5736 Fax (719) 635-5450 DAVEG@MVECIVIL.COM

- 25" SETBACK - 25' SETBACK MAX BUILDING HEIGHT

TAX SCHEDULE NO.

5129 09 002

CURRENT ADDRESSES

BLACK FOREST ROAD

LAND USE

CURRENT: OPEN-VACANT PROPOSED: SINGLE FAMILY RESIDENTIAL

ACREAGE

MINIMUM LOT SIZE REQUIREMENT PER RR-5 ZONE = 5.0 ACRES

REQUESTED LOT SIZE = 1.783 ± ACRES

LEGAL DESCRIPTION


TRACT A, C AND H ESTATES, EL PASO COUNTY, COLORADO AS RECORDED UNDER RECEPTION NO. 206712276 IN THE RECORDS OF EL PASO COUNTY, COLORADO.

FLOODPLAIN STATEMENT

THIS PROPERTY IS LOCATED WITHIN FEMA DESIGNATED ZONE "X" (AREA OF MINIMAL FLOOD HAZARD) AS INDICATED ON THE FLOOD INSURANCE RATE MAP (FIRM) FOR EL PASO COUNTY, COLORADO AND INCORPORATED AREAS - MAP NUMBER 08041C0305G EFFECTIVE DECEMBER 7, 2018.

BOA REQUEST


THE REQUEST IS FOR APPROVAL OF AN EL PASO COUNTY BOARD OF ADJUSTMENT DIMENSIONAL VARIANCE TO ALLOW THE DEVELOPMENT OF A SINGLE FAMILY RESIDENTIAL HOME ON THE 1.783 ACRE PARCEL LOCATED IN THE RR-5 ZONE WHERE 5.0 ACRES IS THE REQUIRED MINIMUM LOT SIZE.



BENCHMARK



1" = 40' 1:960



REVISIONS

DESIGNED BY DRAWN BY CHECKED BY AS-BUILTS BY CHECKED BY

HILL SUBDIVISION BOARD OF ADJUSTMENT

EXHIBIT

MVE PROJECT 61174
MVE DRAWING-BOA-EXH

FEBRUARY 13, 2023 SHEET 1 OF 1