



LSC TRANSPORTATION CONSULTANTS, INC.  
2504 East Pikes Peak Avenue, Suite 304  
Colorado Springs, CO 80909  
(719) 633-2868  
FAX (719) 633-5430  
E-mail: [lsc@lsctrans.com](mailto:lsc@lsctrans.com)  
Website: <http://www.lsctrans.com>

ACCEPTED for FILE  
Engineering Review

05/17/2022 1:18:50 PM  
*dsdnijkamp*

EPC Planning & Community  
Development Department

## Falcon Marketplace Updated Traffic Technical Memorandum (LSC #S215050) May 13, 2022

### Traffic Engineer's Statement

This traffic report and supporting information were prepared under my responsible charge and they comport with the standard of care. So far as is consistent with the standard of care, said report was prepared in general conformance with the criteria established by the County for traffic reports.



### Developer's Statement

I, the Developer, have read and will comply with all commitments made on my behalf within this report.

EVERGREEN-MERIDIAN & WOODMEN, L.L.C.,  
an Arizona limited liability company

By: Evergreen Development Company-2020, L.L.C.,  
an Arizona limited liability company

Its: Manager

By: Evergreen Devco, Inc., a California corporation  
Its: Manager

DocuSigned by:

*Dana Dragon*  
5523DF16479F4D4...

By: \_\_\_\_\_

Its: \_\_\_\_\_ Principal

Date: 5/17/2022



**LSC TRANSPORTATION CONSULTANTS, INC.**  
2504 East Pikes Peak Avenue, Suite 304  
Colorado Springs, CO 80909  
(719) 633-2868  
FAX (719) 633-5430  
E-mail: [lsc@lsctrans.com](mailto:lsc@lsctrans.com)  
Website: <http://www.lsctrans.com>

May 13, 2022

Karen Levitt Ortiz  
Development Manager  
2390 East Camelback Road, Suite 410  
Phoenix, Arizona 85016

RE: Falcon Marketplace  
El Paso County, CO  
Updated Traffic Technical Memorandum  
LSC #215050

Dear Ms. Levitt Ortiz,

LSC Transportation Consultants, Inc. has prepared this updated Traffic Technical Memorandum for the traffic-signal timing of the Meridian Road/Eastonville Road traffic signal in the Falcon area of El Paso County. Consor assisted LSC by preparing this final signal timing plan. Also included is proposed signal timing for several other signals in the Meridian Road "arterial corridor" located "upstream" and "downstream" of this Eastonville intersection. Consor will also assist with the field implementation and adjustments.

This memo is associated with the Falcon Marketplace project and this new traffic signal at the Meridian/Eastonville intersection. Falcon Marketplace is located northwest of the intersection of Woodmen Road and Meridian Road in El Paso County. LSC prepared a full traffic impact study for this development dated September 5, 2018.

The purpose of this memorandum is to present data, volume projections, analysis, and recommendations for operation of the signalized intersections on Meridian Road between US Highway 24 (US Hwy 24) and Woodmen Hills Drive, including the additional traffic signal at the intersection of Meridian/Eastonville Road, as shown in Figure 1.

#### **RECENT AREA TRAFFIC STUDIES**

LSC prepared a full traffic impact study for the Falcon Marketplace dated September 5, 2018. Table 1 includes a list of other recent traffic studies conducted by LSC in the vicinity of the subject Meridian Road arterial corridor.

## ROADWAY AND TRAFFIC CONDITIONS

### Area Roadways

The roadways in the study area are shown in Figure 1 and are described below.

**Meridian Road** is shown on the El Paso County 2040 *Major Transportation Corridors Plan (MTCP)* and the *Preserved Corridor Network Plan* as a four-lane Principal Arterial. Meridian Road has two through lanes in each direction plus a center median. Current posted speed limits in the corridor are 35 miles per hour (mph) between US Hwy 24 and Meridian Road and 55 miles per hour north of Eastonville Road. It was assumed that the section between Woodmen Road and Bent Grass Meadows Drive will be posted at 45 mph (regardless, this has been used for purposes of the progression speed). Meridian Road was recently extended across US Hwy 24 to Falcon Highway.

**US Highway (Hwy) 24** is generally a two-lane State Highway extending east/west across Colorado connecting the Buena Vista, Colorado Springs, and Limon areas. US Hwy 24 is planned to be widened to four lanes through the Falcon area. US Hwy 24 is classified as an Expressway by the Colorado Department of Transportation (CDOT) and on the El Paso County *Major Transportation Corridors Plan (MTCP)*. The posted speed limit on US Hwy 24 in the vicinity of Meridian Road is 50 mph.

**Woodmen Road** is shown on the El Paso County 2040 *Major Transportation Corridors Plan* and the *Preserved Corridor Network Plan* as a four-lane Expressway adjacent to and in the vicinity of the site. The posted speed limit on **eastbound and westbound** Woodmen Road through and east of the Meridian Road intersection is 45 mph. Note: The posted speed limit on Woodmen Road a short distance west of Meridian Road is 55 mph.

**Eastonville Road** is a two-lane roadway extending northeast from Meridian Road to past Hodgen Road. It is shown as a two-lane Minor Arterial on the *MTCP*. The traffic-signal equipment has recently been installed at the intersection of Meridian Road and Eastonville Road, but the traffic-signal control is not yet in operation. Two-way, stop-sign control is still in effect. The posted speed limit is **35 mph** east of Meridian Road.

**Bent Grass Meadows Drive** is a Non-Residential Collector that extends north from the Woodmen North frontage road for about 2,000 feet and then curves east and extends to Meridian Road. The intersection of Meridian/Bent Grass Meadows was recently converted to traffic-signal control. The posted speed limit is **35 mph**.

**Woodmen Hills Drive** is a Collector roadway that extends from about one mile west of Meridian Road to just east of Eastonville Road. Woodmen Hills Drive is a two-lane road with a posted speed limit of **30 mph**. The Woodmen Hills/Meridian intersection is signalized.

## Existing Traffic Volumes

Figure 1 shows the existing morning and afternoon peak-hour traffic volumes at all of the signal-controlled intersections on Meridian Road between US Hwy 24 and Woodmen Hills Drive. LSC conducted traffic counts at the following intersections:

- *Meridian Road/US 24 (August 2021)*
- *Meridian Road/Rolling Thunder Way (July 2021)*
- *Meridian Road/Woodmen Road (December 2021)*
- *Meridian Road/Eastonville Road (September 2015)*
- *Meridian Road/Bent Grass Meadows Drive (January 2022)*
- *Meridian Road/Woodmen Hills Drive (March 2018)*

For counts conducted prior to 2021 the through traffic volumes Meridian Road shown in Figure 1 were adjusted based on more current traffic counts conducted at the adjacent intersections. The traffic-count reports are attached.

LSC also conducted off-peak traffic counts at the intersections of Meridian Road/Woodmen Road and Meridian Road/Bent Grass Meadows Drive in February 2022.

## SHORT-TERM TOTAL TRAFFIC

Figure 2 shows the projected short-term total traffic volumes at the study-area intersections. The volumes are the sum of the existing traffic volumes (from Figure 1) plus the additional short-term traffic volumes projected to be generated by buildup of known projects within the study area, including the Falcon Marketplace, Bent Grass East Commercial, Bent Grass Residential Filing No. 2, and Falcon Meadows at Bent Grass.

## ECM CRITERIA

The following are applicable sections of the *Engineering Criteria Manual (ECM)* with excerpts:

### *Section B.4.1.B Traffic Signals and Access Locations.*

- *Include a signal progression (time-space) analysis.*
- *A cycle length of between 80 and 120 seconds should be selected and agreed to by the ECM Administrator.*
- *Where intersections or other accesses have no signals presently, but are expected to have signals, a 60 percent mainline, 40 percent cross roadway, and cycle split should be assumed. Where more detailed information is available from turning movement projections, other split assumptions may be made.*
- *A major arterial bandwidth of 50 percent and a minor arterial bandwidth of 40 percent are considered desirable.*

### *2.2.5.B Rural and Urban Principal Arterial and Rural Minor Arterial Access Criteria*

- *An arterial progression through bandwidth percentage of 35 percent or greater must be achieved or the inclusion of a signal at the access must not degrade the existing signal progression.*

## **LEVEL OF SERVICE ANALYSIS AND INTERSECTION PHASING SPLITS**

The level of service/intersection operations analysis from several traffic reports, the latest traffic-count data, and short-term projected total traffic volumes have been used as input for the Synchro analysis of cycle lengths, AM and PM peak-hour and off-peak intersection phasing and phase-time splits for the corridor signalized intersections. The analysis assumes the intersection of Eastonville/Meridian has been converted to traffic-signal control. The results of the analysis are shown in Figure 2. The level of service reports are attached.

## **SIGNAL PROGRESSION ANALYSIS**

For coordination of signals within the corridor, Consor has provided LSC with an analysis of the coordinated cycle lengths and offsets for peak and off-peak time periods and resulting traffic-signal progression along Meridian Road from Rolling Thunder to Meridian Hills assuming the intersection with Eastonville Road is converted to traffic-signal control. The analysis assumes “semi-actuated” operation with the north/south through movement phases (2 and 6) set to “recall-max,” and side-street and separate left-turn phases set to “no recall” – i.e., detector-actuated operation for side-street approaches and left turns.

The outcome of the analysis is a proposed common cycle length of 120 seconds and timing offsets for coordination of the series of signalized intersections in the corridor for peak and off-peak time periods (note: the intersection of US Highway 24/Meridian (CDOT) is 140 seconds) These have been developed based, in part, on optimization from Synchro. The cycle length optimization reports are included in the Appendix. One of the several metrics included in the optimization is the north/south through progression “bandwidth” on Meridian Road at the subject intersection, specifically, as well as Bent Grass Meadows Drive and per *ECM* Criteria listed above. The progression analysis takes into account the projected volumes, intersection spacings, progression link speeds, the individual intersection phases/splits, and other factors.

Please refer to the following progression analysis printouts:

- *Morning-peak time/space diagram*
- *Mid-day/off-peak time/space diagram*
- *Afternoon-peak time/space diagram*

Ms. Karen Levitt Ortiz  
Falcon Marketplace

Page 5

May 13, 2022  
Traffic Technical Memorandum

The offsets were established based on the Synchro optimization analysis with adjustments for corridor-specific conditions to prioritize the progression bands according to predominant AM or PM peak-period traffic volumes (including the eastbound left turn at the Woodmen/Meridian intersection), optimize link bandwidth, minimize stops, minimize delay, account for queuing and other factors.

The results of the recommended timing and coordination plan can be seen graphically in the attached Time/Space diagrams.

Table 2 shows the results of the progression analysis. As on the table the projected bandwidth on Meridian Road between Eastonville Road and Woodmen Hills Drive meets the criteria of 35% required by the *ECM* for the primary direction of travel during the morning peak hour (southbound) and the primary direction of travel during the afternoon peak hour (northbound).

## SUMMARY OF FINDINGS

The following intersections proposed to be coordinated:

- *Rolling Thunder/Meridian*
- *Woodmen/Meridian*
- *Eastonville/Meridian*
- *Bent Grass Meadows/Meridian*
- *Woodmen Hills/Meridian*

The NCHRP 812 *Signal Timing Manual Second Edition*, 2015 was used as a reference to determine the recommended signal-timing plan. NCHRP 731 *Guidelines for Timing Yellow and All-Red Intervals at Signalized Intersections* (2012) was also used as a reference. El Paso Department of County Public Works provided some minimum/maximum parameters as well – specific to El Paso County.

Table 3 (attached) summarizes some global signal-timing details for all time periods, including yellow clearance and all-red phase times, pedestrian walk and clearance (flashing-don't-walk) times, passage times, and minimum initial-green times by phase. Table 4 (attached) summarizes the proposed signal-phasing plans.

Please note that El Paso County Department of Public Works test period and field-proven operations will all be necessary prior to County preliminary acceptance of the signals.

\* \* \* \* \*

Ms. Karen Levitt Ortiz  
Falcon Marketplace

Page 6

May 13, 2022  
Traffic Technical Memorandum

Please contact me if you have any questions regarding this report.

Respectfully Submitted,

LSC TRANSPORTATION CONSULTANTS, INC.

By: Jeffrey C. Hodsdon, P.E.  
Principal


JCH/KDF:jas

Enclosures: Figures 1-2  
Tables 1-4  
Level of Service Reports  
Time/Space Diagrams  
Traffic Count Data

## Figures

---








Figure 2  
Short-Term Total Traffic Conditions

Falcon Marketplace 2021 (LSC# S215050)

## Tables

---



**Table 1**  
**Area Traffic Impact Studies by LSC**  
**Falcon Marketplace**

| <b>Study</b>  | <b>Date</b>                                      |
|---|--|
| Bent Grass Subdivision PUD Traffic Impact Analysis                          | October 6, 2006                                  |
| Bent Grass Subdivision Filing 1 Updated Traffic Impact Analysis             | July 14, 2014                                    |
| Falcon Dental East Commercial Filing No. 2A                                 | March 7, 2016                                    |
| Bent Grass Meadows Drive/Meridian Road Traffic Signal Warrant Analysis      | October 2, 2017                                  |
| Falcon Marketplace Traffic Impact Analysis                                  | October 23, 2017<br>(September 5, 2018 Revision) |
| Bent Grass Residential Filing No. 2 Traffic Impact Analysis                 | April 17, 2020                                   |
| Bent Grass Meadows Drive & Meridian Road Updated Transportation Memorandum  | September 4, 2020                                |
| Falcon Meadows at Bent Grass Updated Traffic Impact Analysis                | December 11, 2020                                |
| Golden Sage and Woodmen Road Transportation Memorandum                      | December 30, 2020                                |
| Falcon Meadows at Bent Grass Filing No. 1 Updated Transportation Memorandum | September 28, 2021                               |
| Bent Grass East Commercial Filing No. 3 Updated Traffic Impact Analysis     | October 20, 2021                                 |
| Falcon Meadows at Bent Grass Filing No. 2 Transportation Memorandum         | December 9, 2021                                 |

*Source: LSC Transportation Consultants, Inc. (January 2022)*

**Table 2**  
**Progression Analysis**  
**Falcon Marketplace**

**Meridian Road between Eastonville Road  
and Woodmen Hills Drive**

| Cycle Length<br>(seconds) | NB<br>(Phase 2) |        | SB<br>(Phase 6) |        |
|---------------------------|-----------------|--------|-----------------|--------|
|                           | Bandwidth       |        | Bandwidth       |        |
|                           | (seconds)       | (%)    | (seconds)       | (%)    |
| 120                       | 30              | 25.0%  | 64              | 53.33% |
| 100                       | 31              | 31.0%  | 33              | 33.0%  |
| 120                       | 46              | 38.33% | 32              | 26.67% |

**Meridian Road at Rolling Thunder Drive<sup>(1)</sup>**

| Bandwidth Efficiency<br>(seconds) | NB<br>(Phase 2) |           | SB<br>(Phase 6) |           |
|-----------------------------------|-----------------|-----------|-----------------|-----------|
|                                   | (%)             | (seconds) | (%)             | (seconds) |
| 57                                | 47.50%          | 57        | 47.50%          |           |
| 50                                | 50.00%          | 50        | 50.00%          |           |
| 59                                | 49.17%          | 58        | 48.33%          |           |

**Meridian Road between Rolling Thunder  
Drive and Woodmen Road**

| Bandwidth<br>(seconds) | NB<br>(Phase 2) |           | SB<br>(Phase 6) |           |
|------------------------|-----------------|-----------|-----------------|-----------|
|                        | (%)             | (seconds) | (%)             | (seconds) |
| 24*                    | 20.0%           | 35*       | 29.17%          |           |
| 23*                    | 23.0%           | 25*       | 25.0%           |           |
| 65                     | 54.17%          | 32*       | 26.67%          |           |

**Plan 1 (AM Peak)**  
**Plan 2 (Midday)**  
**Plan 3 (PM Peak)**

Notes:

(1) The bandwidth includes all of the green and yellow time for the phase

\* Bandwidth limited by US 24 intersection

Source: LSC Transportation Consultants, Inc. (May 2022)

**Table 3**  
**Global Signal Timing Details<sup>(1)</sup>**  
**Falcon Marketplace**

**Woodmen Hills/Meridian**

|                      | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|
|                      | SB LT | NB TH | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |
| Min Green            | 5     | 15    | X     | 8     | 5     | 15    | X     | 8     |
| Passage Time         | 2.5   | 2.5   | X     | 2.5   | 2.5   | 2.5   | X     | 2.5   |
| Max Green I          | 15    | 60    | X     | 30    | 15    | 60    | X     | 30    |
| Yellow Clearance     | 5     | 5.5   | X     | 4     | 5     | 5.5   | X     | 4     |
| Red Clearance        | 3.5   | 2     | X     | 3.5   | 3.5   | 2     | X     | 3.5   |
| Walk Time            | X     | 7     | X     | 7     | X     | 7     | X     | 7     |
| Pedestrian Clearance | X     | 11    | X     | 27    | X     | 9     | X     | 30    |
| Coordination         | X     | X     |       |       | X     | X     |       |       |

**Bent Grass Meadows/Meridian**

|                      | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|
|                      | SB LT | NB TH | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |
| Min Green            | X     | 15    | X     | X     | 5     | 15    | 8     | X     |
| Passage Time         | X     | 2.5   | X     | X     | 2.5   | 2.5   | 2.5   | X     |
| Max Green I          | X     | 60    | X     | X     | 15    | 60    | 30    | X     |
| Yellow Clearance     | X     | 5.5   | X     | X     | 5     | 5.5   | 4     | X     |
| Red Clearance        | X     | 2     | X     | X     | 3.5   | 2     | 3.5   | X     |
| Walk Time            | X     | X     | X     | X     | X     | X     | X     | X     |
| Pedestrian Clearance | X     | X     | X     | X     | X     | X     | X     | X     |
| Coordination         |       | X     |       |       | X     | X     |       |       |

**Eastonville/Meridian**

|                      | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|
|                      | SB LT | NB TH | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |
| Min Green            | 5     | 15    | 5     | 8     | 5     | 15    | 5     | 8     |
| Passage Time         | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   |
| Max Green I          | 15    | 60    | 15    | 30    | 15    | 60    | 15    | 30    |
| Yellow Clearance     | 5     | 5.5   | 4     | 4     | 4     | 5.5   | 4     | 4     |
| Red Clearance        | 3.5   | 2     | 3.5   | 2.5   | 3.5   | 2     | 3.5   | 2.5   |
| Walk Time            | X     | 7     | X     | 7     | X     | 7     | X     | 7     |
| Pedestrian Clearance | X     | 29    | X     | 32    | X     | 29    | X     | 32    |
| Coordination         |       | X     |       |       | X     | X     |       |       |

**Woodmen/Meridian**

|                      | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|
|                      | SB LT | NB TH | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |
| Min Green            | 5     | 15    | 5     | 15    | 5     | 15    | 5     | 15    |
| Passage Time         | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   |
| Max Green I          | 20    | 60    | 15    | 30    | 20    | 60    | 15    | 30    |
| Yellow Clearance     | 5     | 5     | 4     | 5     | 5     | 5     | 4     | 5     |
| Red Clearance        | 3.5   | 2     | 3.5   | 2     | 3.5   | 2     | 3.5   | 2     |
| Walk Time            | X     | 7     | X     | 7     | X     | 7     | X     | 7     |
| Pedestrian Clearance | X     | 29    | X     | 32    | X     | 29    | X     | 32    |
| Coordination         | X     | X     |       |       | X     | X     |       |       |

**Rolling Thunder/Meridian<sup>(2)</sup>**

|                      | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|
|                      | SB LT | NB TH | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |
| Min Green            | 5     | 12    | 5     | 8     | 5     | 12    | 5     | 8     |
| Passage Time         | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   | 2.5   |
| Max Green I          | 20    | 50    | 15    | 30    | 20    | 50    | 30    | 30    |
| Yellow Clearance     | 4     | 4     | 4     | 4     | 4     | 4     | 4     | 4     |
| Red Clearance        | 3.5   | 2     | 3.5   | 3     | 3.5   | 2     | 3.5   | 3     |
| Walk Time            | X     | 7     | X     | 7     | X     | 7     | X     | 7     |
| Pedestrian Clearance | X     | 29    | X     | 40    | X     | 29    | X     | 42    |
| Coordination         |       | X     |       |       | X     | X     |       |       |

## Notes:

(1) The NCHRP 812 Signal Timing Manual Second Edition, 2015 was used to determine the recommended signal timing plan.

(2) Please refer to the *Meridian Road and Rolling Thunder Signal Timing* memorandum dated October 18, 2021 by HDR

Source: LSC Transportation Consultants, Inc. (May 2022)

| Table 4<br>Phasing Plans<br>Falcon Marketplace      |         |       |       |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
|---|---------|-------|-------|-------|-------|-------|-------|---|---------|-------|-------|-------|-------|-------|-------|--|---------|-------|-------|-------|-------|-------|-------|----|----|
| Plan 1 (AM Peak)<br>Woodmen Hills/Meridian          |         |       |       |       |       |       |       | Plan 2 (Midday)<br>Woodmen Hills/Meridian |         |       |       |       |       |       |       | Plan 3 (PM Peak)<br>Woodmen Hills/Meridian |         |       |       |       |       |       |       |    |    |
| 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1  | 2       | 3     | 4     | 5     | 6     | 7     | 8     |    |    |
| SB LT   | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                     | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                      | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |    |    |
| Split   | 13      | 69    | X     | 38    | 13    | 69    | X     | 16  | 59      | X     | 25    | 16    | 59    | X     | 25    | 15   | 75      | X     | 30    | 15    | 75    | X     | 30    |    |    |
| Cycle Length (sec)                                  | 120     |       |       |       |       |       |       | Cycle Length                              | 100     |       |       |       |       |       |       | Cycle Length                               | 120     |       |       |       |       |       |       |    |    |
| Offset  | 96      |       |       |       |       |       |       | Offset                                    | 40      |       |       |       |       |       |       | Offset                                     | 37      |       |       |       |       |       |       |    |    |
| Leading Phases                                      | 1,5     |       |       |       |       |       |       | Leading Phases                            | 1,5     |       |       |       |       |       |       | Leading Phases                             | 1,5     |       |       |       |       |       |       |    |    |
| Bent Grass Meadows/Meridian                         |         |       |       |       |       |       |       | Bent Grass Meadows/Meridian               |         |       |       |       |       |       |       | Bent Grass Meadows/Meridian                |         |       |       |       |       |       |       |    |    |
| 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1  | 2       | 3     | 4     | 5     | 6     | 7     | 8     |    |    |
| SB LT   | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                     | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                      | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |    |    |
| Split   | X       | 92    | X     | X     | 20    | 72    | 28    | X   | X       | X     | X     | 20    | 58    | 22    | X     | Split                                      | X       | 93    | X     | X     | 20    | 73    | 27    | X  |    |
| Cycle Length (sec)                                  | 120     |       |       |       |       |       |       | Cycle Length                              | 100     |       |       |       |       |       |       | Cycle Length                               | 120     |       |       |       |       |       |       |    |    |
| Offset  | 5       |       |       |       |       |       |       | Offset                                    | 46      |       |       |       |       |       |       | Offset                                     | 27      |       |       |       |       |       |       |    |    |
| Leading Phases                                      | 5       |       |       |       |       |       |       | Leading Phases                            | 5       |       |       |       |       |       |       | Leading Phases                             | 5       |       |       |       |       |       |       |    |    |
| Eastonville/Meridian                                |         |       |       |       |       |       |       | Eastonville/Meridian                      |         |       |       |       |       |       |       | Eastonville/Meridian                       |         |       |       |       |       |       |       |    |    |
| 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1  | 2       | 3     | 4     | 5     | 6     | 7     | 8     |    |    |
| SB LT   | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                     | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                      | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |    |    |
| Split   | 15      | 67    | 18    | 20    | 18    | 64    | 18    | 20  | 19      | 45    | 13    | 23    | 23    | 41    | 17    | 19   | Split   | 18    | 62    | 18    | 22    | 25    | 55    | 18 | 22 |
| Cycle Length (sec)                                  | 120     |       |       |       |       |       |       | Cycle Length                              | 100     |       |       |       |       |       |       | Cycle Length                               | 120     |       |       |       |       |       |       |    |    |
| Offset  | 45      |       |       |       |       |       |       | Offset                                    | 89      |       |       |       |       |       |       | Offset                                     | 89      |       |       |       |       |       |       |    |    |
| Leading Phases                                      | 1,3,5,7 |       |       |       |       |       |       | Leading Phases                            | 1,3,5,7 |       |       |       |       |       |       | Leading Phases                             | 1,3,5,7 |       |       |       |       |       |       |    |    |
| Woodmen/Meridian                                    |         |       |       |       |       |       |       | Woodmen/Meridian                          |         |       |       |       |       |       |       | Woodmen/Meridian                           |         |       |       |       |       |       |       |    |    |
| 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1  | 2       | 3     | 4     | 5     | 6     | 7     | 8     |    |    |
| SB LT   | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                     | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                      | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |    |    |
| Split   | 18      | 42    | 24    | 36    | 18    | 42    | 27    | 33  | 20      | 32    | 16    | 32    | 20    | 32    | 25    | 23   | Split   | 18    | 39    | 26    | 37    | 18    | 39    | 38 | 25 |
| Cycle Length (sec)                                  | 120     |       |       |       |       |       |       | Cycle Length                              | 100     |       |       |       |       |       |       | Cycle Length                               | 120     |       |       |       |       |       |       |    |    |
| Offset  | 30      |       |       |       |       |       |       | Offset                                    | 52      |       |       |       |       |       |       | Offset                                     | 37      |       |       |       |       |       |       |    |    |
| Leading Phases                                      | 2,3,5,8 |       |       |       |       |       |       | Leading Phases                            | 1,3,5,7 |       |       |       |       |       |       | Leading Phases                             | 1,3,5,7 |       |       |       |       |       |       |    |    |
| Rolling Thunder/Meridian                            |         |       |       |       |       |       |       | Rolling Thunder/Meridian                  |         |       |       |       |       |       |       | Rolling Thunder/Meridian                   |         |       |       |       |       |       |       |    |    |
| 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1   | 2       | 3     | 4     | 5     | 6     | 7     | 8     | 1  | 2       | 3     | 4     | 5     | 6     | 7     | 8     |    |    |
| SB LT   | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                     | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH | SB LT                                      | NB TH   | WB LT | EB TH | NB LT | SB TH | EB LT | WB TH |    |    |
| Split   | 15      | 57    | 17    | 31    | 15    | 57    | 15    | 33  | 15      | 50    | 17    | 18    | 15    | 50    | 17    | 18   | Split   | 19    | 59    | 18    | 24    | 20    | 58    | 18 | 24 |
| Cycle Length (sec)                                  | 120     |       |       |       |       |       |       | Cycle Length                              | 100     |       |       |       |       |       |       | Cycle Length                               | 120     |       |       |       |       |       |       |    |    |
| Offset  | 99      |       |       |       |       |       |       | Offset                                    | 20      |       |       |       |       |       |       | Offset                                     | 106     |       |       |       |       |       |       |    |    |
| Leading Phases                                      | 1,3,5,7 |       |       |       |       |       |       | Leading Phases                            | 1,3,5,7 |       |       |       |       |       |       | Leading Phases                             | 1,3,5,7 |       |       |       |       |       |       |    |    |
| Time of Day Schedule                                |         |       |       |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| Day of Week   | Hour    | Min   | Act.  |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| M, Tu, W, Th, F                                     | 6       | 0     | 1     |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| M, Tu, W, Th, F                                     | 9       | 0     | 2     |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| M, Tu, W, Th, F                                     | 13      | 30    | 3     |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| M, Tu, W, Th, F                                     | 19      | 0     | 20    |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| Sat, Sun  | 10      | 0     | 2     |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| Sat, Sun  | 19      | 0     | 20    |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |
| Action 20 equates to uncoordinated (free) operation |         |       |       |       |       |       |       |   |         |       |       |       |       |       |       |  |         |       |       |       |       |       |       |    |    |

Source: JSC Transportation Consultants, Inc. (May 2022)

## Levels of Service

---



## Timings

### 1: Meridian Rd #1 & Woodmen Hills Dr

Meridian Proposed AM.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | WBL   | WBT   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  |       |       |       |       |       |       |       |       |       |       |
| Traffic Volume (vph) | 21    | 17    | 144   | 9     | 25    | 724   | 28    | 44    | 1481  | 8     |
| Future Volume (vph)  | 21    | 17    | 144   | 9     | 25    | 724   | 28    | 44    | 1481  | 8     |
| Turn Type            | Perm  | NA    | Perm  | NA    | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  |
| Protected Phases     |       |       |       | 4     |       | 8     | 5     | 2     | 1     | 6     |
| Permitted Phases     |       |       |       | 4     |       | 8     | 2     | 2     | 6     | 6     |
| Detector Phase       |       |       |       | 4     |       | 8     | 8     | 5     | 2     | 1     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 8.0   | 8.0   | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  | 15.0  |
| Minimum Split (s)    | 15.5  | 15.5  | 15.5  | 15.5  | 13.5  | 22.5  | 22.5  | 13.5  | 22.5  | 22.5  |
| Total Split (s)      | 38.0  | 38.0  | 38.0  | 38.0  | 13.0  | 69.0  | 69.0  | 13.0  | 69.0  | 69.0  |
| Total Split (%)      | 31.7% | 31.7% | 31.7% | 31.7% | 10.8% | 57.5% | 57.5% | 10.8% | 57.5% | 57.5% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 5.0   | 5.5   | 5.5   | 5.0   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 3.5   | 3.5   | 3.5   | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   | 2.0   |
| Lost Time Adjust (s) |       |       |       | 0.0   |       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  |       |       |       | 7.5   |       | 7.5   | 8.5   | 7.5   | 7.5   | 7.5   |
| Lead/Lag             |       |       |       |       |       | Lead  | Lag   | Lag   | Lead  | Lag   |
| Lead-Lag Optimize?   |       |       |       |       |       | Yes   | Yes   | Yes   | Yes   | Yes   |
| Recall Mode          | None  | None  | None  | None  | None  | C-Max | C-Max | None  | C-Max | C-Max |
| Act Effect Green (s) | 26.0  |       |       | 26.0  | 71.1  | 67.9  | 67.9  | 73.0  | 70.9  | 70.9  |
| Actuated g/C Ratio   | 0.22  |       |       | 0.22  | 0.59  | 0.57  | 0.57  | 0.61  | 0.59  | 0.59  |
| v/c Ratio            | 0.39  |       |       | 0.89  | 0.19  | 0.41  | 0.03  | 0.12  | 0.76  | 0.01  |
| Control Delay        | 20.1  |       |       | 76.3  | 11.8  | 6.3   | 0.1   | 9.8   | 23.8  | 0.0   |
| Queue Delay          | 0.0   |       |       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 20.1  |       |       | 76.3  | 11.8  | 6.3   | 0.1   | 9.8   | 23.8  | 0.0   |
| LOS                  | C     |       |       | E     | B     | A     | A     | A     | C     | A     |
| Approach Delay       | 20.1  |       |       | 76.3  |       | 6.2   |       |       | 23.3  |       |
| Approach LOS         | C     |       |       | E     |       | A     |       |       | C     |       |

**Intersection Summary**

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 96 (80%), Referenced to phase 2:NBTL and 6:SBTL, Start of Yellow

Natural Cycle: 90

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.89

Intersection Signal Delay: 22.2


Intersection LOS: C

Intersection Capacity Utilization 71.3%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 1: Meridian Rd #1 &amp; Woodmen Hills Dr



## Timings

### 2: Meridian Rd #1 & Bent Grass Meadows Dr

Meridian Proposed AM.SYN

05/06/2022



| Lane Group           | EBL   | EBR   | NBL   | NBT   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑     | ↑↑    | ↑↑    | ↑     |
| Traffic Volume (vph) | 171   | 253   | 168   | 606   | 1455  | 265   |
| Future Volume (vph)  | 171   | 253   | 168   | 606   | 1455  | 265   |
| Turn Type            | Prot  | Perm  | pm+pt | NA    | NA    | Perm  |
| Protected Phases     | 7     |       |       | 5     | 2     | 6     |
| Permitted Phases     |       |       |       | 7     | 2     | 6     |
| Detector Phase       | 7     | 7     | 5     | 2     | 6     | 6     |
| Switch Phase         |       |       |       |       |       |       |
| Minimum Initial (s)  | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 15.0  |
| Minimum Split (s)    | 15.5  | 15.5  | 13.5  | 22.5  | 22.5  | 22.5  |
| Total Split (s)      | 28.0  | 28.0  | 20.0  | 92.0  | 72.0  | 72.0  |
| Total Split (%)      | 23.3% | 23.3% | 16.7% | 76.7% | 60.0% | 60.0% |
| Yellow Time (s)      | 4.0   | 4.0   | 5.0   | 5.5   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 3.5   | 3.5   | 2.0   | 2.0   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  | 7.5   | 7.5   | 8.5   | 7.5   | 7.5   | 7.5   |
| Lead/Lag             |       |       | Lead  |       | Lag   | Lag   |
| Lead-Lag Optimize?   |       |       | Yes   |       | Yes   | Yes   |
| Recall Mode          | None  | None  | None  | C-Max | C-Max | C-Max |
| Act Effect Green (s) | 13.7  | 13.7  | 90.3  | 91.3  | 71.1  | 71.1  |
| Actuated g/C Ratio   | 0.11  | 0.11  | 0.75  | 0.76  | 0.59  | 0.59  |
| v/c Ratio            | 0.46  | 0.79  | 0.69  | 0.24  | 0.75  | 0.27  |
| Control Delay        | 52.5  | 33.5  | 27.0  | 13.1  | 11.4  | 0.6   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 52.5  | 33.5  | 27.0  | 13.1  | 11.4  | 0.6   |
| LOS                  | D     | C     | C     | B     | B     | A     |
| Approach Delay       | 41.2  |       |       | 16.1  | 9.7   |       |
| Approach LOS         | D     |       |       | B     | A     |       |

#### Intersection Summary

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 5 (4%), Referenced to phase 2:NBTL and 6:SBT, Start of Yellow

Natural Cycle: 90

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.79

Intersection Signal Delay: 15.9

Intersection LOS: B

Intersection Capacity Utilization 75.8%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 2: Meridian Rd #1 &amp; Bent Grass Meadows Dr



## Timings

### 3: Meridian Rd #1 & Eastonville Rd

Meridian Proposed AM.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑↑    | ↑     | ↑     | ↑↑    | ↑     |
| Traffic Volume (vph) | 98    | 39    | 89    | 60    | 43    | 80    | 117   | 634   | 54    | 97    | 1441  | 64    |
| Future Volume (vph)  | 98    | 39    | 89    | 60    | 43    | 80    | 117   | 634   | 54    | 97    | 1441  | 64    |
| Turn Type            | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  | Prot  | NA    | Perm  | Prot  | NA    | Perm  |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1     | 6     |       |
| Permitted Phases     |       |       | 4     |       | 8     |       | 8     |       | 2     |       |       | 6     |
| Detector Phase       | 7     | 4     | 4     | 3     | 8     | 8     | 5     | 2     | 2     | 1     | 6     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 5.0   | 8.0   | 8.0   | 5.0   | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  | 15.0  |
| Minimum Split (s)    | 12.5  | 14.5  | 14.5  | 12.5  | 14.5  | 14.5  | 12.5  | 22.5  | 22.5  | 13.5  | 22.5  | 22.5  |
| Total Split (s)      | 18.0  | 20.0  | 20.0  | 18.0  | 20.0  | 20.0  | 18.0  | 67.0  | 67.0  | 15.0  | 64.0  | 64.0  |
| Total Split (%)      | 15.0% | 16.7% | 16.7% | 15.0% | 16.7% | 16.7% | 15.0% | 55.8% | 55.8% | 12.5% | 53.3% | 53.3% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 5.5   | 5.5   | 5.0   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 2.5   | 2.5   | 3.5   | 2.5   | 2.5   | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   | 2.0   |
| Lost Time Adjust (s) | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  |
| Total Lost Time (s)  | 6.5   | 5.5   | 5.5   | 6.5   | 5.5   | 5.5   | 6.5   | 6.5   | 6.5   | 7.5   | 6.5   | 6.5   |
| Lead/Lag             | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None  | C-Max | C-Max |
| Act Effect Green (s) | 20.0  | 13.0  | 13.0  | 20.2  | 10.9  | 10.9  | 13.9  | 61.5  | 61.5  | 12.0  | 60.6  | 60.6  |
| Actuated g/C Ratio   | 0.17  | 0.11  | 0.11  | 0.17  | 0.09  | 0.09  | 0.12  | 0.51  | 0.51  | 0.10  | 0.50  | 0.50  |
| v/c Ratio            | 0.22  | 0.21  | 0.29  | 0.31  | 0.35  | 0.35  | 0.66  | 0.40  | 0.07  | 0.60  | 0.88  | 0.08  |
| Control Delay        | 38.5  | 53.3  | 2.1   | 41.1  | 56.5  | 3.1   | 91.4  | 5.4   | 0.1   | 76.1  | 25.1  | 0.3   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 38.5  | 53.3  | 2.1   | 41.1  | 56.5  | 3.1   | 91.4  | 5.4   | 0.1   | 76.1  | 25.1  | 0.3   |
| LOS                  | D     | D     | A     | D     | E     | A     | F     | A     | A     | E     | C     | A     |
| Approach Delay       |       | 26.7  |       |       | 28.1  |       |       | 17.5  |       |       | 27.2  |       |
| Approach LOS         |       | C     |       |       | C     |       |       | B     |       |       | C     |       |

**Intersection Summary**

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 45 (38%), Referenced to phase 2:NBT and 6:SBT, Start of Yellow

Natural Cycle: 90

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.88

Intersection Signal Delay: 24.4


Intersection LOS: C

Intersection Capacity Utilization 71.7%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 3: Meridian Rd #1 &amp; Eastonville Rd



## Timings

### 4: Meridian Rd & Woodmen Rd

Meridian Proposed AM.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    |
| Traffic Volume (vph) | 391   | 221   | 98    | 111   | 530   | 132   | 156   | 282   | 16    | 145   | 816   | 637   |
| Future Volume (vph)  | 391   | 221   | 98    | 111   | 530   | 132   | 156   | 282   | 16    | 145   | 816   | 637   |
| Turn Type            | Prot  | NA    | Free  | Prot  | NA    | Perm  | Prot  | NA    | Free  | Prot  | NA    | Free  |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1     | 6     |       |
| Permitted Phases     |       |       | Free  |       |       | 8     |       |       | Free  |       |       | Free  |
| Detector Phase       | 7     | 4     |       | 3     | 8     | 8     | 5     | 2     |       | 1     | 6     |       |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 5.0   | 15.0  |       | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  |       | 5.0   | 15.0  |       |
| Minimum Split (s)    | 12.5  | 22.0  |       | 12.5  | 22.0  | 22.0  | 13.5  | 22.0  |       | 13.5  | 22.0  |       |
| Total Split (s)      | 27.0  | 36.0  |       | 24.0  | 33.0  | 33.0  | 18.0  | 42.0  |       | 18.0  | 42.0  |       |
| Total Split (%)      | 22.5% | 30.0% |       | 20.0% | 27.5% | 27.5% | 15.0% | 35.0% |       | 15.0% | 35.0% |       |
| Yellow Time (s)      | 4.0   | 5.0   |       | 4.0   | 5.0   | 5.0   | 5.0   | 5.0   |       | 5.0   | 5.0   |       |
| All-Red Time (s)     | 3.5   | 2.0   |       | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   |       | 3.5   | 2.0   |       |
| Lost Time Adjust (s) | -1.0  | -1.0  |       | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  |       | -1.0  | -1.0  |       |
| Total Lost Time (s)  | 6.5   | 6.0   |       | 6.5   | 6.0   | 6.0   | 7.5   | 6.0   |       | 7.5   | 6.0   |       |
| Lead/Lag             | Lag   | Lag   |       | Lead  | Lead  | Lead  | Lead  | Lead  |       | Lag   | Lag   |       |
| Lead-Lag Optimize?   | Yes   | Yes   |       | Yes   | Yes   | Yes   | Yes   | Yes   |       | Yes   | Yes   |       |
| Recall Mode          | None  | None  |       | None  | None  | None  | C-Max |       | None  | C-Max |       |       |
| Act Effect Green (s) | 19.4  | 33.7  | 120.0 | 10.6  | 24.9  | 24.9  | 10.3  | 39.2  | 120.0 | 10.5  | 39.4  | 120.0 |
| Actuated g/C Ratio   | 0.16  | 0.28  | 1.00  | 0.09  | 0.21  | 0.21  | 0.09  | 0.33  | 1.00  | 0.09  | 0.33  | 1.00  |
| v/c Ratio            | 0.77  | 0.24  | 0.07  | 0.40  | 0.78  | 0.27  | 0.56  | 0.25  | 0.01  | 0.54  | 0.79  | 0.45  |
| Control Delay        | 58.0  | 33.6  | 0.1   | 55.2  | 53.1  | 1.2   | 55.7  | 29.7  | 0.0   | 44.7  | 27.2  | 0.9   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 58.0  | 33.6  | 0.1   | 55.2  | 53.1  | 1.2   | 55.7  | 29.7  | 0.0   | 44.7  | 27.2  | 0.9   |
| LOS                  | E     | C     | A     | E     | D     | A     | E     | C     | A     | D     | C     | A     |
| Approach Delay       |       | 42.4  |       |       | 44.6  |       |       | 37.6  |       |       | 18.3  |       |
| Approach LOS         |       | D     |       |       | D     |       |       | D     |       |       | B     |       |

## Intersection Summary

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 30 (25%), Referenced to phase 2:NBT and 6:SBT, Start of Yellow

Natural Cycle: 90

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.79

Intersection Signal Delay: 31.1


Intersection LOS: C

Intersection Capacity Utilization 74.5%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 4: Meridian Rd &amp; Woodmen Rd



## Timings

### 5: Meridian Rd & Rolling Thunder Way

Meridian Proposed AM.SYN

05/13/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBU    | SBL   | SBT   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑     | ↑     | ↑↑    | ↑     | ↑↑    | ↑↑    | ↑     | ↑      | ↑↑    | ↑↑    |
| Traffic Volume (vph) | 16    | 10    | 104   | 49    | 8     | 5     | 41    | 291   | 14    | 3      | 4     | 525   |
| Future Volume (vph)  | 16    | 10    | 104   | 49    | 8     | 5     | 41    | 291   | 14    | 3      | 4     | 525   |
| Turn Type            | Prot  | NA    | Perm  | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  | custom | pm+pt | NA    |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1      |       | 6     |
| Permitted Phases     |       |       |       | 4     | 8     |       | 8     | 2     |       | 2      | 1     | 6     |
| Detector Phase       | 7     | 4     | 4     | 3     | 8     | 8     | 5     | 2     | 2     | 1      | 1     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |        |       |       |
| Minimum Initial (s)  | 5.0   | 8.0   | 8.0   | 5.0   | 8.0   | 8.0   | 5.0   | 12.0  | 12.0  | 5.0    | 5.0   | 12.0  |
| Minimum Split (s)    | 12.5  | 17.0  | 17.0  | 12.5  | 15.0  | 15.0  | 12.5  | 18.0  | 18.0  | 12.5   | 12.5  | 18.0  |
| Total Split (s)      | 15.0  | 31.0  | 31.0  | 17.0  | 33.0  | 33.0  | 15.0  | 57.0  | 57.0  | 15.0   | 15.0  | 57.0  |
| Total Split (%)      | 12.5% | 25.8% | 25.8% | 14.2% | 27.5% | 27.5% | 12.5% | 47.5% | 47.5% | 12.5%  | 12.5% | 47.5% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0    | 4.0   | 4.0   |
| All-Red Time (s)     | 3.5   | 3.0   | 3.0   | 3.5   | 3.0   | 3.0   | 3.5   | 2.0   | 2.0   | 3.5    | 3.5   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   | 0.0   |
| Total Lost Time (s)  | 7.5   | 7.0   | 7.0   | 7.5   | 7.0   | 7.0   | 7.5   | 6.0   | 6.0   | 7.5    | 7.5   | 6.0   |
| Lead/Lag             | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   | Lead   | Lead  | Lag   |
| Lead-Lag Optimize?   | Yes    | Yes   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None   | None  | C-Max |
| Act Effect Green (s) | 6.2   | 8.3   | 8.3   | 19.0  | 15.7  | 15.7  | 82.9  | 82.8  | 82.8  | 77.2   | 74.1  |       |
| Actuated g/C Ratio   | 0.05  | 0.07  | 0.07  | 0.16  | 0.13  | 0.13  | 0.69  | 0.69  | 0.69  | 0.64   | 0.62  |       |
| v/c Ratio            | 0.11  | 0.10  | 0.50  | 0.30  | 0.02  | 0.02  | 0.08  | 0.14  | 0.01  | 0.01   | 0.26  |       |
| Control Delay        | 55.3  | 53.9  | 10.8  | 43.7  | 47.5  | 0.0   | 7.2   | 7.9   | 0.0   | 4.6    | 4.0   |       |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |       |
| Total Delay          | 55.3  | 53.9  | 10.8  | 43.7  | 47.5  | 0.0   | 7.2   | 7.9   | 0.0   | 4.6    | 4.0   |       |
| LOS                  | E     | D     | B     | D     | D     | A     | A     | A     | A     | A      | A     |       |
| Approach Delay       |       | 19.6  |       |       | 40.8  |       |       | 7.5   |       |        | 3.8   |       |
| Approach LOS         |       | B     |       |       | D     |       |       | A     |       |        | A     |       |

**Intersection Summary**

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 99 (83%), Referenced to phase 2:NBTL and 6:SBTL, Start of Yellow

Natural Cycle: 60

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.50

Intersection Signal Delay: 9.5


Intersection LOS: A

Intersection Capacity Utilization 48.3%

ICU Level of Service A

Analysis Period (min) 15

Splits and Phases: 5: Meridian Rd &amp; Rolling Thunder Way



## Timings

### 5: Meridian Rd & Rolling Thunder Way

Meridian Proposed AM.SYN

05/13/2022

|                             |       |
|-----------------------------|-------|
| Lane Group                  | SBR   |
| Lane Configurations         | R     |
| Traffic Volume (vph)        | 22    |
| Future Volume (vph)         | 22    |
| Turn Type                   | Perm  |
| Protected Phases            |       |
| Permitted Phases            | 6     |
| Detector Phase              | 6     |
| Switch Phase                |       |
| Minimum Initial (s)         | 12.0  |
| Minimum Split (s)           | 18.0  |
| Total Split (s)             | 57.0  |
| Total Split (%)             | 47.5% |
| Yellow Time (s)             | 4.0   |
| All-Red Time (s)            | 2.0   |
| Lost Time Adjust (s)        | 0.0   |
| Total Lost Time (s)         | 6.0   |
| Lead/Lag                    | Lag   |
| Lead-Lag Optimize?          | Yes   |
| Recall Mode                 | C-Max |
| Act Effect Green (s)        | 74.1  |
| Actuated g/C Ratio          | 0.62  |
| v/c Ratio                   | 0.02  |
| Control Delay               | 0.0   |
| Queue Delay                 | 0.0   |
| Total Delay                 | 0.0   |
| LOS                         | A     |
| Approach Delay              |       |
| Approach LOS                |       |
| <u>Intersection Summary</u> |       |

## Timings

### 6: Meridian Rd & US 24

Meridian Proposed AM.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     |
| Traffic Volume (vph) | 188   | 370   | 5     | 46    | 722   | 6     | 4     | 208   | 30    | 10    | 255   | 606   |
| Future Volume (vph)  | 188   | 370   | 5     | 46    | 722   | 6     | 4     | 208   | 30    | 10    | 255   | 606   |
| Turn Type            | pm+pt | NA    | Perm  |
| Protected Phases     | 5     | 2     |       | 1     | 6     |       | 3     | 8     |       | 7     | 4     |       |
| Permitted Phases     | 2     |       | 2     | 6     |       | 6     | 8     |       | 8     | 4     |       | 4     |
| Detector Phase       | 5     | 2     | 2     | 1     | 6     | 6     | 3     | 8     | 8     | 7     | 4     | 4     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 6.0   | 20.0  | 20.0  | 6.0   | 20.0  | 20.0  | 6.0   | 6.0   | 6.0   | 6.0   | 6.0   | 6.0   |
| Minimum Split (s)    | 12.0  | 27.0  | 27.0  | 12.0  | 44.0  | 44.0  | 12.0  | 27.5  | 27.5  | 12.0  | 12.5  | 12.5  |
| Total Split (s)      | 20.0  | 75.0  | 75.0  | 15.0  | 70.0  | 70.0  | 20.0  | 30.0  | 30.0  | 20.0  | 30.0  | 30.0  |
| Total Split (%)      | 14.3% | 53.6% | 53.6% | 10.7% | 50.0% | 50.0% | 14.3% | 21.4% | 21.4% | 14.3% | 21.4% | 21.4% |
| Yellow Time (s)      | 3.0   | 5.0   | 5.0   | 3.0   | 5.0   | 5.0   | 3.0   | 4.5   | 4.5   | 3.0   | 4.5   | 4.5   |
| All-Red Time (s)     | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  | 6.0   | 7.0   | 7.0   | 6.0   | 7.0   | 7.0   | 6.0   | 6.5   | 6.5   | 6.0   | 6.5   | 6.5   |
| Lead/Lag             | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None  | C-Max | C-Max | None  | None  | None  | None  | None  | None  |
| Act Effect Green (s) | 83.9  | 72.2  | 72.2  | 71.7  | 63.5  | 63.5  | 41.3  | 38.3  | 38.3  | 43.0  | 41.0  | 41.0  |
| Actuated g/C Ratio   | 0.60  | 0.52  | 0.52  | 0.51  | 0.45  | 0.45  | 0.30  | 0.27  | 0.27  | 0.31  | 0.29  | 0.29  |
| v/c Ratio            | 0.89  | 0.42  | 0.01  | 0.10  | 0.93  | 0.01  | 0.01  | 0.23  | 0.06  | 0.03  | 0.27  | 0.92  |
| Control Delay        | 72.5  | 23.5  | 0.0   | 12.7  | 54.6  | 0.0   | 33.2  | 41.7  | 0.2   | 33.6  | 39.8  | 40.5  |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 72.5  | 23.5  | 0.0   | 12.7  | 54.6  | 0.0   | 33.2  | 41.7  | 0.2   | 33.6  | 39.8  | 40.5  |
| LOS                  | E     | C     | A     | B     | D     | A     | C     | D     | A     | C     | D     | D     |
| Approach Delay       |       | 39.7  |       |       | 51.7  |       |       | 36.4  |       |       | 40.2  |       |
| Approach LOS         |       | D     |       |       | D     |       |       | D     |       |       | D     |       |

#### Intersection Summary

Cycle Length: 140

Actuated Cycle Length: 140

Offset: 4 (3%), Referenced to phase 2:EBTL and 6:WBTL, Start of Yellow

Natural Cycle: 130

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.93

Intersection Signal Delay: 43.3


Intersection LOS: D

Intersection Capacity Utilization 96.8%

ICU Level of Service F

Analysis Period (min) 15

Splits and Phases: 6: Meridian Rd &amp; US 24



# Timings

## 1: Meridian Rd #1 & Woodmen Hills Dr

Meridian Proposed Mid Day.SYN

05/06/2022



| Lane Group           | EBL   | EBT   | WBL   | WBT   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  |       |       |       |       |       |       |       |       |       |       |
| Traffic Volume (vph) | 3     | 16    | 70    | 9     | 73    | 1257  | 102   | 18    | 1210  | 14    |
| Future Volume (vph)  | 3     | 16    | 70    | 9     | 73    | 1257  | 102   | 18    | 1210  | 14    |
| Turn Type            | Perm  | NA    | Perm  | NA    | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  |
| Protected Phases     |       |       |       | 4     | 8     | 5     | 2     |       | 1     | 6     |
| Permitted Phases     |       |       |       | 4     | 8     | 2     | 2     | 6     |       | 6     |
| Detector Phase       |       |       |       | 4     | 4     | 8     | 5     | 2     | 1     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 8.0   | 8.0   | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  | 15.0  |
| Minimum Split (s)    | 14.5  | 14.5  | 15.5  | 15.5  | 13.5  | 22.5  | 22.5  | 13.5  | 22.5  | 22.5  |
| Total Split (s)      | 25.0  | 25.0  | 25.0  | 25.0  | 16.0  | 59.0  | 59.0  | 16.0  | 59.0  | 59.0  |
| Total Split (%)      | 25.0% | 25.0% | 25.0% | 25.0% | 16.0% | 59.0% | 59.0% | 16.0% | 59.0% | 59.0% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 5.0   | 5.5   | 5.5   | 5.0   | 5.5   | 5.5   |
| All-Red Time (s)     | 2.5   | 2.5   | 3.5   | 3.5   | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   | 2.0   |
| Lost Time Adjust (s) |       |       |       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  |       |       |       | 6.5   | 7.5   | 8.5   | 7.5   | 8.5   | 7.5   | 7.5   |
| Lead/Lag             |       |       |       |       | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   |       |       |       |       | Yes   | Yes   | Yes   | Yes   | Yes   | Yes   |
| Recall Mode          | None  | None  | None  | None  | None  | C-Max | C-Max | None  | C-Max | C-Max |
| Act Effect Green (s) | 13.3  |       |       | 12.5  | 71.7  | 71.2  | 71.2  | 67.0  | 64.7  | 64.7  |
| Actuated g/C Ratio   | 0.13  |       |       | 0.12  | 0.72  | 0.71  | 0.71  | 0.67  | 0.65  | 0.65  |
| v/c Ratio            | 0.28  |       |       | 0.55  | 0.27  | 0.53  | 0.09  | 0.07  | 0.57  | 0.01  |
| Control Delay        | 17.2  |       |       | 49.9  | 7.0   | 8.5   | 1.1   | 6.1   | 14.9  | 0.0   |
| Queue Delay          | 0.0   |       |       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 17.2  |       |       | 49.9  | 7.0   | 8.5   | 1.1   | 6.1   | 14.9  | 0.0   |
| LOS                  | B     |       |       | D     | A     | A     | A     | A     | B     | A     |
| Approach Delay       | 17.2  |       |       | 49.9  |       | 7.9   |       |       | 14.7  |       |
| Approach LOS         | B     |       |       | D     |       | A     |       |       | B     |       |

**Intersection Summary**

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 40 (40%), Referenced to phase 2:NBTL and 6:SBTL, Start of Yellow

Natural Cycle: 65

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.57

Intersection Signal Delay: 12.5


Intersection LOS: B

Intersection Capacity Utilization 69.9%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 1: Meridian Rd #1 &amp; Woodmen Hills Dr



**Timings**  
**2: Meridian Rd #1 & Bent Grass Meadows Dr**

Meridian Proposed Mid Day.SYN

05/06/2022



| Lane Group           | EBL   | EBR   | NBL   | NBT   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑     | ↑↑    | ↑↑    | ↑     |
| Traffic Volume (vph) | 202   | 179   | 175   | 1230  | 1109  | 224   |
| Future Volume (vph)  | 202   | 179   | 175   | 1230  | 1109  | 224   |
| Turn Type            | Prot  | Perm  | pm+pt | NA    | NA    | Perm  |
| Protected Phases     | 7     |       |       | 5     | 2     | 6     |
| Permitted Phases     |       |       |       | 7     | 2     | 6     |
| Detector Phase       | 7     | 7     | 5     | 2     | 6     | 6     |
| Switch Phase         |       |       |       |       |       |       |
| Minimum Initial (s)  | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 15.0  |
| Minimum Split (s)    | 15.5  | 15.5  | 13.5  | 22.5  | 22.5  | 22.5  |
| Total Split (s)      | 22.0  | 22.0  | 20.0  | 78.0  | 58.0  | 58.0  |
| Total Split (%)      | 22.0% | 22.0% | 20.0% | 78.0% | 58.0% | 58.0% |
| Yellow Time (s)      | 4.0   | 4.0   | 5.0   | 5.5   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 3.5   | 3.5   | 2.0   | 2.0   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  | 7.5   | 7.5   | 8.5   | 7.5   | 7.5   | 7.5   |
| Lead/Lag             |       |       | Lead  |       | Lag   | Lag   |
| Lead-Lag Optimize?   |       |       | Yes   |       | Yes   | Yes   |
| Recall Mode          | None  | None  | None  | C-Max | C-Max | C-Max |
| Act Effect Green (s) | 11.9  | 11.9  | 72.1  | 73.1  | 55.6  | 55.6  |
| Actuated g/C Ratio   | 0.12  | 0.12  | 0.72  | 0.73  | 0.56  | 0.56  |
| v/c Ratio            | 0.57  | 0.56  | 0.59  | 0.53  | 0.61  | 0.24  |
| Control Delay        | 47.0  | 11.9  | 13.2  | 4.5   | 11.2  | 1.6   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 47.0  | 11.9  | 13.2  | 4.5   | 11.2  | 1.6   |
| LOS                  | D     | B     | B     | A     | B     | A     |
| Approach Delay       | 30.5  |       |       | 5.6   | 9.6   |       |
| Approach LOS         | C     |       |       | A     | A     |       |

**Intersection Summary**

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 46 (46%), Referenced to phase 2:NBTL and 6:SBT, Start of Yellow

Natural Cycle: 60

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.61

Intersection Signal Delay: 10.4


Intersection LOS: B

Intersection Capacity Utilization 66.6%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 2: Meridian Rd #1 &amp; Bent Grass Meadows Dr



**Timings**  
**3: Meridian Rd #1 & Eastonville Rd**

Meridian Proposed Mid Day.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑     | ↑     | ↑     | ↑     | ↑     | ↑↑    | ↑     | ↑     | ↑↑    | ↑     |
| Traffic Volume (vph) | 237   | 105   | 128   | 25    | 65    | 132   | 172   | 533   | 100   | 59    | 678   | 71    |
| Future Volume (vph)  | 237   | 105   | 128   | 25    | 65    | 132   | 172   | 533   | 100   | 59    | 678   | 71    |
| Turn Type            | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  | Prot  | NA    | Perm  | Prot  | NA    | Perm  |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1     | 6     |       |
| Permitted Phases     | 4     |       |       | 8     |       | 8     |       |       | 2     |       |       | 6     |
| Detector Phase       | 7     | 4     | 4     | 3     | 8     | 8     | 5     | 2     | 2     | 1     | 6     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 5.0   | 8.0   | 8.0   | 5.0   | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  | 15.0  |
| Minimum Split (s)    | 12.5  | 14.5  | 14.5  | 12.5  | 14.5  | 14.5  | 12.5  | 22.5  | 22.5  | 13.5  | 22.5  | 22.5  |
| Total Split (s)      | 17.0  | 23.0  | 23.0  | 13.0  | 19.0  | 19.0  | 23.0  | 45.0  | 45.0  | 19.0  | 41.0  | 41.0  |
| Total Split (%)      | 17.0% | 23.0% | 23.0% | 13.0% | 19.0% | 19.0% | 23.0% | 45.0% | 45.0% | 19.0% | 41.0% | 41.0% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 5.5   | 5.5   | 5.0   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 2.5   | 2.5   | 3.5   | 2.5   | 2.5   | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   | 2.0   |
| Lost Time Adjust (s) | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  |
| Total Lost Time (s)  | 6.5   | 5.5   | 5.5   | 6.5   | 5.5   | 5.5   | 6.5   | 6.5   | 6.5   | 7.5   | 6.5   | 6.5   |
| Lead/Lag             | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None  | C-Max | C-Max |
| Act Effect Green (s) | 25.2  | 19.9  | 19.9  | 16.2  | 10.7  | 10.7  | 15.4  | 46.1  | 46.1  | 9.6   | 38.4  | 38.4  |
| Actuated g/C Ratio   | 0.25  | 0.20  | 0.20  | 0.16  | 0.11  | 0.11  | 0.15  | 0.46  | 0.46  | 0.10  | 0.38  | 0.38  |
| v/c Ratio            | 0.42  | 0.31  | 0.28  | 0.12  | 0.38  | 0.41  | 0.69  | 0.36  | 0.13  | 0.37  | 0.54  | 0.10  |
| Control Delay        | 30.9  | 38.6  | 1.7   | 28.2  | 46.5  | 4.5   | 68.5  | 8.6   | 0.8   | 58.1  | 18.5  | 0.9   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 30.9  | 38.6  | 1.7   | 28.2  | 46.5  | 4.5   | 68.5  | 8.6   | 0.8   | 58.1  | 18.5  | 0.9   |
| LOS                  | C     | D     | A     | C     | D     | A     | E     | A     | A     | E     | B     | A     |
| Approach Delay       |       | 24.7  |       |       | 19.5  |       |       | 20.4  |       |       | 19.8  |       |
| Approach LOS         |       | C     |       |       | B     |       |       | C     |       |       | B     |       |

**Intersection Summary**

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 89 (89%), Referenced to phase 2:NBT and 6:SBT, Start of Yellow

Natural Cycle: 65

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.69

Intersection Signal Delay: 21.0


Intersection LOS: C

Intersection Capacity Utilization 57.1%

ICU Level of Service B

Analysis Period (min) 15

Splits and Phases: 3: Meridian Rd #1 &amp; Eastonville Rd



## Timings

### 4: Meridian Rd & Woodmen Rd

Meridian Proposed Mid Day.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑↑    | ↑     | ↑↑    | ↑↑    | ↑     | ↑↑    | ↑↑    | ↑     | ↑↑    | ↑↑    | ↑     |
| Traffic Volume (vph) | 387   | 244   | 94    | 107   | 368   | 77    | 202   | 341   | 22    | 152   | 385   | 355   |
| Future Volume (vph)  | 387   | 244   | 94    | 107   | 368   | 77    | 202   | 341   | 22    | 152   | 385   | 355   |
| Turn Type            | Prot  | NA    | Free  | Prot  | NA    | Perm  | Prot  | NA    | Free  | Prot  | NA    | Free  |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1     | 6     |       |
| Permitted Phases     |       |       | Free  |       |       | 8     |       |       | Free  |       |       | Free  |
| Detector Phase       | 7     | 4     |       | 3     | 8     | 8     | 5     | 2     |       | 1     | 6     |       |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 5.0   | 15.0  |       | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  |       | 5.0   | 15.0  |       |
| Minimum Split (s)    | 12.5  | 22.0  |       | 12.5  | 22.0  | 22.0  | 13.5  | 22.0  |       | 13.5  | 22.0  |       |
| Total Split (s)      | 25.0  | 32.0  |       | 16.0  | 23.0  | 23.0  | 20.0  | 32.0  |       | 20.0  | 32.0  |       |
| Total Split (%)      | 25.0% | 32.0% |       | 16.0% | 23.0% | 23.0% | 20.0% | 32.0% |       | 20.0% | 32.0% |       |
| Yellow Time (s)      | 4.0   | 5.0   |       | 4.0   | 5.0   | 5.0   | 5.0   | 5.0   |       | 5.0   | 5.0   |       |
| All-Red Time (s)     | 3.5   | 2.0   |       | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   |       | 3.5   | 2.0   |       |
| Lost Time Adjust (s) | -1.0  | -1.0  |       | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  |       | -1.0  | -1.0  |       |
| Total Lost Time (s)  | 6.5   | 6.0   |       | 6.5   | 6.0   | 6.0   | 7.5   | 6.0   |       | 7.5   | 6.0   |       |
| Lead/Lag             | Lead  | Lag   |       | Lead  | Lag   | Lag   | Lead  | Lag   |       | Lead  | Lag   |       |
| Lead-Lag Optimize?   | Yes   | Yes   |       | Yes   | Yes   | Yes   | Yes   | Yes   |       | Yes   | Yes   |       |
| Recall Mode          | None  | None  |       | None  | None  | None  | C-Max |       | None  | C-Max |       |       |
| Act Effect Green (s) | 17.6  | 25.2  | 100.0 | 8.9   | 16.6  | 16.6  | 11.8  | 29.0  | 100.0 | 10.8  | 28.0  | 100.0 |
| Actuated g/C Ratio   | 0.18  | 0.25  | 1.00  | 0.09  | 0.17  | 0.17  | 0.12  | 0.29  | 1.00  | 0.11  | 0.28  | 1.00  |
| v/c Ratio            | 0.76  | 0.32  | 0.07  | 0.38  | 0.68  | 0.16  | 0.57  | 0.38  | 0.02  | 0.44  | 0.42  | 0.24  |
| Control Delay        | 48.2  | 31.4  | 0.1   | 46.4  | 45.7  | 0.7   | 59.4  | 19.5  | 0.0   | 34.2  | 43.3  | 0.3   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 48.2  | 31.4  | 0.1   | 46.4  | 45.7  | 0.7   | 59.4  | 19.5  | 0.0   | 34.2  | 43.3  | 0.3   |
| LOS                  | D     | C     | A     | D     | D     | A     | E     | B     | A     | C     | D     | A     |
| Approach Delay       |       | 36.3  |       |       | 39.6  |       |       | 33.0  |       |       | 24.6  |       |
| Approach LOS         |       | D     |       |       | D     |       |       | C     |       |       | C     |       |

## Intersection Summary

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 52 (52%), Referenced to phase 2:NBT and 6:SBT, Start of Yellow

Natural Cycle: 75

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.76

Intersection Signal Delay: 32.6


Intersection LOS: C

Intersection Capacity Utilization 63.5%

ICU Level of Service B

Analysis Period (min) 15

Splits and Phases: 4: Meridian Rd &amp; Woodmen Rd



**Timings**  
**5: Meridian Rd & Rolling Thunder Way**

Meridian Proposed Mid Day.SYN

05/13/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBU    | SBL   | SBT   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑     | ↑     | ↑↑    | ↑     | ↑↑    | ↑↑    | ↑     | ↑      | ↑↑    | ↑↑    |
| Traffic Volume (vph) | 39    | 24    | 80    | 26    | 24    | 38    | 76    | 643   | 20    | 27     | 23    | 477   |
| Future Volume (vph)  | 39    | 24    | 80    | 26    | 24    | 38    | 76    | 643   | 20    | 27     | 23    | 477   |
| Turn Type            | Prot  | NA    | Perm  | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  | custom | pm+pt | NA    |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1      |       | 6     |
| Permitted Phases     |       |       |       | 4     | 8     |       | 8     | 2     |       | 2      | 1     | 6     |
| Detector Phase       | 7     | 4     | 4     | 3     | 8     | 8     | 5     | 2     | 2     | 1      | 1     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |        |       |       |
| Minimum Initial (s)  | 5.0   | 8.0   | 8.0   | 5.0   | 8.0   | 8.0   | 5.0   | 12.0  | 12.0  | 5.0    | 5.0   | 12.0  |
| Minimum Split (s)    | 12.5  | 17.0  | 17.0  | 12.5  | 15.0  | 15.0  | 12.5  | 18.0  | 18.0  | 12.5   | 12.5  | 18.0  |
| Total Split (s)      | 17.0  | 18.0  | 18.0  | 17.0  | 18.0  | 18.0  | 15.0  | 50.0  | 50.0  | 15.0   | 15.0  | 50.0  |
| Total Split (%)      | 17.0% | 18.0% | 18.0% | 17.0% | 18.0% | 18.0% | 15.0% | 50.0% | 50.0% | 15.0%  | 15.0% | 50.0% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0    | 4.0   | 4.0   |
| All-Red Time (s)     | 3.5   | 3.0   | 3.0   | 3.5   | 3.0   | 3.0   | 3.5   | 2.0   | 2.0   | 3.5    | 3.5   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   | 0.0   |
| Total Lost Time (s)  | 7.5   | 7.0   | 7.0   | 7.5   | 7.0   | 7.0   | 7.5   | 6.0   | 6.0   | 7.5    | 7.5   | 6.0   |
| Lead/Lag             | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   | Lead   | Lead  | Lag   |
| Lead-Lag Optimize?   | Yes    | Yes   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None   | None  | C-Max |
| Act Effect Green (s) | 6.3   | 8.1   | 8.1   | 11.7  | 8.3   | 8.3   | 66.2  | 63.1  | 63.1  | 64.8   | 62.4  |       |
| Actuated g/C Ratio   | 0.06  | 0.08  | 0.08  | 0.12  | 0.08  | 0.08  | 0.66  | 0.63  | 0.63  | 0.65   | 0.62  |       |
| v/c Ratio            | 0.21  | 0.18  | 0.29  | 0.17  | 0.10  | 0.15  | 0.15  | 0.34  | 0.02  | 0.12   | 0.23  |       |
| Control Delay        | 46.3  | 45.8  | 2.4   | 34.0  | 43.0  | 1.0   | 5.5   | 9.0   | 0.1   | 2.5    | 3.3   |       |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |       |
| Total Delay          | 46.3  | 45.8  | 2.4   | 34.0  | 43.0  | 1.0   | 5.5   | 9.0   | 0.1   | 2.5    | 3.3   |       |
| LOS                  | D     | D     | A     | C     | D     | A     | A     | A     | A     | A      | A     |       |
| Approach Delay       |       | 21.7  |       |       | 22.1  |       |       |       | 8.4   |        |       | 2.9   |
| Approach LOS         |       | C     |       |       | C     |       |       | A     |       |        |       | A     |

**Intersection Summary**

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 20 (20%), Referenced to phase 2:NBTL and 6:SBLT, Start of Yellow

Natural Cycle: 60

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.34

Intersection Signal Delay: 8.4

Intersection LOS: A

Intersection Capacity Utilization 56.1%

ICU Level of Service B

Analysis Period (min) 15

Splits and Phases: 5: Meridian Rd &amp; Rolling Thunder Way



**Timings**  
**5: Meridian Rd & Rolling Thunder Way**

Meridian Proposed Mid Day.SYN

05/13/2022

|                             |       |
|-----------------------------|-------|
| Lane Group                  | SBR   |
| Lane Configurations         | R     |
| Traffic Volume (vph)        | 71    |
| Future Volume (vph)         | 71    |
| Turn Type                   | Perm  |
| Protected Phases            |       |
| Permitted Phases            | 6     |
| Detector Phase              | 6     |
| Switch Phase                |       |
| Minimum Initial (s)         | 12.0  |
| Minimum Split (s)           | 18.0  |
| Total Split (s)             | 50.0  |
| Total Split (%)             | 50.0% |
| Yellow Time (s)             | 4.0   |
| All-Red Time (s)            | 2.0   |
| Lost Time Adjust (s)        | 0.0   |
| Total Lost Time (s)         | 6.0   |
| Lead/Lag                    | Lag   |
| Lead-Lag Optimize?          | Yes   |
| Recall Mode                 | C-Max |
| Act Effect Green (s)        | 62.4  |
| Actuated g/C Ratio          | 0.62  |
| v/c Ratio                   | 0.07  |
| Control Delay               | 0.3   |
| Queue Delay                 | 0.0   |
| Total Delay                 | 0.3   |
| LOS                         | A     |
| Approach Delay              |       |
| Approach LOS                |       |
| <b>Intersection Summary</b> |       |

## Timings

### 6: Meridian Rd & US 24

Meridian Proposed Mid Day.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     |
| Traffic Volume (vph) | 306   | 638   | 1     | 57    | 551   | 3     | 1     | 226   | 90    | 18    | 209   | 185   |
| Future Volume (vph)  | 306   | 638   | 1     | 57    | 551   | 3     | 1     | 226   | 90    | 18    | 209   | 185   |
| Turn Type            | pm+pt | NA    | Perm  |
| Protected Phases     | 5     | 2     |       | 1     | 6     |       | 3     | 8     |       | 7     | 4     |       |
| Permitted Phases     | 2     |       | 2     | 6     |       | 6     | 8     |       | 8     | 4     |       | 4     |
| Detector Phase       | 5     | 2     | 2     | 1     | 6     | 6     | 3     | 8     | 8     | 7     | 4     | 4     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 6.0   | 20.0  | 20.0  | 6.0   | 20.0  | 20.0  | 6.0   | 6.0   | 6.0   | 6.0   | 6.0   | 6.0   |
| Minimum Split (s)    | 16.0  | 27.0  | 27.0  | 12.0  | 44.0  | 44.0  | 12.0  | 28.0  | 28.0  | 12.0  | 25.0  | 25.0  |
| Total Split (s)      | 15.0  | 53.0  | 53.0  | 12.0  | 50.0  | 50.0  | 15.0  | 20.0  | 20.0  | 15.0  | 20.0  | 20.0  |
| Total Split (%)      | 15.0% | 53.0% | 53.0% | 12.0% | 50.0% | 50.0% | 15.0% | 20.0% | 20.0% | 15.0% | 20.0% | 20.0% |
| Yellow Time (s)      | 3.0   | 5.0   | 5.0   | 3.0   | 5.0   | 5.0   | 3.0   | 4.5   | 4.5   | 3.0   | 4.5   | 4.5   |
| All-Red Time (s)     | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  | 6.0   | 7.0   | 7.0   | 6.0   | 7.0   | 7.0   | 6.0   | 6.5   | 6.5   | 6.0   | 6.5   | 6.5   |
| Lead/Lag             | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None  | C-Max | C-Max | None  | None  | None  | None  | None  | None  |
| Act Effect Green (s) | 67.8  | 58.3  | 58.3  | 55.2  | 48.1  | 48.1  | 16.0  | 13.1  | 13.1  | 18.2  | 16.1  | 16.1  |
| Actuated g/C Ratio   | 0.68  | 0.58  | 0.58  | 0.55  | 0.48  | 0.48  | 0.16  | 0.13  | 0.13  | 0.18  | 0.16  | 0.16  |
| v/c Ratio            | 0.77  | 0.65  | 0.00  | 0.18  | 0.67  | 0.00  | 0.00  | 0.53  | 0.27  | 0.09  | 0.42  | 0.49  |
| Control Delay        | 26.2  | 21.2  | 0.0   | 9.1   | 25.5  | 0.0   | 26.0  | 44.6  | 1.9   | 19.6  | 29.3  | 16.6  |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 26.2  | 21.2  | 0.0   | 9.1   | 25.5  | 0.0   | 26.0  | 44.6  | 1.9   | 19.6  | 29.3  | 16.6  |
| LOS                  | C     | C     | A     | A     | C     | A     | C     | D     | A     | B     | C     | B     |
| Approach Delay       |       | 22.8  |       |       | 23.9  |       |       | 32.4  |       |       | 23.2  |       |
| Approach LOS         |       | C     |       |       | C     |       |       | C     |       |       | C     |       |

**Intersection Summary**

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 28 (28%), Referenced to phase 2:EBTL and 6:WBTL, Start of Yellow

Natural Cycle: 100

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.77

Intersection Signal Delay: 24.5


Intersection LOS: C

Intersection Capacity Utilization 77.2%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 6: Meridian Rd &amp; US 24



## Timings

### 1: Meridian Rd #1 & Woodmen Hills Dr

Meridian Proposed PM.SYN

05/06/2022



| Lane Group           | EBL   | EBT   | WBL   | WBT   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  |       |       |       |       |       |       |       |       |       |       |
| Traffic Volume (vph) | 4     | 19    | 78    | 11    | 84    | 1415  | 117   | 22    | 1012  | 17    |
| Future Volume (vph)  | 4     | 19    | 78    | 11    | 84    | 1415  | 117   | 22    | 1012  | 17    |
| Turn Type            | Perm  | NA    | Perm  | NA    | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  |
| Protected Phases     |       |       |       | 4     | 8     | 5     | 2     |       | 1     | 6     |
| Permitted Phases     |       |       |       |       | 2     |       | 2     | 6     |       | 6     |
| Detector Phase       |       |       |       | 4     | 8     | 5     | 2     | 2     | 1     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 8.0   | 8.0   | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  | 15.0  |
| Minimum Split (s)    | 15.5  | 15.5  | 15.5  | 15.5  | 13.5  | 22.5  | 22.5  | 13.5  | 22.5  | 22.5  |
| Total Split (s)      | 30.0  | 30.0  | 30.0  | 30.0  | 15.0  | 75.0  | 75.0  | 15.0  | 75.0  | 75.0  |
| Total Split (%)      | 25.0% | 25.0% | 25.0% | 25.0% | 12.5% | 62.5% | 62.5% | 12.5% | 62.5% | 62.5% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 5.0   | 5.5   | 5.5   | 5.0   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 3.5   | 3.5   | 3.5   | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   | 2.0   |
| Lost Time Adjust (s) |       |       |       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  |       |       |       | 7.5   | 7.5   | 8.5   | 7.5   | 8.5   | 7.5   | 7.5   |
| Lead/Lag             |       |       |       |       | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   |       |       |       |       | Yes   | Yes   | Yes   | Yes   | Yes   | Yes   |
| Recall Mode          | None  | None  | None  | None  | None  | C-Max | C-Max | None  | C-Max | C-Max |
| Act Effect Green (s) | 15.2  |       | 15.2  | 84.3  | 80.9  | 80.9  | 79.3  | 74.4  | 74.4  |       |
| Actuated g/C Ratio   | 0.13  |       | 0.13  | 0.70  | 0.67  | 0.67  | 0.66  | 0.62  | 0.62  |       |
| v/c Ratio            | 0.33  |       | 0.67  | 0.26  | 0.63  | 0.11  | 0.11  | 0.50  | 0.02  |       |
| Control Delay        | 19.8  |       | 66.1  | 3.7   | 8.3   | 1.0   | 6.6   | 14.2  | 0.1   |       |
| Queue Delay          | 0.0   |       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |       |
| Total Delay          | 19.8  |       | 66.1  | 3.7   | 8.3   | 1.0   | 6.6   | 14.2  | 0.1   |       |
| LOS                  | B     |       | E     | A     | A     | A     | A     | B     | A     |       |
| Approach Delay       | 19.8  |       | 66.1  |       | 7.5   |       |       | 13.9  |       |       |
| Approach LOS         | B     |       | E     |       | A     |       |       | B     |       |       |

**Intersection Summary**

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 37 (31%), Referenced to phase 2:NBTL and 6:SBTL, Start of Yellow

Natural Cycle: 70

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.67

Intersection Signal Delay: 12.5

Intersection LOS: B

Intersection Capacity Utilization 74.9%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 1: Meridian Rd #1 &amp; Woodmen Hills Dr



## Timings

### 2: Meridian Rd #1 & Bent Grass Meadows Dr

Meridian Proposed PM.SYN

05/06/2022



| Lane Group           | EBL   | EBR   | NBL   | NBT   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑     | ↑↑    | ↑↑    | ↑     |
| Traffic Volume (vph) | 222   | 195   | 220   | 1394  | 931   | 219   |
| Future Volume (vph)  | 222   | 195   | 220   | 1394  | 931   | 219   |
| Turn Type            | Prot  | Perm  | pm+pt | NA    | NA    | Perm  |
| Protected Phases     | 7     |       |       | 5     | 2     | 6     |
| Permitted Phases     |       |       |       | 7     | 2     | 6     |
| Detector Phase       | 7     | 7     | 5     | 2     | 6     | 6     |
| Switch Phase         |       |       |       |       |       |       |
| Minimum Initial (s)  | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 15.0  |
| Minimum Split (s)    | 15.5  | 15.5  | 13.5  | 22.5  | 22.5  | 22.5  |
| Total Split (s)      | 27.0  | 27.0  | 20.0  | 93.0  | 73.0  | 73.0  |
| Total Split (%)      | 22.5% | 22.5% | 16.7% | 77.5% | 60.8% | 60.8% |
| Yellow Time (s)      | 4.0   | 4.0   | 5.0   | 5.5   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 3.5   | 3.5   | 2.0   | 2.0   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  | 7.5   | 7.5   | 8.5   | 7.5   | 7.5   | 7.5   |
| Lead/Lag             |       |       | Lead  |       | Lag   | Lag   |
| Lead-Lag Optimize?   |       |       | Yes   |       | Yes   | Yes   |
| Recall Mode          | None  | None  | None  | C-Max | C-Max | C-Max |
| Act Effect Green (s) | 14.3  | 14.3  | 89.7  | 90.7  | 72.1  | 72.1  |
| Actuated g/C Ratio   | 0.12  | 0.12  | 0.75  | 0.76  | 0.60  | 0.60  |
| v/c Ratio            | 0.63  | 0.59  | 0.56  | 0.55  | 0.46  | 0.22  |
| Control Delay        | 57.3  | 12.5  | 8.2   | 2.0   | 11.3  | 1.1   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 57.3  | 12.5  | 8.2   | 2.0   | 11.3  | 1.1   |
| LOS                  | E     | B     | A     | A     | B     | A     |
| Approach Delay       | 36.3  |       |       | 2.8   | 9.3   |       |
| Approach LOS         | D     |       |       | A     | A     |       |

#### Intersection Summary

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 27 (23%), Referenced to phase 2:NBT and 6:SBT, Start of Yellow

Natural Cycle: 60

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.63

Intersection Signal Delay: 9.9

Intersection LOS: A

Intersection Capacity Utilization 64.2%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 2: Meridian Rd #1 &amp; Bent Grass Meadows Dr



**Timings**  
**3: Meridian Rd #1 & Eastonville Rd**

Meridian Proposed PM.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑↑   | ↑↑    |
| Traffic Volume (vph) | 249   | 110   | 134   | 30    | 65    | 155   | 187   | 1236  | 121   | 70    | 870   | 77    |
| Future Volume (vph)  | 249   | 110   | 134   | 30    | 65    | 155   | 187   | 1236  | 121   | 70    | 870   | 77    |
| Turn Type            | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  | Prot  | NA    | Perm  | Prot  | NA    | Perm  |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1     | 6     |       |
| Permitted Phases     | 4     |       |       | 8     |       | 8     |       |       | 2     |       |       | 6     |
| Detector Phase       | 7     | 4     | 4     | 3     | 8     | 8     | 5     | 2     | 2     | 1     | 6     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 5.0   | 8.0   | 8.0   | 5.0   | 8.0   | 8.0   | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  | 15.0  |
| Minimum Split (s)    | 12.5  | 14.5  | 14.5  | 12.5  | 14.5  | 14.5  | 12.5  | 22.5  | 22.5  | 13.5  | 22.5  | 22.5  |
| Total Split (s)      | 18.0  | 22.0  | 22.0  | 18.0  | 22.0  | 22.0  | 25.0  | 62.0  | 62.0  | 18.0  | 55.0  | 55.0  |
| Total Split (%)      | 15.0% | 18.3% | 18.3% | 15.0% | 18.3% | 18.3% | 20.8% | 51.7% | 51.7% | 15.0% | 45.8% | 45.8% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 5.5   | 5.5   | 5.0   | 5.5   | 5.5   |
| All-Red Time (s)     | 3.5   | 2.5   | 2.5   | 3.5   | 2.5   | 2.5   | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   | 2.0   |
| Lost Time Adjust (s) | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  |
| Total Lost Time (s)  | 6.5   | 5.5   | 5.5   | 6.5   | 5.5   | 5.5   | 6.5   | 6.5   | 6.5   | 7.5   | 6.5   | 6.5   |
| Lead/Lag             | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None  | C-Max | C-Max |
| Act Effect Green (s) | 26.4  | 20.5  | 20.5  | 19.3  | 12.0  | 12.0  | 18.5  | 63.1  | 63.1  | 10.4  | 53.1  | 53.1  |
| Actuated g/C Ratio   | 0.22  | 0.17  | 0.17  | 0.16  | 0.10  | 0.10  | 0.15  | 0.53  | 0.53  | 0.09  | 0.44  | 0.44  |
| v/c Ratio            | 0.48  | 0.38  | 0.34  | 0.14  | 0.41  | 0.55  | 0.75  | 0.73  | 0.15  | 0.49  | 0.60  | 0.10  |
| Control Delay        | 40.2  | 49.9  | 5.0   | 35.7  | 56.4  | 12.7  | 76.3  | 8.8   | 0.6   | 70.9  | 33.5  | 2.7   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 40.2  | 49.9  | 5.0   | 35.7  | 56.4  | 12.7  | 76.3  | 8.8   | 0.6   | 70.9  | 33.5  | 2.7   |
| LOS                  | D     | D     | A     | D     | E     | B     | E     | A     | A     | E     | C     | A     |
| Approach Delay       |       | 32.8  |       |       | 26.9  |       |       | 16.3  |       |       | 33.7  |       |
| Approach LOS         |       | C     |       |       | C     |       |       | B     |       |       | C     |       |

**Intersection Summary**

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 89 (74%), Referenced to phase 2:NBT and 6:SBT, Start of Yellow

Natural Cycle: 80

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.75

Intersection Signal Delay: 24.9


Intersection LOS: C

Intersection Capacity Utilization 68.4%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 3: Meridian Rd #1 &amp; Eastonville Rd



## Timings

### 4: Meridian Rd & Woodmen Rd

Meridian Proposed PM.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    |
| Traffic Volume (vph) | 649   | 382   | 86    | 203   | 437   | 159   | 257   | 736   | 90    | 250   | 534   | 311   |
| Future Volume (vph)  | 649   | 382   | 86    | 203   | 437   | 159   | 257   | 736   | 90    | 250   | 534   | 311   |
| Turn Type            | Prot  | NA    | Free  | Prot  | NA    | Perm  | Prot  | NA    | Free  | Prot  | NA    | Free  |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1     | 6     |       |
| Permitted Phases     |       |       | Free  |       |       | 8     |       |       | Free  |       |       | Free  |
| Detector Phase       | 7     | 4     |       | 3     | 8     | 8     | 5     | 2     |       | 1     | 6     |       |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 5.0   | 15.0  |       | 5.0   | 15.0  | 15.0  | 5.0   | 15.0  |       | 5.0   | 15.0  |       |
| Minimum Split (s)    | 12.5  | 22.0  |       | 12.5  | 22.0  | 22.0  | 13.5  | 22.0  |       | 13.5  | 22.0  |       |
| Total Split (s)      | 38.0  | 37.0  |       | 26.0  | 25.0  | 25.0  | 18.0  | 39.0  |       | 18.0  | 39.0  |       |
| Total Split (%)      | 31.7% | 30.8% |       | 21.7% | 20.8% | 20.8% | 15.0% | 32.5% |       | 15.0% | 32.5% |       |
| Yellow Time (s)      | 4.0   | 5.0   |       | 4.0   | 5.0   | 5.0   | 5.0   | 5.0   |       | 5.0   | 5.0   |       |
| All-Red Time (s)     | 3.5   | 2.0   |       | 3.5   | 2.0   | 2.0   | 3.5   | 2.0   |       | 3.5   | 2.0   |       |
| Lost Time Adjust (s) | -1.0  | -1.0  |       | -1.0  | -1.0  | -1.0  | -1.0  | -1.0  |       | -1.0  | -1.0  |       |
| Total Lost Time (s)  | 6.5   | 6.0   |       | 6.5   | 6.0   | 6.0   | 7.5   | 6.0   |       | 7.5   | 6.0   |       |
| Lead/Lag             | Lead  | Lag   |       | Lead  | Lag   | Lag   | Lead  | Lag   |       | Lead  | Lag   |       |
| Lead-Lag Optimize?   | Yes   | Yes   |       | Yes   | Yes   | Yes   | Yes   | Yes   |       | Yes   | Yes   |       |
| Recall Mode          | None  | None  |       | None  | None  | None  | C-Max |       | None  | C-Max |       |       |
| Act Effect Green (s) | 29.0  | 34.4  | 120.0 | 13.8  | 19.1  | 19.1  | 11.6  | 34.3  | 120.0 | 11.5  | 34.2  | 120.0 |
| Actuated g/C Ratio   | 0.24  | 0.29  | 1.00  | 0.12  | 0.16  | 0.16  | 0.10  | 0.29  | 1.00  | 0.10  | 0.28  | 1.00  |
| v/c Ratio            | 0.84  | 0.41  | 0.06  | 0.55  | 0.82  | 0.37  | 0.83  | 0.78  | 0.06  | 0.83  | 0.57  | 0.21  |
| Control Delay        | 53.2  | 36.0  | 0.1   | 55.1  | 62.0  | 2.7   | 67.3  | 40.3  | 0.1   | 61.7  | 55.3  | 0.3   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 53.2  | 36.0  | 0.1   | 55.1  | 62.0  | 2.7   | 67.3  | 40.3  | 0.1   | 61.7  | 55.3  | 0.3   |
| LOS                  | D     | D     | A     | E     | E     | A     | E     | D     | A     | E     | E     | A     |
| Approach Delay       |       | 43.2  |       |       | 48.4  |       |       | 43.4  |       |       | 41.1  |       |
| Approach LOS         |       | D     |       |       | D     |       |       | D     |       |       | D     |       |

## Intersection Summary

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 37 (31%), Referenced to phase 2:NBT and 6:SBT, Start of Yellow

Natural Cycle: 90

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.84

Intersection Signal Delay: 43.7


Intersection LOS: D

Intersection Capacity Utilization 79.7%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 4: Meridian Rd &amp; Woodmen Rd



## Timings

### 5: Meridian Rd & Rolling Thunder Way

Meridian Proposed PM.SYN

05/13/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBU    | SBL   | SBT   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| Lane Configurations  | ↑↑    | ↑     | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑    | ↑↑     | ↑↑    | ↑↑    |
| Traffic Volume (vph) | 53    | 22    | 85    | 54    | 42    | 24    | 99    | 657   | 59    | 42     | 20    | 380   |
| Future Volume (vph)  | 53    | 22    | 85    | 54    | 42    | 24    | 99    | 657   | 59    | 42     | 20    | 380   |
| Turn Type            | Prot  | NA    | Perm  | pm+pt | NA    | Perm  | pm+pt | NA    | Perm  | custom | pm+pt | NA    |
| Protected Phases     | 7     | 4     |       | 3     | 8     |       | 5     | 2     |       | 1      |       | 6     |
| Permitted Phases     |       |       |       | 4     | 8     |       | 8     | 2     |       | 2      | 1     | 6     |
| Detector Phase       | 7     | 4     | 4     | 3     | 8     | 8     | 5     | 2     | 2     | 1      | 1     | 6     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |        |       |       |
| Minimum Initial (s)  | 5.0   | 8.0   | 8.0   | 5.0   | 8.0   | 8.0   | 5.0   | 12.0  | 12.0  | 5.0    | 5.0   | 12.0  |
| Minimum Split (s)    | 12.5  | 17.5  | 17.5  | 12.5  | 15.0  | 15.0  | 12.5  | 18.0  | 18.0  | 12.5   | 12.5  | 18.0  |
| Total Split (s)      | 18.0  | 24.0  | 24.0  | 18.0  | 24.0  | 24.0  | 20.0  | 59.0  | 59.0  | 19.0   | 19.0  | 58.0  |
| Total Split (%)      | 15.0% | 20.0% | 20.0% | 15.0% | 20.0% | 20.0% | 16.7% | 49.2% | 49.2% | 15.8%  | 15.8% | 48.3% |
| Yellow Time (s)      | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0   | 4.0    | 4.0   | 4.0   |
| All-Red Time (s)     | 3.5   | 3.5   | 3.5   | 3.5   | 3.0   | 3.0   | 3.5   | 2.0   | 2.0   | 3.5    | 3.5   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   | 0.0   |
| Total Lost Time (s)  | 7.5   | 7.5   | 7.5   | 7.5   | 7.0   | 7.0   | 7.5   | 6.0   | 6.0   | 7.5    | 7.5   | 6.0   |
| Lead/Lag             | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   | Lead  | Lag   | Lag   | Lead   | Lead  | Lag   |
| Lead-Lag Optimize?   | Yes    | Yes   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None   | None  | C-Max |
| Act Effect Green (s) | 7.1   | 8.2   | 8.2   | 17.4  | 10.2  | 10.2  | 78.1  | 73.1  | 73.1  | 74.7   | 74.7  | 69.7  |
| Actuated g/C Ratio   | 0.06  | 0.07  | 0.07  | 0.14  | 0.08  | 0.08  | 0.65  | 0.61  | 0.61  | 0.62   | 0.62  | 0.58  |
| v/c Ratio            | 0.31  | 0.21  | 0.39  | 0.36  | 0.20  | 0.12  | 0.17  | 0.33  | 0.06  | 0.14   | 0.14  | 0.21  |
| Control Delay        | 57.7  | 57.0  | 5.3   | 44.7  | 52.4  | 0.9   | 7.9   | 13.8  | 0.1   | 1.3    | 1.3   | 1.4   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   | 0.0   |
| Total Delay          | 57.7  | 57.0  | 5.3   | 44.7  | 52.4  | 0.9   | 7.9   | 13.8  | 0.1   | 1.3    | 1.3   | 1.4   |
| LOS                  | E     | E     | A     | D     | D     | A     | A     | B     | A     | A      | A     | A     |
| Approach Delay       |       | 29.9  |       |       | 38.7  |       |       | 12.1  |       |        |       | 1.3   |
| Approach LOS         |       | C     |       |       | D     |       |       | B     |       |        |       | A     |

**Intersection Summary**

Cycle Length: 120

Actuated Cycle Length: 120

Offset: 106 (88%), Referenced to phase 2:NBTL and 6:SBTL, Start of Yellow

Natural Cycle: 65

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.39

Intersection Signal Delay: 13.1

Intersection LOS: B

Intersection Capacity Utilization 56.5%

ICU Level of Service B

Analysis Period (min) 15

Splits and Phases: 5: Meridian Rd &amp; Rolling Thunder Way



## Timings

### 5: Meridian Rd & Rolling Thunder Way

Meridian Proposed PM.SYN

05/13/2022

|                             |       |
|-----------------------------|-------|
| Lane Group                  | SBR   |
| Lane Configurations         | 1     |
| Traffic Volume (vph)        | 50    |
| Future Volume (vph)         | 50    |
| Turn Type                   | Perm  |
| Protected Phases            |       |
| Permitted Phases            | 6     |
| Detector Phase              | 6     |
| Switch Phase                |       |
| Minimum Initial (s)         | 12.0  |
| Minimum Split (s)           | 18.0  |
| Total Split (s)             | 58.0  |
| Total Split (%)             | 48.3% |
| Yellow Time (s)             | 4.0   |
| All-Red Time (s)            | 2.0   |
| Lost Time Adjust (s)        | 0.0   |
| Total Lost Time (s)         | 6.0   |
| Lead/Lag                    | Lag   |
| Lead-Lag Optimize?          | Yes   |
| Recall Mode                 | C-Max |
| Act Effect Green (s)        | 69.7  |
| Actuated g/C Ratio          | 0.58  |
| v/c Ratio                   | 0.06  |
| Control Delay               | 0.1   |
| Queue Delay                 | 0.0   |
| Total Delay                 | 0.1   |
| LOS                         | A     |
| Approach Delay              |       |
| Approach LOS                |       |
| <u>Intersection Summary</u> |       |

## Timings

### 6: Meridian Rd & US 24

Meridian Proposed PM.SYN

05/06/2022

| Lane Group           | EBL   | EBT   | EBR   | WBL   | WBT   | WBR   | NBL   | NBT   | NBR   | SBL   | SBT   | SBR   |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Lane Configurations  | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     |
| Traffic Volume (vph) | 385   | 605   | 1     | 51    | 492   | 3     | 1     | 433   | 85    | 17    | 241   | 247   |
| Future Volume (vph)  | 385   | 605   | 1     | 51    | 492   | 3     | 1     | 433   | 85    | 17    | 241   | 247   |
| Turn Type            | pm+pt | NA    | Perm  |
| Protected Phases     | 5     | 2     |       | 1     | 6     |       | 3     | 8     |       | 7     | 4     |       |
| Permitted Phases     | 2     |       | 2     | 6     |       | 6     | 8     |       | 8     | 4     |       | 4     |
| Detector Phase       | 5     | 2     | 2     | 1     | 6     | 6     | 3     | 8     | 8     | 7     | 4     | 4     |
| Switch Phase         |       |       |       |       |       |       |       |       |       |       |       |       |
| Minimum Initial (s)  | 6.0   | 20.0  | 20.0  | 6.0   | 20.0  | 20.0  | 6.0   | 6.0   | 6.0   | 6.0   | 6.0   | 6.0   |
| Minimum Split (s)    | 12.0  | 27.0  | 27.0  | 12.0  | 44.0  | 44.0  | 12.0  | 28.0  | 28.0  | 12.0  | 12.5  | 12.5  |
| Total Split (s)      | 42.0  | 88.0  | 88.0  | 15.0  | 61.0  | 61.0  | 12.0  | 25.0  | 25.0  | 12.0  | 25.0  | 25.0  |
| Total Split (%)      | 30.0% | 62.9% | 62.9% | 10.7% | 43.6% | 43.6% | 8.6%  | 17.9% | 17.9% | 8.6%  | 17.9% | 17.9% |
| Yellow Time (s)      | 3.0   | 5.0   | 5.0   | 3.0   | 5.0   | 5.0   | 3.0   | 4.5   | 4.5   | 3.0   | 4.5   | 4.5   |
| All-Red Time (s)     | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   | 3.0   | 2.0   | 2.0   |
| Lost Time Adjust (s) | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Lost Time (s)  | 6.0   | 7.0   | 7.0   | 6.0   | 7.0   | 7.0   | 6.0   | 6.5   | 6.5   | 6.0   | 6.5   | 6.5   |
| Lead/Lag             | Lead  | Lag   | Lag   |
| Lead-Lag Optimize?   | Yes   |
| Recall Mode          | None  | C-Max | C-Max | None  | C-Max | C-Max | None  | None  | None  | None  | None  | None  |
| Act Effect Green (s) | 98.7  | 87.2  | 87.2  | 76.0  | 68.1  | 68.1  | 25.7  | 21.6  | 21.6  | 28.1  | 26.4  | 26.4  |
| Actuated g/C Ratio   | 0.70  | 0.62  | 0.62  | 0.54  | 0.49  | 0.49  | 0.18  | 0.15  | 0.15  | 0.20  | 0.19  | 0.19  |
| v/c Ratio            | 0.78  | 0.58  | 0.00  | 0.14  | 0.59  | 0.00  | 0.00  | 0.86  | 0.24  | 0.14  | 0.42  | 0.54  |
| Control Delay        | 20.6  | 19.3  | 0.0   | 10.6  | 31.8  | 0.0   | 43.0  | 74.2  | 1.4   | 45.7  | 52.7  | 9.8   |
| Queue Delay          | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| Total Delay          | 20.6  | 19.3  | 0.0   | 10.6  | 31.8  | 0.0   | 43.0  | 74.2  | 1.4   | 45.7  | 52.7  | 9.8   |
| LOS                  | C     | B     | A     | B     | C     | A     | D     | E     | A     | D     | D     | A     |
| Approach Delay       |       | 19.8  |       |       | 29.7  |       |       | 62.3  |       |       | 31.5  |       |
| Approach LOS         |       | B     |       |       | C     |       |       | E     |       |       | C     |       |

**Intersection Summary**

Cycle Length: 140

Actuated Cycle Length: 140

Offset: 99 (71%), Referenced to phase 2:EBTL and 6:WBTL, Start of Yellow

Natural Cycle: 100

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.86

Intersection Signal Delay: 32.7

Intersection LOS: C

Intersection Capacity Utilization 77.6%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 6: Meridian Rd &amp; US 24




# Time-Space Diagrams



## Meridian Rd Proposed AM Timings

120 sec

Fri. 5/6/2022 10:20 AM North→



## Meridian Rd Proposed Mid-Day

Fri. 5/6/2022 10:24 AM North→

100 sec

US 24

28 sec

Rolling Thunder Way

20 sec

Woodmen Rd

52 sec

Eastonville Rd


89 sec

Bent Grass Meadows Dr

46 sec


Woodmen Hills D

40 sec



## Meridian Rd Proposed PM Timings

Fri. 5/6/2022 10:29 AM North→



# Traffic Counts

---



**LSC Transportation Consultants, Inc.**

545 E Pikes Peak Ave, Suite 210

Colorado Springs, CO 80905

719-633-2868

File Name : Meridian Rd - Woodmen Hills Dr AM

Site Code : 184390

Start Date : 05/08/2018

Page No : 1

**Groups Printed- Unshifted**

|       | Meridian rd Southbound |      |      |       |      | Woodmen Hills Dr Westbound |      |      |       |      | Meridian rd Northbound |      |      |       |      | Woodmen Hills Dr Eastbound |      |      |       |      |            |            |
|-------|------------------------|------|------|-------|------|----------------------------|------|------|-------|------|------------------------|------|------|-------|------|----------------------------|------|------|-------|------|------------|------------|
|       | Start Time             | Left | Thru | Right | Peds | App. Total                 | Left | Thru | Right | Peds | App. Total             | Left | Thru | Right | Peds | App. Total                 | Left | Thru | Right | Peds | App. Total | Int. Total |
| 06:30 | 2                      | 225  | 1    | 0     | 228  | 25                         | 2    | 11   | 0     | 38   | 1                      | 137  | 4    | 0     | 142  | 0                          | 2    | 9    | 0     | 11   | 419        |            |
| 06:45 | 2                      | 271  | 1    | 0     | 274  | 31                         | 2    | 10   | 0     | 43   | 1                      | 144  | 7    | 0     | 152  | 0                          | 2    | 10   | 0     | 12   | 481        |            |
| Total |                        | 4    | 496  | 2     | 0    | 502                        | 56   | 4    | 21    | 0    | 81                     | 2    | 281  | 11    | 0    | 294                        | 0    | 4    | 19    | 0    | 23         | 900        |
| 07:00 | 4                      | 381  | 1    | 0     | 386  | 41                         | 3    | 14   | 0     | 58   | 4                      | 128  | 2    | 0     | 134  | 6                          | 9    | 33   | 0     | 48   | 626        |            |
| 07:15 | 4                      | 367  | 3    | 0     | 374  | 37                         | 3    | 12   | 0     | 52   | 3                      | 188  | 4    | 0     | 195  | 4                          | 4    | 23   | 0     | 31   | 652        |            |
| 07:30 | 20                     | 355  | 2    | 0     | 377  | 33                         | 3    | 15   | 0     | 51   | 4                      | 189  | 4    | 0     | 197  | 8                          | 2    | 22   | 0     | 32   | 657        |            |
| 07:45 | 16                     | 293  | 2    | 0     | 311  | 21                         | 0    | 4    | 0     | 25   | 10                     | 154  | 8    | 0     | 172  | 3                          | 2    | 11   | 0     | 16   | 524        |            |
| Total |                        | 44   | 1396 | 8     | 0    | 1448                       | 132  | 9    | 45    | 0    | 186                    | 21   | 659  | 18    | 0    | 698                        | 21   | 17   | 89    | 0    | 127        | 2459       |
| 08:00 | 12                     | 258  | 0    | 0     | 270  | 21                         | 1    | 3    | 0     | 25   | 4                      | 134  | 25   | 0     | 163  | 0                          | 9    | 13   | 0     | 22   | 480        |            |
| 08:15 | 21                     | 223  | 3    | 0     | 247  | 53                         | 7    | 17   | 0     | 77   | 6                      | 146  | 17   | 0     | 169  | 0                          | 6    | 13   | 0     | 19   | 512        |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210

Colorado Springs, CO 80905

719-633-2868


File Name : Meridian Rd - Woodmen Hills Dr AM

Site Code : 184390

Start Date : 05/08/2018

Page No : 3

|  | Meridian rd<br>Southbound |      |       |      | Woodmen Hills Dr<br>Westbound |      |      |       | Meridian rd<br>Northbound |            |      |      | Woodmen Hills Dr<br>Eastbound |      |            |      |      |       |      |            |            |
|--|---------------------------|------|-------|------|-------------------------------|------|------|-------|---------------------------|------------|------|------|-------------------------------|------|------------|------|------|-------|------|------------|------------|
| Start Time   | Left                      | Thru | Right | Peds | App. Total                    | Left | Thru | Right | Peds                      | App. Total | Left | Thru | Right                         | Peds | App. Total | Left | Thru | Right | Peds | App. Total | Int. Total |
| Peak Hour Analysis From 06:30 to 08:15 - Peak 1 of 1 |                           |      |       |      |                               |      |      |       |                           |            |      |      |                               |      |            |      |      |       |      |            |            |
| Peak Hour for Entire Intersection Begins at 07:00    |                           |      |       |      |                               |      |      |       |                           |            |      |      |                               |      |            |      |      |       |      |            |            |
| 07:00  | 4                         | 381  | 1     | 0    | 386                           | 41   | 3    | 14    | 0                         | 58         | 4    | 128  | 2                             | 0    | 134        | 6    | 9    | 33    | 0    | 48         | 626        |
| 07:15  | 4                         | 367  | 3     | 0    | 374                           | 37   | 3    | 12    | 0                         | 52         | 3    | 188  | 4                             | 0    | 195        | 4    | 4    | 23    | 0    | 31         | 652        |
| 07:30  | 20                        | 355  | 2     | 0    | 377                           | 33   | 3    | 15    | 0                         | 51         | 4    | 189  | 4                             | 0    | 197        | 8    | 2    | 22    | 0    | 32         | 657        |
| 07:45  | 16                        | 293  | 2     | 0    | 311                           | 21   | 0    | 4     | 0                         | 25         | 10   | 154  | 8                             | 0    | 172        | 3    | 2    | 11    | 0    | 16         | 524        |
| Total Volume   | 44                        | 1396 | 8     | 0    | 1448                          | 132  | 9    | 45    | 0                         | 186        | 21   | 659  | 18                            | 0    | 698        | 21   | 17   | 89    | 0    | 127        | 2459       |
| % App. Total.  | 3                         | 96.4 | 0.6   | 0    |                               | 71   | 4.8  | 24.2  | 0                         |            | 3    | 94.4 | 2.6                           | 0    |            | 16.5 | 13.4 | 70.1  | 0    |            |            |
| PHF  | .550                      | .916 | .667  | .000 | .938                          | .805 | .750 | .750  | .000                      | .802       | .525 | .872 | .563                          | .000 | .886       | .656 | .472 | .674  | .000 | .661       | .936       |



**LSC Transportation Consultants, Inc.**

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Meridian Rd - Woodmen Hills Dr PM

Site Code : 184390

Start Date : 05/08/2018

Page No : 1

**Groups Printed- Unshifted**

|       | Meridian Rd Southbound |      |      |       |      | Woodmen Hills Dr Westbound |      |      |       |      | Meridian Rd Northbound |      |      |       |      | Woodmen Hills Dr Eastbound |      |      |       |      | Int. Total |      |
|-------|------------------------|------|------|-------|------|----------------------------|------|------|-------|------|------------------------|------|------|-------|------|----------------------------|------|------|-------|------|------------|------|
|       | Start Time             | Left | Thru | Right | Peds | App. Total                 | Left | Thru | Right | Peds | App. Total             | Left | Thru | Right | Peds | App. Total                 | Left | Thru | Right | Peds | App. Total |      |
| 16:00 | 6                      | 244  | 2    | 0     | 0    | 252                        | 13   | 0    | 1     | 0    | 14                     | 24   | 272  | 21    | 0    | 317                        | 2    | 0    | 13    | 0    | 15         | 598  |
| 16:15 | 1                      | 199  | 5    | 0     | 0    | 205                        | 11   | 7    | 6     | 0    | 24                     | 20   | 276  | 18    | 1    | 315                        | 1    | 4    | 6     | 0    | 11         | 555  |
| 16:30 | 4                      | 181  | 6    | 0     | 0    | 191                        | 24   | 3    | 2     | 0    | 29                     | 14   | 320  | 24    | 0    | 358                        | 3    | 5    | 12    | 0    | 20         | 598  |
| 16:45 | 2                      | 215  | 3    | 0     | 0    | 220                        | 4    | 5    | 3     | 0    | 12                     | 23   | 297  | 23    | 1    | 344                        | 1    | 1    | 14    | 0    | 16         | 592  |
| Total | 13                     | 839  | 16   | 0     | 0    | 868                        | 52   | 15   | 12    | 0    | 79                     | 81   | 1165 | 86    | 2    | 1334                       | 7    | 10   | 45    | 0    | 62         | 2343 |
| 17:00 | 5                      | 195  | 5    | 1     | 0    | 206                        | 20   | 3    | 1     | 0    | 24                     | 27   | 334  | 22    | 0    | 383                        | 0    | 8    | 12    | 0    | 20         | 633  |
| 17:15 | 11                     | 174  | 3    | 0     | 0    | 188                        | 13   | 0    | 2     | 0    | 15                     | 12   | 317  | 31    | 2    | 362                        | 0    | 5    | 14    | 0    | 19         | 584  |
| 17:30 | 3                      | 192  | 1    | 0     | 0    | 196                        | 18   | 1    | 3     | 0    | 22                     | 28   | 292  | 42    | 0    | 362                        | 3    | 2    | 8     | 0    | 13         | 593  |
| 17:45 | 8                      | 161  | 4    | 0     | 0    | 173                        | 17   | 5    | 0     | 0    | 22                     | 17   | 327  | 19    | 0    | 363                        | 2    | 4    | 16    | 0    | 22         | 580  |
| Total | 27                     | 722  | 13   | 1     | 0    | 763                        | 68   | 9    | 6     | 0    | 83                     | 84   | 1270 | 114   | 2    | 1470                       | 5    | 19   | 50    | 0    | 74         | 2390 |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210

Colorado Springs, CO 80905

719-633-2868


File Name : Meridian Rd - Woodmen Hills Dr PM

Site Code : 184390

Start Date : 05/08/2018

Page No : 3

|  | Meridian Rd Southbound |      |       |      |            | Woodmen Hills Dr Westbound |      |       |      |            | Meridian Rd Northbound |      |       |      |            | Woodmen Hills Dr Eastbound |      |       |      |            |            |
|--|------------------------|------|-------|------|------------|----------------------------|------|-------|------|------------|------------------------|------|-------|------|------------|----------------------------|------|-------|------|------------|------------|
| Start Time   | Left                   | Thru | Right | Peds | App. Total | Left                       | Thru | Right | Peds | App. Total | Left                   | Thru | Right | Peds | App. Total | Left                       | Thru | Right | Peds | App. Total | Int. Total |
| Peak Hour Analysis From 16:00 to 17:45 - Peak 1 of 1 |                        |      |       |      |            |                            |      |       |      |            |                        |      |       |      |            |                            |      |       |      |            |            |
| Peak Hour for Entire Intersection Begins at 16:30    |                        |      |       |      |            |                            |      |       |      |            |                        |      |       |      |            |                            |      |       |      |            |            |
| 16:30  | 4                      | 181  | 6     | 0    | 191        | 24                         | 3    | 2     | 0    | 29         | 14                     | 320  | 24    | 0    | 358        | 3                          | 5    | 12    | 0    | 20         | 598        |
| 16:45  | 2                      | 215  | 3     | 0    | 220        | 4                          | 5    | 3     | 0    | 12         | 23                     | 297  | 23    | 1    | 344        | 1                          | 1    | 14    | 0    | 16         | 592        |
| 17:00  | 5                      | 195  | 5     | 1    | 206        | 20                         | 3    | 1     | 0    | 24         | 27                     | 334  | 22    | 0    | 383        | 0                          | 8    | 12    | 0    | 20         | 633        |
| 17:15  | 11                     | 174  | 3     | 0    | 188        | 13                         | 0    | 2     | 0    | 15         | 12                     | 317  | 31    | 2    | 362        | 0                          | 5    | 14    | 0    | 19         | 584        |
| Total Volume   | 22                     | 765  | 17    | 1    | 805        | 61                         | 11   | 8     | 0    | 80         | 76                     | 1268 | 100   | 3    | 1447       | 4                          | 19   | 52    | 0    | 75         | 2407       |
| % App. Total   | 2.7                    | 95   | 2.1   | 0.1  |            | 76.2                       | 13.8 | 10    | 0    |            | 5.3                    | 87.6 | 6.9   | 0.2  |            | 5.3                        | 25.3 | 69.3  | 0    |            |            |
| PHF  | .500                   | .890 | .708  | .250 | .915       | .635                       | .550 | .667  | .000 | .690       | .704                   | .949 | .806  | .375 | .945       | .333                       | .594 | .929  | .000 | .938       | .951       |



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows AM 1-22 with light  
 Site Code : S215050  
 Start Date : 1/11/2022  
 Page No : 1


## Groups Printed- Unshifted

|             | Meridian Rd Southbound |      |      |   |   | Westbound  |   |   |   |   | Meridian Rd Northbound |      |      |   |   | Bent Grass Meadows Eastbound |     |   |     |   | Int. Total |      |
|-------------|------------------------|------|------|---|---|------------|---|---|---|---|------------------------|------|------|---|---|------------------------------|-----|---|-----|---|------------|------|
|             | Start Time             | L    | T    | R | U | App. Total | L | T | R | U | App. Total             | L    | T    | R | U | App. Total                   | L   | T | R   | U | App. Total |      |
| 06:30 AM    | 0                      | 296  | 27   | 0 | 0 | 323        | 0 | 0 | 0 | 0 | 0                      | 10   | 58   | 0 | 0 | 68                           | 17  | 0 | 13  | 0 | 30         | 421  |
| 06:45 AM    | 0                      | 276  | 29   | 0 | 0 | 305        | 0 | 0 | 0 | 0 | 0                      | 11   | 83   | 0 | 0 | 94                           | 11  | 0 | 28  | 0 | 39         | 438  |
| Total       | 0                      | 572  | 56   | 0 | 0 | 628        | 0 | 0 | 0 | 0 | 0                      | 21   | 141  | 0 | 0 | 162                          | 28  | 0 | 41  | 0 | 69         | 859  |
| 07:00 AM    | 0                      | 354  | 32   | 0 | 0 | 386        | 0 | 0 | 0 | 0 | 0                      | 14   | 105  | 0 | 0 | 119                          | 17  | 0 | 24  | 0 | 41         | 546  |
| 07:15 AM    | 0                      | 398  | 32   | 0 | 0 | 430        | 0 | 0 | 0 | 0 | 0                      | 20   | 154  | 0 | 0 | 174                          | 28  | 0 | 21  | 0 | 49         | 653  |
| 07:30 AM    | 0                      | 350  | 41   | 0 | 0 | 391        | 0 | 0 | 0 | 0 | 0                      | 23   | 169  | 0 | 0 | 192                          | 29  | 0 | 25  | 0 | 54         | 637  |
| 07:45 AM    | 0                      | 310  | 62   | 0 | 0 | 372        | 0 | 0 | 0 | 0 | 0                      | 24   | 148  | 0 | 0 | 172                          | 21  | 0 | 20  | 0 | 41         | 585  |
| Total       | 0                      | 1412 | 167  | 0 | 0 | 1579       | 0 | 0 | 0 | 0 | 0                      | 81   | 576  | 0 | 0 | 657                          | 95  | 0 | 90  | 0 | 185        | 2421 |
| 08:00 AM    | 0                      | 239  | 22   | 0 | 0 | 261        | 0 | 0 | 0 | 0 | 0                      | 16   | 168  | 0 | 0 | 184                          | 19  | 0 | 23  | 0 | 42         | 487  |
| 08:15 AM    | 0                      | 244  | 43   | 0 | 0 | 287        | 0 | 0 | 0 | 0 | 0                      | 9    | 152  | 0 | 0 | 161                          | 24  | 0 | 12  | 0 | 36         | 484  |
| Grand Total | 0                      | 2467 | 288  | 0 | 0 | 2755       | 0 | 0 | 0 | 0 | 0                      | 127  | 1037 | 0 | 0 | 1164                         | 166 | 0 | 166 | 0 | 332        | 4251 |
| Apprch %    | 0                      | 89.5 | 10.5 | 0 | 0 | 0          | 0 | 0 | 0 | 0 | 0                      | 10.9 | 89.1 | 0 | 0 | 0                            | 50  | 0 | 50  | 0 | 0          |      |
| Total %     | 0                      | 58   | 6.8  | 0 | 0 | 64.8       | 0 | 0 | 0 | 0 | 0                      | 3    | 24.4 | 0 | 0 | 27.4                         | 3.9 | 0 | 3.9 | 0 | 7.8        |      |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Bent Grass Meadows AM 1-22 with light  
Site Code : S215050  
Start Date : 1/11/2022  
Page No : 3



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows PM 1-22 with light  
 Site Code : S215050  
 Start Date : 1/11/2022  
 Page No : 1

### Groups Printed- Unshifted


| Start Time  | Meridian Rd Southbound |      |      |     |            | Westbound |   |   |   |            | Meridian Rd Northbound |      |   |   |            | Bent Grass Meadows Eastbound |      |     |   |            | Int. Total |
|-------------|------------------------|------|------|-----|------------|-----------|---|---|---|------------|------------------------|------|---|---|------------|------------------------------|------|-----|---|------------|------------|
|             | L                      | T    | R    | U   | App. Total | L         | T | R | U | App. Total | L                      | T    | R | U | App. Total | L                            | T    | R   | U | App. Total |            |
| 04:00 PM    | 0                      | 260  | 36   | 0   | 296        | 0         | 0 | 0 | 0 | 0          | 16                     | 308  | 0 | 0 | 324        | 33                           | 0    | 17  | 0 | 50         | 670        |
| 04:15 PM    | 0                      | 217  | 32   | 0   | 249        | 0         | 0 | 0 | 0 | 0          | 16                     | 324  | 0 | 1 | 341        | 26                           | 0    | 15  | 0 | 41         | 631        |
| 04:30 PM    | 0                      | 185  | 43   | 0   | 228        | 0         | 0 | 0 | 0 | 0          | 17                     | 291  | 0 | 0 | 308        | 33                           | 0    | 21  | 0 | 54         | 590        |
| 04:45 PM    | 0                      | 201  | 21   | 0   | 222        | 0         | 0 | 0 | 0 | 0          | 18                     | 345  | 0 | 0 | 363        | 33                           | 0    | 13  | 0 | 46         | 631        |
| Total       | 0                      | 863  | 132  | 0   | 995        | 0         | 0 | 0 | 0 | 0          | 67                     | 1268 | 0 | 1 | 1336       | 125                          | 0    | 66  | 0 | 191        | 2522       |
| 05:00 PM    | 0                      | 222  | 29   | 0   | 251        | 0         | 0 | 0 | 0 | 0          | 22                     | 345  | 0 | 0 | 367        | 34                           | 0    | 24  | 0 | 58         | 676        |
| 05:15 PM    | 0                      | 181  | 22   | 0   | 203        | 0         | 0 | 0 | 0 | 0          | 11                     | 340  | 0 | 0 | 351        | 20                           | 0    | 30  | 0 | 50         | 604        |
| 05:30 PM    | 0                      | 197  | 13   | 1   | 211        | 0         | 0 | 0 | 0 | 0          | 14                     | 337  | 0 | 0 | 351        | 28                           | 0    | 23  | 0 | 51         | 613        |
| 05:45 PM    | 0                      | 164  | 20   | 0   | 184        | 0         | 0 | 0 | 0 | 0          | 19                     | 296  | 0 | 0 | 315        | 18                           | 0    | 19  | 0 | 37         | 536        |
| Total       | 0                      | 764  | 84   | 1   | 849        | 0         | 0 | 0 | 0 | 0          | 66                     | 1318 | 0 | 0 | 1384       | 100                          | 0    | 96  | 0 | 196        | 2429       |
| Grand Total | 0                      | 1627 | 216  | 1   | 1844       | 0         | 0 | 0 | 0 | 0          | 133                    | 2586 | 0 | 1 | 2720       | 225                          | 0    | 162 | 0 | 387        | 4951       |
| Apprch %    | 0                      | 88.2 | 11.7 | 0.1 |            | 0         | 0 | 0 | 0 | 0          | 4.9                    | 95.1 | 0 | 0 | 58.1       | 0                            | 41.9 | 0   |   |            |            |
| Total %     | 0                      | 32.9 | 4.4  | 0   | 37.2       | 0         | 0 | 0 | 0 | 0          | 2.7                    | 52.2 | 0 | 0 | 54.9       | 4.5                          | 0    | 3.3 | 0 | 7.8        |            |

# LSC Transportation Consultants, Inc.


2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Bent Grass Meadows PM 1-22 with light  
Site Code : S215050  
Start Date : 1/11/2022  
Page No : 3




| Meridian Rd |     |       |   |
|-------------|-----|-------|---|
| Out         | In  | Total |   |
| 1431        | 950 | 2381  |   |
|             |     |       |   |
| 125         | 825 | 0     | 0 |
| R           | T   | L     | U |



## Peak Hour Data



↑  
North  
Peak Hour Begins at 04:15 PM  
Unshifted



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 945-11AM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

|             | Meridian Rd Southbound |      |      |   |            | Westbound |   |   |   |            | Meridian Rd Northbound |      |   |     |            | Bent Grass Meadows Eastbound |   |      |   |            | Int. Total |
|-------------|------------------------|------|------|---|------------|-----------|---|---|---|------------|------------------------|------|---|-----|------------|------------------------------|---|------|---|------------|------------|
|             | L                      | T    | R    | U | App. Total | L         | T | R | U | App. Total | L                      | T    | R | U   | App. Total | L                            | T | R    | U | App. Total |            |
| 09:45 AM    | 0                      | 174  | 17   | 0 | 191        | 0         | 0 | 0 | 0 | 0          | 9                      | 130  | 0 | 0   | 139        | 13                           | 0 | 13   | 0 | 26         | 356        |
| Total       | 0                      | 174  | 17   | 0 | 191        | 0         | 0 | 0 | 0 | 0          | 9                      | 130  | 0 | 0   | 139        | 13                           | 0 | 13   | 0 | 26         | 356        |
| 10:00 AM    | 0                      | 186  | 24   | 0 | 210        | 0         | 0 | 0 | 0 | 0          | 10                     | 141  | 0 | 0   | 151        | 10                           | 0 | 16   | 0 | 26         | 387        |
| 10:15 AM    | 0                      | 185  | 26   | 0 | 211        | 0         | 0 | 0 | 0 | 0          | 7                      | 118  | 0 | 1   | 126        | 13                           | 0 | 24   | 0 | 37         | 374        |
| 10:30 AM    | 0                      | 186  | 26   | 0 | 212        | 0         | 0 | 0 | 0 | 0          | 11                     | 119  | 0 | 0   | 130        | 15                           | 0 | 17   | 0 | 32         | 374        |
| 10:45 AM    | 0                      | 185  | 15   | 0 | 200        | 0         | 0 | 0 | 0 | 0          | 14                     | 167  | 0 | 0   | 181        | 14                           | 0 | 19   | 0 | 33         | 414        |
| Total       | 0                      | 742  | 91   | 0 | 833        | 0         | 0 | 0 | 0 | 0          | 42                     | 545  | 0 | 1   | 588        | 52                           | 0 | 76   | 0 | 128        | 1549       |
| Grand Total | 0                      | 916  | 108  | 0 | 1024       | 0         | 0 | 0 | 0 | 0          | 51                     | 675  | 0 | 1   | 727        | 65                           | 0 | 89   | 0 | 154        | 1905       |
| Apprch %    | 0                      | 89.5 | 10.5 | 0 |            | 0         | 0 | 0 | 0 | 0          | 7                      | 92.8 | 0 | 0.1 | 42.2       | 0                            | 0 | 57.8 | 0 |            |            |
| Total %     | 0                      | 48.1 | 5.7  | 0 | 53.8       | 0         | 0 | 0 | 0 | 0          | 2.7                    | 35.4 | 0 | 0.1 | 38.2       | 3.4                          | 0 | 4.7  | 0 | 8.1        |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 945-11AM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 2





|  | Meridian Rd<br>Southbound |            |           |      |            | Westbound  |      |      |      |      | Meridian Rd<br>Northbound |           |            |      |          | Bent Grass Meadows<br>Eastbound |           |      |           |      | Int. Total |            |
|--|---------------------------|------------|-----------|------|------------|------------|------|------|------|------|---------------------------|-----------|------------|------|----------|---------------------------------|-----------|------|-----------|------|------------|------------|
|  | Start Time                | L          | T         | R    | U          | App. Total | L    | T    | R    | U    | App. Total                | L         | T          | R    | U        | App. Total                      | L         | T    | R         | U    | App. Total |            |
| <b>Peak Hour Analysis From 9:45:00 AM to 10:45:00 AM - Peak 1 of 1</b> |                           |            |           |      |            |            |      |      |      |      |                           |           |            |      |          |                                 |           |      |           |      |            |            |
| Peak Hour for Entire Intersection Begins at 10:00:00 AM                |                           |            |           |      |            |            |      |      |      |      |                           |           |            |      |          |                                 |           |      |           |      |            |            |
| 10:00:00 AM  | 0                         | <b>186</b> | 24        | 0    | 210        |            | 0    | 0    | 0    | 0    | 0                         | 10        | 141        | 0    | 0        | 151                             | 10        | 0    | 16        | 0    | 26         | 387        |
| 10:15:00 AM  | 0                         | 185        | <b>26</b> | 0    | 211        |            | 0    | 0    | 0    | 0    | 0                         | 7         | 118        | 0    | <b>1</b> | 126                             | 13        | 0    | <b>24</b> | 0    | <b>37</b>  | 374        |
| 10:30:00 AM  | 0                         | 186        | 26        | 0    | <b>212</b> |            | 0    | 0    | 0    | 0    | 0                         | 11        | 119        | 0    | 0        | 130                             | <b>15</b> | 0    | 17        | 0    | 32         | 374        |
| 10:45:00 AM  | 0                         | 185        | 15        | 0    | 200        |            | 0    | 0    | 0    | 0    | 0                         | <b>14</b> | <b>167</b> | 0    | 0        | <b>181</b>                      | 14        | 0    | 19        | 0    | 33         | <b>414</b> |
| Total Volume   | 0                         | 742        | 91        | 0    | 833        |            | 0    | 0    | 0    | 0    | 0                         | 42        | 545        | 0    | 1        | 588                             | 52        | 0    | 76        | 0    | 128        | 1549       |
| % App. Total   | 0                         | 89.1       | 10.9      | 0    |            |            | 0    | 0    | 0    | 0    |                           | 7.1       | 92.7       | 0    | 0.2      |                                 | 40.6      | 0    | 59.4      | 0    |            |            |
| PHF  | .000                      | .997       | .875      | .000 | .982       |            | .000 | .000 | .000 | .000 |                           | .750      | .816       | .000 | .250     | .812                            | .867      | .000 | .792      | .000 | .865       | .935       |

## LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 945-11AM with light  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 3

| Meridian Rd | Out | In  | Total |
|-------------|-----|-----|-------|
|             | 597 | 833 | 1430  |
|             | 91  | 742 | 0     |
| R           | T   | L   | U     |
|             |     |     |       |



|             |     |       |   |
|-------------|-----|-------|---|
| 42          | 545 | 0     | 1 |
|             |     |       |   |
| Out         | In  | Total |   |
| 818         | 588 | 1406  |   |
| Meridian Rd |     |       |   |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 945-11AM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Bent Grass Meadows<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|-----------|---|---|---|------------|---------------------------|---|---|---|------------|---------------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L         | T | R | U | App. Total | L                         | T | R | U | App. Total | L                               | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 9:45:00 AM to 10:45:00 AM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 10:00:00 AM | 9:45:00 AM |      |      |      |            | 10:00:00 AM |      |      |      |            | 10:00:00 AM |      |      |      |            |      |      |      |      |            |            |
|--------------|-------------|------------|------|------|------|------------|-------------|------|------|------|------------|-------------|------|------|------|------------|------|------|------|------|------------|------------|
|              |             | L          | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | L    | T    | R    | U    | App. Total | Int. Total |
| +0 mins.     | 0           | 186        | 24   | 0    | 210  | 0          | 0           | 0    | 0    | 0    | 10         | 141         | 0    | 0    | 151  | 10         | 0    | 16   | 0    | 26   |            |            |
| +5 mins.     | 0           | 185        | 26   | 0    | 211  | 0          | 0           | 0    | 0    | 0    | 7          | 118         | 0    | 1    | 126  | 13         | 0    | 24   | 0    | 37   |            |            |
| +10 mins.    | 0           | 186        | 26   | 0    | 212  | 0          | 0           | 0    | 0    | 0    | 11         | 119         | 0    | 0    | 130  | 15         | 0    | 17   | 0    | 32   |            |            |
| +15 mins.    | 0           | 185        | 15   | 0    | 200  | 0          | 0           | 0    | 0    | 0    | 14         | 167         | 0    | 0    | 181  | 14         | 0    | 19   | 0    | 33   |            |            |
| Total Volume | 0           | 742        | 91   | 0    | 833  | 0          | 0           | 0    | 0    | 0    | 42         | 545         | 0    | 1    | 588  | 52         | 0    | 76   | 0    | 128  |            |            |
| % App. Total | 0           | 89.1       | 10.9 | 0    |      | 0          | 0           | 0    | 0    | 0    | 7.1        | 92.7        | 0    | 0.2  |      | 40.6       | 0    | 59.4 | 0    |      |            |            |
| PHF          | .000        | .997       | .875 | .000 | .982 | .000       | .000        | .000 | .000 | .000 | .750       | .816        | .000 | .250 | .812 | .867       | .000 | .792 | .000 | .865 |            |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 945-11AM with light  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 11-1PM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

| Start Time  | Meridian Rd Southbound |      |      |     |            | Westbound |   |   |   |            | Meridian Rd Northbound |      |   |     |            | Bent Grass Meadows Eastbound |     |      |   |            | Int. Total |
|-------------|------------------------|------|------|-----|------------|-----------|---|---|---|------------|------------------------|------|---|-----|------------|------------------------------|-----|------|---|------------|------------|
|             | L                      | T    | R    | U   | App. Total | L         | T | R | U | App. Total | L                      | T    | R | U   | App. Total | L                            | T   | R    | U | App. Total |            |
| 11:00 AM    | 0                      | 209  | 30   | 0   | 239        | 0         | 0 | 0 | 0 | 0          | 12                     | 137  | 0 | 0   | 149        | 23                           | 0   | 16   | 0 | 39         | 427        |
| 11:15 AM    | 0                      | 199  | 18   | 0   | 217        | 0         | 0 | 0 | 0 | 0          | 12                     | 149  | 0 | 0   | 161        | 16                           | 0   | 14   | 0 | 30         | 408        |
| 11:30 AM    | 0                      | 201  | 19   | 1   | 221        | 0         | 0 | 0 | 0 | 0          | 13                     | 186  | 0 | 1   | 200        | 14                           | 1   | 17   | 0 | 32         | 453        |
| 11:45 AM    | 0                      | 192  | 27   | 0   | 219        | 0         | 0 | 0 | 0 | 0          | 22                     | 171  | 0 | 0   | 193        | 10                           | 1   | 24   | 0 | 35         | 447        |
| Total       | 0                      | 801  | 94   | 1   | 896        | 0         | 0 | 0 | 0 | 0          | 59                     | 643  | 0 | 1   | 703        | 63                           | 2   | 71   | 0 | 136        | 1735       |
| 12:00 PM    | 0                      | 150  | 23   | 1   | 174        | 0         | 0 | 0 | 0 | 0          | 11                     | 164  | 0 | 0   | 175        | 21                           | 0   | 28   | 0 | 49         | 398        |
| 12:15 PM    | 0                      | 201  | 27   | 0   | 228        | 0         | 0 | 0 | 0 | 0          | 13                     | 191  | 0 | 0   | 204        | 16                           | 0   | 26   | 0 | 42         | 474        |
| 12:30 PM    | 0                      | 179  | 22   | 1   | 202        | 0         | 0 | 0 | 0 | 0          | 7                      | 194  | 0 | 1   | 202        | 10                           | 0   | 17   | 0 | 27         | 431        |
| 12:45 PM    | 0                      | 170  | 23   | 0   | 193        | 0         | 0 | 0 | 0 | 0          | 13                     | 184  | 0 | 0   | 197        | 14                           | 0   | 24   | 0 | 38         | 428        |
| Total       | 0                      | 700  | 95   | 2   | 797        | 0         | 0 | 0 | 0 | 0          | 44                     | 733  | 0 | 1   | 778        | 61                           | 0   | 95   | 0 | 156        | 1731       |
| Grand Total | 0                      | 1501 | 189  | 3   | 1693       | 0         | 0 | 0 | 0 | 0          | 103                    | 1376 | 0 | 2   | 1481       | 124                          | 2   | 166  | 0 | 292        | 3466       |
| Apprch %    | 0                      | 88.7 | 11.2 | 0.2 |            | 0         | 0 | 0 | 0 | 0          | 7                      | 92.9 | 0 | 0.1 |            | 42.5                         | 0.7 | 56.8 | 0 |            |            |
| Total %     | 0                      | 43.3 | 5.5  | 0.1 | 48.8       | 0         | 0 | 0 | 0 | 0          | 3                      | 39.7 | 0 | 0.1 | 42.7       | 3.6                          | 0.1 | 4.8  | 0 | 8.4        |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868



File Name : Meridian Rd - Bent Grass Meadows 11-1PM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 2

|   | Meridian Rd<br>Southbound |            |           |          |            | Westbound |      |      |      |            | Meridian Rd<br>Northbound |            |      |          |            | Bent Grass Meadows<br>Eastbound |          |           |      |            |            |
|---|---------------------------|------------|-----------|----------|------------|-----------|------|------|------|------------|---------------------------|------------|------|----------|------------|---------------------------------|----------|-----------|------|------------|------------|
| Start Time  | L                         | T          | R         | U        | App. Total | L         | T    | R    | U    | App. Total | L                         | T          | R    | U        | App. Total | L                               | T        | R         | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 11:00:00 AM to 12:45:00 PM - Peak 1 of 1</b> |                           |            |           |          |            |           |      |      |      |            |                           |            |      |          |            |                                 |          |           |      |            |            |
| Peak Hour for Entire Intersection Begins at 11:30:00 AM                 |                           |            |           |          |            |           |      |      |      |            |                           |            |      |          |            |                                 |          |           |      |            |            |
| 11:30:00 AM   | 0                         | <b>201</b> | 19        | <b>1</b> | 221        | 0         | 0    | 0    | 0    | 0          | 13                        | 186        | 0    | <b>1</b> | 200        | 14                              | <b>1</b> | 17        | 0    | 32         | 453        |
| 11:45:00 AM   | 0                         | 192        | <b>27</b> | 0        | 219        | 0         | 0    | 0    | 0    | 0          | <b>22</b>                 | 171        | 0    | 0        | 193        | 10                              | 1        | 24        | 0    | 35         | 447        |
| 12:00:00 PM   | 0                         | 150        | 23        | 1        | 174        | 0         | 0    | 0    | 0    | 0          | 11                        | 164        | 0    | 0        | 175        | <b>21</b>                       | 0        | <b>28</b> | 0    | <b>49</b>  | 398        |
| 12:15:00 PM   | 0                         | 201        | 27        | 0        | <b>228</b> | 0         | 0    | 0    | 0    | 0          | 13                        | <b>191</b> | 0    | 0        | <b>204</b> | 16                              | 0        | 26        | 0    | 42         | <b>474</b> |
| Total Volume  | 0                         | 744        | 96        | 2        | 842        | 0         | 0    | 0    | 0    | 0          | 59                        | 712        | 0    | 1        | 772        | 61                              | 2        | 95        | 0    | 158        | 1772       |
| % App. Total  | 0                         | 88.4       | 11.4      | 0.2      |            | 0         | 0    | 0    | 0    | 0          | 7.6                       | 92.2       | 0    | 0.1      |            | 38.6                            | 1.3      | 60.1      | 0    |            |            |
| PHF   | .000                      | .925       | .889      | .500     | .923       | .000      | .000 | .000 | .000 | .000       | .670                      | .932       | .000 | .250     | .946       | .726                            | .500     | .848      | .000 | .806       | .935       |


# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868



File Name : Meridian Rd - Bent Grass Meadows 11-1PM with light  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 3



## Peak Hour Data



↑  
North  
  
Peak Hour Begins at 11:30 AM  
Unshifted



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 11-1PM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Bent Grass Meadows<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|-----------|---|---|---|------------|---------------------------|---|---|---|------------|---------------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L         | T | R | U | App. Total | L                         | T | R | U | App. Total | L                               | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 11:00:00 AM to 12:45:00 PM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 11:00:00 AM | 11:00:00 AM |      |      |      |            | 12:00:00 PM |      |      |      |            | 11:30:00 AM |      |      |      |            |      |      |      |      |      |
|--------------|-------------|-------------|------|------|------|------------|-------------|------|------|------|------------|-------------|------|------|------|------------|------|------|------|------|------|
|              |             | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total |      |      |      |      |      |
| +0 mins.     | 0           | 209         | 30   | 0    | 239  |            | 0           | 0    | 0    | 0    | 0          | 11          | 164  | 0    | 0    | 175        | 14   | 1    | 17   | 0    | 32   |
| +5 mins.     | 0           | 199         | 18   | 0    | 217  |            | 0           | 0    | 0    | 0    | 0          | 13          | 191  | 0    | 0    | 204        | 10   | 1    | 24   | 0    | 35   |
| +10 mins.    | 0           | 201         | 19   | 1    | 221  |            | 0           | 0    | 0    | 0    | 0          | 7           | 194  | 0    | 1    | 202        | 21   | 0    | 28   | 0    | 49   |
| +15 mins.    | 0           | 192         | 27   | 0    | 219  |            | 0           | 0    | 0    | 0    | 0          | 13          | 184  | 0    | 0    | 197        | 16   | 0    | 26   | 0    | 42   |
| Total Volume | 0           | 801         | 94   | 1    | 896  |            | 0           | 0    | 0    | 0    | 0          | 44          | 733  | 0    | 1    | 778        | 61   | 2    | 95   | 0    | 158  |
| % App. Total | 0           | 89.4        | 10.5 | 0.1  |      |            | 0           | 0    | 0    | 0    |            | 5.7         | 94.2 | 0    | 0.1  |            | 38.6 | 1.3  | 60.1 | 0    |      |
| PHF          | .000        | .958        | .783 | .250 | .937 |            | .000        | .000 | .000 | .000 |            | .846        | .945 | .000 | .250 | .953       | .726 | .500 | .848 | .000 | .806 |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 11-1PM with light  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 1-4PM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

| Start Time  | Meridian Rd Southbound |      |      |     |            | Westbound |   |   |   |            | Meridian Rd Northbound |      |   |   |            | Bent Grass Meadows Eastbound |      |     |   |            | Int. Total |
|-------------|------------------------|------|------|-----|------------|-----------|---|---|---|------------|------------------------|------|---|---|------------|------------------------------|------|-----|---|------------|------------|
|             | L                      | T    | R    | U   | App. Total | L         | T | R | U | App. Total | L                      | T    | R | U | App. Total | L                            | T    | R   | U | App. Total |            |
| 01:00 PM    | 0                      | 181  | 22   | 0   | 203        | 0         | 0 | 0 | 0 | 0          | 15                     | 175  | 0 | 0 | 190        | 16                           | 0    | 16  | 0 | 32         | 425        |
| 01:15 PM    | 0                      | 141  | 19   | 0   | 160        | 0         | 0 | 0 | 0 | 0          | 11                     | 181  | 0 | 0 | 192        | 17                           | 0    | 18  | 0 | 35         | 387        |
| 01:30 PM    | 0                      | 196  | 20   | 0   | 216        | 0         | 0 | 0 | 0 | 0          | 11                     | 198  | 0 | 0 | 209        | 11                           | 0    | 16  | 0 | 27         | 452        |
| 01:45 PM    | 0                      | 150  | 35   | 1   | 186        | 0         | 0 | 0 | 0 | 0          | 17                     | 181  | 0 | 0 | 198        | 21                           | 0    | 17  | 0 | 38         | 422        |
| Total       | 0                      | 668  | 96   | 1   | 765        | 0         | 0 | 0 | 0 | 0          | 54                     | 735  | 0 | 0 | 789        | 65                           | 0    | 67  | 0 | 132        | 1686       |
| 02:00 PM    | 0                      | 167  | 18   | 0   | 185        | 0         | 0 | 0 | 0 | 0          | 21                     | 173  | 0 | 0 | 194        | 17                           | 0    | 16  | 0 | 33         | 412        |
| 02:15 PM    | 0                      | 210  | 25   | 0   | 235        | 0         | 0 | 0 | 0 | 0          | 11                     | 179  | 0 | 0 | 190        | 40                           | 0    | 15  | 0 | 55         | 480        |
| 02:30 PM    | 0                      | 190  | 23   | 0   | 213        | 0         | 0 | 0 | 0 | 0          | 9                      | 217  | 0 | 0 | 226        | 30                           | 0    | 18  | 0 | 48         | 487        |
| 02:45 PM    | 0                      | 219  | 21   | 0   | 240        | 0         | 0 | 0 | 0 | 0          | 4                      | 268  | 0 | 0 | 272        | 26                           | 0    | 20  | 0 | 46         | 558        |
| Total       | 0                      | 786  | 87   | 0   | 873        | 0         | 0 | 0 | 0 | 0          | 45                     | 837  | 0 | 0 | 882        | 113                          | 0    | 69  | 0 | 182        | 1937       |
| 03:00 PM    | 0                      | 241  | 32   | 1   | 274        | 0         | 0 | 0 | 0 | 0          | 9                      | 252  | 0 | 0 | 261        | 17                           | 0    | 13  | 0 | 30         | 565        |
| 03:15 PM    | 0                      | 231  | 58   | 0   | 289        | 0         | 0 | 0 | 0 | 0          | 12                     | 273  | 0 | 0 | 285        | 19                           | 0    | 29  | 0 | 48         | 622        |
| 03:30 PM    | 0                      | 255  | 25   | 0   | 280        | 0         | 0 | 0 | 0 | 0          | 6                      | 314  | 0 | 0 | 320        | 25                           | 0    | 19  | 0 | 44         | 644        |
| 03:45 PM    | 0                      | 266  | 26   | 0   | 292        | 0         | 0 | 0 | 0 | 0          | 19                     | 268  | 0 | 0 | 287        | 12                           | 0    | 19  | 0 | 31         | 610        |
| Total       | 0                      | 993  | 141  | 1   | 1135       | 0         | 0 | 0 | 0 | 0          | 46                     | 1107 | 0 | 0 | 1153       | 73                           | 0    | 80  | 0 | 153        | 2441       |
| Grand Total | 0                      | 2447 | 324  | 2   | 2773       | 0         | 0 | 0 | 0 | 0          | 145                    | 2679 | 0 | 0 | 2824       | 251                          | 0    | 216 | 0 | 467        | 6064       |
| Apprch %    | 0                      | 88.2 | 11.7 | 0.1 |            | 0         | 0 | 0 | 0 | 0          | 5.1                    | 94.9 | 0 | 0 | 53.7       | 0                            | 46.3 | 0   |   |            |            |
| Total %     | 0                      | 40.4 | 5.3  | 0   | 45.7       | 0         | 0 | 0 | 0 | 0          | 2.4                    | 44.2 | 0 | 0 | 46.6       | 4.1                          | 0    | 3.6 | 0 | 7.7        |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868


File Name : Meridian Rd - Bent Grass Meadows 1-4PM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 2

|   | Meridian Rd<br>Southbound |      |      |      |      | Westbound  |      |      |      |      | Meridian Rd<br>Northbound |      |      |      |      | Bent Grass Meadows<br>Eastbound |      |      |      |      | Int. Total |      |
|---|---------------------------|------|------|------|------|------------|------|------|------|------|---------------------------|------|------|------|------|---------------------------------|------|------|------|------|------------|------|
|   | Start Time                | L    | T    | R    | U    | App. Total | L    | T    | R    | U    | App. Total                | L    | T    | R    | U    | App. Total                      | L    | T    | R    | U    | App. Total |      |
| <b>Peak Hour Analysis From 1:00:00 PM to 3:45:00 PM - Peak 1 of 1</b> |                           |      |      |      |      |            |      |      |      |      |                           |      |      |      |      |                                 |      |      |      |      |            |      |
| Peak Hour for Entire Intersection Begins at 3:00:00 PM                |                           |      |      |      |      |            |      |      |      |      |                           |      |      |      |      |                                 |      |      |      |      |            |      |
| 3:00:00 PM  | 0                         | 241  | 32   | 1    | 274  |            | 0    | 0    | 0    | 0    | 0                         | 9    | 252  | 0    | 0    | 261                             | 17   | 0    | 13   | 0    | 30         | 565  |
| 3:15:00 PM  | 0                         | 231  | 58   | 0    | 289  |            | 0    | 0    | 0    | 0    | 0                         | 12   | 273  | 0    | 0    | 285                             | 19   | 0    | 29   | 0    | 48         | 622  |
| 3:30:00 PM  | 0                         | 255  | 25   | 0    | 280  |            | 0    | 0    | 0    | 0    | 0                         | 6    | 314  | 0    | 0    | 320                             | 25   | 0    | 19   | 0    | 44         | 644  |
| 3:45:00 PM  | 0                         | 266  | 26   | 0    | 292  |            | 0    | 0    | 0    | 0    | 0                         | 19   | 268  | 0    | 0    | 287                             | 12   | 0    | 19   | 0    | 31         | 610  |
| Total Volume  | 0                         | 993  | 141  | 1    | 1135 |            | 0    | 0    | 0    | 0    | 0                         | 46   | 1107 | 0    | 0    | 1153                            | 73   | 0    | 80   | 0    | 153        | 2441 |
| % App. Total  | 0                         | 87.5 | 12.4 | 0.1  |      |            | 0    | 0    | 0    | 0    | 0                         | 4    | 96   | 0    | 0    | 0                               | 47.7 | 0    | 52.3 | 0    |            |      |
| PHF   | .000                      | .933 | .608 | .250 | .972 |            | .000 | .000 | .000 | .000 | .000                      | .605 | .881 | .000 | .000 | .901                            | .730 | .000 | .690 | .000 | .797       | .948 |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 1-4PM with light  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 3



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 1-4PM with light  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Bent Grass Meadows<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|-----------|---|---|---|------------|---------------------------|---|---|---|------------|---------------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L         | T | R | U | App. Total | L                         | T | R | U | App. Total | L                               | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 1:00:00 PM to 3:45:00 PM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 3:00:00 PM | 1:00:00 PM |           |          |            |            | 3:00:00 PM |      |      |      |            | 2:00:00 PM |      |      |            |            |      |           |      |           |            |            |
|--------------|------------|------------|-----------|----------|------------|------------|------------|------|------|------|------------|------------|------|------|------------|------------|------|-----------|------|-----------|------------|------------|
|              |            | L          | T         | R        | U          | App. Total | L          | T    | R    | U    | App. Total | L          | T    | R    | U          | App. Total | L    | T         | R    | U         | App. Total | Int. Total |
| +0 mins.     | 0          | 241        | 32        | <b>1</b> | 274        | 0          | 0          | 0    | 0    | 0    | 9          | 252        | 0    | 0    | 261        | 17         | 0    | 16        | 0    | 33        |            |            |
| +5 mins.     | 0          | 231        | <b>58</b> | 0        | 289        | 0          | 0          | 0    | 0    | 0    | 12         | 273        | 0    | 0    | 285        | <b>40</b>  | 0    | 15        | 0    | <b>55</b> |            |            |
| +10 mins.    | 0          | 255        | 25        | 0        | 280        | 0          | 0          | 0    | 0    | 0    | 6          | <b>314</b> | 0    | 0    | <b>320</b> | 30         | 0    | 18        | 0    | 48        |            |            |
| +15 mins.    | 0          | <b>266</b> | 26        | 0        | <b>292</b> | 0          | 0          | 0    | 0    | 0    | <b>19</b>  | 268        | 0    | 0    | 287        | 26         | 0    | <b>20</b> | 0    | 46        |            |            |
| Total Volume | 0          | 993        | 141       | 1        | 1135       | 0          | 0          | 0    | 0    | 0    | 46         | 1107       | 0    | 0    | 1153       | 113        | 0    | 69        | 0    | 182       |            |            |
| % App. Total | 0          | 87.5       | 12.4      | 0.1      |            | 0          | 0          | 0    | 0    | 0    | 4          | 96         | 0    | 0    | 0          | 62.1       | 0    | 37.9      | 0    | 0         |            |            |
| PHF          | .000       | .933       | .608      | .250     | .972       | .000       | .000       | .000 | .000 | .000 | .605       | .881       | .000 | .000 | .901       | .706       | .000 | .863      | .000 | .827      |            |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Bent Grass Meadows 1-4PM with light  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 5



LSC Transportation Consultants, Inc.

516 N. Tejon St.

**LSC Transportation Consultants, Inc.**

Colorado Springs, CO

(719) 633-2868

**File Name : Meridian Rd - Eastonville Rd AM****Site Code : 00154450****Start Date : 09/09/2015****Page No : 1**

Groups Printed- Unshifted

| Start Time  | Meridian Rd<br>From North |      |      |      | Eastonville Rd<br>From East |      |      |      | Meridian Rd<br>From South |      |      |      | From West |      |      |      | Int.<br>Total |
|-------------|---------------------------|------|------|------|-----------------------------|------|------|------|---------------------------|------|------|------|-----------|------|------|------|---------------|
|             | Right                     | Thru | Left | Peds | Right                       | Thru | Left | Peds | Right                     | Thru | Left | Peds | Right     | Thru | Left | Peds |               |
| Factor      | 1.0                       | 1.0  | 1.0  | 1.0  | 1.0                         | 1.0  | 1.0  | 1.0  | 1.0                       | 1.0  | 1.0  | 1.0  | 1.0       | 1.0  | 1.0  | 1.0  | 1.0           |
| 06:30 AM    | 0                         | 291  | 22   | 0    | 4                           | 0    | 15   | 0    | 3                         | 70   | 0    | 0    | 0         | 0    | 0    | 0    | 405           |
| 06:45 AM    | 0                         | 289  | 13   | 0    | 8                           | 0    | 11   | 0    | 9                         | 101  | 0    | 0    | 0         | 0    | 0    | 0    | 431           |
| Total       | 0                         | 580  | 35   | 0    | 12                          | 0    | 26   | 0    | 12                        | 171  | 0    | 0    | 0         | 0    | 0    | 0    | 836           |
| 07:00 AM    | 0                         | 385  | 13   | 1    | 13                          | 0    | 17   | 0    | 19                        | 119  | 0    | 0    | 0         | 0    | 0    | 0    | 567           |
| 07:15 AM    | 0                         | 375  | 23   | 1    | 18                          | 0    | 13   | 0    | 9                         | 118  | 0    | 1    | 0         | 0    | 0    | 0    | 558           |
| 07:30 AM    | 0                         | 387  | 24   | 1    | 27                          | 0    | 18   | 1    | 13                        | 146  | 0    | 0    | 0         | 0    | 0    | 0    | 617           |
| 07:45 AM    | 0                         | 272  | 29   | 0    | 14                          | 0    | 12   | 0    | 13                        | 118  | 0    | 0    | 0         | 0    | 0    | 0    | 458           |
| Total       | 0                         | 1419 | 89   | 3    | 72                          | 0    | 60   | 1    | 54                        | 501  | 0    | 1    | 0         | 0    | 0    | 0    | 2200          |
| 08:00 AM    | 0                         | 255  | 22   | 2    | 17                          | 0    | 12   | 0    | 14                        | 112  | 0    | 0    | 0         | 0    | 0    | 0    | 434           |
| 08:15 AM    | 0                         | 278  | 18   | 0    | 21                          | 0    | 12   | 0    | 10                        | 99   | 0    | 0    | 0         | 0    | 0    | 0    | 438           |
| Grand Total | 0                         | 2532 | 164  | 5    | 122                         | 0    | 110  | 1    | 90                        | 883  | 0    | 1    | 0         | 0    | 0    | 0    | 3908          |
| Apprch %    | 0.0                       | 93.7 | 6.1  | 0.2  | 52.4                        | 0.0  | 47.2 | 0.4  | 9.2                       | 90.7 | 0.0  | 0.1  | 0.0       | 0.0  | 0.0  | 0.0  |               |
| Total %     | 0.0                       | 64.8 | 4.2  | 0.1  | 3.1                         | 0.0  | 2.8  | 0.0  | 2.3                       | 22.6 | 0.0  | 0.0  | 0.0       | 0.0  | 0.0  | 0.0  |               |

LSC Transportation Consultants, Inc.

516 N. Tejon St.


**LSC Transportation Consultants, Inc.**

Colorado Springs, CO

(719) 633-2868

**File Name : Meridian Rd - Eastonville Rd AM****Site Code : 00154450****Start Date : 09/09/2015****Page No : 2**

| Start Time  | Meridian Rd From North |          |      |       |            | Eastonville Rd From East |      |          |       |            | Meridian Rd From South |          |      |       |            | From West  |      |      |       |            |            |
|---|------------------------|----------|------|-------|------------|--------------------------|------|----------|-------|------------|------------------------|----------|------|-------|------------|------------|------|------|-------|------------|------------|
|   | Rig ht                 | Thru     | Left | Ped s | App. Total | Rig ht                   | Thru | Left     | Ped s | App. Total | Rig ht                 | Thru     | Left | Ped s | App. Total | Rig ht     | Thru | Left | Ped s | App. Total | Int. Total |
| Peak Hour From 06:30 AM to 08:15 AM - Peak 1 of 1 |                        |          |      |       |            |                          |      |          |       |            |                        |          |      |       |            |            |      |      |       |            |            |
| Intersection 07:00 AM                             |                        |          |      |       |            |                          |      |          |       |            |                        |          |      |       |            |            |      |      |       |            |            |
| Volume  | 0                      | 141<br>9 | 89   | 3     | 1511       | 72                       | 0    | 60       | 1     | 133        | 54                     | 501      | 0    | 1     | 556        | 0          | 0    | 0    | 0     | 0          | 2200       |
| Percent   | 0.0                    | 93.<br>9 | 5.9  | 0.2   |            | 54.<br>1                 | 0.0  | 45.<br>1 | 0.8   |            | 9.7                    | 90.<br>1 | 0.0  | 0.2   |            | 0.0        | 0.0  | 0.0  | 0.0   | 0.0        |            |
| 07:30 Volume Peak Factor                          | 0                      | 387      | 24   | 1     | 412        | 27                       | 0    | 18       | 1     | 46         | 13                     | 146      | 0    | 0     | 159        | 0          | 0    | 0    | 0     | 0          | 617        |
| High Int. Volume Peak Factor                      | 07:30 AM               |          |      |       |            | 07:30 AM                 |      |          |       |            | 07:30 AM               |          |      |       |            | 6:15:00 AM |      |      |       |            | 0.891      |
|   | 0                      | 387      | 24   | 1     | 412        | 27                       | 0    | 18       | 1     | 46         | 13                     | 146      | 0    | 0     | 159        | 0.72       |      |      |       |            |            |
|   |                        |          |      |       | 0.91       |                          |      |          |       | 0.73       |                        |          |      |       | 0.87       |            |      |      |       |            |            |
|   |                        |          |      |       | 7          |                          |      |          |       |            |                        |          |      |       | 4          |            |      |      |       |            |            |



## LSC Transportation Consultants, Inc.

516 N. Tejon St.

**LSC Transportation Consultants, Inc.**

Colorado Springs, CO

(719) 633-2868

**File Name : Meridian Rd - Eastonville Rd PM****Site Code : 00154340****Start Date : 09/09/2015****Page No : 1**

Groups Printed- Unshifted

| Start Time  | Meridian Rd<br>From North |      |      |      | Eastonville Rd<br>From East |      |      |      | Meridian Rd<br>From South |      |      |      | From West |      |      |      | Int.<br>Total |
|-------------|---------------------------|------|------|------|-----------------------------|------|------|------|---------------------------|------|------|------|-----------|------|------|------|---------------|
|             | Right                     | Thru | Left | Peds | Right                       | Thru | Left | Peds | Right                     | Thru | Left | Peds | Right     | Thru | Left | Peds |               |
| Factor      | 1.0                       | 1.0  | 1.0  | 1.0  | 1.0                         | 1.0  | 1.0  | 1.0  | 1.0                       | 1.0  | 1.0  | 1.0  | 1.0       | 1.0  | 1.0  | 1.0  | 1.0           |
| 04:00 PM    | 0                         | 182  | 27   | 0    | 43                          | 0    | 14   | 0    | 22                        | 238  | 0    | 0    | 0         | 0    | 0    | 0    | 526           |
| 04:15 PM    | 0                         | 161  | 29   | 1    | 45                          | 0    | 10   | 0    | 35                        | 243  | 0    | 1    | 0         | 0    | 0    | 0    | 525           |
| 04:30 PM    | 0                         | 150  | 14   | 0    | 40                          | 0    | 5    | 0    | 21                        | 270  | 0    | 0    | 0         | 0    | 0    | 0    | 500           |
| 04:45 PM    | 0                         | 198  | 19   | 0    | 38                          | 0    | 3    | 0    | 21                        | 300  | 0    | 1    | 0         | 0    | 0    | 0    | 580           |
| Total       | 0                         | 691  | 89   | 1    | 166                         | 0    | 32   | 0    | 99                        | 1051 | 0    | 2    | 0         | 0    | 0    | 0    | 2131          |
| 05:00 PM    | 0                         | 199  | 10   | 0    | 38                          | 0    | 6    | 0    | 23                        | 313  | 0    | 0    | 0         | 0    | 0    | 0    | 589           |
| 05:15 PM    | 0                         | 207  | 20   | 0    | 39                          | 0    | 10   | 0    | 35                        | 290  | 0    | 0    | 0         | 0    | 0    | 0    | 601           |
| 05:30 PM    | 0                         | 201  | 13   | 1    | 31                          | 0    | 11   | 0    | 42                        | 331  | 0    | 0    | 0         | 0    | 0    | 0    | 630           |
| 05:45 PM    | 0                         | 183  | 15   | 0    | 30                          | 0    | 10   | 0    | 39                        | 301  | 0    | 1    | 0         | 0    | 0    | 0    | 579           |
| Total       | 0                         | 790  | 58   | 1    | 138                         | 0    | 37   | 0    | 139                       | 1235 | 0    | 1    | 0         | 0    | 0    | 0    | 2399          |
| Grand Total | 0                         | 1481 | 147  | 2    | 304                         | 0    | 69   | 0    | 238                       | 2286 | 0    | 3    | 0         | 0    | 0    | 0    | 4530          |
| Apprch %    | 0.0                       | 90.9 | 9.0  | 0.1  | 81.5                        | 0.0  | 18.5 | 0.0  | 9.4                       | 90.5 | 0.0  | 0.1  | 0.0       | 0.0  | 0.0  | 0.0  |               |
| Total %     | 0.0                       | 32.7 | 3.2  | 0.0  | 6.7                         | 0.0  | 1.5  | 0.0  | 5.3                       | 50.5 | 0.0  | 0.1  | 0.0       | 0.0  | 0.0  | 0.0  |               |

## LSC Transportation Consultants, Inc.

516 N. Tejon St.


**LSC Transportation Consultants, Inc.**

Colorado Springs, CO

(719) 633-2868

**File Name : Meridian Rd - Eastonville Rd PM****Site Code : 00154340****Start Date : 09/09/2015****Page No : 2**

|   | Meridian Rd<br>From North |        |      |      |       | Eastonville Rd<br>From East |        |      |      |       | Meridian Rd<br>From South |        |      |      |       | From West  |        |      |      |       |            |            |
|---|---------------------------|--------|------|------|-------|-----------------------------|--------|------|------|-------|---------------------------|--------|------|------|-------|------------|--------|------|------|-------|------------|------------|
|   | Start Time                | Rig ht | Thru | Left | Ped s | App. Total                  | Rig ht | Thru | Left | Ped s | App. Total                | Rig ht | Thru | Left | Ped s | App. Total | Rig ht | Thru | Left | Ped s | App. Total | Int. Total |
| Peak Hour From 04:00 PM to 05:45 PM - Peak 1 of 1 |                           |        |      |      |       |                             |        |      |      |       |                           |        |      |      |       |            |        |      |      |       |            |            |
| Intersection 04:45 PM                             |                           |        |      |      |       |                             |        |      |      |       |                           |        |      |      |       |            |        |      |      |       |            |            |
| Volume  | 0                         | 805    | 62   | 1    | 868   | 146                         | 0      | 30   | 0    | 176   | 121                       | 123    | 4    | 0    | 1     | 1356       | 0      | 0    | 0    | 0     | 0          | 2400       |
| Percent   | 0.0                       | 92.    | 7    | 7.1  | 0.1   | 83.                         | 0      | 0.0  | 17.  | 0     | 0.0                       | 8.9    | 91.  | 0    | 0.0   | 0.1        | 0.0    | 0.0  | 0.0  | 0.0   | 0.0        |            |
| 05:30 Volume Peak Factor                          | 0                         | 201    | 13   | 1    | 215   | 31                          | 0      | 11   | 0    | 42    | 42                        | 331    |      | 0    | 0     | 373        | 0      | 0    | 0    | 0     | 0          | 630        |
| High Int. Volume Peak Factor                      | 05:15 PM                  |        |      |      |       | 05:15 PM                    |        |      |      |       | 05:30 PM                  |        |      |      |       | 3:45:00 PM |        |      |      |       |            | 0.952      |
|   | 0                         | 207    | 20   | 0    | 227   | 39                          | 0      | 10   | 0    | 49    | 42                        | 331    |      | 0    | 0     | 373        | 0.90   |      |      |       |            |            |
|   |                           |        |      |      | 0.95  |                             |        |      |      | 0.89  |                           |        |      |      |       | 9          |        |      |      |       |            |            |
|   |                           |        |      |      | 6     |                             |        |      |      | 8     |                           |        |      |      |       |            |        |      |      |       |            |            |



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd AM  
 Site Code : S215050  
 Start Date : 12/14/2021  
 Page No : 1

## Groups Printed- Unshifted

|             | Meridian Rd Southbound |      |      |     |            | Woodmen Rd Westbound |      |     |     |            | Meridian Rd Northbound |      |     |     |            | Woodmen Rd Eastbound |     |      |     |            | Int. Total |
|-------------|------------------------|------|------|-----|------------|----------------------|------|-----|-----|------------|------------------------|------|-----|-----|------------|----------------------|-----|------|-----|------------|------------|
|             | L                      | T    | R    | U   | App. Total | L                    | T    | R   | U   | App. Total | L                      | T    | R   | U   | App. Total | L                    | T   | R    | U   | App. Total |            |
| 06:30 AM    | 9                      | 131  | 116  | 0   | 256        | 9                    | 102  | 5   | 0   | 116        | 26                     | 20   | 4   | 0   | 50         | 29                   | 41  | 11   | 0   | 81         | 503        |
| 06:45 AM    | 10                     | 172  | 142  | 0   | 324        | 31                   | 99   | 11  | 0   | 141        | 30                     | 41   | 6   | 0   | 77         | 64                   | 67  | 23   | 0   | 154        | 696        |
| Total       | 19                     | 303  | 258  | 0   | 580        | 40                   | 201  | 16  | 0   | 257        | 56                     | 61   | 10  | 0   | 127        | 93                   | 108 | 34   | 0   | 235        | 1199       |
| 07:00 AM    | 9                      | 160  | 175  | 11  | 355        | 32                   | 117  | 8   | 0   | 157        | 24                     | 41   | 4   | 1   | 70         | 86                   | 65  | 19   | 0   | 170        | 752        |
| 07:15 AM    | 11                     | 206  | 128  | 27  | 372        | 21                   | 130  | 16  | 0   | 167        | 39                     | 52   | 2   | 0   | 93         | 101                  | 72  | 32   | 0   | 205        | 837        |
| 07:30 AM    | 25                     | 177  | 184  | 0   | 386        | 28                   | 170  | 15  | 0   | 213        | 24                     | 60   | 3   | 0   | 87         | 94                   | 55  | 21   | 0   | 170        | 856        |
| 07:45 AM    | 25                     | 153  | 114  | 0   | 292        | 30                   | 87   | 49  | 1   | 167        | 17                     | 61   | 7   | 0   | 85         | 94                   | 59  | 26   | 0   | 179        | 723        |
| Total       | 70                     | 696  | 601  | 38  | 1405       | 111                  | 504  | 88  | 1   | 704        | 104                    | 214  | 16  | 1   | 335        | 375                  | 251 | 98   | 0   | 724        | 3168       |
| 08:00 AM    | 22                     | 121  | 114  | 0   | 257        | 19                   | 85   | 20  | 0   | 124        | 22                     | 77   | 6   | 0   | 105        | 109                  | 68  | 19   | 2   | 198        | 684        |
| 08:15 AM    | 27                     | 106  | 135  | 0   | 268        | 25                   | 100  | 10  | 0   | 135        | 19                     | 59   | 6   | 0   | 84         | 83                   | 61  | 18   | 0   | 162        | 649        |
| Grand Total | 138                    | 1226 | 1108 | 38  | 2510       | 195                  | 890  | 134 | 1   | 1220       | 201                    | 411  | 38  | 1   | 651        | 660                  | 488 | 169  | 2   | 1319       | 5700       |
| Apprch %    | 5.5                    | 48.8 | 44.1 | 1.5 |            | 16                   | 73   | 11  | 0.1 |            | 30.9                   | 63.1 | 5.8 | 0.2 |            | 50                   | 37  | 12.8 | 0.2 |            |            |
| Total %     | 2.4                    | 21.5 | 19.4 | 0.7 | 44         | 3.4                  | 15.6 | 2.4 | 0   | 21.4       | 3.5                    | 7.2  | 0.7 | 0   | 11.4       | 11.6                 | 8.6 | 3    | 0   | 23.1       |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868


File Name : Meridian Rd - Woodmen Rd AM  
 Site Code : S215050  
 Start Date : 12/14/2021  
 Page No : 2

|   | Meridian Rd<br>Southbound |      |      |      |            | Woodmen Rd<br>Westbound |      |      |      |            | Meridian Rd<br>Northbound |      |      |      |            | Woodmen Rd<br>Eastbound |      |      |      |            |            |
|---|---------------------------|------|------|------|------------|-------------------------|------|------|------|------------|---------------------------|------|------|------|------------|-------------------------|------|------|------|------------|------------|
| Start Time  | L                         | T    | R    | U    | App. Total | L                       | T    | R    | U    | App. Total | L                         | T    | R    | U    | App. Total | L                       | T    | R    | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 6:30:00 AM to 8:15:00 AM - Peak 1 of 1</b> |                           |      |      |      |            |                         |      |      |      |            |                           |      |      |      |            |                         |      |      |      |            |            |
| Peak Hour for Entire Intersection Begins at 7:00:00 AM                |                           |      |      |      |            |                         |      |      |      |            |                           |      |      |      |            |                         |      |      |      |            |            |
| 7:00:00 AM  | 9                         | 160  | 175  | 11   | 355        | 32                      | 117  | 8    | 0    | 157        | 24                        | 41   | 4    | 1    | 70         | 86                      | 65   | 19   | 0    | 170        | 752        |
| 7:15:00 AM  | 11                        | 206  | 128  | 27   | 372        | 21                      | 130  | 16   | 0    | 167        | 39                        | 52   | 2    | 0    | 93         | 101                     | 72   | 32   | 0    | 205        | 837        |
| 7:30:00 AM  | 25                        | 177  | 184  | 0    | 386        | 28                      | 170  | 15   | 0    | 213        | 24                        | 60   | 3    | 0    | 87         | 94                      | 55   | 21   | 0    | 170        | 856        |
| 7:45:00 AM  | 25                        | 153  | 114  | 0    | 292        | 30                      | 87   | 49   | 1    | 167        | 17                        | 61   | 7    | 0    | 85         | 94                      | 59   | 26   | 0    | 179        | 723        |
| Total Volume  | 70                        | 696  | 601  | 38   | 1405       | 111                     | 504  | 88   | 1    | 704        | 104                       | 214  | 16   | 1    | 335        | 375                     | 251  | 98   | 0    | 724        | 3168       |
| % App. Total  | 5                         | 49.5 | 42.8 | 2.7  |            | 15.8                    | 71.6 | 12.5 | 0.1  |            | 31                        | 63.9 | 4.8  | 0.3  |            | 51.8                    | 34.7 | 13.5 | 0    |            |            |
| PHF   | .700                      | .845 | .817 | .352 | .910       | .867                    | .741 | .449 | .250 | .826       | .667                      | .877 | .571 | .250 | .901       | .928                    | .872 | .766 | .000 | .883       | .925       |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : Meridian Rd - Woodmen Rd AM  
Site Code : S215050  
Start Date : 12/14/2021  
Page No : 3



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd AM  
 Site Code : S215050  
 Start Date : 12/14/2021  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Woodmen Rd<br>Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Woodmen Rd<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | Int. Total |


Peak Hour Analysis From 6:30:00 AM to 8:15:00 AM - Peak 1 of 1

Peak Hour for Each Approach Begins at:

|              | 6:45:00 AM |            |            |           |            | 7:00:00 AM |            |           |          |            | 7:15:00 AM |           |          |      |            | 7:15:00 AM |           |           |          |            |            |
|--------------|------------|------------|------------|-----------|------------|------------|------------|-----------|----------|------------|------------|-----------|----------|------|------------|------------|-----------|-----------|----------|------------|------------|
|              | L          | T          | R          | U         | App. Total | L          | T          | R         | U        | App. Total | L          | T         | R        | U    | App. Total | L          | T         | R         | U        | App. Total | Int. Total |
| +0 mins.     | 10         | 172        | 142        | 0         | 324        | <b>32</b>  | 117        | 8         | 0        | 157        | <b>39</b>  | 52        | 2        | 0    | 93         | 101        | <b>72</b> | <b>32</b> | 0        | <b>205</b> |            |
| +5 mins.     | 9          | 160        | 175        | 11        | 355        | 21         | 130        | 16        | 0        | 167        | 24         | 60        | 3        | 0    | 87         | 94         | 55        | 21        | 0        | 170        |            |
| +10 mins.    | 11         | <b>206</b> | 128        | <b>27</b> | 372        | 28         | <b>170</b> | 15        | 0        | <b>213</b> | 17         | 61        | <b>7</b> | 0    | 85         | 94         | 59        | 26        | 0        | 179        |            |
| +15 mins.    | <b>25</b>  | 177        | <b>184</b> | 0         | <b>386</b> | 30         | 87         | <b>49</b> | <b>1</b> | 167        | 22         | <b>77</b> | 6        | 0    | <b>105</b> | <b>109</b> | 68        | 19        | <b>2</b> | 198        |            |
| Total Volume | 55         | 715        | 629        | 38        | 1437       | 111        | 504        | 88        | 1        | 704        | 102        | 250       | 18       | 0    | 370        | 398        | 254       | 98        | 2        | 752        |            |
| % App. Total | 3.8        | 49.8       | 43.8       | 2.6       |            | 15.8       | 71.6       | 12.5      | 0.1      |            | 27.6       | 67.6      | 4.9      | 0    |            | 52.9       | 33.8      | 13        | 0.3      |            |            |
| PHF          | .550       | .868       | .855       | .352      | .931       | .867       | .741       | .449      | .250     | .826       | .654       | .812      | .643     | .000 | .881       | .913       | .882      | .766      | .250     | .917       |            |

**LSC Transportation Consultants, Inc.**  
545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : Meridian Rd - Woodmen Rd AM  
Site Code : S215050  
Start Date : 12/14/2021  
Page No : 5



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd PM  
 Site Code : S215050  
 Start Date : 12/14/2021  
 Page No : 1

## Groups Printed- Unshifted

| Start Time  | Meridian Rd Southbound |      |      |     |            | Woodmen Rd Westbound |      |      |     |            | Meridian Rd Northbound |      |      |     |            | Woodmen Rd Eastbound |      |     |   |            | Int. Total |
|-------------|------------------------|------|------|-----|------------|----------------------|------|------|-----|------------|------------------------|------|------|-----|------------|----------------------|------|-----|---|------------|------------|
|             | L                      | T    | R    | U   | App. Total | L                    | T    | R    | U   | App. Total | L                      | T    | R    | U   | App. Total | L                    | T    | R   | U | App. Total |            |
| 04:00 PM    | 45                     | 110  | 61   | 0   | 216        | 46                   | 89   | 29   | 0   | 164        | 36                     | 122  | 36   | 1   | 195        | 159                  | 107  | 21  | 0 | 287        | 862        |
| 04:15 PM    | 36                     | 100  | 85   | 0   | 221        | 54                   | 89   | 24   | 0   | 167        | 34                     | 133  | 23   | 0   | 190        | 152                  | 112  | 24  | 0 | 288        | 866        |
| 04:30 PM    | 35                     | 92   | 65   | 0   | 192        | 43                   | 101  | 39   | 0   | 183        | 35                     | 170  | 26   | 0   | 231        | 141                  | 120  | 22  | 0 | 283        | 889        |
| 04:45 PM    | 43                     | 83   | 44   | 0   | 170        | 63                   | 86   | 25   | 0   | 174        | 48                     | 154  | 19   | 1   | 222        | 178                  | 76   | 23  | 0 | 277        | 843        |
| Total       | 159                    | 385  | 255  | 0   | 799        | 206                  | 365  | 117  | 0   | 688        | 153                    | 579  | 104  | 2   | 838        | 630                  | 415  | 90  | 0 | 1135       | 3460       |
| 05:00 PM    | 31                     | 86   | 57   | 0   | 174        | 43                   | 95   | 28   | 0   | 166        | 39                     | 173  | 22   | 0   | 234        | 162                  | 130  | 17  | 0 | 309        | 883        |
| 05:15 PM    | 37                     | 120  | 46   | 0   | 203        | 20                   | 82   | 34   | 3   | 139        | 24                     | 144  | 24   | 3   | 195        | 146                  | 144  | 18  | 0 | 308        | 845        |
| 05:30 PM    | 23                     | 83   | 53   | 10  | 169        | 40                   | 71   | 24   | 0   | 135        | 33                     | 137  | 20   | 1   | 191        | 166                  | 128  | 26  | 0 | 320        | 815        |
| 05:45 PM    | 35                     | 101  | 50   | 0   | 186        | 25                   | 69   | 30   | 0   | 124        | 17                     | 155  | 17   | 2   | 191        | 173                  | 113  | 17  | 0 | 303        | 804        |
| Total       | 126                    | 390  | 206  | 10  | 732        | 128                  | 317  | 116  | 3   | 564        | 113                    | 609  | 83   | 6   | 811        | 647                  | 515  | 78  | 0 | 1240       | 3347       |
| Grand Total | 285                    | 775  | 461  | 10  | 1531       | 334                  | 682  | 233  | 3   | 1252       | 266                    | 1188 | 187  | 8   | 1649       | 1277                 | 930  | 168 | 0 | 2375       | 6807       |
| Apprch %    | 18.6                   | 50.6 | 30.1 | 0.7 |            | 26.7                 | 54.5 | 18.6 | 0.2 |            | 16.1                   | 72   | 11.3 | 0.5 |            | 53.8                 | 39.2 | 7.1 | 0 |            |            |
| Total %     | 4.2                    | 11.4 | 6.8  | 0.1 | 22.5       | 4.9                  | 10   | 3.4  | 0   | 18.4       | 3.9                    | 17.5 | 2.7  | 0.1 | 24.2       | 18.8                 | 13.7 | 2.5 | 0 | 34.9       |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868


File Name : Meridian Rd - Woodmen Rd PM  
 Site Code : S215050  
 Start Date : 12/14/2021  
 Page No : 2

|   | Meridian Rd<br>Southbound |      |      |      |            | Woodmen Rd<br>Westbound |      |      |      |            | Meridian Rd<br>Northbound |      |      |      |            | Woodmen Rd<br>Eastbound |      |      |      |            |            |
|---|---------------------------|------|------|------|------------|-------------------------|------|------|------|------------|---------------------------|------|------|------|------------|-------------------------|------|------|------|------------|------------|
| Start Time  | L                         | T    | R    | U    | App. Total | L                       | T    | R    | U    | App. Total | L                         | T    | R    | U    | App. Total | L                       | T    | R    | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 4:00:00 PM to 5:45:00 PM - Peak 1 of 1</b> |                           |      |      |      |            |                         |      |      |      |            |                           |      |      |      |            |                         |      |      |      |            |            |
| Peak Hour for Entire Intersection Begins at 4:15:00 PM                |                           |      |      |      |            |                         |      |      |      |            |                           |      |      |      |            |                         |      |      |      |            |            |
| 4:15:00 PM  | 36                        | 100  | 85   | 0    | 221        | 54                      | 89   | 24   | 0    | 167        | 34                        | 133  | 23   | 0    | 190        | 152                     | 112  | 24   | 0    | 288        | 866        |
| 4:30:00 PM  | 35                        | 92   | 65   | 0    | 192        | 43                      | 101  | 39   | 0    | 183        | 35                        | 170  | 26   | 0    | 231        | 141                     | 120  | 22   | 0    | 283        | 889        |
| 4:45:00 PM  | 43                        | 83   | 44   | 0    | 170        | 63                      | 86   | 25   | 0    | 174        | 48                        | 154  | 19   | 1    | 222        | 178                     | 76   | 23   | 0    | 277        | 843        |
| 5:00:00 PM  | 31                        | 86   | 57   | 0    | 174        | 43                      | 95   | 28   | 0    | 166        | 39                        | 173  | 22   | 0    | 234        | 162                     | 130  | 17   | 0    | 309        | 883        |
| Total Volume  | 145                       | 361  | 251  | 0    | 757        | 203                     | 371  | 116  | 0    | 690        | 156                       | 630  | 90   | 1    | 877        | 633                     | 438  | 86   | 0    | 1157       | 3481       |
| % App. Total  | 19.2                      | 47.7 | 33.2 | 0    |            | 29.4                    | 53.8 | 16.8 | 0    |            | 17.8                      | 71.8 | 10.3 | 0.1  |            | 54.7                    | 37.9 | 7.4  | 0    |            |            |
| PHF   | .843                      | .903 | .738 | .000 | .856       | .806                    | .918 | .744 | .000 | .943       | .813                      | .910 | .865 | .250 | .937       | .889                    | .842 | .896 | .000 | .936       | .979       |

## LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : Meridian Rd - Woodmen Rd PM  
Site Code : S215050  
Start Date : 12/14/2021  
Page No : 3



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd PM  
 Site Code : S215050  
 Start Date : 12/14/2021  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Woodmen Rd<br>Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Woodmen Rd<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | Int. Total |


Peak Hour Analysis From 4:00:00 PM to 5:45:00 PM - Peak 1 of 1

Peak Hour for Each Approach Begins at:

|              | 4:00:00 PM                           | 4:15:00 PM                           | 4:30:00 PM                           | 5:00:00 PM                           |
|--------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| +0 mins.     | 45    110    61    0    216          | 54    89    24    0    167           | 35    170    26    0    231          | 162    130    17    0    309         |
| +5 mins.     | 36    100    85    0    221          | 43    101    39    0    183          | 48    154    19    1    222          | 146    144    18    0    308         |
| +10 mins.    | 35    92    65    0    192           | 63    86    25    0    174           | 39    173    22    0    234          | 166    128    26    0    320         |
| +15 mins.    | 43    83    44    0    170           | 43    95    28    0    166           | 24    144    24    3    195          | 173    113    17    0    303         |
| Total Volume | 159    385    255    0    799        | 203    371    116    0    690        | 146    641    91    4    882         | 647    515    78    0    1240        |
| % App. Total | 19.9    48.2    31.9    0            | 29.4    53.8    16.8    0            | 16.6    72.7    10.3    0.5          | 52.2    41.5    6.3    0             |
| PHF          | .883    .875    .750    .000    .904 | .806    .918    .744    .000    .943 | .760    .926    .875    .333    .942 | .935    .894    .750    .000    .969 |

**LSC Transportation Consultants, Inc.**  
545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : Meridian Rd - Woodmen Rd PM  
Site Code : S215050  
Start Date : 12/14/2021  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd 945-11AM  
 Site Code : 00215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

|             | Meridian Rd Southbound |      |      |   |      | Woodmen Rd Westbound |      |      |     |      | Meridian Rd Northbound |      |     |     |      | Woodmen Rd Eastbound |      |      |   |      |            |
|-------------|------------------------|------|------|---|------|----------------------|------|------|-----|------|------------------------|------|-----|-----|------|----------------------|------|------|---|------|------------|
|             | Start Time             | L    | T    | R | U    | App. Total           | L    | T    | R   | U    | App. Total             | L    | T   | R   | U    | App. Total           | L    | T    | R | U    | App. Total |
| 09:45 AM    | 17                     | 70   | 88   | 0 | 175  | 27                   | 87   | 10   | 0   | 124  | 18                     | 35   | 4   | 6   | 63   | 85                   | 53   | 13   | 0 | 151  | 513        |
| Total       | 17                     | 70   | 88   | 0 | 175  | 27                   | 87   | 10   | 0   | 124  | 18                     | 35   | 4   | 6   | 63   | 85                   | 53   | 13   | 0 | 151  | 513        |
| 10:00 AM    | 13                     | 47   | 122  | 0 | 182  | 20                   | 68   | 12   | 0   | 100  | 36                     | 42   | 4   | 7   | 89   | 62                   | 45   | 20   | 0 | 127  | 498        |
| 10:15 AM    | 31                     | 70   | 96   | 0 | 197  | 19                   | 87   | 8    | 0   | 114  | 24                     | 49   | 10  | 13  | 96   | 57                   | 52   | 27   | 0 | 136  | 543        |
| 10:30 AM    | 17                     | 76   | 79   | 0 | 172  | 26                   | 76   | 8    | 0   | 110  | 19                     | 58   | 5   | 9   | 91   | 67                   | 57   | 21   | 0 | 145  | 518        |
| 10:45 AM    | 23                     | 76   | 95   | 0 | 194  | 33                   | 61   | 21   | 2   | 117  | 19                     | 58   | 5   | 5   | 87   | 75                   | 48   | 23   | 0 | 146  | 544        |
| Total       | 84                     | 269  | 392  | 0 | 745  | 98                   | 292  | 49   | 2   | 441  | 98                     | 207  | 24  | 34  | 363  | 261                  | 202  | 91   | 0 | 554  | 2103       |
| Grand Total | 101                    | 339  | 480  | 0 | 920  | 125                  | 379  | 59   | 2   | 565  | 116                    | 242  | 28  | 40  | 426  | 346                  | 255  | 104  | 0 | 705  | 2616       |
| Apprch %    | 11                     | 36.8 | 52.2 | 0 |      | 22.1                 | 67.1 | 10.4 | 0.4 |      | 27.2                   | 56.8 | 6.6 | 9.4 |      | 49.1                 | 36.2 | 14.8 | 0 |      |            |
| Total %     | 3.9                    | 13   | 18.3 | 0 | 35.2 | 4.8                  | 14.5 | 2.3  | 0.1 | 21.6 | 4.4                    | 9.3  | 1.1 | 1.5 | 16.3 | 13.2                 | 9.7  | 4    | 0 | 26.9 |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868


File Name : Meridian Rd - Woodmen Rd 945-11AM  
 Site Code : 00215050  
 Start Date : 2/10/2022  
 Page No : 2

|  | Meridian Rd Southbound |           |            |      |            | Woodmen Rd Westbound |           |           |          |            | Meridian Rd Northbound |           |           |           |            | Woodmen Rd Eastbound |           |           |      |            |            |
|--|------------------------|-----------|------------|------|------------|----------------------|-----------|-----------|----------|------------|------------------------|-----------|-----------|-----------|------------|----------------------|-----------|-----------|------|------------|------------|
| Start Time   | L                      | T         | R          | U    | App. Total | L                    | T         | R         | U        | App. Total | L                      | T         | R         | U         | App. Total | L                    | T         | R         | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 9:45:00 AM to 10:45:00 AM - Peak 1 of 1</b> |                        |           |            |      |            |                      |           |           |          |            |                        |           |           |           |            |                      |           |           |      |            |            |
| Peak Hour for Entire Intersection Begins at 10:00:00 AM                |                        |           |            |      |            |                      |           |           |          |            |                        |           |           |           |            |                      |           |           |      |            |            |
| 10:00:00 AM  | 13                     | 47        | <b>122</b> | 0    | 182        | 20                   | 68        | 12        | 0        | 100        | <b>36</b>              | 42        | 4         | 7         | 89         | 62                   | 45        | 20        | 0    | 127        | 498        |
| 10:15:00 AM  | <b>31</b>              | 70        | 96         | 0    | <b>197</b> | 19                   | <b>87</b> | 8         | 0        | 114        | 24                     | 49        | <b>10</b> | <b>13</b> | <b>96</b>  | 57                   | 52        | <b>27</b> | 0    | 136        | 543        |
| 10:30:00 AM  | 17                     | <b>76</b> | 79         | 0    | 172        | 26                   | 76        | 8         | 0        | 110        | 19                     | <b>58</b> | 5         | 9         | 91         | 67                   | <b>57</b> | 21        | 0    | 145        | 518        |
| 10:45:00 AM  | 23                     | 76        | 95         | 0    | 194        | <b>33</b>            | 61        | <b>21</b> | <b>2</b> | <b>117</b> | 19                     | 58        | 5         | 5         | 87         | <b>75</b>            | 48        | 23        | 0    | <b>146</b> | <b>544</b> |
| Total Volume   | 84                     | 269       | 392        | 0    | 745        | 98                   | 292       | 49        | 2        | 441        | 98                     | 207       | 24        | 34        | 363        | 261                  | 202       | 91        | 0    | 554        | 2103       |
| % App. Total   | 11.3                   | 36.1      | 52.6       | 0    |            | 22.2                 | 66.2      | 11.1      | 0.5      |            | 27                     | 57        | 6.6       | 9.4       |            | 47.1                 | 36.5      | 16.4      | 0    |            |            |
| PHF  | .677                   | .885      | .803       | .000 | .945       | .742                 | .839      | .583      | .250     | .942       | .681                   | .892      | .600      | .654      | .945       | .870                 | .886      | .843      | .000 | .949       | .966       |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Woodmen Rd 945-11AM  
Site Code : 00215050  
Start Date : 2/10/2022  
Page No : 3



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd 945-11AM  
 Site Code : 00215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Woodmen Rd<br>Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Woodmen Rd<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 9:45:00 AM to 10:45:00 AM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 10:00:00 AM |           |            |      |            | 9:45:00 AM |           |           |      |            | 10:00:00 AM |           |           |           |           | 9:45:00 AM |           |           |      |            |
|--------------|-------------|-----------|------------|------|------------|------------|-----------|-----------|------|------------|-------------|-----------|-----------|-----------|-----------|------------|-----------|-----------|------|------------|
| +0 mins.     | 13          | 47        | <b>122</b> | 0    | 182        | <b>27</b>  | <b>87</b> | 10        | 0    | <b>124</b> | <b>36</b>   | 42        | 4         | 7         | 89        | <b>85</b>  | 53        | 13        | 0    | <b>151</b> |
| +5 mins.     | <b>31</b>   | 70        | 96         | 0    | <b>197</b> | 20         | 68        | <b>12</b> | 0    | 100        | 24          | 49        | <b>10</b> | <b>13</b> | <b>96</b> | 62         | 45        | 20        | 0    | 127        |
| +10 mins.    | 17          | <b>76</b> | 79         | 0    | 172        | 19         | 87        | 8         | 0    | 114        | 19          | <b>58</b> | 5         | 9         | 91        | 57         | 52        | <b>27</b> | 0    | 136        |
| +15 mins.    | 23          | 76        | 95         | 0    | 194        | 26         | 76        | 8         | 0    | 110        | 19          | 58        | 5         | 5         | 87        | 67         | <b>57</b> | 21        | 0    | 145        |
| Total Volume | 84          | 269       | 392        | 0    | 745        | 92         | 318       | 38        | 0    | 448        | 98          | 207       | 24        | 34        | 363       | 271        | 207       | 81        | 0    | 559        |
| % App. Total | 11.3        | 36.1      | 52.6       | 0    |            | 20.5       | 71        | 8.5       | 0    |            | 27          | 57        | 6.6       | 9.4       |           | 48.5       | 37        | 14.5      | 0    |            |
| PHF          | .677        | .885      | .803       | .000 | .945       | .852       | .914      | .792      | .000 | .903       | .681        | .892      | .600      | .654      | .945      | .797       | .908      | .750      | .000 | .925       |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Woodmen Rd 945-11AM  
Site Code : 00215050  
Start Date : 2/10/2022  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd 11-1PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

| Start Time  | Meridian Rd Southbound |      |      |   |            | Woodmen Rd Westbound |      |      |     |            | Meridian Rd Northbound |      |     |     |            | Woodmen Rd Eastbound |      |      |     |            | Int. Total |
|-------------|------------------------|------|------|---|------------|----------------------|------|------|-----|------------|------------------------|------|-----|-----|------------|----------------------|------|------|-----|------------|------------|
|             | L                      | T    | R    | U | App. Total | L                    | T    | R    | U   | App. Total | L                      | T    | R   | U   | App. Total | L                    | T    | R    | U   | App. Total |            |
| 11:00 AM    | 18                     | 84   | 101  | 0 | 203        | 55                   | 48   | 10   | 0   | 113        | 31                     | 51   | 3   | 2   | 87         | 71                   | 58   | 26   | 0   | 155        | 558        |
| 11:15 AM    | 7                      | 79   | 104  | 0 | 190        | 37                   | 74   | 8    | 0   | 119        | 24                     | 42   | 4   | 1   | 71         | 72                   | 76   | 26   | 1   | 175        | 555        |
| 11:30 AM    | 13                     | 76   | 101  | 0 | 190        | 36                   | 73   | 25   | 1   | 135        | 26                     | 64   | 5   | 2   | 97         | 74                   | 69   | 46   | 1   | 190        | 612        |
| 11:45 AM    | 21                     | 81   | 86   | 0 | 188        | 35                   | 77   | 9    | 0   | 121        | 24                     | 63   | 4   | 0   | 91         | 74                   | 74   | 31   | 0   | 179        | 579        |
| Total       | 59                     | 320  | 392  | 0 | 771        | 163                  | 272  | 52   | 1   | 488        | 105                    | 220  | 16  | 5   | 346        | 291                  | 277  | 129  | 2   | 699        | 2304       |
| 12:00 PM    | 4                      | 60   | 98   | 0 | 162        | 22                   | 86   | 20   | 0   | 128        | 14                     | 54   | 2   | 2   | 72         | 94                   | 88   | 26   | 0   | 208        | 570        |
| 12:15 PM    | 14                     | 69   | 101  | 0 | 184        | 42                   | 84   | 15   | 0   | 141        | 39                     | 73   | 1   | 0   | 113        | 101                  | 89   | 30   | 2   | 222        | 660        |
| 12:30 PM    | 9                      | 67   | 96   | 0 | 172        | 42                   | 68   | 9    | 0   | 119        | 26                     | 56   | 4   | 2   | 88         | 108                  | 79   | 22   | 1   | 210        | 589        |
| 12:45 PM    | 14                     | 67   | 69   | 0 | 150        | 42                   | 76   | 19   | 0   | 137        | 23                     | 48   | 6   | 0   | 77         | 102                  | 69   | 17   | 0   | 188        | 552        |
| Total       | 41                     | 263  | 364  | 0 | 668        | 148                  | 314  | 63   | 0   | 525        | 102                    | 231  | 13  | 4   | 350        | 405                  | 325  | 95   | 3   | 828        | 2371       |
| Grand Total | 100                    | 583  | 756  | 0 | 1439       | 311                  | 586  | 115  | 1   | 1013       | 207                    | 451  | 29  | 9   | 696        | 696                  | 602  | 224  | 5   | 1527       | 4675       |
| Apprch %    | 6.9                    | 40.5 | 52.5 | 0 |            | 30.7                 | 57.8 | 11.4 | 0.1 |            | 29.7                   | 64.8 | 4.2 | 1.3 |            | 45.6                 | 39.4 | 14.7 | 0.3 |            |            |
| Total %     | 2.1                    | 12.5 | 16.2 | 0 | 30.8       | 6.7                  | 12.5 | 2.5  | 0   | 21.7       | 4.4                    | 9.6  | 0.6 | 0.2 | 14.9       | 14.9                 | 12.9 | 4.8  | 0.1 | 32.7       |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868




File Name : Meridian Rd - Woodmen Rd 11-1PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 2

|   | Meridian Rd<br>Southbound |           |            |      |            | Woodmen Rd<br>Westbound |           |           |      |            | Meridian Rd<br>Northbound |           |          |      |            | Woodmen Rd<br>Eastbound |           |           |          |            |            |
|---|---------------------------|-----------|------------|------|------------|-------------------------|-----------|-----------|------|------------|---------------------------|-----------|----------|------|------------|-------------------------|-----------|-----------|----------|------------|------------|
| Start Time  | L                         | T         | R          | U    | App. Total | L                       | T         | R         | U    | App. Total | L                         | T         | R        | U    | App. Total | L                       | T         | R         | U        | App. Total | Int. Total |
| <b>Peak Hour Analysis From 11:00:00 AM to 12:45:00 PM - Peak 1 of 1</b> |                           |           |            |      |            |                         |           |           |      |            |                           |           |          |      |            |                         |           |           |          |            |            |
| Peak Hour for Entire Intersection Begins at 11:30:00 AM                 |                           |           |            |      |            |                         |           |           |      |            |                           |           |          |      |            |                         |           |           |          |            |            |
| 11:30:00 AM   | 13                        | 76        | <b>101</b> | 0    | <b>190</b> | 36                      | 73        | <b>25</b> | 1    | 135        | 26                        | 64        | <b>5</b> | 2    | 97         | 74                      | 69        | <b>46</b> | 1        | 190        | 612        |
| 11:45:00 AM   | <b>21</b>                 | <b>81</b> | 86         | 0    | 188        | 35                      | 77        | 9         | 0    | 121        | 24                        | 63        | 4        | 0    | 91         | 74                      | 74        | 31        | 0        | 179        | 579        |
| 12:00:00 PM   | 4                         | 60        | 98         | 0    | 162        | 22                      | <b>86</b> | 20        | 0    | 128        | 14                        | 54        | 2        | 2    | 72         | 94                      | 88        | 26        | 0        | 208        | 570        |
| 12:15:00 PM   | 14                        | 69        | 101        | 0    | 184        | <b>42</b>               | 84        | 15        | 0    | <b>141</b> | <b>39</b>                 | <b>73</b> | 1        | 0    | <b>113</b> | <b>101</b>              | <b>89</b> | 30        | <b>2</b> | <b>222</b> | <b>660</b> |
| Total Volume  | 52                        | 286       | 386        | 0    | 724        | 135                     | 320       | 69        | 1    | 525        | 103                       | 254       | 12       | 4    | 373        | 343                     | 320       | 133       | 3        | 799        | 2421       |
| % App. Total  | 7.2                       | 39.5      | 53.3       | 0    |            | 25.7                    | 61        | 13.1      | 0.2  |            | 27.6                      | 68.1      | 3.2      | 1.1  |            | 42.9                    | 40.1      | 16.6      | 0.4      |            |            |
| PHF   | .619                      | .883      | .955       | .000 | .953       | .804                    | .930      | .690      | .250 | .931       | .660                      | .870      | .600     | .500 | .825       | .849                    | .899      | .723      | .375     | .900       | .917       |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Woodmen Rd 11-1PM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 3



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd 11-1PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Woodmen Rd<br>Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Woodmen Rd<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|---------------------------|---|---|---|------------|-------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | L                         | T | R | U | App. Total | L                       | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 11:00:00 AM to 12:45:00 PM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 11:00:00 AM |      |      |      |            | 11:30:00 AM |      |      |      |            | 11:30:00 AM |      |      |      |            | 12:00:00 PM |      |      |      |            |            |
|--------------|-------------|------|------|------|------------|-------------|------|------|------|------------|-------------|------|------|------|------------|-------------|------|------|------|------------|------------|
|              | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | Int. Total |
| +0 mins.     | 18          | 84   | 101  | 0    | 203        | 36          | 73   | 25   | 1    | 135        | 26          | 64   | 5    | 2    | 97         | 94          | 88   | 26   | 0    | 208        |            |
| +5 mins.     | 7           | 79   | 104  | 0    | 190        | 35          | 77   | 9    | 0    | 121        | 24          | 63   | 4    | 0    | 91         | 101         | 89   | 30   | 2    | 222        |            |
| +10 mins.    | 13          | 76   | 101  | 0    | 190        | 22          | 86   | 20   | 0    | 128        | 14          | 54   | 2    | 2    | 72         | 108         | 79   | 22   | 1    | 210        |            |
| +15 mins.    | 21          | 81   | 86   | 0    | 188        | 42          | 84   | 15   | 0    | 141        | 39          | 73   | 1    | 0    | 113        | 102         | 69   | 17   | 0    | 188        |            |
| Total Volume | 59          | 320  | 392  | 0    | 771        | 135         | 320  | 69   | 1    | 525        | 103         | 254  | 12   | 4    | 373        | 405         | 325  | 95   | 3    | 828        |            |
| % App. Total | 7.7         | 41.5 | 50.8 | 0    |            | 25.7        | 61   | 13.1 | 0.2  |            | 27.6        | 68.1 | 3.2  | 1.1  |            | 48.9        | 39.3 | 11.5 | 0.4  |            |            |
| PHF          | .702        | .952 | .942 | .000 | .950       | .804        | .930 | .690 | .250 | .931       | .660        | .870 | .600 | .500 | .825       | .938        | .913 | .792 | .375 | .932       |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Woodmen Rd 11-1PM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Woodmen Rd 1-2PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

| Start Time  | Meridian Rd Southbound |      |      |   |            | Woodmen Rd Westbound |      |     |   |            | Meridian Rd Northbound |      |     |     |            | Woodmen Rd Eastbound |      |      |     |            | Int. Total |
|-------------|------------------------|------|------|---|------------|----------------------|------|-----|---|------------|------------------------|------|-----|-----|------------|----------------------|------|------|-----|------------|------------|
|             | L                      | T    | R    | U | App. Total | L                    | T    | R   | U | App. Total | L                      | T    | R   | U   | App. Total | L                    | T    | R    | U   | App. Total |            |
| 01:00 PM    | 13                     | 59   | 96   | 0 | 168        | 42                   | 73   | 10  | 0 | 125        | 29                     | 56   | 9   | 1   | 95         | 117                  | 82   | 27   | 2   | 228        | 616        |
| 01:15 PM    | 11                     | 52   | 73   | 0 | 136        | 35                   | 87   | 8   | 0 | 130        | 24                     | 59   | 8   | 0   | 91         | 95                   | 85   | 21   | 0   | 201        | 558        |
| 01:30 PM    | 17                     | 71   | 82   | 0 | 170        | 15                   | 88   | 7   | 0 | 110        | 36                     | 61   | 4   | 0   | 101        | 109                  | 75   | 27   | 0   | 211        | 592        |
| 01:45 PM    | 10                     | 25   | 47   | 0 | 82         | 15                   | 58   | 11  | 0 | 84         | 19                     | 43   | 1   | 1   | 64         | 51                   | 54   | 19   | 0   | 124        | 354        |
| Total       | 51                     | 207  | 298  | 0 | 556        | 107                  | 306  | 36  | 0 | 449        | 108                    | 219  | 22  | 2   | 351        | 372                  | 296  | 94   | 2   | 764        | 2120       |
| Grand Total | 51                     | 207  | 298  | 0 | 556        | 107                  | 306  | 36  | 0 | 449        | 108                    | 219  | 22  | 2   | 351        | 372                  | 296  | 94   | 2   | 764        | 2120       |
| Apprch %    | 9.2                    | 37.2 | 53.6 | 0 |            | 23.8                 | 68.2 | 8   | 0 |            | 30.8                   | 62.4 | 6.3 | 0.6 |            | 48.7                 | 38.7 | 12.3 | 0.3 |            |            |
| Total %     | 2.4                    | 9.8  | 14.1 | 0 | 26.2       | 5                    | 14.4 | 1.7 | 0 | 21.2       | 5.1                    | 10.3 | 1   | 0.1 | 16.6       | 17.5                 | 14   | 4.4  | 0.1 | 36         |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy AM  
 Site Code : S214620  
 Start Date : 7/21/2021  
 Page No : 1

## Groups Printed- Unshifted

|             | New Meridian Rd Southbound |      |     |     |      | Rolling Thunder Wy Westbound |      |      |      |   | New Meridian Rd Northbound |      |      |     |     | Rolling Thunder Wy Eastbound |      |     |      |   |            |      |
|-------------|----------------------------|------|-----|-----|------|------------------------------|------|------|------|---|----------------------------|------|------|-----|-----|------------------------------|------|-----|------|---|------------|------|
|             | Start Time                 | L    | T   | R   | U    | App. Total                   | L    | T    | R    | U | App. Total                 | L    | T    | R   | U   | App. Total                   | L    | T   | R    | U | App. Total |      |
| 06:30 AM    | 0                          | 82   | 2   | 0   | 0    | 84                           | 11   | 4    | 0    | 0 | 15                         | 13   | 28   | 1   | 0   | 42                           | 2    | 1   | 13   | 0 | 16         | 157  |
| 06:45 AM    | 2                          | 107  | 1   | 0   | 0    | 110                          | 11   | 3    | 1    | 0 | 15                         | 14   | 46   | 2   | 0   | 62                           | 1    | 1   | 27   | 0 | 29         | 216  |
| Total       |                            | 2    | 189 | 3   | 0    | 194                          | 22   | 7    | 1    | 0 | 30                         | 27   | 74   | 3   | 0   | 104                          | 3    | 2   | 40   | 0 | 45         | 373  |
| 07:00 AM    | 1                          | 113  | 3   | 0   | 0    | 117                          | 10   | 1    | 3    | 0 | 14                         | 14   | 41   | 5   | 0   | 60                           | 6    | 1   | 33   | 0 | 40         | 231  |
| 07:15 AM    | 0                          | 97   | 1   | 2   | 0    | 100                          | 13   | 3    | 1    | 0 | 17                         | 6    | 51   | 2   | 0   | 59                           | 2    | 3   | 23   | 0 | 28         | 204  |
| 07:30 AM    | 1                          | 103  | 2   | 1   | 0    | 107                          | 15   | 1    | 0    | 0 | 16                         | 7    | 37   | 5   | 0   | 49                           | 3    | 5   | 21   | 0 | 29         | 201  |
| 07:45 AM    | 2                          | 63   | 3   | 4   | 0    | 72                           | 13   | 2    | 1    | 0 | 16                         | 7    | 31   | 14  | 1   | 53                           | 2    | 0   | 19   | 0 | 21         | 162  |
| Total       |                            | 4    | 376 | 9   | 7    | 396                          | 51   | 7    | 5    | 0 | 63                         | 34   | 160  | 26  | 1   | 221                          | 13   | 9   | 96   | 0 | 118        | 798  |
| 08:00 AM    | 4                          | 57   | 4   | 3   | 0    | 68                           | 9    | 3    | 3    | 0 | 15                         | 8    | 45   | 4   | 1   | 58                           | 2    | 3   | 16   | 0 | 21         | 162  |
| 08:15 AM    | 0                          | 78   | 5   | 0   | 0    | 83                           | 6    | 2    | 6    | 0 | 14                         | 7    | 42   | 2   | 0   | 51                           | 2    | 0   | 8    | 0 | 10         | 158  |
| Grand Total |                            | 10   | 700 | 21  | 10   | 741                          | 88   | 19   | 15   | 0 | 122                        | 76   | 321  | 35  | 2   | 434                          | 20   | 14  | 160  | 0 | 194        | 1491 |
| Apprch %    | 1.3                        | 94.5 | 2.8 | 1.3 |      |                              | 72.1 | 15.6 | 12.3 | 0 |                            | 17.5 | 74   | 8.1 | 0.5 |                              | 10.3 | 7.2 | 82.5 | 0 |            |      |
| Total %     | 0.7                        | 46.9 | 1.4 | 0.7 | 49.7 |                              | 5.9  | 1.3  | 1    | 0 | 8.2                        | 5.1  | 21.5 | 2.3 | 0.1 | 29.1                         | 1.3  | 0.9 | 10.7 | 0 | 13         |      |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868


File Name : New Meridian Rd - Rolling Thunder Wy AM  
 Site Code : S214620  
 Start Date : 7/21/2021  
 Page No : 2

|   | New Meridian Rd<br>Southbound |      |      |      |            | Rolling Thunder Wy<br>Westbound |      |      |      |            | New Meridian Rd<br>Northbound |      |      |      |            | Rolling Thunder Wy<br>Eastbound |      |      |      |            | Int. Total |
|---|-------------------------------|------|------|------|------------|---------------------------------|------|------|------|------------|-------------------------------|------|------|------|------------|---------------------------------|------|------|------|------------|------------|
|   | L                             | T    | R    | U    | App. Total | L                               | T    | R    | U    | App. Total | L                             | T    | R    | U    | App. Total | L                               | T    | R    | U    | App. Total |            |
| Start Time  |                               |      |      |      |            |                                 |      |      |      |            |                               |      |      |      |            |                                 |      |      |      |            |            |
| <b>Peak Hour Analysis From 6:30:00 AM to 8:15:00 AM - Peak 1 of 1</b> |                               |      |      |      |            |                                 |      |      |      |            |                               |      |      |      |            |                                 |      |      |      |            |            |
| Peak Hour for Entire Intersection Begins at 6:45:00 AM                |                               |      |      |      |            |                                 |      |      |      |            |                               |      |      |      |            |                                 |      |      |      |            |            |
| 6:45:00 AM  | 2                             | 107  | 1    | 0    | 110        | 11                              | 3    | 1    | 0    | 15         | 14                            | 46   | 2    | 0    | 62         | 1                               | 1    | 27   | 0    | 29         | 216        |
| 7:00:00 AM  | 1                             | 113  | 3    | 0    | 117        | 10                              | 1    | 3    | 0    | 14         | 14                            | 41   | 5    | 0    | 60         | 6                               | 1    | 33   | 0    | 40         | 231        |
| 7:15:00 AM  | 0                             | 97   | 1    | 2    | 100        | 13                              | 3    | 1    | 0    | 17         | 6                             | 51   | 2    | 0    | 59         | 2                               | 3    | 23   | 0    | 28         | 204        |
| 7:30:00 AM  | 1                             | 103  | 2    | 1    | 107        | 15                              | 1    | 0    | 0    | 16         | 7                             | 37   | 5    | 0    | 49         | 3                               | 5    | 21   | 0    | 29         | 201        |
| Total Volume  | 4                             | 420  | 7    | 3    | 434        | 49                              | 8    | 5    | 0    | 62         | 41                            | 175  | 14   | 0    | 230        | 12                              | 10   | 104  | 0    | 126        | 852        |
| % App. Total  | 0.9                           | 96.8 | 1.6  | 0.7  |            | 79                              | 12.9 | 8.1  | 0    |            | 17.8                          | 76.1 | 6.1  | 0    |            | 9.5                             | 7.9  | 82.5 | 0    |            |            |
| PHF   | .500                          | .929 | .583 | .375 | .927       | .817                            | .667 | .417 | .000 | .912       | .732                          | .858 | .700 | .000 | .927       | .500                            | .500 | .788 | .000 | .788       | .922       |

**LSC Transportation Consultants, Inc.**

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy AM  
Site Code : S214620  
Start Date : 7/21/2021  
Page No : 3



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy AM  
 Site Code : S214620  
 Start Date : 7/21/2021  
 Page No : 4

|            | New Meridian Rd<br>Southbound |   |   |   |            | Rolling Thunder Wy<br>Westbound |   |   |   |            | New Meridian Rd<br>Northbound |   |   |   |            | Rolling Thunder Wy<br>Eastbound |   |   |   |            |   |   |   |   |            |            |
|------------|-------------------------------|---|---|---|------------|---------------------------------|---|---|---|------------|-------------------------------|---|---|---|------------|---------------------------------|---|---|---|------------|---|---|---|---|------------|------------|
| Start Time | L                             | T | R | U | App. Total | L                               | T | R | U | App. Total | L                             | T | R | U | App. Total | L                               | T | R | U | App. Total | L | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 6:30:00 AM to 8:15:00 AM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 6:45:00 AM |      |      |      |      | 7:15:00 AM |      |      |      |      | 6:45:00 AM |      |      |      |      | 6:45:00 AM |      |      |      |      |
|--------------|------------|------|------|------|------|------------|------|------|------|------|------------|------|------|------|------|------------|------|------|------|------|
| +0 mins.     | 2          | 107  | 1    | 0    | 110  | 13         | 3    | 1    | 0    | 17   | 14         | 46   | 2    | 0    | 62   | 1          | 1    | 27   | 0    | 29   |
| +5 mins.     | 1          | 113  | 3    | 0    | 117  | 15         | 1    | 0    | 0    | 16   | 14         | 41   | 5    | 0    | 60   | 6          | 1    | 33   | 0    | 40   |
| +10 mins.    | 0          | 97   | 1    | 2    | 100  | 13         | 2    | 1    | 0    | 16   | 6          | 51   | 2    | 0    | 59   | 2          | 3    | 23   | 0    | 28   |
| +15 mins.    | 1          | 103  | 2    | 1    | 107  | 9          | 3    | 3    | 0    | 15   | 7          | 37   | 5    | 0    | 49   | 3          | 5    | 21   | 0    | 29   |
| Total Volume | 4          | 420  | 7    | 3    | 434  | 50         | 9    | 5    | 0    | 64   | 41         | 175  | 14   | 0    | 230  | 12         | 10   | 104  | 0    | 126  |
| % App. Total | 0.9        | 96.8 | 1.6  | 0.7  |      | 78.1       | 14.1 | 7.8  | 0    |      | 17.8       | 76.1 | 6.1  | 0    |      | 9.5        | 7.9  | 82.5 | 0    |      |
| PHF          | .500       | .929 | .583 | .375 | .927 | .833       | .750 | .417 | .000 | .941 | .732       | .858 | .700 | .000 | .927 | .500       | .500 | .788 | .000 | .788 |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy AM  
Site Code : S214620  
Start Date : 7/21/2021  
Page No : 5



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy PM  
 Site Code : S214620  
 Start Date : 7/21/2021  
 Page No : 1

## Groups Printed- Unshifted

| Start Time  | New Meridian Rd Southbound |      |      |      |            | Rolling Thunder Wy Westbound |      |     |   |            | New Meridian Rd Northbound |      |     |     |            | Rolling Thunder Wy Eastbound |      |      |   |            | Int. Total |
|-------------|----------------------------|------|------|------|------------|------------------------------|------|-----|---|------------|----------------------------|------|-----|-----|------------|------------------------------|------|------|---|------------|------------|
|             | L                          | T    | R    | U    | App. Total | L                            | T    | R   | U | App. Total | L                          | T    | R   | U   | App. Total | L                            | T    | R    | U | App. Total |            |
| 04:00 PM    | 8                          | 28   | 7    | 5    | 48         | 16                           | 7    | 4   | 0 | 27         | 25                         | 93   | 15  | 0   | 133        | 6                            | 10   | 19   | 0 | 35         | 243        |
| 04:15 PM    | 3                          | 53   | 5    | 4    | 65         | 18                           | 8    | 9   | 0 | 35         | 25                         | 89   | 13  | 0   | 127        | 8                            | 7    | 22   | 0 | 37         | 264        |
| 04:30 PM    | 5                          | 48   | 6    | 9    | 68         | 12                           | 10   | 4   | 0 | 26         | 27                         | 121  | 14  | 0   | 162        | 7                            | 3    | 19   | 0 | 29         | 285        |
| 04:45 PM    | 7                          | 64   | 9    | 8    | 88         | 15                           | 7    | 4   | 0 | 26         | 17                         | 112  | 15  | 1   | 145        | 5                            | 3    | 20   | 0 | 28         | 287        |
| Total       | 23                         | 193  | 27   | 26   | 269        | 61                           | 32   | 21  | 0 | 114        | 94                         | 415  | 57  | 1   | 567        | 26                           | 23   | 80   | 0 | 129        | 1079       |
| 05:00 PM    | 5                          | 52   | 12   | 12   | 81         | 15                           | 17   | 11  | 0 | 43         | 30                         | 117  | 20  | 0   | 167        | 8                            | 7    | 22   | 0 | 37         | 328        |
| 05:15 PM    | 3                          | 52   | 14   | 13   | 82         | 12                           | 8    | 5   | 0 | 25         | 25                         | 115  | 10  | 0   | 150        | 18                           | 9    | 24   | 0 | 51         | 308        |
| 05:30 PM    | 4                          | 59   | 5    | 6    | 74         | 14                           | 13   | 9   | 0 | 36         | 23                         | 89   | 10  | 0   | 122        | 7                            | 7    | 32   | 0 | 46         | 278        |
| 05:45 PM    | 4                          | 44   | 11   | 4    | 63         | 15                           | 9    | 6   | 0 | 30         | 19                         | 93   | 14  | 0   | 126        | 10                           | 3    | 16   | 0 | 29         | 248        |
| Total       | 16                         | 207  | 42   | 35   | 300        | 56                           | 47   | 31  | 0 | 134        | 97                         | 414  | 54  | 0   | 565        | 43                           | 26   | 94   | 0 | 163        | 1162       |
| Grand Total | 39                         | 400  | 69   | 61   | 569        | 117                          | 79   | 52  | 0 | 248        | 191                        | 829  | 111 | 1   | 1132       | 69                           | 49   | 174  | 0 | 292        | 2241       |
| Apprch %    | 6.9                        | 70.3 | 12.1 | 10.7 |            | 47.2                         | 31.9 | 21  | 0 |            | 16.9                       | 73.2 | 9.8 | 0.1 |            | 23.6                         | 16.8 | 59.6 | 0 |            |            |
| Total %     | 1.7                        | 17.8 | 3.1  | 2.7  | 25.4       | 5.2                          | 3.5  | 2.3 | 0 | 11.1       | 8.5                        | 37   | 5   | 0   | 50.5       | 3.1                          | 2.2  | 7.8  | 0 | 13         |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868


File Name : New Meridian Rd - Rolling Thunder Wy PM  
 Site Code : S214620  
 Start Date : 7/21/2021  
 Page No : 2

|   | New Meridian Rd<br>Southbound |           |           |           |            | Rolling Thunder Wy<br>Westbound |           |           |      |            | New Meridian Rd<br>Northbound |            |           |          |            | Rolling Thunder Wy<br>Eastbound |          |           |      |            |            |
|---|-------------------------------|-----------|-----------|-----------|------------|---------------------------------|-----------|-----------|------|------------|-------------------------------|------------|-----------|----------|------------|---------------------------------|----------|-----------|------|------------|------------|
| Start Time  | L                             | T         | R         | U         | App. Total | L                               | T         | R         | U    | App. Total | L                             | T          | R         | U        | App. Total | L                               | T        | R         | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 4:00:00 PM to 5:45:00 PM - Peak 1 of 1</b> |                               |           |           |           |            |                                 |           |           |      |            |                               |            |           |          |            |                                 |          |           |      |            |            |
| Peak Hour for Entire Intersection Begins at 4:30:00 PM                |                               |           |           |           |            |                                 |           |           |      |            |                               |            |           |          |            |                                 |          |           |      |            |            |
| 4:30:00 PM  | 5                             | 48        | 6         | 9         | 68         | 12                              | 10        | 4         | 0    | 26         | 27                            | <b>121</b> | 14        | 0        | 162        | 7                               | 3        | 19        | 0    | 29         | 285        |
| 4:45:00 PM  | 7                             | <b>64</b> | 9         | 8         | <b>88</b>  | <b>15</b>                       | 7         | 4         | 0    | 26         | 17                            | 112        | 15        | <b>1</b> | 145        | 5                               | 3        | 20        | 0    | 28         | 287        |
| 5:00:00 PM  | 5                             | 52        | 12        | 12        | 81         | 15                              | <b>17</b> | <b>11</b> | 0    | <b>43</b>  | <b>30</b>                     | 117        | <b>20</b> | 0        | <b>167</b> | 8                               | 7        | 22        | 0    | 37         | <b>328</b> |
| 5:15:00 PM  | 3                             | 52        | <b>14</b> | <b>13</b> | 82         | 12                              | 8         | 5         | 0    | 25         | 25                            | 115        | 10        | 0        | 150        | <b>18</b>                       | <b>9</b> | <b>24</b> | 0    | <b>51</b>  | 308        |
| Total Volume  | 20                            | 216       | 41        | 42        | 319        | 54                              | 42        | 24        | 0    | 120        | 99                            | 465        | 59        | 1        | 624        | 38                              | 22       | 85        | 0    | 145        | 1208       |
| % App. Total  | 6.3                           | 67.7      | 12.9      | 13.2      |            | 45                              | 35        | 20        | 0    |            | 15.9                          | 74.5       | 9.5       | 0.2      |            | 26.2                            | 15.2     | 58.6      | 0    |            |            |
| PHF   | .714                          | .844      | .732      | .808      | .906       | .900                            | .618      | .545      | .000 | .698       | .825                          | .961       | .738      | .250     | .934       | .528                            | .611     | .885      | .000 | .711       | .921       |

**LSC Transportation Consultants, Inc.**

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy PM  
Site Code : S214620  
Start Date : 7/21/2021  
Page No : 3



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy PM  
 Site Code : S214620  
 Start Date : 7/21/2021  
 Page No : 4

|            | New Meridian Rd<br>Southbound |   |   |   |            | Rolling Thunder Wy<br>Westbound |   |   |   |            | New Meridian Rd<br>Northbound |   |   |   |            | Rolling Thunder Wy<br>Eastbound |   |   |   |            |            |
|------------|-------------------------------|---|---|---|------------|---------------------------------|---|---|---|------------|-------------------------------|---|---|---|------------|---------------------------------|---|---|---|------------|------------|
| Start Time | L                             | T | R | U | App. Total | L                               | T | R | U | App. Total | L                             | T | R | U | App. Total | L                               | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 4:00:00 PM to 5:45:00 PM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 4:45:00 PM                                   | 5:00:00 PM                                   | 4:30:00 PM                                   | 5:00:00 PM                                   |
|--------------|--|--|--|--|
| +0 mins.     | 7      64      9      8      88              | 15      17      11      0      43            | 27      121      14      0      162          | 8      7      22      0      37              |
| +5 mins.     | 5      52      12      12      81            | 12      8      5      0      25              | 17      112      15      1      145          | 18      9      24      0      51             |
| +10 mins.    | 3      52      14      13      82            | 14      13      9      0      36             | 30      117      20      0      167          | 7      7      32      0      46              |
| +15 mins.    | 4      59      5      6      74              | 15      9      6      0      30              | 25      115      10      0      150          | 10      3      16      0      29             |
| Total Volume | 19      227      40      39      325         | 56      47      31      0      134           | 99      465      59      1      624          | 43      26      94      0      163           |
| % App. Total | 5.8      69.8      12.3      12              | 41.8      35.1      23.1      0              | 15.9      74.5      9.5      0.2             | 26.4      16      57.7      0                |
| PHF          | .679      .887      .714      .750      .923 | .933      .691      .705      .000      .779 | .825      .961      .738      .250      .934 | .597      .722      .734      .000      .799 |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : New Meridian Rd - Rolling Thunder Wy PM  
Site Code : S214620  
Start Date : 7/21/2021  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 10-11AM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

|             | Meridian Rd Southbound |      |     |     |      | Rolling Thunder Way Westbound |      |     |   |     | Meridian Rd Northbound |      |     |   |      | Rolling Thunder Way Eastbound |      |      |   |      | Int. Total |
|-------------|------------------------|------|-----|-----|------|-------------------------------|------|-----|---|-----|------------------------|------|-----|---|------|-------------------------------|------|------|---|------|------------|
|             | Start Time             | L    | T   | R   | U    | App. Total                    | L    | T   | R | U   | App. Total             | L    | T   | R | U    | App. Total                    | L    | T    | R | U    | App. Total |
| 10:00 AM    | 9                      | 85   | 4   | 0   | 98   | 2                             | 7    | 6   | 0 | 15  | 9                      | 88   | 8   | 0 | 105  | 0                             | 8    | 12   | 0 | 20   | 238        |
| 10:15 AM    | 9                      | 78   | 5   | 0   | 92   | 3                             | 6    | 7   | 0 | 16  | 9                      | 77   | 8   | 0 | 94   | 2                             | 8    | 15   | 0 | 25   | 227        |
| 10:30 AM    | 10                     | 81   | 6   | 0   | 97   | 3                             | 10   | 15  | 0 | 28  | 10                     | 71   | 9   | 0 | 90   | 10                            | 7    | 18   | 0 | 35   | 250        |
| 10:45 AM    | 8                      | 63   | 7   | 2   | 80   | 3                             | 5    | 8   | 0 | 16  | 10                     | 74   | 3   | 0 | 87   | 8                             | 7    | 9    | 0 | 24   | 207        |
| Total       | 36                     | 307  | 22  | 2   | 367  | 11                            | 28   | 36  | 0 | 75  | 38                     | 310  | 28  | 0 | 376  | 20                            | 30   | 54   | 0 | 104  | 922        |
| Grand Total | 36                     | 307  | 22  | 2   | 367  | 11                            | 28   | 36  | 0 | 75  | 38                     | 310  | 28  | 0 | 376  | 20                            | 30   | 54   | 0 | 104  | 922        |
| Apprch %    | 9.8                    | 83.7 | 6   | 0.5 |      | 14.7                          | 37.3 | 48  | 0 |     | 10.1                   | 82.4 | 7.4 | 0 |      | 19.2                          | 28.8 | 51.9 | 0 |      |            |
| Total %     | 3.9                    | 33.3 | 2.4 | 0.2 | 39.8 | 1.2                           | 3    | 3.9 | 0 | 8.1 | 4.1                    | 33.6 | 3   | 0 | 40.8 | 2.2                           | 3.3  | 5.9  | 0 | 11.3 |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868


File Name : Meridian Rd - Rolling Thunder Way 10-11AM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 2

|   | Meridian Rd<br>Southbound |      |      |      |            | Rolling Thunder Way<br>Westbound |      |      |      |            | Meridian Rd<br>Northbound |      |      |      |            | Rolling Thunder Way<br>Eastbound |      |      |      |            |            |
|---|---------------------------|------|------|------|------------|----------------------------------|------|------|------|------------|---------------------------|------|------|------|------------|----------------------------------|------|------|------|------------|------------|
| Start Time  | L                         | T    | R    | U    | App. Total | L                                | T    | R    | U    | App. Total | L                         | T    | R    | U    | App. Total | L                                | T    | R    | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 10:00:00 AM to 10:30:00 AM - Peak 1 of 1</b> |                           |      |      |      |            |                                  |      |      |      |            |                           |      |      |      |            |                                  |      |      |      |            |            |
| Peak Hour for Entire Intersection Begins at 10:00:00 AM                 |                           |      |      |      |            |                                  |      |      |      |            |                           |      |      |      |            |                                  |      |      |      |            |            |
| 10:00:00 AM   | 9                         | 85   | 4    | 0    | 98         | 2                                | 7    | 6    | 0    | 15         | 9                         | 88   | 8    | 0    | 105        | 0                                | 8    | 12   | 0    | 20         | 238        |
| 10:15:00 AM   | 9                         | 78   | 5    | 0    | 92         | 3                                | 6    | 7    | 0    | 16         | 9                         | 77   | 8    | 0    | 94         | 2                                | 8    | 15   | 0    | 25         | 227        |
| 10:30:00 AM   | 10                        | 81   | 6    | 0    | 97         | 3                                | 10   | 15   | 0    | 28         | 10                        | 71   | 9    | 0    | 90         | 10                               | 7    | 18   | 0    | 35         | 250        |
| 10:15 AM  | 0                         | 0    | 0    | 0    | 0          | 0                                | 0    | 0    | 0    | 0          | 0                         | 0    | 0    | 0    | 0          | 0                                | 0    | 0    | 0    | 0          |            |
| Total Volume  | 28                        | 244  | 15   | 0    | 287        | 8                                | 23   | 28   | 0    | 59         | 28                        | 236  | 25   | 0    | 289        | 12                               | 23   | 45   | 0    | 80         | 715        |
| % App. Total  | 9.8                       | 85   | 5.2  | 0    |            | 13.6                             | 39   | 47.5 | 0    |            | 9.7                       | 81.7 | 8.7  | 0    |            | 15                               | 28.8 | 56.2 | 0    |            |            |
| PHF   | .700                      | .718 | .625 | .000 | .732       | .667                             | .575 | .467 | .000 | .527       | .700                      | .670 | .694 | .000 | .688       | .300                             | .719 | .625 | .000 | .571       | .715       |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 10-11AM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 3



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 10-11AM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Rolling Thunder Way<br>Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Rolling Thunder Way<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|----------------------------------|---|---|---|------------|---------------------------|---|---|---|------------|----------------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L                                | T | R | U | App. Total | L                         | T | R | U | App. Total | L                                | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 10:00:00 AM to 10:30:00 AM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 10:00:00 AM |      |      |      |            | 10:00:00 AM |      |      |      |            | 10:00:00 AM |      |      |      |            | 10:00:00 AM |      |      |      |            |            |
|--------------|-------------|------|------|------|------------|-------------|------|------|------|------------|-------------|------|------|------|------------|-------------|------|------|------|------------|------------|
|              | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | L           | T    | R    | U    | App. Total | Int. Total |
| +0 mins.     | 9           | 85   | 4    | 0    | 98         | 2           | 7    | 6    | 0    | 15         | 9           | 88   | 8    | 0    | 105        | 0           | 8    | 12   | 0    | 20         |            |
| +5 mins.     | 9           | 78   | 5    | 0    | 92         | 3           | 6    | 7    | 0    | 16         | 9           | 77   | 8    | 0    | 94         | 2           | 8    | 15   | 0    | 25         |            |
| +10 mins.    | 10          | 81   | 6    | 0    | 97         | 3           | 10   | 15   | 0    | 28         | 10          | 71   | 9    | 0    | 90         | 10          | 7    | 18   | 0    | 35         |            |
| +15 mins.    | 0           | 0    | 0    | 0    | 0          | 0           | 0    | 0    | 0    | 0          | 0           | 0    | 0    | 0    | 0          | 0           | 0    | 0    | 0    | 0          |            |
| Total Volume | 28          | 244  | 15   | 0    | 287        | 8           | 23   | 28   | 0    | 59         | 28          | 236  | 25   | 0    | 289        | 12          | 23   | 45   | 0    | 80         |            |
| % App. Total | 9.8         | 85   | 5.2  | 0    |            | 13.6        | 39   | 47.5 | 0    |            | 9.7         | 81.7 | 8.7  | 0    |            | 15          | 28.8 | 56.2 | 0    |            |            |
| PHF          | .700        | .718 | .625 | .000 | .732       | .667        | .575 | .467 | .000 | .527       | .700        | .670 | .694 | .000 | .688       | .300        | .719 | .625 | .000 | .571       |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 10-11AM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 11-2PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

### Groups Printed- Unshifted

|             | Meridian Rd Southbound |      |      |     |            | Rolling Thunder Way Westbound |      |      |   |            | Meridian Rd Northbound |      |     |   |            | Rolling Thunder Way Eastbound |      |      |   |            | Int. Total |
|-------------|------------------------|------|------|-----|------------|-------------------------------|------|------|---|------------|------------------------|------|-----|---|------------|-------------------------------|------|------|---|------------|------------|
|             | L                      | T    | R    | U   | App. Total | L                             | T    | R    | U | App. Total | L                      | T    | R   | U | App. Total | L                             | T    | R    | U | App. Total |            |
| 11:00 AM    | 5                      | 60   | 3    | 2   | 70         | 3                             | 8    | 10   | 0 | 21         | 4                      | 54   | 3   | 0 | 61         | 2                             | 11   | 16   | 0 | 29         | 181        |
| 11:15 AM    | 5                      | 47   | 2    | 0   | 54         | 3                             | 5    | 13   | 0 | 21         | 9                      | 49   | 4   | 0 | 62         | 6                             | 4    | 14   | 0 | 24         | 161        |
| 11:30 AM    | 6                      | 57   | 7    | 3   | 73         | 1                             | 6    | 11   | 0 | 18         | 8                      | 68   | 2   | 0 | 78         | 3                             | 7    | 8    | 0 | 18         | 187        |
| 11:45 AM    | 8                      | 63   | 6    | 1   | 78         | 6                             | 9    | 10   | 0 | 25         | 8                      | 59   | 6   | 0 | 73         | 3                             | 9    | 8    | 0 | 20         | 196        |
| Total       | 24                     | 227  | 18   | 6   | 275        | 13                            | 28   | 44   | 0 | 85         | 29                     | 230  | 15  | 0 | 274        | 14                            | 31   | 46   | 0 | 91         | 725        |
| 12:00 PM    | 5                      | 61   | 10   | 2   | 78         | 5                             | 6    | 5    | 0 | 16         | 10                     | 56   | 10  | 0 | 76         | 7                             | 1    | 10   | 0 | 18         | 188        |
| 12:15 PM    | 4                      | 69   | 8    | 3   | 84         | 3                             | 6    | 18   | 0 | 27         | 4                      | 76   | 8   | 0 | 88         | 9                             | 6    | 15   | 0 | 30         | 229        |
| 12:30 PM    | 9                      | 45   | 15   | 5   | 74         | 3                             | 5    | 9    | 0 | 17         | 6                      | 58   | 9   | 0 | 73         | 7                             | 9    | 9    | 0 | 25         | 189        |
| 12:45 PM    | 5                      | 53   | 7    | 7   | 72         | 6                             | 9    | 8    | 0 | 23         | 9                      | 53   | 8   | 0 | 70         | 0                             | 7    | 6    | 0 | 13         | 178        |
| Total       | 23                     | 228  | 40   | 17  | 308        | 17                            | 26   | 40   | 0 | 83         | 29                     | 243  | 35  | 0 | 307        | 23                            | 23   | 40   | 0 | 86         | 784        |
| 01:00 PM    | 7                      | 57   | 14   | 6   | 84         | 4                             | 7    | 14   | 0 | 25         | 15                     | 47   | 7   | 0 | 69         | 1                             | 5    | 18   | 0 | 24         | 202        |
| 01:15 PM    | 6                      | 48   | 8    | 4   | 66         | 4                             | 7    | 13   | 0 | 24         | 8                      | 56   | 5   | 0 | 69         | 8                             | 8    | 10   | 0 | 26         | 185        |
| 01:30 PM    | 9                      | 58   | 5    | 8   | 80         | 3                             | 6    | 2    | 0 | 11         | 11                     | 59   | 8   | 0 | 78         | 3                             | 5    | 17   | 0 | 25         | 194        |
| 01:45 PM    | 11                     | 51   | 6    | 7   | 75         | 7                             | 8    | 6    | 0 | 21         | 4                      | 66   | 8   | 0 | 78         | 3                             | 6    | 7    | 0 | 16         | 190        |
| Total       | 33                     | 214  | 33   | 25  | 305        | 18                            | 28   | 35   | 0 | 81         | 38                     | 228  | 28  | 0 | 294        | 15                            | 24   | 52   | 0 | 91         | 771        |
| Grand Total | 80                     | 669  | 91   | 48  | 888        | 48                            | 82   | 119  | 0 | 249        | 96                     | 701  | 78  | 0 | 875        | 52                            | 78   | 138  | 0 | 268        | 2280       |
| Apprch %    | 9                      | 75.3 | 10.2 | 5.4 |            | 19.3                          | 32.9 | 47.8 | 0 |            | 11                     | 80.1 | 8.9 | 0 | 875        | 19.4                          | 29.1 | 51.5 | 0 |            |            |
| Total %     | 3.5                    | 29.3 | 4    | 2.1 | 38.9       | 2.1                           | 3.6  | 5.2  | 0 | 10.9       | 4.2                    | 30.7 | 3.4 | 0 | 38.4       | 2.3                           | 3.4  | 6.1  | 0 | 11.8       |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 11-2PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 2

|  | Meridian Rd<br>Southbound |      |      |      |            | Rolling Thunder Way<br>Westbound |      |      |      |            | Meridian Rd<br>Northbound |      |      |      |            | Rolling Thunder Way<br>Eastbound |      |      |      |            |            |
|--|---------------------------|------|------|------|------------|----------------------------------|------|------|------|------------|---------------------------|------|------|------|------------|----------------------------------|------|------|------|------------|------------|
| Start Time   | L                         | T    | R    | U    | App. Total | L                                | T    | R    | U    | App. Total | L                         | T    | R    | U    | App. Total | L                                | T    | R    | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 11:00:00 AM to 1:45:00 PM - Peak 1 of 1</b> |                           |      |      |      |            |                                  |      |      |      |            |                           |      |      |      |            |                                  |      |      |      |            |            |
| Peak Hour for Entire Intersection Begins at 11:45:00 AM                |                           |      |      |      |            |                                  |      |      |      |            |                           |      |      |      |            |                                  |      |      |      |            |            |
| 11:45:00 AM  | 8                         | 63   | 6    | 1    | 78         | 6                                | 9    | 10   | 0    | 25         | 8                         | 59   | 6    | 0    | 73         | 3                                | 9    | 8    | 0    | 20         | 196        |
| 12:00:00 PM  | 5                         | 61   | 10   | 2    | 78         | 5                                | 6    | 5    | 0    | 16         | 10                        | 56   | 10   | 0    | 76         | 7                                | 1    | 10   | 0    | 18         | 188        |
| 12:15:00 PM  | 4                         | 69   | 8    | 3    | 84         | 3                                | 6    | 18   | 0    | 27         | 4                         | 76   | 8    | 0    | 88         | 9                                | 6    | 15   | 0    | 30         | 229        |
| 12:30:00 PM  | 9                         | 45   | 15   | 5    | 74         | 3                                | 5    | 9    | 0    | 17         | 6                         | 58   | 9    | 0    | 73         | 7                                | 9    | 9    | 0    | 25         | 189        |
| Total Volume   | 26                        | 238  | 39   | 11   | 314        | 17                               | 26   | 42   | 0    | 85         | 28                        | 249  | 33   | 0    | 310        | 26                               | 25   | 42   | 0    | 93         | 802        |
| % App. Total   | 8.3                       | 75.8 | 12.4 | 3.5  |            | 20                               | 30.6 | 49.4 | 0    |            | 9                         | 80.3 | 10.6 | 0    |            | 28                               | 26.9 | 45.2 | 0    |            |            |
| PHF  | .722                      | .862 | .650 | .550 | .935       | .708                             | .722 | .583 | .000 | .787       | .700                      | .819 | .825 | .000 | .881       | .722                             | .694 | .700 | .000 | .775       | .876       |

## LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 11-2PM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 3


| Meridian Rd | Out | In  | Total |
|-------------|-----|-----|-------|
|             | 317 | 314 | 631   |
|             | 39  | 238 | 26    |
|             | R   | T   | L     |
|             |     |     | U     |

| Rolling Thunder Way | Out | In | Total |
|---------------------|-----|----|-------|
|                     | 84  | 85 | 169   |
|                     | 42  | 26 | 17    |
|                     | R   | T  | L     |
|                     |     |    | U     |

### Peak Hour Data

North

Peak Hour Begins at 11:45 AM  
Unshifted



|             |     |     |    |     |       |     |
|-------------|-----|-----|----|-----|-------|-----|
| Meridian Rd | Out | 297 | In | 310 | Total | 607 |
|             | 28  | 249 | 33 | 0   |       |     |
|             | L   | T   | R  | U   |       |     |
|             |     |     |    |     |       |     |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 11-2PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Rolling Thunder Way<br>Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Rolling Thunder Way<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|----------------------------------|---|---|---|------------|---------------------------|---|---|---|------------|----------------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L                                | T | R | U | App. Total | L                         | T | R | U | App. Total | L                                | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 11:00:00 AM to 1:45:00 PM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 11:45:00 AM | 12:15:00 PM |           |          |            |          | 11:30:00 AM |           |      |            |           | 11:45:00 AM |           |      |            |          |          |           |      |            |
|--------------|-------------|-------------|-----------|----------|------------|----------|-------------|-----------|------|------------|-----------|-------------|-----------|------|------------|----------|----------|-----------|------|------------|
|              | L           | T           | R         | U        | App. Total | L        | T           | R         | U    | App. Total | L         | T           | R         | U    | App. Total | L        | T        | R         | U    | App. Total |
| +0 mins.     | 8           | 63          | 6         | 1        | 78         | 3        | 6           | <b>18</b> | 0    | <b>27</b>  | 8         | 68          | 2         | 0    | 78         | 3        | <b>9</b> | 8         | 0    | 20         |
| +5 mins.     | 5           | 61          | 10        | 2        | 78         | 3        | 5           | 9         | 0    | 17         | 8         | 59          | 6         | 0    | 73         | 7        | 1        | 10        | 0    | 18         |
| +10 mins.    | 4           | <b>69</b>   | 8         | 3        | 84         | <b>6</b> | <b>9</b>    | 8         | 0    | 23         | <b>10</b> | 56          | <b>10</b> | 0    | 76         | <b>9</b> | 6        | <b>15</b> | 0    | <b>30</b>  |
| +15 mins.    | <b>9</b>    | 45          | <b>15</b> | <b>5</b> | 74         | 4        | 7           | 14        | 0    | 25         | 4         | <b>76</b>   | 8         | 0    | <b>88</b>  | 7        | 9        | 9         | 0    | 25         |
| Total Volume | 26          | 238         | 39        | 11       | 314        | 16       | 27          | 49        | 0    | 92         | 30        | 259         | 26        | 0    | 315        | 26       | 25       | 42        | 0    | 93         |
| % App. Total | 8.3         | 75.8        | 12.4      | 3.5      |            | 17.4     | 29.3        | 53.3      | 0    |            | 9.5       | 82.2        | 8.3       | 0    |            | 28       | 26.9     | 45.2      | 0    |            |
| PHF          | .722        | .862        | .650      | .550     | .935       | .667     | .750        | .681      | .000 | .852       | .750      | .852        | .650      | .000 | .895       | .722     | .694     | .700      | .000 | .775       |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 11-2PM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 5



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 2-4PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 1

## Groups Printed- Unshifted

| Start Time  | Meridian Rd Southbound |      |      |     |            | Rolling Thunder Way Westbound |      |      |   |            | Meridian Rd Northbound |      |     |     |            | Rolling Thunder Way Eastbound |     |      |   |            | Int. Total |
|-------------|------------------------|------|------|-----|------------|-------------------------------|------|------|---|------------|------------------------|------|-----|-----|------------|-------------------------------|-----|------|---|------------|------------|
|             | L                      | T    | R    | U   | App. Total | L                             | T    | R    | U | App. Total | L                      | T    | R   | U   | App. Total | L                             | T   | R    | U | App. Total |            |
| 02:00 PM    | 11                     | 53   | 7    | 5   | 76         | 8                             | 6    | 9    | 0 | 23         | 6                      | 63   | 4   | 0   | 73         | 3                             | 5   | 10   | 0 | 18         | 190        |
| 02:15 PM    | 10                     | 59   | 9    | 9   | 87         | 3                             | 2    | 8    | 0 | 13         | 14                     | 66   | 6   | 0   | 86         | 6                             | 5   | 10   | 0 | 21         | 207        |
| 02:30 PM    | 4                      | 78   | 10   | 8   | 100        | 4                             | 3    | 9    | 0 | 16         | 11                     | 82   | 6   | 1   | 100        | 13                            | 1   | 17   | 0 | 31         | 247        |
| 02:45 PM    | 5                      | 72   | 9    | 8   | 94         | 9                             | 5    | 8    | 0 | 22         | 21                     | 75   | 5   | 0   | 101        | 9                             | 4   | 16   | 0 | 29         | 246        |
| Total       | 30                     | 262  | 35   | 30  | 357        | 24                            | 16   | 34   | 0 | 74         | 52                     | 286  | 21  | 1   | 360        | 31                            | 15  | 53   | 0 | 99         | 890        |
| 03:00 PM    | 4                      | 73   | 17   | 3   | 97         | 10                            | 3    | 10   | 0 | 23         | 18                     | 87   | 5   | 0   | 110        | 8                             | 5   | 20   | 0 | 33         | 263        |
| 03:15 PM    | 8                      | 89   | 19   | 8   | 124        | 7                             | 5    | 11   | 0 | 23         | 7                      | 110  | 4   | 0   | 121        | 5                             | 7   | 21   | 0 | 33         | 301        |
| 03:30 PM    | 6                      | 67   | 10   | 8   | 91         | 5                             | 9    | 9    | 0 | 23         | 20                     | 122  | 5   | 1   | 148        | 2                             | 6   | 20   | 0 | 28         | 290        |
| 03:45 PM    | 5                      | 77   | 18   | 8   | 108        | 4                             | 7    | 8    | 0 | 19         | 31                     | 120  | 6   | 1   | 158        | 12                            | 6   | 19   | 0 | 37         | 322        |
| Total       | 23                     | 306  | 64   | 27  | 420        | 26                            | 24   | 38   | 0 | 88         | 76                     | 439  | 20  | 2   | 537        | 27                            | 24  | 80   | 0 | 131        | 1176       |
| Grand Total | 53                     | 568  | 99   | 57  | 777        | 50                            | 40   | 72   | 0 | 162        | 128                    | 725  | 41  | 3   | 897        | 58                            | 39  | 133  | 0 | 230        | 2066       |
| Apprch %    | 6.8                    | 73.1 | 12.7 | 7.3 |            | 30.9                          | 24.7 | 44.4 | 0 |            | 14.3                   | 80.8 | 4.6 | 0.3 |            | 25.2                          | 17  | 57.8 | 0 |            |            |
| Total %     | 2.6                    | 27.5 | 4.8  | 2.8 | 37.6       | 2.4                           | 1.9  | 3.5  | 0 | 7.8        | 6.2                    | 35.1 | 2   | 0.1 | 43.4       | 2.8                           | 1.9 | 6.4  | 0 | 11.1       |            |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868



File Name : Meridian Rd - Rolling Thunder Way 2-4PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 2

|   | Meridian Rd<br>Southbound |      |      |      |            | Rolling Thunder Way<br>Westbound |      |      |      |            | Meridian Rd<br>Northbound |      |      |      |            | Rolling Thunder Way<br>Eastbound |      |      |      |            |            |
|---|---------------------------|------|------|------|------------|----------------------------------|------|------|------|------------|---------------------------|------|------|------|------------|----------------------------------|------|------|------|------------|------------|
| Start Time  | L                         | T    | R    | U    | App. Total | L                                | T    | R    | U    | App. Total | L                         | T    | R    | U    | App. Total | L                                | T    | R    | U    | App. Total | Int. Total |
| <b>Peak Hour Analysis From 2:00:00 PM to 3:45:00 PM - Peak 1 of 1</b> |                           |      |      |      |            |                                  |      |      |      |            |                           |      |      |      |            |                                  |      |      |      |            |            |
| Peak Hour for Entire Intersection Begins at 3:00:00 PM                |                           |      |      |      |            |                                  |      |      |      |            |                           |      |      |      |            |                                  |      |      |      |            |            |
| 3:00:00 PM  | 4                         | 73   | 17   | 3    | 97         | 10                               | 3    | 10   | 0    | 23         | 18                        | 87   | 5    | 0    | 110        | 8                                | 5    | 20   | 0    | 33         | 263        |
| 3:15:00 PM  | 8                         | 89   | 19   | 8    | 124        | 7                                | 5    | 11   | 0    | 23         | 7                         | 110  | 4    | 0    | 121        | 5                                | 7    | 21   | 0    | 33         | 301        |
| 3:30:00 PM  | 6                         | 67   | 10   | 8    | 91         | 5                                | 9    | 9    | 0    | 23         | 20                        | 122  | 5    | 1    | 148        | 2                                | 6    | 20   | 0    | 28         | 290        |
| 3:45:00 PM  | 5                         | 77   | 18   | 8    | 108        | 4                                | 7    | 8    | 0    | 19         | 31                        | 120  | 6    | 1    | 158        | 12                               | 6    | 19   | 0    | 37         | 322        |
| Total Volume  | 23                        | 306  | 64   | 27   | 420        | 26                               | 24   | 38   | 0    | 88         | 76                        | 439  | 20   | 2    | 537        | 27                               | 24   | 80   | 0    | 131        | 1176       |
| % App. Total  | 5.5                       | 72.9 | 15.2 | 6.4  |            | 29.5                             | 27.3 | 43.2 | 0    |            | 14.2                      | 81.8 | 3.7  | 0.4  |            | 20.6                             | 18.3 | 61.1 | 0    |            |            |
| PHF   | .719                      | .860 | .842 | .844 | .847       | .650                             | .667 | .864 | .000 | .957       | .613                      | .900 | .833 | .500 | .850       | .563                             | .857 | .952 | .000 | .885       | .913       |

## LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868



File Name : Meridian Rd - Rolling Thunder Way 2-4PM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 3



### Peak Hour Data

North

Peak Hour Begins at 03:00 PM  
Unshifted



# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
 Colorado Springs, CO 80909  
 719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 2-4PM  
 Site Code : S215050  
 Start Date : 2/10/2022  
 Page No : 4

|            | Meridian Rd<br>Southbound |   |   |   |            | Rolling Thunder Way<br>Westbound |   |   |   |            | Meridian Rd<br>Northbound |   |   |   |            | Rolling Thunder Way<br>Eastbound |   |   |   |            |            |
|------------|---------------------------|---|---|---|------------|----------------------------------|---|---|---|------------|---------------------------|---|---|---|------------|----------------------------------|---|---|---|------------|------------|
| Start Time | L                         | T | R | U | App. Total | L                                | T | R | U | App. Total | L                         | T | R | U | App. Total | L                                | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 2:00:00 PM to 3:45:00 PM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 3:00:00 PM | 2:45:00 PM |      |      |      |      | 3:00:00 PM |      |      |      |      | 3:00:00 PM |      |      |      |      |      |      |      |      |
|--------------|------------|------------|------|------|------|------|------------|------|------|------|------|------------|------|------|------|------|------|------|------|------|
| +0 mins.     | 4          | 73         | 17   | 3    | 97   | 9    | 5          | 8    | 0    | 22   | 18   | 87         | 5    | 0    | 110  | 8    | 5    | 20   | 0    | 33   |
| +5 mins.     | 8          | 89         | 19   | 8    | 124  | 10   | 3          | 10   | 0    | 23   | 7    | 110        | 4    | 0    | 121  | 5    | 7    | 21   | 0    | 33   |
| +10 mins.    | 6          | 67         | 10   | 8    | 91   | 7    | 5          | 11   | 0    | 23   | 20   | 122        | 5    | 1    | 148  | 2    | 6    | 20   | 0    | 28   |
| +15 mins.    | 5          | 77         | 18   | 8    | 108  | 5    | 9          | 9    | 0    | 23   | 31   | 120        | 6    | 1    | 158  | 12   | 6    | 19   | 0    | 37   |
| Total Volume | 23         | 306        | 64   | 27   | 420  | 31   | 22         | 38   | 0    | 91   | 76   | 439        | 20   | 2    | 537  | 27   | 24   | 80   | 0    | 131  |
| % App. Total | 5.5        | 72.9       | 15.2 | 6.4  |      | 34.1 | 24.2       | 41.8 | 0    |      | 14.2 | 81.8       | 3.7  | 0.4  |      | 20.6 | 18.3 | 61.1 | 0    |      |
| PHF          | .719       | .860       | .842 | .844 | .847 | .775 | .611       | .864 | .000 | .989 | .613 | .900       | .833 | .500 | .850 | .563 | .857 | .952 | .000 | .885 |

# LSC Transportation Consultants, Inc.

2504 E Pikes Peak Ave, Suite 304  
Colorado Springs, CO 80909  
719-633-2868

File Name : Meridian Rd - Rolling Thunder Way 2-4PM  
Site Code : S215050  
Start Date : 2/10/2022  
Page No : 5



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Hwy 24 - New Meridian Rd AM2  
 Site Code : S214620  
 Start Date : 8/24/2021  
 Page No : 1

## Groups Printed- Unshifted

|             | Hwy 24 Southbound |     |      |     |   | New Meridian Rd Westbound |     |      |      |   | Hwy 24 Northbound |      |      |     |   | New Meridian Rd Eastbound |     |      |      |   |            |            |
|-------------|-------------------|-----|------|-----|---|---------------------------|-----|------|------|---|-------------------|------|------|-----|---|---------------------------|-----|------|------|---|------------|------------|
|             | Start Time        | L   | T    | R   | U | App. Total                | L   | T    | R    | U | App. Total        | L    | T    | R   | U | App. Total                | L   | T    | R    | U | App. Total | Int. Total |
| 06:30 AM    | 8                 | 191 | 1    | 0   | 0 | 200                       | 0   | 35   | 8    | 0 | 43                | 31   | 105  | 0   | 0 | 136                       | 1   | 22   | 111  | 0 | 134        | 513        |
| 06:45 AM    | 8                 | 201 | 0    | 0   | 0 | 209                       | 0   | 35   | 3    | 0 | 38                | 24   | 107  | 2   | 0 | 133                       | 2   | 28   | 91   | 0 | 121        | 501        |
| Total       |                   | 16  | 392  | 1   | 0 | 409                       | 0   | 70   | 11   | 0 | 81                | 55   | 212  | 2   | 0 | 269                       | 3   | 50   | 202  | 0 | 255        | 1014       |
| 07:00 AM    | 12                | 192 | 0    | 0   | 0 | 204                       | 0   | 44   | 6    | 0 | 50                | 26   | 98   | 3   | 0 | 127                       | 0   | 55   | 156  | 0 | 211        | 592        |
| 07:15 AM    | 8                 | 163 | 0    | 0   | 0 | 171                       | 1   | 39   | 4    | 0 | 44                | 30   | 94   | 1   | 0 | 125                       | 1   | 49   | 149  | 0 | 199        | 539        |
| 07:30 AM    | 12                | 176 | 2    | 0   | 0 | 190                       | 0   | 37   | 11   | 0 | 48                | 32   | 83   | 1   | 0 | 116                       | 7   | 66   | 130  | 0 | 203        | 557        |
| 07:45 AM    | 14                | 191 | 4    | 0   | 0 | 209                       | 3   | 29   | 9    | 0 | 41                | 43   | 95   | 0   | 0 | 138                       | 2   | 32   | 119  | 0 | 153        | 541        |
| Total       |                   | 46  | 722  | 6   | 0 | 774                       | 4   | 149  | 30   | 0 | 183               | 131  | 370  | 5   | 0 | 506                       | 10  | 202  | 554  | 0 | 766        | 2229       |
| 08:00 AM    | 15                | 103 | 0    | 0   | 0 | 118                       | 0   | 33   | 11   | 0 | 44                | 37   | 90   | 1   | 0 | 128                       | 4   | 35   | 81   | 0 | 120        | 410        |
| 08:15 AM    | 10                | 133 | 1    | 0   | 0 | 144                       | 0   | 59   | 15   | 0 | 74                | 44   | 88   | 0   | 0 | 132                       | 1   | 35   | 63   | 0 | 99         | 449        |
| Grand Total |                   | 87  | 1350 | 8   | 0 | 1445                      | 4   | 311  | 67   | 0 | 382               | 267  | 760  | 8   | 0 | 1035                      | 18  | 322  | 900  | 0 | 1240       | 4102       |
| Apprch %    |                   | 6   | 93.4 | 0.6 | 0 | 0                         | 1   | 81.4 | 17.5 | 0 | 25.8              | 73.4 | 0.8  | 0   | 0 | 1.5                       | 26  | 72.6 | 0    | 0 |            |            |
| Total %     |                   | 2.1 | 32.9 | 0.2 | 0 | 35.2                      | 0.1 | 7.6  | 1.6  | 0 | 9.3               | 6.5  | 18.5 | 0.2 | 0 | 25.2                      | 0.4 | 7.8  | 21.9 | 0 | 30.2       |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868


File Name : Hwy 24 - New Meridian Rd AM2  
 Site Code : S214620  
 Start Date : 8/24/2021  
 Page No : 2

| Start Time  | Hwy 24 Southbound |      |      |      |            | New Meridian Rd Westbound |      |      |      |            | Hwy 24 Northbound |      |      |      |            | New Meridian Rd Eastbound |      |      |      |            | Int. Total |  |
|---|-------------------|------|------|------|------------|---------------------------|------|------|------|------------|-------------------|------|------|------|------------|---------------------------|------|------|------|------------|------------|--|
|   | L                 | T    | R    | U    | App. Total | L                         | T    | R    | U    | App. Total | L                 | T    | R    | U    | App. Total | L                         | T    | R    | U    | App. Total |            |  |
| <b>Peak Hour Analysis From 6:30:00 AM to 8:15:00 AM - Peak 1 of 1</b> |                   |      |      |      |            |                           |      |      |      |            |                   |      |      |      |            |                           |      |      |      |            |            |  |
| Peak Hour for Entire Intersection Begins at 7:00:00 AM                |                   |      |      |      |            |                           |      |      |      |            |                   |      |      |      |            |                           |      |      |      |            |            |  |
| 7:00:00 AM  | 12                | 192  | 0    | 0    | 204        | 0                         | 44   | 6    | 0    | 50         | 26                | 98   | 3    | 0    | 127        | 0                         | 55   | 156  | 0    | 211        | 592        |  |
| 7:15:00 AM  | 8                 | 163  | 0    | 0    | 171        | 1                         | 39   | 4    | 0    | 44         | 30                | 94   | 1    | 0    | 125        | 1                         | 49   | 149  | 0    | 199        | 539        |  |
| 7:30:00 AM  | 12                | 176  | 2    | 0    | 190        | 0                         | 37   | 11   | 0    | 48         | 32                | 83   | 1    | 0    | 116        | 7                         | 66   | 130  | 0    | 203        | 557        |  |
| 7:45:00 AM  | 14                | 191  | 4    | 0    | 209        | 3                         | 29   | 9    | 0    | 41         | 43                | 95   | 0    | 0    | 138        | 2                         | 32   | 119  | 0    | 153        | 541        |  |
| Total Volume  | 46                | 722  | 6    | 0    | 774        | 4                         | 149  | 30   | 0    | 183        | 131               | 370  | 5    | 0    | 506        | 10                        | 202  | 554  | 0    | 766        | 2229       |  |
| % App. Total  | 5.9               | 93.3 | 0.8  | 0    |            | 2.2                       | 81.4 | 16.4 | 0    |            | 25.9              | 73.1 | 1    | 0    |            | 1.3                       | 26.4 | 72.3 | 0    |            |            |  |
| PHF   | .821              | .940 | .375 | .000 | .926       | .333                      | .847 | .682 | .000 | .915       | .762              | .944 | .417 | .000 | .917       | .357                      | .765 | .888 | .000 | .908       | .941       |  |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868




File Name : Hwy 24 - New Meridian Rd AM2  
Site Code : S214620  
Start Date : 8/24/2021  
Page No : 3



## Peak Hour Data

North

Peak Hour Begins at 07:00 AM  
Unshifted



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Hwy 24 - New Meridian Rd AM2  
 Site Code : S214620  
 Start Date : 8/24/2021  
 Page No : 4

|            | Hwy 24<br>Southbound |   |   |   |            | New Meridian Rd<br>Westbound |   |   |   |            | Hwy 24<br>Northbound |   |   |   |            | New Meridian Rd<br>Eastbound |   |   |   |            |            |
|------------|----------------------|---|---|---|------------|------------------------------|---|---|---|------------|----------------------|---|---|---|------------|------------------------------|---|---|---|------------|------------|
| Start Time | L                    | T | R | U | App. Total | L                            | T | R | U | App. Total | L                    | T | R | U | App. Total | L                            | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 6:30:00 AM to 8:15:00 AM - Peak 1 of 1


Peak Hour for Each Approach Begins at:

|              | 6:30:00 AM | 7:30:00 AM |      |      |            |      | 6:30:00 AM |      |      |            |      | 7:00:00 AM |      |      |            |      |      |      |      |            |            |
|--------------|------------|------------|------|------|------------|------|------------|------|------|------------|------|------------|------|------|------------|------|------|------|------|------------|------------|
|              | L          | T          | R    | U    | App. Total | L    | T          | R    | U    | App. Total | L    | T          | R    | U    | App. Total | L    | T    | R    | U    | App. Total | Int. Total |
| +0 mins.     | 8          | 191        | 1    | 0    | 200        | 0    | 37         | 11   | 0    | 48         | 31   | 105        | 0    | 0    | 136        | 0    | 55   | 156  | 0    | 211        |            |
| +5 mins.     | 8          | 201        | 0    | 0    | 209        | 3    | 29         | 9    | 0    | 41         | 24   | 107        | 2    | 0    | 133        | 1    | 49   | 149  | 0    | 199        |            |
| +10 mins.    | 12         | 192        | 0    | 0    | 204        | 0    | 33         | 11   | 0    | 44         | 26   | 98         | 3    | 0    | 127        | 7    | 66   | 130  | 0    | 203        |            |
| +15 mins.    | 8          | 163        | 0    | 0    | 171        | 0    | 59         | 15   | 0    | 74         | 30   | 94         | 1    | 0    | 125        | 2    | 32   | 119  | 0    | 153        |            |
| Total Volume | 36         | 747        | 1    | 0    | 784        | 3    | 158        | 46   | 0    | 207        | 111  | 404        | 6    | 0    | 521        | 10   | 202  | 554  | 0    | 766        |            |
| % App. Total | 4.6        | 95.3       | 0.1  | 0    |            | 1.4  | 76.3       | 22.2 | 0    |            | 21.3 | 77.5       | 1.2  | 0    |            | 1.3  | 26.4 | 72.3 | 0    |            |            |
| PHF          | .750       | .929       | .250 | .000 | .938       | .250 | .669       | .767 | .000 | .699       | .895 | .944       | .500 | .000 | .958       | .357 | .765 | .888 | .000 | .908       |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : Hwy 24 - New Meridian Rd AM2  
Site Code : S214620  
Start Date : 8/24/2021  
Page No : 5



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Hwy 24 - New Meridian Rd PM  
 Site Code : S214620  
 Start Date : 8/4/2021  
 Page No : 1

### Groups Printed- Unshifted

| Start Time  | Hwy 24 Southbound |      |     |   |            | New Meridian Rd Westbound |      |      |   |            | Hwy 24 Northbound |      |     |   |            | New Meridian Rd Eastbound |      |      |     |            | Int. Total |
|-------------|-------------------|------|-----|---|------------|---------------------------|------|------|---|------------|-------------------|------|-----|---|------------|---------------------------|------|------|-----|------------|------------|
|             | L                 | T    | R   | U | App. Total | L                         | T    | R    | U | App. Total | L                 | T    | R   | U | App. Total | L                         | T    | R    | U   | App. Total |            |
| 04:00 PM    | 18                | 138  | 0   | 0 | 156        | 1                         | 61   | 22   | 0 | 84         | 62                | 156  | 0   | 0 | 218        | 4                         | 30   | 43   | 0   | 77         | 535        |
| 04:15 PM    | 9                 | 139  | 2   | 0 | 150        | 0                         | 72   | 29   | 0 | 101        | 60                | 149  | 1   | 0 | 210        | 4                         | 37   | 37   | 0   | 78         | 539        |
| 04:30 PM    | 17                | 105  | 1   | 0 | 123        | 0                         | 91   | 17   | 0 | 108        | 88                | 161  | 0   | 0 | 249        | 4                         | 40   | 42   | 0   | 86         | 566        |
| 04:45 PM    | 11                | 139  | 0   | 0 | 150        | 1                         | 82   | 12   | 0 | 95         | 63                | 145  | 0   | 0 | 208        | 4                         | 41   | 38   | 3   | 86         | 539        |
| Total       | 55                | 521  | 3   | 0 | 579        | 2                         | 306  | 80   | 0 | 388        | 273               | 611  | 1   | 0 | 885        | 16                        | 148  | 160  | 3   | 327        | 2179       |
| 05:00 PM    | 14                | 109  | 0   | 0 | 123        | 0                         | 91   | 27   | 0 | 118        | 79                | 150  | 0   | 0 | 229        | 5                         | 41   | 48   | 0   | 94         | 564        |
| 05:15 PM    | 6                 | 114  | 1   | 0 | 121        | 0                         | 52   | 26   | 0 | 78         | 78                | 162  | 0   | 0 | 240        | 3                         | 32   | 42   | 1   | 78         | 517        |
| 05:30 PM    | 11                | 89   | 4   | 0 | 104        | 1                         | 81   | 14   | 0 | 96         | 76                | 156  | 0   | 0 | 232        | 1                         | 55   | 44   | 0   | 100        | 532        |
| 05:45 PM    | 22                | 119  | 1   | 0 | 142        | 1                         | 45   | 10   | 0 | 56         | 81                | 174  | 0   | 0 | 255        | 2                         | 52   | 33   | 0   | 87         | 540        |
| Total       | 53                | 431  | 6   | 0 | 490        | 2                         | 269  | 77   | 0 | 348        | 314               | 642  | 0   | 0 | 956        | 11                        | 180  | 167  | 1   | 359        | 2153       |
| Grand Total | 108               | 952  | 9   | 0 | 1069       | 4                         | 575  | 157  | 0 | 736        | 587               | 1253 | 1   | 0 | 1841       | 27                        | 328  | 327  | 4   | 686        | 4332       |
| Apprch %    | 10.1              | 89.1 | 0.8 | 0 |            | 0.5                       | 78.1 | 21.3 | 0 |            | 31.9              | 68.1 | 0.1 | 0 |            | 3.9                       | 47.8 | 47.7 | 0.6 |            |            |
| Total %     | 2.5               | 22   | 0.2 | 0 | 24.7       | 0.1                       | 13.3 | 3.6  | 0 | 17         | 13.6              | 28.9 | 0   | 0 | 42.5       | 0.6                       | 7.6  | 7.5  | 0.1 | 15.8       |            |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868


File Name : Hwy 24 - New Meridian Rd PM  
 Site Code : S214620  
 Start Date : 8/4/2021  
 Page No : 2

| Start Time  | Hwy 24<br>Southbound |      |      |      |            | New Meridian Rd<br>Westbound |      |      |      |            | Hwy 24<br>Northbound |      |      |      |            | New Meridian Rd<br>Eastbound |      |      |      |            | Int. Total |  |
|---|----------------------|------|------|------|------------|------------------------------|------|------|------|------------|----------------------|------|------|------|------------|------------------------------|------|------|------|------------|------------|--|
|   | L                    | T    | R    | U    | App. Total | L                            | T    | R    | U    | App. Total | L                    | T    | R    | U    | App. Total | L                            | T    | R    | U    | App. Total |            |  |
| <b>Peak Hour Analysis From 4:00:00 PM to 5:45:00 PM - Peak 1 of 1</b> |                      |      |      |      |            |                              |      |      |      |            |                      |      |      |      |            |                              |      |      |      |            |            |  |
| Peak Hour for Entire Intersection Begins at 4:15:00 PM                |                      |      |      |      |            |                              |      |      |      |            |                      |      |      |      |            |                              |      |      |      |            |            |  |
| 4:15:00 PM  | 9                    | 139  | 2    | 0    | 150        | 0                            | 72   | 29   | 0    | 101        | 60                   | 149  | 1    | 0    | 210        | 4                            | 37   | 37   | 0    | 78         | 539        |  |
| 4:30:00 PM  | 17                   | 105  | 1    | 0    | 123        | 0                            | 91   | 17   | 0    | 108        | 88                   | 161  | 0    | 0    | 249        | 4                            | 40   | 42   | 0    | 86         | 566        |  |
| 4:45:00 PM  | 11                   | 139  | 0    | 0    | 150        | 1                            | 82   | 12   | 0    | 95         | 63                   | 145  | 0    | 0    | 208        | 4                            | 41   | 38   | 3    | 86         | 539        |  |
| 5:00:00 PM  | 14                   | 109  | 0    | 0    | 123        | 0                            | 91   | 27   | 0    | 118        | 79                   | 150  | 0    | 0    | 229        | 5                            | 41   | 48   | 0    | 94         | 564        |  |
| Total Volume  | 51                   | 492  | 3    | 0    | 546        | 1                            | 336  | 85   | 0    | 422        | 290                  | 605  | 1    | 0    | 896        | 17                           | 159  | 165  | 3    | 344        | 2208       |  |
| % App. Total  | 9.3                  | 90.1 | 0.5  | 0    |            | 0.2                          | 79.6 | 20.1 | 0    |            | 32.4                 | 67.5 | 0.1  | 0    |            | 4.9                          | 46.2 | 48   | 0.9  |            |            |  |
| PHF   | .750                 | .885 | .375 | .000 | .910       | .250                         | .923 | .733 | .000 | .894       | .824                 | .939 | .250 | .000 | .900       | .850                         | .970 | .859 | .250 | .915       | .975       |  |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868




File Name : Hwy 24 - New Meridian Rd PM  
Site Code : S214620  
Start Date : 8/4/2021  
Page No : 3



## Peak Hour Data

North

Peak Hour Begins at 04:15 PM  
Unshifted



# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
 Colorado Springs, CO 80905  
 719-633-2868

File Name : Hwy 24 - New Meridian Rd PM  
 Site Code : S214620  
 Start Date : 8/4/2021  
 Page No : 4

|            | Hwy 24<br>Southbound |   |   |   |            | New Meridian Rd<br>Westbound |   |   |   |            | Hwy 24<br>Northbound |   |   |   |            | New Meridian Rd<br>Eastbound |   |   |   |            |   |   |   |   |            |            |
|------------|----------------------|---|---|---|------------|------------------------------|---|---|---|------------|----------------------|---|---|---|------------|------------------------------|---|---|---|------------|---|---|---|---|------------|------------|
| Start Time | L                    | T | R | U | App. Total | L                            | T | R | U | App. Total | L                    | T | R | U | App. Total | L                            | T | R | U | App. Total | L | T | R | U | App. Total | Int. Total |

Peak Hour Analysis From 4:00:00 PM to 5:45:00 PM - Peak 1 of 1

Peak Hour for Each Approach Begins at:

|              | 4:00:00 PM | 4:15:00 PM |          |      |            |          | 5:00:00 PM |           |      |            |           | 5:00:00 PM |      |      |            |          |           |           |          |            |
|--------------|------------|------------|----------|------|------------|----------|------------|-----------|------|------------|-----------|------------|------|------|------------|----------|-----------|-----------|----------|------------|
| +0 mins.     | <b>18</b>  | 138        | 0        | 0    | <b>156</b> | 0        | 72         | <b>29</b> | 0    | 101        | 79        | 150        | 0    | 0    | 229        | <b>5</b> | 41        | <b>48</b> | 0        | 94         |
| +5 mins.     | 9          | <b>139</b> | <b>2</b> | 0    | 150        | 0        | <b>91</b>  | 17        | 0    | 108        | 78        | 162        | 0    | 0    | 240        | 3        | 32        | 42        | <b>1</b> | 78         |
| +10 mins.    | 17         | 105        | 1        | 0    | 123        | <b>1</b> | 82         | 12        | 0    | 95         | 76        | 156        | 0    | 0    | 232        | 1        | <b>55</b> | 44        | 0        | <b>100</b> |
| +15 mins.    | 11         | 139        | 0        | 0    | 150        | 0        | 91         | 27        | 0    | <b>118</b> | <b>81</b> | <b>174</b> | 0    | 0    | <b>255</b> | 2        | 52        | 33        | 0        | 87         |
| Total Volume | 55         | 521        | 3        | 0    | 579        | 1        | 336        | 85        | 0    | 422        | 314       | 642        | 0    | 0    | 956        | 11       | 180       | 167       | 1        | 359        |
| % App. Total | 9.5        | 90         | 0.5      | 0    |            | 0.2      | 79.6       | 20.1      | 0    |            | 32.8      | 67.2       | 0    | 0    |            | 3.1      | 50.1      | 46.5      | 0.3      |            |
| PHF          | .764       | .937       | .375     | .000 | .928       | .250     | .923       | .733      | .000 | .894       | .969      | .922       | .000 | .000 | .937       | .550     | .818      | .870      | .250     | .898       |

# LSC Transportation Consultants, Inc.

545 E Pikes Peak Ave, Suite 210  
Colorado Springs, CO 80905  
719-633-2868

File Name : Hwy 24 - New Meridian Rd PM  
Site Code : S214620  
Start Date : 8/4/2021  
Page No : 5

