

Planning and Community
Development Department
2880 International Circle
Colorado Springs, Colorado 80910

Phone: 719.520.6300 Fax: 719.520.6695

Website www.elpasoco.com

# DEVIATION REQUEST AND DECISION FORM IN ASSOCIATION WITH A REQUEST FOR A PUD MODIFICATION FROM THE ECM

Updated: 6/26/2019

Pursuant to the <u>El Paso County Land Development Code</u>, the Board of County Commissioners may approve as part of the Planned Unit Development (PUD) approval a Modification to the <u>Engineering Criteria Manual</u> standards provided the Board can make the findings listed Section 4.2.6.F.2.h of the <u>Land Development Code</u>:

The proposal provides for the general health, safety, and welfare of the citizens and at least one of the following benefits:

- · Preservation of natural features;
- Provision of a more livable environment, such as the installment of street furniture, decorative street lighting or decorative paving materials;
- Provision of a more efficient pedestrian system;
- · Provision of additional open space;
- · Provision of other public amenities not otherwise required by the Code; or
- The proposed modification is granted in exchange for the open space and/or amenity designs provided in the PUD development plan and/or development guide.

The review and approval of this Deviation does not authorize construction of the requested improvements until and unless the Board of County Commissioners approves the Modifications in association with the Planned Unit Development request, the applicant has received approval of all associated engineering documents, the applicant has provided the necessary financial assurances, and a construction permit has been issued by the Planning and Community Development Department.

PROJECT INFORMATION						
Project Name :	Villages at Sterling Ranch					
Schedule No.(s):	52000-00-552					
Legal Description :	See title sheet of PUD Plan					
APPLICANT INFORMATION						
Company :	Classic SRJ Land, LLC					
Name :	Loren Moreland					
	☐ Owner ☐ Consultant ☐ Contractor					
Mailing Address:	2138 Flying Horse Club Dr.					
-	Colorado Springs, CO 80921					
Phone Number :	719-592-9333					
FAX Number :	719-457-1442					
Email Address :	Imoreland@classichomes.com					
ENGINEER INFORMATION						
Company : Name :	Classic Consulting Engineers & Surveyors, LLC  Kyle Campbell  Colorado P.E. Number: 29794					
Mailing Address:	619 N. Cascade Ave. Suite 200					
Mailing Address .	Colorado Springs, CO 80903					
	Colorado Springs, CO 60903					
Phone Number :	719-785-0790					
FAX Number :	719-785-0799					
Email Address :	kcampbell@classicconsulting.net					
OWNER, APPLICANT, AND ENGINEER DECLARATION  To the best of my knowledge, the information on this application and all additional or supplemental documentation is true, factual and complete. I am fully aware that any misrepresentation of any information on this application may be grounds for denial. I have familiarized myself with the rules, regulations and procedures with respect to preparing and filing this application. I also understand that an incorrect submittal will be cause to have the project removed from the agenda of the Planning Commission, Board of County Commissioners and/or Board of Adjustment or delay review until corrections are made, and that any approval of this application is based on the representations made in the application and may be revoked on any breach of representation or condition(s) of approval.						
Signature of owner (o	or authorized representative) Date					
Engineer's Seal, Sigr And Date of Signatur						
	Г					

**DEVIATION REQUEST (**Attach diagrams, figures, and other documentation to clarify request)

entify the specific ECM standard which a deviation is red		
ccessible Curb Ramps – 4-way intersections require ped	lestrian ramps on all corners	
ate the reason for the requested deviation:		
e unique urban residential community being proposed reflec		
posed, adhering to the El Paso County Standard, 14 ped ran proximately 1400 feet ( a ped ramp crossing every 100').	np crossing along Shorewood Drive would b	e required along a length of on
broximately 1400 feet ( a ped ramp crossing every 100 ).	Please provide	
	documentation from other	
	design resources or	
	jurisdictions within the area	
	jurioulous within the area	
	showing that pedestrian	
	showing that pedestrian	
	showing that pedestrian ramps are not required to be at all 4 corners.	onal or national standards us
basis): ght ped ramp crossings of Shorewood Drive are propose	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ght ped ramp crossings of Shorewood Drive are propose	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ght ped ramp crossings of Shorewood Drive are propose	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ht ped ramp crossings of Shorewood Drive are proposi	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ght ped ramp crossings of Shorewood Drive are propose	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ght ped ramp crossings of Shorewood Drive are propose	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ght ped ramp crossings of Shorewood Drive are propose	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
basis): ght ped ramp crossings of Shorewood Drive are propose	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	
splain the proposed alternative and compare to the ECN basis):  ght ped ramp crossings of Shorewood Drive are propositive adhering to the County Standard.	showing that pedestrian ramps are not required to be at all 4 corners.  I standards (May provide applicable regions)	

t least one of the conditions listed below must be met for this deviation request to be considered.)
<ul> <li>□ The ECM standard is inapplicable to the particular situation.</li> <li>□ Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.</li> <li>☑ A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public.</li> </ul>
Provide justification:
Eight ped ramp crossing along this 1400' stretch of roadway provides ample resident opportunities to cross Shorewood Drive.
RITERIA FOR APPROVAL
r ECM section 5.8.7 the request for a deviation may be considered if the request is <b>not based exclusively on financial nsiderations</b> . The deviation must not be detrimental to public safety or surrounding property. The applicant must include poorting information demonstrating compliance with <b>all of the following criteria</b> :
The deviation will achieve the intended result with a comparable or superior design and quality of improvement.
Eight ped ramp crossing along this 1400' stretch of roadway provides ample resident opportunities to cross Shorewood Drive.
The deviation will not adversely affect safety or operations.
Eight ped ramp crossing along this 1400' stretch of roadway provides ample resident opportunities to cross Shorewood Drive.

LIMITS OF CONSIDERATION

The deviation will not adversely affect maintenance and its associated cost.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.				
The deviation will not adversely affect aesthetic appearance.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.				
The deviation meets the design intent and purpose of the ECM standards.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
As maintenance of the proposed ped ramps will be by the Metro District, no adverse maintenance or it's associated costs will be realized.  The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				

# **REVIEW AND RECOMMENDATION:**

Approved by the ECM Administrator This request has been determined to have met the criteria for approval. hereby granted based on the justification provided.	A deviation from Section	$_{\scriptscriptstyle -}$ of the ECM is
Γ	1	
L	J	
<b>Denied by the ECM Administrator</b> This request has been determined not to have met criteria for approval. hereby denied.	A deviation from Section	of the ECM is
г	٦	
L	Т	
ECM ADMINISTRATOR COMMENTS/CONDITIONS:		
The Deviation is only valid until and unless the Board of County Commodifications.	nissioners approves the Planned Unit Developme	ent

# 1.1. PURPOSE

The purpose of this resource is to provide a form for documenting the findings and decision by the ECM Administrator concerning a deviation request. The form is used to document the review and decision concerning a requested deviation. The request and decision concerning each deviation from a specific section of the ECM shall be recorded on a separate form.

# 1.2. BACKGROUND

A deviation is a critical aspect of the review process and needs to be documented to ensure that the deviations granted are applied to a specific development application in conformance with the criteria for approval and that the action is documented as such requests can point to potential needed revisions to the ECM.

#### 1.3. APPLICABLE STATUTES AND REGULATIONS

Section 5.8 of the ECM establishes a mechanism whereby an engineering design standard can be modified when if strictly adhered to, would cause unnecessary hardship or unsafe design because of topographical or other conditions particular to the site, and that a departure may be made without destroying the intent of such provision.

#### 1.4. APPLICABILITY

All provisions of the ECM are subject to deviation by the ECM Administrator provided that one of the following conditions is met:

- The ECM standard is inapplicable to a particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship
  on the applicant, and an equivalent alternative that can accomplish the same design objective is
  available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not
  modified, the standard will impose an undue hardship on the applicant with little or no material benefit to
  the public.

# 1.5. TECHNICAL GUIDANCE

The review shall ensure all criteria for approval are adequately considered and that justification for the deviation is properly documented.

# 1.6. LIMITS OF APPROVAL

Whether a request for deviation is approved as proposed or with conditions, the approval is for project-specific use and shall not constitute a precedent or general deviation from these Standards.

#### 1.7. REVIEW FEES

A Deviation Review Fee shall be paid in full at the time of submission of a request for deviation. The fee for Deviation Review shall be as determined by resolution of the BoCC.