

DEVIATION REQUEST (Attach diagrams, figures, and other documentation to clarify request)

A deviation from the standards of or in Section **2.3.2 – Design Standards by Functional Classification, Table 2-7 – ADT** of the Engineering Criteria Manual (ECM) is requested.

Identify the specific ECM standard which a deviation is requested:

ADT threshold for the Local (Low Level) classification is 300.

State the reason for the requested deviation:

The ADT for each parcel (west and east) is anticipated to be 395 and 337, respectively. See Preliminary Plan in Attachment #2 for layout of the development. The development will utilize alleys for accesses to each of the units. The low anticipated traffic demand for the neighborhood better aligns with the Local (Low Level) roadway classification.

Explain the proposed alternative and compare to the ECM standards (May provide applicable regional or national standards used as basis):

The roadways function as a cul-de-sac to the extent that there is only one way in and out of the developments, and the roadway will function more in line with a Local (Low Volume) roadway than the Local roadway with higher volumes and increased development standards.



are these proposed to be public or private roads - alleys

JR Response:
Updated that they are private.

LIMITS OF CONSIDERATION

(At least one of the conditions listed below must be met for this deviation request to be considered.)

- The ECM standard is inapplicable to the particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public.

Provide justification:

The roadway network of the development will function and be laid out as alleys off of Hannah Ridge Drive. The County criteria does not address alleys. The change to the Local (Low Level) impacts the width of pavement, design vehicle, and minimum centerline criteria radii (for which a separate deviation request has been submitted). These standards have an impact on the overall site layout with no true benefit to the general public since the roadways essentially only serve the residents of the development and not the general public as a through street.

CRITERIA FOR APPROVAL

Per ECM section 5.8.7 the request for a deviation may be considered if the request is **not based exclusively on financial considerations**. The deviation must not be detrimental to public safety or surrounding property. The applicant must include supporting information demonstrating compliance with **all of the following criteria**:

The deviation will achieve the intended result with a comparable or superior design and quality of improvement.

Due to the nature of the development, with only one access point, the design impacts related to this deviation will not adversely impact the design or quality of the roadways for their intended use. Based on the low volume of anticipated traffic, the Local (Low Level) design standards will not impact the use of the site, or reduce the quality of the development.

The deviation will not adversely affect safety or operations.

The revised design standards will not have an adverse affect on safety or operations. The anticipated volume of traffic within the development will only exceed the 300 ADT at the entrance, with reduced volumes farther into the development.

The deviation will not adversely affect maintenance and its associated cost.

Maintenance will not be impacted by utilizing the reduced design standards. The ADT is slightly above the maximum threshold, but this will not impact the depth of pavement of the roadway, or other required components of the roadway (curb and gutter, cross-pans, etc.)

The deviation will not adversely affect aesthetic appearance.

The reduced standards of the roadway classification will not adversely affect the aesthetic appearance of the roadway or development. The characteristics of the development with the alley loaded units, and narrow roadways will complement the type of housing constructed within the development.

The deviation meets the design intent and purpose of the ECM standards.

The design standards of the Local (Low Level) roadway allow reduced criteria as a result of lesser volumes. The nature of the development with the alley loaded units, the low level of traffic in the development is consistent with the design intent.

The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.

Utilizing the Local (Low Level) classification will not have an impact on meeting these requirements.

REVIEW AND RECOMMENDATION:

Approved by the ECM Administrator

This request has been determined to have met the criteria for approval. A deviation from Section _____ of the ECM is hereby granted based on the justification provided.

Γ Γ

L J

Denied by the ECM Administrator

This request has been determined not to have met criteria for approval. A deviation from Section _____ of the ECM is hereby denied.

Γ Γ

L J

ECM ADMINISTRATOR COMMENTS/CONDITIONS:

1.1. PURPOSE

The purpose of this resource is to provide a form for documenting the findings and decision by the ECM Administrator concerning a deviation request. The form is used to document the review and decision concerning a requested deviation. The request and decision concerning each deviation from a specific section of the ECM shall be recorded on a separate form.

1.2. BACKGROUND

A deviation is a critical aspect of the review process and needs to be documented to ensure that the deviations granted are applied to a specific development application in conformance with the criteria for approval and that the action is documented as such requests can point to potential needed revisions to the ECM.

1.3. APPLICABLE STATUTES AND REGULATIONS

Section 5.8 of the ECM establishes a mechanism whereby an engineering design standard can be modified when if strictly adhered to, would cause unnecessary hardship or unsafe design because of topographical or other conditions particular to the site, and that a departure may be made without destroying the intent of such provision.

1.4. APPLICABILITY

All provisions of the ECM are subject to deviation by the ECM Administrator provided that one of the following conditions is met:

- The ECM standard is inapplicable to a particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship on the applicant, and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public.

1.5. TECHNICAL GUIDANCE

The review shall ensure all criteria for approval are adequately considered and that justification for the deviation is properly documented.

1.6. LIMITS OF APPROVAL

Whether a request for deviation is approved as proposed or with conditions, the approval is for project-specific use and shall not constitute a precedent or general deviation from these Standards.

1.7. REVIEW FEES

A Deviation Review Fee shall be paid in full at the time of submission of a request for deviation. The fee for Deviation Review shall be as determined by resolution of the BoCC.

Attachment #1

West Parcel:

That portion of the Northeast Quarter of Section 5, Township 14 South, Range 65 West of the 6th P.M. of El Paso County, Colorado, more particularly described as follows;

(Bearings referred to herein are based on the north line of said Northeast Quarter of Section 5, assumed to bear N89°53'50"E.)

Beginning at the northwest corner of said Northeast Quarter, said corner being on the southerly line of Constitution Avenue as described in "Constitution Avenue / Peterson Road Right-of-way", recorded in Plat Book V-3 at Page 169 of the records of said County (the following three (3) courses are along said southerly line.);

- 1.) Thence S89°54'50"E, 107.89 feet;
- 2.) Thence along the arc of a curve to the right, said curve having a central angle of 6°04'26", a radius of 1,310.93 feet, for an arc distance of 138.97 feet;
- 3.) Thence S83°50'24"E, 364.67 feet to the westerly Right-of-way line of Hannah Ridge Drive, an 80 foot Right-of-way as shown on Jessica Heights Filing No. 1 as recorded under Reception No. 206712249 of the records of said County;

Thence S00°20'42"W, 370.62 feet along said westerly Right-of-way line to the northeast corner of Lot 26 of said Jessica Heights Filing No. 1;

Thence N89°39'18"W, 609.42 feet along the northerly lines of said Lot 26 and Lots 25, 24, 15, 14, and 13 of said Jessica Heights Filing No. 1 to the northwest corner of said Lot 13, said corner also being on the west line of said Northeast Quarter of Section 5;

Thence N00°20'42"E, 413.81 feet along said west line to the Point of Beginning.

County of El Paso
State of Colorado

East Parcel:

Something's wrong with the font or text below

That portion of the Northeast Quarter of Section 5, Township 14 South, Range 65 West of the 6th P.M. of El Paso County, Colorado, more particularly described as follows;

(Bearings referred to herein are based on the north line of said Northeast Quarter of Section 5, assumed to bear N89°53'50"E.)

Commencing at the northwest corner of said Northeast Quarter, said corner being on the southerly line of Constitution Avenue as described in "Constitution Avenue / Peterson Road Right-of-way", recorded in Plat Book V-3 at Page 169 of the records of said County (the following six (6) courses are along said southerly line);

- 1.) Thence S89°54'50"E, 107.89 feet;
- 2.) Thence along the arc of a curve to the right, said curve having a central angle of 6°04'26", a radius of 1,310.93 feet, for an arc distance of 138.97 feet;
- 3.) Thence S83°50'24"E, 396.82;
- 4.) Thence along the arc of a curve to the left, said curve having a central angle of 1°55'47", a radius of 1,430.93 feet, for an arc distance of 48.19 feet to a point on the easterly Right-of-way line of Hannah Ridge Drive, an 80 foot Right-of-way as shown on Jessica Heights Filing No. 1 as recorded under Reception No. 206712249 of the records of said County, said point also being the Point of Beginning of the Tract of land herein described;
- 5.) Thence continuing along the arc of a curve to the left, said curve having a central angle of 4°19'59", a radius of 1,430.93 feet, for an arc distance of 108.22 feet to a line 60 feet south of and parallel to said north line of the Northeast Quarter of Section 5;
- 6.) Thence N89°32'50"E, 524.11 feet along said parallel line to its intersection with the west line of the northeast corner of said Northeast Quarter of Section 5;

Thence S00°17'12"W, 364.14 feet along said west line to the northeast corner of Lot 85 of said Jessica Heights Filing No. 1;

Thence N89°39'18"W, 632.60 feet along the northerly lines of said Lot 85 and Lots 86, 87, 96, 97, and 98 of said Jessica Heights Filing No. 1 to the northwest corner of said Lot 98, said corner also being on the said easterly Right-of-way line of Hannah Ridge Drive;

Thence N00°20'42"E, 363.29 feet along said easterly Right-of-way line to the Point of Beginning.

County of El Paso
State of Colorado

