



INNOVATIVE DESIGN. **CLASSIC RESULTS.**

**MASTER DEVELOPMENT DRAINAGE PLAN
AMENDMENT AND
PRELIMINARY DRAINAGE REPORT
FOR
FOREST LAKES (PHASE 2)
EL PASO COUNTY, COLORADO**

November 2018

Prepared for:
FOREST LAKES RESIDENTIAL DEVELOPMENT, LLC
6385 CORPORATE DRIVE, SUITE 200
COLORADO SPRINGS CO 80919
(719) 592-9333

Prepared by:
CLASSIC CONSULTING ENGINEERS & SURVEYORS
619 N. CASCADE AVENUE, SUITE 200
COLORADO SPRINGS CO 80903
(719) 785-0790

Add PCD File No. PUDSP181

Job no. 1175.21



MASTER DEVELOPMENT DRAINAGE PLAN AMENDMENT AND PRELIMINARY DRAINAGE REPORT FOR FOREST LAKES (PHASE 2)

ENGINEER'S STATEMENT:

The attached drainage plan and report were prepared under my direction and supervision and are correct to the best of my knowledge and belief. Said drainage report has been prepared according to the criteria established by the El Paso County for drainage reports and said report is in conformity with the master plan of the drainage basin. I accept responsibility for any liability caused by any negligent acts, errors, or omissions on my part in preparing this report.

Kyle R Campbell, Colorado P.E. #29794

Date

DEVELOPER'S STATEMENT:

I, the developer, have read and will comply with all of the requirements specified in this drainage report and plan.

Business Name: Forest Lakes Residential Development, LLC

By: _____

Title: _____

Address: 6385 Corporate Drive, Suite 200

Colorado Springs, CO 80919

EL PASO COUNTY ONLY:

Filed in accordance with the requirements of the Drainage Criteria Manual, Volumes 1 and 2, El Paso County Engineering Criteria Manual and Land Development Code as amended.

Jennifer Irvine, P.E.
County Engineer / ECM Administrator

Date



MASTER DEVELOPMENT DRAINAGE PLAN AMENDMENT AND PRELIMINARY DRAINAGE REPORT FOR FOREST LAKES (PHASE 2)

TABLE OF CONTENTS:

PURPOSE	Page 1
PROJECT DESCRIPTION	Page 1
PREVIOUS REPORTS	Page 2
SOILS & GEOLOGY	Page 3
DRAINAGE CRITERIA	Page 3
FLOODPLAIN STATEMENT	Page 4
EXISTING MAJOR DRAINAGEWAYS	Page 4
PROPOSED DRAINAGE CONDITIONS	Page 5
DRAINAGE AND BRIDGE FEES	Page 7
SUMMARY	Page 7
REFERENCES	Page 8

APPENDICES

VICINITY MAP
SOILS MAP (S.C.S. SURVEY)
F.E.M.A. MAP
EXISTING CONDITIONS CALCULATIONS
DEVELOPED CONDITIONS CALCULATIONS
DETENTION POND "A"
DETENTION POND "B"
DETENTION POND "B"
DRAINAGE MAPS

"C"



MASTER DEVELOPMENT DRAINAGE PLAN AMENDMENT AND PRELIMINARY DRAINAGE REPORT FOR FOREST LAKES (PHASE 2)

PURPOSE

This document is the Master Development Drainage Plan Amendment and Preliminary Drainage Report for Forest Lakes (Phase 2). The purpose of this report is to identify general onsite and offsite drainage patterns, storm sewer corridors and areas tributary to the site, and to safely route developed storm water runoff to adequate treatment and outfall facilities. Based upon the revisions to the Phase 2 site layout. The proposed Phase 2 development shall be in adherence to the El Paso County approved Master Development Drainage Plan for Forest Lakes as well as current County Drainage Criteria.

PROJECT DESCRIPTION

The Forest Lakes development is a phased master planned community located in northern El Paso County, Colorado. The master planned land includes areas of open space, residential, trails, drainage, preservation and two water supply reservoirs. The property lies to the east of Pike National Forest, north of the United States Air Force Academy, west of Interstate 25 and south of the Town of Monument. The Forest Lakes property is located in portions of Sections 27, 28, 29 and 33 of Township 11 South, Range 67 West of the Sixth Principal Meridian and covers approximately 900 acres. The proposed amendment area (Phase 2) is the far westerly area east of Filing 1 and is comprised of 287 acres. Watersheds that impact the Phase 2 property include Beaver Creek, Hell Creek and North Beaver Creek. These watersheds are tributary to Monument Creek. Monument Creek itself passes along the eastern boundary of the overall Forest Lakes property in a north to south direction. The purpose of the amended Master Development Drainage Plan analysis is to provide existing and updated developed peak flow data for the 5-year and 100-year recurrence intervals within the Phase 2 portion of the property. This information has been used to develop overall drainage design information and to identify the required storm drainage and flood control facilities within the Phase 2 property. The vicinity map for the Phase 2 Amendment area is presented in the Appendix of this report.

The initial approved Master Development Drainage Plan titled, "Forest Lakes Master Development Drainage Plan", was approved by Kiowa Engineering Corporation and dated April 11, 2002. The following is an excerpt from that report:

"The hydrology analysis for the initially approved Forest Lakes Master Development Drainage Plan was completed in three phases. The first phase is a regional hydrologic analysis. The regional hydrology model uses an elliptical rainfall distribution patterns based upon Hydromet 52. The regional analysis was conducted in order to assess the development's overall impact upon peak



discharges within Monument Creek as it passes in Forest Lakes development. The hydrology development in the Monument Creek Drainage Basin Planning Study (DBPS) was utilized as a basis for the regional analysis. The existing and developed basin hydrologic conditions were analyzed. The second phase was a localized hydrologic analysis that focused upon determining the peak discharges along the major drainageways within the property. For this phase, a Type II storm pattern was assumed over the drainage basins associated with the Forest Lakes development. This analysis was developed in order to provide information in use in modeling floodplains and sizing of major drainageway facilities. The third phase was an on-site developed condition hydrologic analysis, using the Rational Method to determine the peak flows within the property to size and locate on site hydraulic structures.”

Include full size copies of Exhibit A through C and Sheet 1 of 4 of the MDDP Drainage Plan. The reduced maps are not legible.

For this Phase 2 Amendment, detailed analysis of initial/local systems will be deferred to the future final drainage reports when platting is proposed.

Presented on Exhibit A (reduced scale map from initial MDDP in appendix) is information for the major sub-watershed information that impact the Forest Lakes property, including Hell Creek, Beaver Creek and North Beaver Creek. The sub-watersheds shown on Exhibit A were used in the hydrologic analysis for the regional and localized hydrologic analysis described above. Beaver Creek courses through the center of the Forest Lakes Development from west to east. The most significant feature within the Beaver Creek watershed is Bristlecone Lake and Pinon Lake which are not affected by this Phase 2 Amendment. These lakes and their embankments were constructed in 1986 as water supply reservoirs.

The site is located within the Beaver Creek Drainage Basin.

PREVIOUS REPORTS

Several studies were reviewed in the preparation of the initial Master Development Drainage Plan and this Phase 2 Amendment. These studies include:

1. Master Plan Level Geologic Hazards Evaluation and Preliminary Geotechnical Investigation, Forest Lakes Master Development Plan, prepared by CTL/Thompson, Inc. dated July 31, 2001.
2. Forest Lakes Master Development Drainage Plan, prepared by Kiowa Engineering Corporation dated April 11, 2002.
3. City of Colorado Springs and El Paso County Flood Insurance Study, prepared by Federal Emergency Management Agency, dated Marcy 1997.



4. City of Colorado Springs Drainage Criteria Manual Volume 1, May 2014.
5. Drainage Criteria Manual (Volume 3) latest revision April 2008, Urban Drainage and Flood Criteria District.
6. Baseline Hydrology Study, Monument Creek Drainage Basin Planning Study, prepared by CH2M Hill, Inc. and Kiowa Engineering Corporation dated May 1992.
7. Forest Lakes Master Drainage Plan and Phase 1 Drainage Report, prepared by KKBNA, Inc. dated November 1986.
8. Procedures for Determining Peak Flows in Colorado, Incorporates and Supplements Technical Release No. 55, prepared by Soil Conservation Service, dated March 1980.

The Forest Lakes Master Development Drainage Plan (MDDP) dated November 1986, was prepared as a part of the planning for the property which originally began in 1986. This MDDP (1986) was prepared using the City/County drainage criteria that were in affect at the time. Peak flow data was developed for the watersheds that pass through the property. Drainageway improvements, detention basin plans and roadway crossing sizes were developed for the proposed development condition for the initially developed areas.

SOILS AND GEOLOGY

Soils within the watersheds that are tributary to the Forest Lakes property vary between soil types A through D, as identified by the U.S. Department of Agriculture, Soil Conservation Service. Soils are classified in hydrologic groups A, B, C, and D according to their infiltration capacity. Type D soils are dominant in the forested areas west of Monument Creek. These soils are generally associated with the Pikes Peak Granite found in the region. This is particularly true for the forested portion of the Beaver Creek watershed. The decomposed granite soils exhibit extremely high rates of runoff and are very susceptible to crosion and sedimentation. Hydrologic Soils Group A soils consist chiefly of well-drained sand and gravel and have a low runoff potential. The soils within the Forest Lakes property are predominantly soil type B. See Appendix for additional information.

DRAINAGE CRITERIA

The hydrology for the major sub-watersheds (i.e., Beaver Creek), were estimated using the methods outlined in the initial Master Development Drainage Plan. Exhibit A presents the major sub-watersheds that impact the Forest Lakes property. All updated calculations for the Phase 2 Amendment area were performed using the following:



Hydrologic calculations were performed using the City of Colorado Springs/El Paso County Drainage Criteria Manual, as revised in November 1991 and October 1994. Stormwater quality analysis and Extended Detention Basin (EDB) design are per the Urban Drainage and Flood Control District Manual and UD-BMP Version 3.01 spreadsheet. The Rational Method was used to estimate stormwater runoff to the proposed inlets and storm sewer pipes and for comparison purposes to the runoff rates found within the previous reports.

1. Revise the last sentence. The sub-basins defined in this PDR did not provide the level of detail described. Add a statement that all subsequent FDR will further break down the sub-basins sufficiently to calculate the hydrologic/hydraulic calculations of the proposed inlets and storm sewer pipes

FLOODPLAIN STATEMENT

A portion of this site is located within a floodplain Map Number 08041C 0270F effective date, March 1997 (See Appendix). No proposed development is anticipated to take place within the floodplain other than two proposed roadway crossings as reflected on the drainage maps. At the time of the Final Drainage Report submittal, FEMA coordination will be initiated for this section of North Beaver Creek where the floodplain as reflected on the maps does not correspond to the site topography.

Revise to the latest FIRM.

EXISTING MAJOR DRAINAGEWAYS

Four major drainageways flow onto the Forest Lakes site, including North Beaver Creek, South Beaver Creek and Hell Creek. Hell Creek, North and South Beaver Creek converge in the western portion of the site to form Beaver Creek. Beaver Creek continues through the site on an easterly course through Bristle Cone Lake over the reservoir spillway. The drainageways are well defined and heavily vegetated. The bottom width of the drainageways range from 5-feet in the smaller Hell Creek to 10-feet in the larger Beaver Creek.

The intent of the Phase 2 site development is to leave the major drainageways in their existing form to the greatest practical extent possible. There may be the need for localized drainageway improvements should long-term degradation of the drainageway banks or inverts occur as South Beaver Creek, Beaver Creek and Hell Creek include both wetlands and Preble's Jumping Mouse habitat. Minimal disturbance only to the mouse area is proposed, no mouse area disturbance is anticipated.

FYI: Hydraulic analysis in the FDR must meet allowable bridge clearance which requires at least 2 feet of freeboard between the the box culvert ceiling and 100yr water surface.

One road crossing of the existing drainageway is planned with Phase 2. This crossing will be a road crossing of North Beaver Creek upstream of the confluence between North and South Beaver Creek. The proposed road crossings along North Beaver Creek have been designed to convey the 100-year Bulkhead Stream Flow (debris flow rate) from the CTL Thompson study of 4,130 cfs.

Elaborate. Specifically state that channel hydraulics will be analyzed with the final drainage reports.

- Identify the method (such as HEC-RAS) to be used to identify these localized drainageway improvements.
- What extent of Beaver Creek will the subsequent FDR analyze or was it already conducted with previous FDR?
- Discuss the reach limits of analysis the future FDR will conduct for North Beaver Creek, South

PROPOSED DRAINAGE CONDITIONS

As reflected in the approved Kiowa MDDP, the site is influenced by off-site tributary flows from the west and north. Also, as reflected in the MDDP, on-site full spectrum detention and water quality facilities will detain and treat the developed runoff from the proposed site prior to releasing at or below historic rates to the downstream channels.

DESIGN POINT 1 ($Q_5 = 54.8$ cfs and $Q_{100} = 132.2$ cfs) is the developed runoff from the proposed single family development, Basin A, 37.55 acres. This runoff is collected in a public storm sewer system and routed to the proposed Full Spectrum Detention and Storm Water Quality Facility – Pond A. This facility is an extended detention basin (EDB) per the current drainage criteria and UDFCD (Urban Drainage Flood Control District) standards. A composite impervious value was determined using the Site-Level Low Impact Development (LID) Design Effective Impervious Calculator (IRF Form) located in the Appendix of this report. With the tributary area of 37.55 acres and a calculated 41.4% imperviousness, the total required Excess Urban Runoff Volume (EURV) is 1.642 Ac.-ft.

Impact structures or other means of energy dissipation will be provided at all pipe daylight points into and out of the proposed ponds and bypass storm systems. Final pond design, outlet structure sizing, trickle channel and forebay details will be included with final construction drawings for review and approval by El Paso County prior to construction approval. The EURV design of this pond ensures that all discharges (2, 5, 10, 25, 50 and 100 year) will be released at or below historic release rates. Two preliminary pond sizing forms (UD-Detention v.3.07 & EDB Design Procedure Form) are included in the Appendix of this report and show the following outlet box features in order to maintain release rates at or below historic levels:

4' wide by 4' deep outlet box

4" initial surcharge volume, 350 square feet, 2.5' deep micropool (bottom = 7105.50)

Bottom of pond/top of Micropool = 7108.00

EURV = Top of Box = 7113.00 Required EURV = 1.642 ac.-ft. Provided EURV = 1.81 ac.-ft.

- (3) orifice holes - 12 square inch bottom hole (4" x 3")**
- 12 square inch middle hole (4" x 3")**
- 16 square inch top hole (4" x 4")**

30" RCP outlet pipe at invert out = 7107.80

45' length emergency spillway at 7117.00, Top of pond berm elevation = 7120.00, 12' wide minimum width.

Using an equivalent undeveloped area of land, Basin EX-A of 37.55 acres, a historic release rate and thus an allowable release rate for Pond A is $Q_5 = 12.1$ cfs and $Q_{100} = 80.9$ cfs. Per the UD-Detention form, the restricted release rate



from the facility is $Q_5 = 2.0$ cfs and $Q_{100} = 45.3$ cfs with a 100-year water surface elevation in the pond of 7114.97. Final pond design and release rates will be finalized with the final drainage report for the proposed subdivision.

Flow for design point 2 does not match calculations and table on drainage map. Revise.

DESIGN POINT 2 ($Q_5 = 54.8$ cfs and $Q_{100} = 132.2$ cfs) is the historic undeveloped runoff from the off-site Basin OS-1, 77.01 acres of adjacent national forest. This runoff sheet flows east directly toward the proposed lots and cul-de-sac roadways. A series of CDOT Type C grate inlets will be installed along the eastern edge of Basin OS-1, behind the lots to intercept this historic runoff prior to draining into the proposed development. A bypass or diversion pipe system will be installed from these grated inlets to the south and into the proposed development but this pipe will not connect with the proposed development runoff and Pond A tributary storm pipe. Energy dissipation of this historic runoff will be provided at the exit point of this bypass main into the South Beaver Creek corridor.

Describe how these sheet flows will be intercepted and conveyed into the series of grate inlets. Why is this designed with diversion pipes instead of contour berm/swale? These seems to have a potential to be a maintenance problem. Identify who will maintain these pipes.

DESIGN POINT 3 ($Q_5 = 23.7$ cfs and $Q_{100} = 186.5$ cfs) is the combined runoff from the historic bypass of Design Point 2 and the release rate of Pond A into the South Beaver Creek mouse limits. The historic release rate into South Beaver Creek from this portion of the development is $Q_5 = 32.7$ cfs and $Q_{100} = 219.5$ cfs. Therefore, the proposed development will not hinder the downstream corridor as the flow rates are less than in the existing conditions.

DESIGN POINT 4 ($Q_5 = 64.1$ cfs and $Q_{100} = 176.0$ cfs) is the developed runoff from the proposed single family development and existing open space area, Basin B, 59.94 acres. This runoff is collected in a public storm sewer system and routed to the proposed Full Spectrum Detention and Storm Water Quality Facility – Pond B. This facility in an extended detention basin (EDB) per the current drainage criteria and UDFCD (Urban Drainage Flood Control District) standards. A composite impervious value was determined using the Site-Level Low Impact Development (LID) Design Effective Impervious Calculator (IRF Form) located in the Appendix of this report. With the tributary area of 59.94 acres and a calculated 28.8% imperviousness, the total required Excess Urban Runoff Volume (EURV) is 1.771 Ac.-ft.

Impact structures or other means or energy dissipation will be provided at all pipe daylight point into and out of the proposed ponds and bypass storm systems. Final pond design, outlet structure sizing, trickle channel and forebay details will be included with final construction drawings for review and approval by El Paso County prior to construction approval. The EURV design of this pond ensures that all discharges (2, 5, 10, 25, 50 and 100 year) will be released at or below historic release. Two preliminary pond sizing forms (UD-Detention v.3.07 & EDB Design Procedure Form) are included in the Appendix of this report and show the following outlet box features in order to maintain release rates at or below historic levels:



6' wide by 4' deep outlet box

5" initial surcharge volume, 350 square feet, 2.5' deep micropool (bottom = 7049.50)

Bottom of pond/top of Micropool = 7052.00

EURV = Top of Box = 7057.30 Required EURV = 1.771 ac.-ft. Provided EURV = 1.86 ac.-ft.

- (3) orifice holes - 12 square inch bottom hole (4" x 3")
- 12 square inch middle hole (4" x 3")
- 16 square inch top hole (4" x 4")

30" RCP outlet pipe at invert out = 7051.80

50' length emergency spillway at 7061.00, Top of pond berm elevation = 7064.00, 12' wide minimum width.

Using an equivalent undeveloped area of land, Basin EX-B of 37.55 acres, a historic release rate and thus an allowable release rate for Pond B is $Q_5 = 18.7$ cfs and $Q_{100} = 125.6$ cfs. Per the UD-Detention form, the restricted release rate from the facility is $Q_5 = 2.2$ cfs and $Q_{100} = 64.6$ cfs with a 100-year water surface elevation in the pond of 7060.51. Final pond design and release rates will be finalized with the final drainage report for the proposed subdivision.

DESIGN POINT 5 ($Q_5 = 1441$ cfs and $Q_{100} = 4130$ cfs) is the interpolated historic flow rate within North Beaver Creek channel from the referenced CTL Thompson Debris Flow report. This runoff rate is much higher than the MDDP 100-year rate of 2,950 cfs. The purpose of including this design point and basin in this analysis is to show that the runoff rate in South Beaver Creek is less with the installation of the proposed three detention facilities for the developed runoff. This historic runoff stays within the established North Beaver Creek corridor and continues south-east into the proposed development toward Design Point 6.

DESIGN POINT 6 ($Q_5 = 1433$ cfs and $Q_{100} = 4116$ cfs) is the flow rate within North Beaver Creek channel from DP-5 and Basin D, 24.98 acres of onsite property mostly comprised of open space/undeveloped area. At this location is a proposed roadway crossing (Mesa Top Drive) and (3) single cell box culverts (8' high x 15' wide @ 0.50% grade) to convey this runoff to the south and Design Point 9. A UD-Culvert v.3.04 from UDFCD (located in the Appendix) was used to verify the headwater depth and provide riprap energy dissipation calculations; Type M riprap, 80' length of protection and 63' wide. Box culvert sizing was also verified using the Bentley FlowMaster program, results included in the Appendix and include a velocity less than 20 ft/sec and normal depth less of 4.63'. This runoff continues south to Design Point 9.



DESIGN POINT 7 ($Q_5 = 9.8$ cfs and $Q_{100} = 66.1$ cfs) is the runoff generated from off-site Basin OS-3, 10.31 acres of existing large lot single family homes and undeveloped land to the north, and onsite Basin F, 16.61 acres of 2 large home lots (over 5 acre lots). The majority of these lots will remain undeveloped except for the driveway and actual home footprint, and as these lots are over 5 acres in size, detention and water quality is not required. Therefore, multiple grated inlets will intercept this runoff and a diversion/bypass pipe will route the runoff to the south-west along Mesa Top Drive and directly discharging into North Beaver Creek. Design Point 8 also contains bypass runoff and connects to this system prior to discharging into the creek.

DESIGN POINT 8 ($Q_5 = 8.7$ cfs and $Q_{100} = 58.2$ cfs) is the runoff generated from off-site Basin OS-2, 19.91 acres of existing large lot single family homes and undeveloped land to the north, and onsite Basin E, 8.96 acres of 2 large home lots (over 5 acre lots). The majority of these lots will remain undeveloped except for the driveway and actual home footprint, and as these lots are over 5 acres in size, detention and water quality is not required. Therefore, multiple grated inlets will intercept this runoff and a diversion/bypass pipe will route the runoff to the south, connecting with the bypass main from Design Point 7. Energy dissipation of this historic runoff will be provided at the exit point of this bypass main into the North Beaver Creek corridor, downstream of the box culvert crossing at Design Point 6.

DESIGN POINT 9 ($Q_5 = 1440$ cfs and $Q_{100} = 4164$ cfs) is the combined flow rate within North Beaver Creek channel downstream of the proposed box culverts and discharge point from Design Points 7 & 8. This runoff continues south-east in the natural North Beaver Creek corridor where it combines with the release from Pond B at Design Point 10.

DESIGN POINT 10 ($Q_5 = 1441$ cfs and $Q_{100} = 4192$ cfs) is the runoff within North Beaver Creek channel downstream of Design Point 9 and including the restricted release rate from Pond B. The historic release rate into North Beaver Creek in the undeveloped conditions is $Q_5 = 1448$ cfs and $Q_{100} = 4216$ cfs. Therefore, the proposed development will not hinder the downstream corridor as the flow rates are less than in the existing conditions.

DESIGN POINT 11 ($Q_5 = 46.9$ cfs and $Q_{100} = 117.2$ cfs) is the developed runoff from the proposed single family development and existing open space area, Basin C, 30.28 acres. This runoff is collected in a public storm sewer system and routed to the proposed Full Spectrum Detention and Storm Water Quality Facility – Pond C. This facility in an extended detention basin (EDB) per the current drainage criteria and UDFCD (Urban Drainage Flood Control District) standards. A composite impervious value was determined using the Site-Level Low Impact Development (LID) Design



Effective Impervious Calculator (IRF Form) located in the Appendix of this report. With the tributary area of 30.28 acres and a calculated 35.5% imperviousness, the total required Excess Urban Runoff Volume (EURV) is 1.121 Ac.-ft.

Impact structures or other means or energy dissipation will be provided at all pipe daylight point into and out of the proposed ponds and bypass storm systems. Final pond design, outlet structure sizing, trickle channel and forebay details will be included with final construction drawings for review and approval by El Paso County prior to construction approval. The EURV design of this pond ensures that all discharges (2, 5, 10, 25, 50 and 100 year) will be released at or below historic release. Two preliminary pond sizing forms (UD-Detention v.3.07 & EDB Design Procedure Form) are included in the Appendix of this report and show the following outlet box features in order to maintain release rates at or below historic levels:

6' wide by 4' deep outlet box

4" initial surcharge volume, 350 square feet, 2.5' deep micropool (bottom = 7027.50)

Bottom of pond/top of Micropool = 7030.00

EURV = Top of Box = 7035.00 Required EURV = 1.121 ac.-ft. Provided EURV = 2.07 ac.-ft.

- (3) orifice holes - 12 square inch bottom hole (4" x 3")**
- 12 square inch middle hole (4" x 3")**
- 16 square inch top hole (4" x 4")**

30" RCP outlet pipe at invert out = 7029.80

38' length emergency spillway at 7039.00, Top of pond berm elevation = 7042.00, 12' wide minimum width.

Using an equivalent undeveloped area of land, Basin EX-C of 37.55 acres, a historic release rate and thus an allowable release rate for Pond C is $Q_5 = 10.2$ cfs and $Q_{100} = 68.6$ cfs. Per the UD-Detention form, the restricted release rate from the facility is $Q_5 = 1.2$ cfs and $Q_{100} = 24.5$ cfs with a 100-year water surface elevation in the pond of 7036.10. Final pond design and release rates will be finalized with the final drainage report for the proposed subdivision.

DESIGN POINT 12 ($Q_5 = 1442$ cfs and $Q_{100} = 4200$ cfs) is the runoff within North Beaver Creek channel downstream of Design Point 10 and including the restricted release rate from Pond C. The historic release rate into North Beaver Creek in the undeveloped conditions is $Q_5 = 1452$ cfs and $Q_{100} = 4242$ cfs. Therefore, the proposed development will not hinder the downstream corridor as the flow rates are less than in the existing conditions.

Discuss the emergency flow path. If the intent is for roadway overtopping then the path will go through Lot 27.



EURV and Stormwater Quality Capture Volume: The standard Extended Detention Basin spreadsheet has been provided in the Appendix of this report to provide sizing based upon UDFCD requirements for EURV, with a minimum drain time of 72 hours.

The calculation does not meet the min drain time.

Detention Maintenance, Ownership and Access: The Metro District for Forest Lakes will own and maintain Detention Facility A, B and C. Access to the pond will be provided per the current El Paso County Criteria and UDFCD criteria. An El Paso County Detention Pond Maintenance Agreement will be required indicating these Facilities to be ultimately owned and maintained by the Metro District.

DRAINAGE AND BRIDGE FEES

Forest Lakes Phase 2 is to be platted in the future and is within the Beaver Creek Miscellaneous Drainage Basin. The fees in place at the time of platting will be calculated within future Final Drainage Reports.

Existing Drainage Fee credits will be utilized to offset portions of the required fees due for this development, as to be defined in future Final Drainage Reports. Multiple plats are anticipated for this Phase 2 area.

Staff has no record of credits to any developers within the Beaver Creek drainage basin.

SUMMARY

Developed runoff from the proposed Forest Lakes Phase 2 are proposed to outfall to three proposed public storm systems serving three separate Full Spectrum Detention and Storm Water Quality facilities (owned and maintained by the Forest Lakes Metropolitan District) prior to discharging to downstream facilities. The proposed Full Spectrum detention/water quality ponds were sized using the current and applicable drainage criteria and provide release rates below existing allowable release rates and therefore the proposed development does not overburden downstream facilities. Future Final Drainage Reports will further define and provide additional analysis for all on-site storm facilities as the project moves forward.

PREPARED BY:

Matthew Larson
Project Manager

REFERENCES

1. City of Colorado Springs and El Paso County Drainage Criteria Manual Volume 1, May 2014.
2. Drainage Criteria Manual (Volume 3) latest revision April 2008, Urban Drainage and Flood Criteria District.
3. "Forest Lakes Master Development Drainage Plan," by Kiowa Engineering Corporation, revised April 11, 2002.
4. "Preliminary and Final Drainage Report Forest Lakes Subdivision Filing No. 1," by Kiowa Engineering Corporation, filed September 8, 2004.
5. "Drainage Report Amendment for Preliminary and Final Drainage Report Forest Lakes Subdivision Filing No. 1," by Classic Consulting Engineers & Surveyors, LLC, dated August 2015.
6. "Debris Flow/Mudflow Analysis Forest Lakes Subdivision (Phase 2) Lindbergh Road and W. Baptist Road El Paso County, Colorado," by CTL Thompson Inc., dated August 6, 2018.



VICINITY MAP







FIGURE 1
VICINITY MAP
FOREST LAKES MDDP

00013Figure4P[8.5x11]01 / 08/02

SOILS MAP (S.C.S. SURVEY)





Draw the Phase 2 boundary for clarity. Initial glance of the Area of Interest leads readers to assume the site is located in the Soil Type D to the west.


Map Scale: 1:31,500 if printed on A landscape (11" x 8.5") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84



MAP LEGEND



MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: El Paso County Area, Colorado
 Survey Area Data: Version 15, Oct 10, 2017

Soil Survey Area: Pike National Forest, Eastern Part, Colorado, Parts of Douglas, El Paso, Jefferson, and Teller Counties
 Survey Area Data: Version 4, Oct 12, 2017

Your area of interest (AOI) includes more than one soil survey area. These survey areas may have been mapped at different scales, with a different land use in mind, at different times, or at different levels of detail. This may result in map unit symbols, soil properties, and interpretations that do not completely agree across soil survey area boundaries.

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 22, 2014—Mar 9, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Hydrologic Soil Group

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
1	Alamosa loam, 1 to 3 percent slopes	D	4.9	0.1%
38	Jarre-Tecolote complex, 8 to 65 percent slopes	B	1,396.0	32.2%
65	Perrypark gravelly sandy loam, 3 to 9 percent slopes	B	353.9	8.2%
68	Peyton-Pring complex, 3 to 8 percent slopes	B	565.0	13.0%
69	Peyton-Pring complex, 8 to 15 percent slopes	B	28.5	0.7%
71	Pring coarse sandy loam, 3 to 8 percent slopes	B	29.4	0.7%
92	Tomah-Crowfoot loamy sands, 3 to 8 percent slopes	B	39.9	0.9%
93	Tomah-Crowfoot complex, 8 to 15 percent slopes	B	100.4	2.3%
Subtotals for Soil Survey Area			2,518.0	58.0%
Totals for Area of Interest			4,341.0	100.0%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
2	Aquolls, 1 to 10 percent slopes	A/D	11.0	0.3%
22	Kassler very gravelly coarse sandy loam, 5 to 35 percent slopes	A	71.5	1.6%
32	Perrypark coarse sandy loam, 1 to 15 percent slopes	B	25.3	0.6%
35	Rock outcrop-Sphinx complex, 15 to 80 percent slopes	D	29.2	0.7%
36	Rock outcrop-Sphinx, warm complex, 15 to 80 percent slopes	D	100.6	2.3%
42	Sphinx gravelly coarse sandy loam, 15 to 40 percent slopes	D	3.8	0.1%
43	Sphinx gravelly coarse sandy loam, 40 to 70 percent slopes	D	126.1	2.9%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
46	Sphinx-Rock outcrop complex, 15 to 80 percent slopes	D	620.4	14.3%
47	Sphinx, warm-Rock outcrop complex, 15 to 80 percent slopes	D	526.7	12.1%
48	Tecolote very gravelly sandy loam, 15 to 40 percent slopes, very stony	B	147.4	3.4%
49	Tecolote very gravelly sandy loam, 40 to 70 percent slopes, very stony	B	148.3	3.4%
50	Tomah sandy loam, 2 to 15 percent slopes	B	12.5	0.3%
Subtotals for Soil Survey Area			1,823.0	42.0%
Totals for Area of Interest			4,341.0	100.0%

Description

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The soils in the United States are assigned to four groups (A, B, C, and D) and three dual classes (A/D, B/D, and C/D). The groups are defined as follows:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas. Only the soils that in their natural condition are in group D are assigned to dual classes.

Rating Options

Aggregation Method: Dominant Condition


Component Percent Cutoff: None Specified

Tie-break Rule: Higher

F.E.M.A. MAP



Update Firmette to the latest version.



**EXISTING CONDITIONS CALCULATIONS
(FROM PREVIOUSLY APPROVED KIOWA MDDP)**



Forest Lakes MDDP Time of Concentration Calculation

Basin Design	Contributing Basins	Slope Channel	Slope Channel	Overland	Channel	Length Channel	Ratio of Coef. (100/ft)	Channel Velocity	Channel Slope	Channel Slope	Channel Slope	Basin Design
OS1		20.0 %	20.0 %	1000 lf	900 lf	0.25	0.9 ft/sec	5.0 ft/sec	1112 sec.	180 sec.	21.5 min.	OS1
OS2		20.0 %	20.0 %	700 lf		0.25	0.8 ft/sec		931 sec.		15.5 min.	OS2
OS3		20.0 %	20.0 %	400 lf		0.25	0.8 ft/sec		963 sec.		16.1 min.	OS3
OS4		5.0 %	5.0 %	500 lf	2200 lf	0.25	0.6 ft/sec	4.0 ft/sec	703 sec.	550 sec.	11.7 min.	OS4
OS5A		5.0 %	5.0 %	400 lf	100 lf	0.25	0.4 ft/sec	5.0 ft/sec	1248 sec.	20 sec.	30.0 min.	OS5A
OS5B		4.0 %	4.0 %	400 lf	900 lf	0.25	0.3 ft/sec	4.0 ft/sec	1116 sec.	20 sec.	18.9 min.	OS5B
OS7		4.0 %	4.0 %	900 lf		0.25	0.5 ft/sec		1202 sec.	225 sec.	23.8 min.	OS7
DP A1	A, OS1	20.0 %	14.0 %	1000 lf	1370 lf	0.26	0.9 ft/sec	4.5 ft/sec	1099 sec.	304 sec.	25.0 min.	DP A1
DP C1	B, C, OS2	20.0 %	8.0 %	700 lf	100 lf	0.30	0.8 ft/sec	4.0 ft/sec	876 sec.	25 sec.	18.4 min.	DP C1
DP D1	A, D, OS1	20.0 %	14.0 %	1000 lf	1370 lf	0.27	0.9 ft/sec	4.5 ft/sec	1086 sec.	304 sec.	29.3 min.	DP D1
DP G1	G, OS3	20.0 %	3.2 %	750 lf	400 lf	0.26	0.8 ft/sec	3.6 ft/sec	952 sec.	112 sec.	17.7 min.	DP G1
DP H1	H,K,L, OS4	5.0 %	5.0 %	500 lf	330 lf	0.35	0.5 ft/sec	3.5 ft/sec	1101 sec.	94 sec.	23.2 min.	DP H1
DP H2	H,K,L, OS4	5.0 %	5.0 %	500 lf	330 lf	0.32	0.4 ft/sec	3.5 ft/sec	1145 sec.	94 sec.	24.0 min.	DP H2
DP I1	I, OS4	18.0 %	1.1 %	450 lf	270 lf	0.29	0.6 ft/sec	2.1 ft/sec	736 sec.	76 sec.	14.4 min.	DP I1
DP M1	M2, O	20.0 %	17.9 %	300 lf	420 lf	0.30	0.5 ft/sec	3.0 ft/sec	573 sec.	98 sec.	12.5 min.	DP M1
DP M2	M4,M1,M2, O	9.0 %	10.9 %	300 lf	1370 lf	0.30	0.4 ft/sec	5.0 ft/sec	748 sec.	274 sec.	17.0 min.	DP M2
DP Q1	N, S, OS5B	4.0 %	5.0 %	400 lf	2700 lf	0.25	0.3 ft/sec	4.0 ft/sec	1202 sec.	675 sec.	31.3 min.	DP Q1
DP Q2	Q, OS5, OS5A-B	5.0 %	5.0 %	750 lf	3100 lf	0.27	0.5 ft/sec	4.0 ft/sec	1492 sec.	775 sec.	37.8 min.	DP Q2
DP T1	N,Q,R,S,T,U,OS5,OS5A,B	13.5 %	5.3 %	480 lf	4500 lf	0.31	0.6 ft/sec	3.0 ft/sec	815 sec.	1500 sec.	36.6 min.	DP T1
DP Z1	W,X,Y,Z	2.6 %	1.1 %	190 lf		0.60	0.3 ft/sec		563 sec.		20.0 min.	DP Z1
DP GG1	OS7,DD,EE,FF,GG	4.0 %	3.0 %	500 lf	2800 lf	0.30	0.4 ft/sec		1265 sec.	810 sec.	34.6 min.	DP GG1

Equations:

Time of Concentration (Overland) = $1.48(1.1 - C) L^{0.5} S^{-0.33}$

C_1 = Runoff coefficient for five-year flow

L = Length of overland flow in feet

S = Slope of flow path in percent

Velocity (Road) = $10(10.45 S^{0.167})$

S = Slope of flow path in percent

Forest Lakes MDDP Time of Concentration Calculation

Basin Design P.	Contributing Basin Area, A _c	Overland Channel Slope, S _o	Channel Slope, S	Channel Area, A _c	Channel Length, L	Runoff Coef., C _r	Velocity, V		Channel		Basin Design P.	
							Channel	Channel	Channel	Channel		
A	13.3%	8.8%	8.4%	300 lf	170 lf	0.30	0.5 ft/sec	4.5 ft/sec	656 sec.	38 sec.	95 sec.	13.2 min.
B	13.3%	8.0%	8.0%	300 lf	100 lf	0.30	0.5 ft/sec	4.0 ft/sec	656 sec.	25 sec.	117 sec.	13.3 min.
C	8.3%	6.7%	4.8%	300 lf	60 lf	0.35	0.4 ft/sec	3.5 ft/sec	719 sec.	17 sec.	176 sec.	15.2 min.
D	33.3%	7.4%	4.3%	540 lf	340 lf	0.30	0.8 ft/sec	4.5 ft/sec	649 sec.	76 sec.	194 sec.	15.3 min.
E	22.7%	14.8%	1.6%	440 lf	270 lf	0.30	0.7 ft/sec	5.5 ft/sec	665 sec.	49 sec.	198 sec.	15.2 min.
EI	25.0%	5.8%	9.0%	400 lf	500 lf	0.30	0.7 ft/sec	3.0 ft/sec	615 sec.	145 sec.	84 sec.	11.6 min.
F	5.0%	5.0%	4.2%	70 lf	710 lf	0.30	0.6 ft/sec	4.1 ft/sec	439 sec.	200 sec.	173 sec.	26.9 min.
G	24.3%	5.0%	1.6%	500 lf	330 lf	0.30	0.4 ft/sec	3.5 ft/sec	1174 sec.	94 sec.	198 sec.	10.2 min.
H	15.0%	10.0%	1.1%	370 lf	270 lf	0.30	0.6 ft/sec	2.1 ft/sec	568 sec.	30 sec.	128 sec.	24.4 min.
I	23.3%	13.3%	3.2%	300 lf	150 lf	0.47	0.7 ft/sec	5.5 ft/sec	429 sec.	27 sec.	132 sec.	10.0 min.
K	13.3%	18.6%	4.4%	300 lf	430 lf	0.35	0.5 ft/sec	5.5 ft/sec	748 sec.	78 sec.	21 sec.	9.8 min.
L	9.0%	10.9%	5.2%	300 lf	1370 lf	0.30	0.4 ft/sec	5.0 ft/sec	590 sec.	51 sec.	214 sec.	11.9 min.
M	18.3%	20.0%	2.1%	300 lf	280 lf	0.30	0.6 ft/sec	4.5 ft/sec	532 sec.	86 sec.	48 sec.	17.0 min.
M1	25.0%	15.1%	6.5%	300 lf	430 lf	0.30	0.5 ft/sec	5.0 ft/sec	910 sec.	246 sec.	51 sec.	14.3 min.
M2	5.0%	17.9%	2.1%	300 lf	860 lf	0.30	0.5 ft/sec	5.5 ft/sec	573 sec.	76 sec.	48 sec.	11.1 min.
N	21.7%	14.0%	5.6%	300 lf	430 lf	0.35	0.6 ft/sec	5.0 ft/sec	523 sec.	86 sec.	53 sec.	10.8 min.
O	14.7%	8.0%	2.7%	200 lf	1580 lf	0.35	0.5 ft/sec	3.9 ft/sec	634 sec.	406 sec.	53 sec.	11.0 min.
P	8.0%	8.3%	2.7%	120 lf	1460 lf	0.50	0.4 ft/sec	3.3 ft/sec	476 sec.	442 sec.	442 sec.	17.3 min.
Q	18.0%	5.3%	2.7%	500 lf	1700 lf	0.50	0.3 ft/sec	3.3 ft/sec	364 sec.	518 sec.	518 sec.	15.3 min.
R	13.3%	4.5%	3.0%	480 lf	220 lf	0.30	0.7 ft/sec	3.8 ft/sec	767 sec.	58 sec.	58 sec.	13.7 min.
S	4.5%	3.0%	2.0%	480 lf	660 lf	0.40	0.7 ft/sec	2.8 ft/sec	723 sec.	107 sec.	256 sec.	14.7 min.
T	2.6%	1.9%	1.1%	190 lf	750 lf	0.30	0.4 ft/sec	3.0 ft/sec	1128 sec.	0 sec.	217 sec.	22.4 min.
U	2.2%	2.9%	1.4%	90 lf	800 lf	0.60	0.2 ft/sec	2.7 ft/sec	560 sec.	293 sec.	293 sec.	17.3 min.
V	2.0%	2.0%	2.0%	140 lf	1330 lf	0.60	0.3 ft/sec	2.4 ft/sec	488 sec.	628 sec.	628 sec.	17.3 min.
W	1.9%	1.9%	1.9%	300 lf	630 lf	0.60	0.4 ft/sec	2.0 ft/sec	771 sec.	35 sec.	264 sec.	13.4 min.
X	1.9%	1.9%	1.9%	160 lf	640 lf	0.60	0.3 ft/sec	2.7 ft/sec	576 sec.	234 sec.	234 sec.	13.5 min.
Y	3.3%	0.8%	4.7%	60 lf	360 lf	0.60	0.2 ft/sec	1.8 ft/sec	291 sec.	198 sec.	198 sec.	8.1 min.
Z	20.0%	4.0%	2.0%	760 lf	1270 lf	0.30	0.8 ft/sec	4.3 ft/sec	913 sec.	293 sec.	293 sec.	20.1 min.
AA	4.0%	3.0%	2.0%	500 lf	300 lf	0.30	0.4 ft/sec	2.8 ft/sec	1265 sec.	106 sec.	106 sec.	22.9 min.
BB	2.3%	2.2%	2.8%	300 lf	460 lf	0.30	0.3 ft/sec	2.5 ft/sec	1172 sec.	184 sec.	101 sec.	24.3 min.
CC	2.2%	4.0%	2.9%	300 lf	860 lf	0.30	0.3 ft/sec	4.0 ft/sec	1196 sec.	40 sec.	258 sec.	24.9 min.
DD	4.0%	4.0%	2.4%	300 lf	160 lf	0.30	0.4 ft/sec	2.5 ft/sec	1265 sec.	64 sec.	64 sec.	22.1 min.
EE	1.3%	16.0%	4.1%	300 lf	550 lf	0.30	0.2 ft/sec	5.5 ft/sec	1413 sec.	100 sec.	514 sec.	32.1 min.
FF	16.0%	8.0%	4.1%	500 lf	2390 lf	0.30	0.5 ft/sec	4.0 ft/sec	1006 sec.	598 sec.	598 sec.	12.0 min.
GG												
HH												
II												
JJ												

Equations:
 Time of Concentration (Overland) = $1.48 C_r^{-0.77} S^{-0.105} L^{0.77}$
 C_r = Runoff coefficient for five-year flow
 L = Length of overland flow in feet
 S = Slope of flow path in percent

Forest Lakes MDDP
Runoff Coefficient Calculation

Basin	Area (8160/Acre)			Area (2114/m)			Basin C _p	Basin C _p	Basin
	% Area	C _p	C _p	Area	C _p	C _p			
J	37 %	0.60	0.70	63 %	0.25	0.35	0.38	0.48	J
K	63 %	0.60	0.70	38 %	0.25	0.35	0.47	0.57	K

Design Point	Basin	Area	% Area	C _p	C _p	C _p	C _p
DP AI	A	13.60 ac	19.80 %	0.30	0.40	0.06	0.08
	OS1	55.10 ac	80.20 %	0.25	0.35	0.20	0.28
		68.70 ac	100.0 %			0.26	0.36

Design Point	Basin	Area	% Area	C _p	C _p	C _p	C _p
DP CI	B	3.74 ac	17.58 %	0.30	0.40	0.05	0.07
	C	9.27 ac	43.58 %	0.35	0.45	0.15	0.20
	OS2	8.26 ac	38.83 %	0.25	0.35	0.10	0.14
	21.27 ac	100.0 %			0.30	0.40	

Design Point	Basin	Area	% Area	C _p	C _p	C _p	C _p
DP DI	A	13.60 ac	15.05 %	0.30	0.40	0.05	0.06
	D	21.66 ac	23.97 %	0.30	0.40	0.07	0.10
	OS1	55.10 ac	60.98 %	0.25	0.35	0.15	0.21
	90.36 ac	100.0 %			0.27	0.37	

Design Point	Basin	Area	% Area	C _p	C _p	C _p	C _p
DP GI	G	3.63 ac	18.01 %	0.30	0.40	0.05	0.07
	OS3	16.53 ac	81.99 %	0.25	0.35	0.20	0.29
		20.16 ac	100.0 %			0.26	0.36

Design Point	Basin	Area	% Area	C _p	C _p	C _p	C _p
DP HI	H	15.90 ac	58.61 %	0.30	0.40	0.18	0.23
	K	5.60 ac	20.64 %	0.47	0.57	0.10	0.12
	L	5.63 ac	20.75 %	0.35	0.45	0.07	0.09
	27.13 ac	100.0 %			0.35	0.45	

Design Point	Basin	Area	% Area	C _p	C _p	C _p	C _p
DP EZ	H	15.90 ac	35.36 %	0.30	0.40	0.11	0.14
	K	5.60 ac	12.46 %	0.47	0.57	0.06	0.07
	L	5.63 ac	12.52 %	0.35	0.45	0.04	0.06
	I	15.59 ac	34.68 %	0.30	0.40	0.10	0.14
	OS4	2.24 ac	4.98 %	0.25	0.35	0.01	0.02
	44.96 ac	100.0 %			0.32	0.42	

Design Point	Basin	Area	% Area	C _p	C _p	C _p	C _p
DP II	I	15.59 ac	87.44 %	0.30	0.40	0.26	0.35
	OS4	2.24 ac	12.56 %	0.25	0.35	0.03	0.04
		17.83 ac	100.0 %			0.29	0.39

Forest Lakes MDDP
Runoff Coefficient Calculation

Design Point	Basin	Area	% Area	C ₁	C ₂	C ₃	C ₄
DP Q2	N	8.09 ac	8.96 %	0.30	0.40	0.03	0.04
	Q	14.45 ac	16.00 %	0.35	0.45	0.06	0.07
	OS5,OS5A-B	67.77 ac	75.04 %	0.25	0.35	0.19	0.26
		90.31 ac	100.0 %			0.27	0.37

Design Point	Basin	Area	% Area	C ₁	C ₂	C ₃	C ₄
DP T1	N	8.09 ac	6.59 %	0.30	0.40	0.02	0.03
	Q	14.45 ac	11.77 %	0.35	0.45	0.04	0.05
	R	10.87 ac	8.85 %	0.50	0.60	0.04	0.05
	S	6.67 ac	5.43 %	0.50	0.60	0.03	0.03
	T	5.01 ac	4.08 %	0.30	0.40	0.01	0.02
	U	9.96 ac	8.11 %	0.40	0.50	0.03	0.04
	OS5,OS5A-B	67.77 ac	55.18 %	0.25	0.35	0.14	0.19
		122.82 ac	100.0 %			0.31	0.41

DEVELOPED CONDITIONS CALCULATIONS

JOB NAME: FOREST LAKES - PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/20/18
 CALCULATED BY: MAL

revise header to Preliminary Drainage Report. Typical for all headers.

FINAL DRAINAGE REPORT ~ BASIN RUNOFF COEFFICIENT SUMMARY

BASIN	TOTAL AREA (AC)		IMPERVIOUS AREA / STREETS		LOTS/LANDSCAPE/UNDEV. AREAS (NOT PAVEMENT)		WEIGHTED		WEIGHTED CA						
	AREA (AC)	C(5)	AREA (AC)	C(100)	AREA (AC)	C(5)	C(100)	C(5)	C(100)	CA(2)	CA(5)	CA(10)	CA(25)	CA(50)	CA(100)
A	37.55	0.90	4.90	0.96	32.65	0.32	0.51	0.40	0.57	13.18	14.86	16.59	18.97	20.00	21.36
B	59.94	0.90	7.55	0.96	52.39	0.23	0.45	0.31	0.51	15.63	18.84	22.14	26.48	28.65	30.82
C	30.28	0.90	5.73	0.96	24.55	0.25	0.46	0.37	0.55	10.01	11.29	12.88	14.72	15.75	16.79
D	24.98	0.90	0.00	0.96	24.98	0.11	0.37	0.11	0.37	1.00	2.75	4.75	6.74	7.99	9.24
E	8.96	0.90	0.00	0.96	8.96	0.09	0.36	0.09	0.36	0.27	0.81	1.52	2.33	2.78	3.23
F	16.61	0.90	0.00	0.96	16.61	0.09	0.36	0.09	0.36	0.50	1.49	2.82	4.32	5.15	5.98
OS-1	77.01	0.90	0.00	0.96	77.01	0.09	0.36	0.09	0.36	2.31	6.93	13.09	20.02	23.87	27.72
OS-2	19.91	0.90	0.00	0.96	19.91	0.09	0.36	0.09	0.36	0.60	1.79	3.38	5.18	6.17	7.17
OS-3	10.31	0.90	0.00	0.96	10.31	0.09	0.36	0.09	0.36	0.31	0.93	1.75	2.68	3.20	3.71
EX. A	37.55	0.90	0.00	0.96	37.55	0.09	0.36	0.09	0.36	1.13	3.38	6.38	9.76	11.64	13.52
EX. B	59.94	0.90	0.00	0.96	59.94	0.09	0.36	0.09	0.36	1.80	5.39	10.19	15.58	18.58	21.58
EX. C	30.28	0.90	0.00	0.96	30.28	0.09	0.36	0.09	0.36	0.91	2.73	5.15	7.87	9.39	10.90

JOB NAME: FOREST LAKES - PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/20/2018
 CALC'D BY: MAL

FINAL DRAINAGE REPORT ~ BASIN RUNOFF SUMMARY

BASIN	WEIGHTED					OVERLAND			STREET / CHANNEL FLOW				Tc TOTAL (min)	INTENSITY					TOTAL FLOWS			
	CA(2)	CA(5)	CA(10)	CA(25)	CA(50)	CA(100)	C(5)	Length (ft)	Height (ft)	Tc (min)	Slope (%)	Velocity (fps)		Length (ft)	Tc (min)	I(2) (in/hr)	I(5) (in/hr)	I(10) (in/hr)	I(25) (in/hr)	I(50) (in/hr)	I(100) (in/hr)	Q(5) (cfs)
A	13.18	14.86	16.59	18.97	20.00	21.36	0.09	330	120	10.1	5.2%	8.0	1580	3.3	2.94	3.69	4.30	4.92	5.53	6.19	54.8	132.2
B	15.63	18.84	22.14	26.48	28.65	30.82	0.09	500	170	12.7	6.0%	8.6	1800	3.5	2.72	3.40	3.97	4.54	5.10	5.71	64.1	176.0
C	10.01	11.29	12.88	14.72	15.75	16.79	0.09	60	8	6.0	6.5%	8.9	2040	3.8	3.32	4.16	4.85	5.54	6.24	6.98	46.9	117.2
D	1.00	2.75	4.75	6.74	7.99	9.24	0.09	100	20	6.8	6.0%	8.6	2040	4.0	3.21	4.02	4.69	5.36	6.03	6.75	11.0	62.4
E	0.27	0.81	1.52	2.33	2.78	3.23	0.09	150	20	9.5	5.3%	8.1	720	1.5	3.18	3.99	4.65	5.32	5.98	6.69	3.2	21.6
F	0.50	1.49	2.82	4.32	5.15	5.98	0.09	90	20	6.2	6.8%	9.1	1030	1.9	3.55	4.45	5.19	5.93	6.67	7.46	6.6	44.6
OS-1	2.31	6.93	13.09	20.02	23.87	27.72	0.09	460	64	16.4	14.0%	13.1	2000	2.5	2.53	3.17	3.70	4.23	4.76	5.32	22.0	147.5
OS-2	0.60	1.79	3.38	5.18	6.17	7.17	0.09	400	60	14.9	15.0%	13.6	450	0.6	2.78	3.47	4.05	4.63	5.21	5.83	6.2	41.8
OS-3	0.31	0.93	1.75	2.68	3.20	3.71	0.09	200	60	8.4	30.0%	19.2	210	0.2	3.48	4.36	5.09	5.81	6.54	7.32	4.0	27.2

See the City DCM Chapter 6 Section 3.2.6 and verify that the analysis is determining the appropriate peak runoff and discuss in the narrative.

3.2.6 Common Error in Calculating Time of Concentration

A common error in estimating the time of concentration occurs when a designer does not check the peak runoff generated from smaller portions of the catchment that may have a significantly shorter time of concentration (and, therefore, a higher rainfall intensity) than the drainage basin as a whole. Sometimes calculations using the Rational Method for a lower, urbanized portion of a watershed will produce a higher peak runoff than the calculations for the drainage basin as a whole, especially if the drainage basin is long or the upper portion has little or no impervious cover.

JOB NAME: FOREST LAKES - PHASE 2

JOB NUMBER: 1175.21

DATE: 11/20/2018

CALC'D BY: MAL

FINAL DRAINAGE REPORT ~ BASIN RUNOFF SUMMARY

BASIN	WEIGHTED					OVERLAND			STREET / CHANNEL FLOW			INTENSITY					TOTAL FLOWS						
	CA(2)	CA(5)	CA(10)	CA(25)	CA(50)	CA(100)	C(5)	Length (ft)	Height (ft)	Tc (min)	Length (ft)	Slope (%)	Velocity (fps)	Tc (min)	Tc TOTAL (min)	I(2) (in/hr)	I(5) (in/hr)	I(10) (in/hr)	I(25) (in/hr)	I(50) (in/hr)	I(100) (in/hr)	Q(5) (cfs)	Q(100) (cfs)
EX. A	1.13	3.38	6.38	9.76	11.64	13.52	0.09	420	120	12.4	1300	8.0%	9.9	2.2	14.6	2.85	3.57	4.16	4.76	5.35	5.99	12.1	80.9
EX. B	1.80	5.39	10.19	15.58	18.58	21.58	0.09	500	170	12.7	1500	6.4%	8.9	2.8	15.6	2.77	3.47	4.04	4.62	5.20	5.82	18.7	125.6
EX. C	0.91	2.73	5.15	7.87	9.39	10.90	0.09	260	46	11.4	600	3.5%	6.6	1.5	12.9	2.99	3.75	4.37	5.00	5.62	6.29	10.2	68.6

THE FOLLOWING BASINS ARE INCLUDED TO CALCULATE ALLOWABLE RELEASE RATES FROM THE PONDS AND HISTORIC FLOW RATES IN THE CHANNELS

Expand on the note regarding EX A, B, & C and provide an exhibit. None of the Exhibits or the Developed Condition Drainage Map show these sub-basin boundaries.

JOB NAME: FOREST LAKES - PHASE 2

JOB NUMBER: 1175.21

DATE: 11/20/18

CALCULATED BY: MAL

FINAL DRAINAGE REPORT ~ SURFACE ROUTING SUMMARY

Design Point(s)	Contributing Basins	Equivalent CA(5)	Equivalent CA(100)	Maximum Tc	Intensity		Flow		FEATURE
					I(5)	I(100)	Q(5)	Q(100)	
1	BASIN A	14.86	21.36	13.4	3.69	6.19	54.8	132.2	POND A
2	BASIN OS-1	6.93	27.72	19.0	3.17	5.32	22.0	147.5	GRATED INLETS & BYPASS STORM
	POND A RELEASE	0.55	7.32	13.4	3.69	6.19	2.0	45.3	30" OUTLET PIPE
3	DP-2 + POND A RELEASE	7.48	35.04	19.0	3.17	5.32	23.7	186.5	EXISTING CHANNEL
4	BASIN B	18.84	30.82	16.2	3.40	5.71	64.1	176.0	POND B
5	BASIN OS-4	1000.00	1708.50	60.0	1.44	2.42	1441.5	4129.9	FROM CTL REPORT - NORTH BEAVER CREEK DEBRIS FLOW RATE
6	DP-5 + BASIN D	1002.75	1717.74	60.5	1.43	2.40	1433.0	4116.3	Proposed Box Culvert - Triple 15' x 8'
7	BASIN F + BASIN OS-3	2.42	9.69	10.5	4.06	6.82	9.8	66.1	GRATED INLETS & BYPASS STORM
8	BASIN E + BASIN OS-2	2.60	10.39	17.0	3.34	5.60	8.7	58.2	GRATED INLETS & BYPASS STORM
9	DP-6 + DP-7 + DP-8	1007.77	1737.83	60.5	1.43	2.40	1440.1	4164.4	EXISTING CHANNEL
	POND B RELEASE	0.65	11.31	16.2	3.40	5.71	2.2	64.6	30" OUTLET PIPE
10	DP-9 + POND B RELEASE	1008.42	1749.14	60.5	1.43	2.40	1441.1	4191.5	EXISTING CHANNEL
11	BASIN C	11.29	16.79	9.8	4.16	6.98	46.9	117.2	POND C
	POND C RELEASE	0.29	3.51	9.8	4.16	6.98	1.2	24.5	30" OUTLET PIPE
12	DP-10 + POND C RELEASE	1008.71	1752.65	60.5	1.43	2.40	1441.5	4199.9	EXISTING CHANNEL


JOB NAME: FOREST LAKES - PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/20/18
 CALCULATED BY: MAL

FINAL DRAINAGE REPORT ~ SURFACE ROUTING SUMMARY

Design Point(s)	Contributing Basins	Equivalent CA(5)	Equivalent CA(100)	Maximum Tc	Intensity		Flow		FEATURE
					I(5)	I(100)	Q(5)	Q(100)	
THE FOLLOWING ARE TO COMPARE THE HISTORIC FLOW RATES WITHIN THE CHANNEL (UNDEVELOPED CONDITIONS)									
EX-DP-3	BASIN OS-1 + BASIN EX-A	10.31	41.24	19.0	3.17	5.32	32.7	219.5	EXISTING CHANNEL
EX-DP-10	DP-9 + BASIN EX-B	1013.16	1759.41	60.5	1.43	2.40	1447.8	4216.1	EXISTING CHANNEL
EX-DP-12	EX-DP-10 + BASIN EX-C	1015.89	1770.31	60.5	1.43	2.40	1451.7	4242.3	EXISTING CHANNEL

Determination of Culvert Headwater and Outlet Protection

Project: **FOREST LAKES PHASE 2**
 Basin ID: **DP-6 - MESA TOP ROAD CROSSING OF NORTH BEAVER CREEK**



FYI: A simple culvert analysis does not seem to be the appropriate method for analyzing the bridge. North Beaver Creek with the bridge structure should be modeled/analyzed with HEC-RAS.

This box culvert design does not meet the criteria in DCM Chapter 6 Section 6.4.2 which requires two feet of freeboard between the box culvert ceiling and the 100yr WSE. Revise.

Soil Type:
 Choose One:
 Sandy
 Non-Sandy

Using H_a to calculate protection type.

Q = cfs
 D = inches
 OR
 Height (Rise) = ft
 Width (Span) = ft
 S : 1 Bevel w/ 90 Deg. Headwall
 No =
 Elev IN = ft
 Elev OUT = ft
 L = ft
 n =
 k_b =
 k_c =
 Elev Y_c = ft
 V = ft/s

Is there no tailwater effect downstream due to the confluence and possibly the Forest Lakes reservoir?

Outlet Elevation OR Slope

TABLE 6-5

ALLOWABLE CULVERT HEADWATER DEPTHS FOR DESIGN FLOWS

Clear Opening (Ft ²)	Hw/D
200 or Greater	See allowable bridge clearance
200 to 50	500 - Area
50 or Less	300 Greater than 1.5 If approved by City/County.

The Engineer shall consider various factors in determining permissible headwater depths such as backwater effects, possible flooding, embankment erosion, overtopping and public safety.

6.4.2 Allowable Clearance for Bridges and Other Major Drainageway Crossings

All structures classified as bridge shall not be overtopped. For clear span bridges, the minimum clearance between the bridge low chord and the water surface profile shall be a minimum of 2 feet for the 100-year design flow. For box culverts classified as bridges or culverts at major drainageways (100-year flows greater than 1500 cfs) adequate freeboard shall be provided for the passage of debris and should be no less than 2 feet.

- Culvert Normal Depth
- Culvert Critical Depth
- Tailwater Depth for Design
- Adjusted Diameter OR Adjusted Rise
- Expansion Factor
- Flow/Diameter^{2.5} OR Flow/(Span * Rise^{1.5})
- Froude Number
- Tailwater/Adjusted Diameter OR Tailwater/Adjusted Rise
- Inlet Control Headwater
- Outlet Control Headwater
- Design Headwater Elevation
- Headwater/Diameter OR Headwater/Rise Ratio
- Minimum Theoretical Riprap Size
- Nominal Riprap Size
- UDFCD Riprap Type
- Length of Protection
- Width of Protection

Y_1 = ft
 A_1 = ft²
 A = ft²
 k_a =
 k_f =
 k_s = ft
 Y_n = ft
 Y_c = ft

d = ft
 H_a = ft
 $1/(2*\tan(\theta))$ =
 $Q/WH^{1.5}$ = ft^{0.5}/s
 Fr = **Supercritical!**
 Y_t/H =

HW_1 = ft
 HW_0 = ft
 HW = ft
 HW/H =

d_{50} = in
 d_{50} = in
 Type =
 L_p = ft
 T = ft

DP-6 - MESA TOP CROSSING

Project Description

Friction Method Manning Formula
Solve For Normal Depth

Input Data

Roughness Coefficient	0.013	
Channel Slope	0.00500	ft/ft
Height	8.00	ft
Bottom Width	45.00	ft
Discharge	4130.00	ft ³ /s

Results

Normal Depth	4.63	ft
Flow Area	208.37	ft ²
Wetted Perimeter	54.26	ft
Hydraulic Radius	3.84	ft
Top Width	45.00	ft
Critical Depth	6.40	ft
Percent Full	57.9	%
Critical Slope	0.00185	ft/ft
Velocity	19.82	ft/s
Velocity Head	6.10	ft
Specific Energy	10.74	ft
Froude Number	1.62	
Discharge Full	6574.11	ft ³ /s
Slope Full	0.01267	ft/ft
Flow Type	Supercritical	

GVF Input Data

Downstream Depth	0.00	ft
Length	0.00	ft
Number Of Steps	0	

GVF Output Data

Upstream Depth	0.00	ft
Profile Description		
Profile Headloss	0.00	ft
Average End Depth Over Rise	0.00	%
Normal Depth Over Rise	57.88	%
Downstream Velocity	Infinity	ft/s

DP-6 - MESA TOP CROSSING

GVF Output Data

Upstream Velocity	Infinity	ft/s
Normal Depth	4.63	ft
Critical Depth	6.40	ft
Channel Slope	0.00500	ft/ft
Critical Slope	0.00185	ft/ft

DETENTION POND "A"

Site-Level Low Impact Development (LID) Design Effective Impervious Calculator

LID Credit by Impervious Reduction Factor (IRF) Method

User Input

Calculated cells

***Design Storm: 1-Hour Rain Depth	WQCV Event	0.53	inches
***Minor Storm: 1-Hour Rain Depth	10-Year Event	1.75	inches
***Major Storm: 1-Hour Rain Depth	100-Year Event	2.52	inches
Optional User Defined Storm	CUHP		
(CUHP) NOAA 1 Hour Rainfall Depth and Frequency for User Defined Storm	100-Year Event		
Max Intensity for Optional User Defined Storm		0	

Designer: **Matt Larson**
 Company: **Classic Consulting Engineers & Surveyors, LLC**
 Date: **November 19, 2018**

Provide an exhibit showing the DCIA, UIA, RPA, SPA areas for Pond A, B, & C.

Based on the site layout a large portion of SPA does not directly drain into the pond but instead goes through the DCIA before draining into the Detention Pond. These areas upstream of the DCIA should not be counted as SPA. The only applicable SPA would be the pond area itself.

In reviewing the sub-basin, the only possible area where RPA may exist is west of the pond along the back of lots 102-106.

The LID Impervious Calculation for the other ponds will be reviewed with the resubmittal once exhibits are provided.

SITE INFORMATION (USER-INPUT)

Sub-basin Identifier	TRIB BASIN	
Receiving Pervious Area Soil Type	Sandy Loam	
Total Area (ac., Sum of DCIA, UIA, RPA, & SPA)	37.550	
Directly Connected Impervious Area (DCIA, acres)	13.270	
Unconnected Impervious Area (UIA, acres)	2.270	
Receiving Pervious Area (RPA, acres)	0.930	
Separate Pervious Area (SPA, acres)	21.080	
RPA Treatment Type: Conveyance (C), Volume (V), or Permeable Pavement (PP)	C	

CALCULATED RESULTS (OUTPUT)

Total Calculated Area (ac, check against input)	37.550
Directly Connected Impervious Area (DCIA, %)	35.3%
Unconnected Impervious Area (UIA, %)	6.0%
Receiving Pervious Area (RPA, %)	2.5%
Separate Pervious Area (SPA, %)	56.1%
A _i (RPA / UIA)	0.410
I _a Check	0.710
f / I for WQCV Event:	2.0
f / I for 10-Year Event:	0.5
f / I for 100-Year Event:	0.3
f / I for Optional User Defined Storm CUHP:	
IRF for WQCV Event:	0.73
IRF for 10-Year Event:	0.93
IRF for 100-Year Event:	0.96
IRF for Optional User Defined Storm CUHP:	
Total Site Imperviousness: I _{total}	41.4%
Effective Imperviousness for WQCV Event:	39.8%
Effective Imperviousness for 10-Year Event:	41.0%
Effective Imperviousness for 100-Year Event:	41.2%
Effective Imperviousness for Optional User Defined Storm CUHP:	

LID / EFFECTIVE IMPERVIOUSNESS CREDITS

WQCV Event CREDIT: Reduce Detention By:	2.3%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10-Year Event CREDIT** : Reduce Detention By:	1.1%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
100-Year Event CREDIT** : Reduce Detention By:	0.6%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
User Defined CUHP CREDIT: Reduce Detention By:															

Total Site Imperviousness:	41.4%
Total Site Effective Imperviousness for WQCV Event:	39.8%
Total Site Effective Imperviousness for 10-Year Event:	41.0%
Total Site Effective Imperviousness for 100-Year Event:	41.2%
Total Site Effective Imperviousness for Optional User Defined Storm CUHP:	

Notes:
 * Use Green-Ampt average infiltration rate values from Table 3-3.
 ** Flood control detention volume credits based on empirical equations from Storage Chapter of USDCM.
 *** Method assumes that 1-hour rainfall depth is equivalent to 1 hour intensity for calculation purposed

Design Procedure Form: Extended Detention Basin (EDB)

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 19, 2018
Project: FOREST LAKES - PHASE 2
Location: POND A

<p>1. Basin Storage Volume</p> <p>A) Effective Imperviousness of Tributary Area, I_a</p> <p>B) Tributary Area's Imperviousness Ratio ($i = I_a / 100$)</p> <p>C) Contributing Watershed Area</p> <p>D) For Watersheds Outside of the Denver Region, Depth of Average Runoff Producing Storm</p> <p>E) Design Concept (Select EURV when also designing for flood control)</p> <p>F) Design Volume (WQCV) Based on 40-hour Drain Time ($V_{DESIGN} = (1.0 * i^3 - 1.19 * i^2 + 0.78 * i) / 12 * Area$)</p> <p>G) For Watersheds Outside of the Denver Region, Water Quality Capture Volume (WQCV) Design Volume ($V_{WQCV\ OTHER} = (d_s * V_{DESIGN} / 0.43)$)</p> <p>H) User Input of Water Quality Capture Volume (WQCV) Design Volume (Only if a different WQCV Design Volume is desired)</p> <p>I) Predominant Watershed NRCS Soil Group</p> <p>J) Excess Urban Runoff Volume (EURV) Design Volume For HSG A: $EURV_A = 1.68 * i^{1.28}$ For HSG B: $EURV_B = 1.36 * i^{1.08}$ For HSG C/D: $EURV_{C/D} = 1.20 * i^{1.08}$ </p>	<p>$I_a =$ <u> 41.4 </u> %</p> <p>$i =$ <u> 0.414 </u></p> <p>Area = <u> 37.550 </u> ac</p> <p>$d_s =$ <u> 0.42 </u> in</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> Choose One <input type="radio"/> Water Quality Capture Volume (WQCV) <input checked="" type="radio"/> Excess Urban Runoff Volume (EURV) </div> <p>$V_{DESIGN} =$ <u> 0.574 </u> ac-ft</p> <p>$V_{DESIGN\ OTHER} =$ <u> 0.561 </u> ac-ft</p> <p>$V_{DESIGN\ USER} =$ _____ ac-ft</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> Choose One <input type="radio"/> A <input checked="" type="radio"/> B <input type="radio"/> C / D </div> <p>EURV = <u> 1.642 </u> ac-ft</p>
<p>2. Basin Shape: Length to Width Ratio (A basin length to width ratio of at least 2:1 will improve TSS reduction.)</p>	<p>L : W = <u> 2.0 </u> : 1</p>
<p>3. Basin Side Slopes</p> <p>A) Basin Maximum Side Slopes (Horizontal distance per unit vertical, 4:1 or flatter preferred)</p>	<p>Z = <u> 4.00 </u> ft / ft</p>
<p>4. Inlet</p> <p>A) Describe means of providing energy dissipation at concentrated inflow locations:</p>	<p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>

Design Procedure Form: Extended Detention Basin (EDB)

Sheet 2 of 4

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 19, 2018
Project: FOREST LAKES - PHASE 2
Location: POND A

<p>5. Forebay</p> <p>A) Minimum Forebay Volume ($V_{MIN} =$ <u> 3% </u> of the WQCV)</p> <p>B) Actual Forebay Volume</p> <p>C) Forebay Depth ($D_F =$ <u> 18 </u> inch maximum)</p> <p>D) Forebay Discharge</p> <p style="margin-left: 20px;">i) Undetained 100-year Peak Discharge</p> <p style="margin-left: 20px;">ii) Forebay Discharge Design Flow ($Q_F = 0.02 * Q_{100}$)</p> <p>E) Forebay Discharge Design</p> <p style="margin-left: 20px;">F) Discharge Pipe Size (minimum 8-inches)</p> <p>G) Rectangular Notch Width</p>	<p>$V_{FMIN} =$ <u> 0.017 </u> ac-ft</p> <p>$V_F =$ <u> 0.020 </u> ac-ft</p> <p>$D_F =$ <u> 12.0 </u> in</p> <p>$Q_{100} =$ <u> 132.20 </u> cfs</p> <p>$Q_F =$ <u> 2.64 </u> cfs</p> <div style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p>Choose One</p> <p><input type="radio"/> Berm With Pipe</p> <p><input checked="" type="radio"/> Wall with Rect. Notch</p> <p><input type="radio"/> Wall with V-Notch Weir</p> </div> <p align="right"><i>(flow too small for berm w/ pipe)</i></p> <p>Calculated $D_p =$ <u> 11.9 </u> in</p> <p>Calculated $W_N =$ <u> 11.9 </u> in</p>
<p>6. Trickle Channel</p> <p>A) Type of Trickle Channel</p> <p>F) Slope of Trickle Channel</p>	<div style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p>Choose One</p> <p><input checked="" type="radio"/> Concrete</p> <p><input type="radio"/> Soft Bottom</p> </div> <p>$S =$ <u> 0.0050 </u> ft / ft</p>
<p>7. Micropool and Outlet Structure</p> <p>A) Depth of Micropool (2.5-foot minimum)</p> <p>B) Surface Area of Microool (10 ft² minimum)</p> <p>C) Outlet Type</p> <p>D) Smallest Dimension of Orifice Opening Based on Hydrograph Routing (Use UD-Detention)</p> <p>E) Total Outlet Area</p>	<p>$D_M =$ <u> 2.5 </u> ft</p> <p>$A_M =$ <u> 350 </u> sq ft</p> <div style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p>Choose One</p> <p><input checked="" type="radio"/> Orifice Plate</p> <p><input type="radio"/> Other (Describe):</p> </div> <hr/> <hr/> <p>$D_{orifice} =$ <u> 1.00 </u> inches</p> <p>$A_{ot} =$ <u> 6.00 </u> square inches</p>

Design Procedure Form: Extended Detention Basin (EDB)

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 19, 2018
Project: FOREST LAKES - PHASE 2
Location: POND A

<p>8. Initial Surcharge Volume</p> <p>A) Depth of Initial Surcharge Volume (Minimum recommended depth is 4 inches)</p> <p>B) Minimum Initial Surcharge Volume (Minimum volume of 0.3% of the WQCV)</p> <p>C) Initial Surcharge Provided Above Micropool</p>	<p>$D_{IS} = 4$ in</p> <p>$V_{IS} = 73.3$ cu ft</p> <p>$V_s = 116.7$ cu ft</p>
<p>9. Trash Rack</p> <p>A) Water Quality Screen Open Area: $A_t = A_{ot} \cdot 38.5 \cdot (e^{-0.095D})$</p> <p>B) Type of Screen (If specifying an alternative to the materials recommended in the USDCM, indicate "other" and enter the ratio of the total open area to the total screen area for the material specified.)</p> <p style="padding-left: 40px;">Other (Y/N): N</p> <p>C) Ratio of Total Open Area to Total Area (only for type "Other")</p> <p>D) Total Water Quality Screen Area (based on screen type)</p> <p>E) Depth of Design Volume (EURV or WQCV) (Based on design concept chosen under 1E)</p> <p>F) Height of Water Quality Screen (H_{TR})</p> <p>G) Width of Water Quality Screen Opening ($W_{opening}$) (Minimum of 12 inches is recommended)</p>	<p>$A_t = 210$ square inches</p> <p style="text-align: center;">S.S. Well Screen with 60% Open Area</p> <hr/> <hr/> <p>User Ratio =</p> <p>$A_{total} = 350$ sq in.</p> <p>$H = 5$ feet</p> <p>$H_{TR} = 88$ inches</p> <p>$W_{opening} = 12.0$ inches</p>

Design Procedure Form: Extended Detention Basin (EDB)

Sheet 4 of 4

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 19, 2018
Project: FOREST LAKES - PHASE 2
Location: POND A

<p>10. Overflow Embankment</p> <p>A) Describe embankment protection for 100-year and greater overtopping:</p> <p>B) Slope of Overflow Embankment (Horizontal distance per unit vertical, 4:1 or flatter preferred)</p>	<p align="center"><u> 45' WIDE SPILLWAY AT ELEV. 7117.00 </u></p> <hr/> <hr/> <p align="center"><u> 10.00 </u></p>
<p>11. Vegetation</p>	<div style="border: 1px solid black; padding: 5px;"> <p>Choose One</p> <p><input type="radio"/> Irrigated</p> <p><input checked="" type="radio"/> Not Irrigated</p> </div>
<p>12. Access</p> <p>A) Describe Sediment Removal Procedures</p>	<p align="center"><u> 12' WIDE ACCESS ROAD W/ MIN. 30' CL RADIUS TO POND BOTTOM </u></p> <hr/> <hr/> <hr/> <hr/>
<p>Notes: _____</p> <hr/> <hr/>	

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND A EURV

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7108.00
	7108.00
	7110.00
	7112.00
	7113.00

AREA (BTM to TOP):		
	-	acres
123	0.00	acres
17,934	0.41	acres
23,642	0.54	acres
26,777	0.61	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:

VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$

						CUMMULATIVE VOLUME:
-	AC-FT	from	7,108	to	7,108	
0.30	AC-FT	from	7,108	to	7,110	0.30
0.94	AC-FT	from	7,110	to	7,112	1.24
0.57	AC-FT	from	7,112	to	7,113	1.81
-	AC-FT	from	7,113	to	-	1.81
-	AC-FT	from	-	to	-	1.81
-	AC-FT	from	-	to	-	1.81
-	AC-FT	from	-	to	-	1.81
-	AC-FT	from	-	to	-	1.81
-	AC-FT	from	-	to	-	1.81
-	AC-FT	from	-	to	-	1.81
-	AC-FT	from	-	to	-	1.81

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = 1.81 AC-FT

APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	1.81	=	78,869	19,717
6	1.81	=	78,869	13,145
8	1.81	=	78,869	9,859
10	1.81	=	78,869	7,887

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND A SPILLWAY

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7108.00
	7108.00
	7110.00
	7112.00
	7114.00
	7116.00
	7117.00

AREA (BTM to TOP):		
	-	acres
123	0.00	acres
17,934	0.41	acres
23,642	0.54	acres
30,115	0.69	acres
37,329	0.86	acres
41,187	0.95	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:

VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$

CUMMULATIVE VOLUME:

-	AC-FT	from	7,108	to	7,108	
0.30	AC-FT	from	7,108	to	7,110	0.30
0.94	AC-FT	from	7,110	to	7,112	1.24
1.22	AC-FT	from	7,112	to	7,114	2.46
1.53	AC-FT	from	7,114	to	7,116	3.99
0.89	AC-FT	from	7,116	to	7,117	4.88
-	AC-FT	from	7,117	to	-	4.88
-	AC-FT	from	-	to	-	4.88
-	AC-FT	from	-	to	-	4.88
-	AC-FT	from	-	to	-	4.88
-	AC-FT	from	-	to	-	4.88

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = **4.88 AC-FT**

APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	4.88	=	#####	53,127
6	4.88	=	#####	35,418
8	4.88	=	#####	26,564
10	4.88	=	#####	21,251

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND A - TOP OF BERM

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7108.00
	7108.00
	7110.00
	7112.00
	7114.00
	7116.00
	7118.00
	7120.00

AREA (BTM to TOP):		
	-	acres
	123	0.00 acres
	17,934	0.41 acres
	23,642	0.54 acres
	30,115	0.69 acres
	37,329	0.86 acres
	45,204	1.04 acres
	53,556	1.23 acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:

VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$

CUMMULATIVE VOLUME:

-	AC-FT	from	7,108	to	7,108	
0.30	AC-FT	from	7,108	to	7,110	0.30
0.94	AC-FT	from	7,110	to	7,112	1.24
1.22	AC-FT	from	7,112	to	7,114	2.46
1.53	AC-FT	from	7,114	to	7,116	3.99
1.87	AC-FT	from	7,116	to	7,118	5.86
2.24	AC-FT	from	7,118	to	7,120	8.10
-	AC-FT	from	7,120	to	-	8.10
-	AC-FT	from	-	to	-	8.10
-	AC-FT	from	-	to	-	8.10
-	AC-FT	from	-	to	-	8.10

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = **8.10 AC-FT**


APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	8.10	=	#####	88,225
6	8.10	=	#####	58,816
8	8.10	=	#####	44,112
10	8.10	=	#####	35,290

DETENTION BASIN STAGE-STORAGE TABLE BUILDER

UD-Detention, Version 3.07 (February 2017)

Project: FOREST LAKES PHASE 2
Basin ID: POND A



Required Volume Calculation

Selected BMP Type =	EDB	
Watershed Area =	37.55	acres
Watershed Length =	1,910	ft
Watershed Slope =	0.080	ft/ft
Watershed Imperviousness =	41.40%	percent
Percentage Hydrologic Soil Group A =	0.0%	percent
Percentage Hydrologic Soil Group B =	100.0%	percent
Percentage Hydrologic Soil Group C/D =	0.0%	percent
Desired WQCV Drain Time =	40.0	hours
Location for 1-hr Rainfall Depths =	User Input	
Water Quality Capture Volume (WQCV) =	0.574	acre-feet
Excess Urban Runoff Volume (EURV) =	1.637	acre-feet
2-yr Runoff Volume (P1 = 1.19 in.) =	1.295	acre-feet
5-yr Runoff Volume (P1 = 1.5 in.) =	1.797	acre-feet
10-yr Runoff Volume (P1 = 1.75 in.) =	2.532	acre-feet
25-yr Runoff Volume (P1 = 2 in.) =	3.761	acre-feet
50-yr Runoff Volume (P1 = 2.25 in.) =	4.592	acre-feet
100-yr Runoff Volume (P1 = 2.52 in.) =	5.682	acre-feet
500-yr Runoff Volume (P1 = 3.1 in.) =	7.788	acre-feet
Approximate 2-yr Detention Volume =	1.211	acre-feet
Approximate 5-yr Detention Volume =	1.687	acre-feet
Approximate 10-yr Detention Volume =	2.307	acre-feet
Approximate 25-yr Detention Volume =	2.569	acre-feet
Approximate 50-yr Detention Volume =	2.895	acre-feet
Approximate 100-yr Detention Volume =	3.075	acre-feet

Optional User Override 1-hr Precipitation	
	1.19 inches
	1.50 inches
	1.75 inches
	2.00 inches
	2.25 inches
	2.52 inches
	3.10 inches


Stage-Storage Calculation

Zone 1 Volume (WQCV) =	0.574	acre-feet
Zone 2 Volume (EURV - Zone 1) =	1.063	acre-feet
Zone 3 Volume (100-year - Zones 1 & 2) =	1.438	acre-feet
Total Detention Basin Volume =	3.075	acre-feet
Initial Surcharge Volume (ISV) =	user	ft ³
Initial Surcharge Depth (ISD) =	user	ft
Total Available Detention Depth (H _{tot}) =	user	ft
Depth of Trickle Channel (H _{tr}) =	user	ft
Slope of Trickle Channel (S _{tr}) =	user	ft/ft
Slopes of Main Basin Sides (S _{ms}) =	user	H:V
Basin Length-to-Width Ratio (R _{l/w}) =	user	
Initial Surcharge Area (A _{is}) =	user	ft ²
Surcharge Volume Length (L _{sv}) =	user	ft
Surcharge Volume Width (W _{sv}) =	user	ft
Depth of Basin Floor (H ₁₀₀) =	user	ft
Length of Basin Floor (L ₁₀₀) =	user	ft
Width of Basin Floor (W ₁₀₀) =	user	ft
Area of Basin Floor (A ₁₀₀) =	user	ft ²
Volume of Basin Floor (V ₁₀₀) =	user	ft ³
Depth of Main Basin (H _m) =	user	ft
Length of Main Basin (L _m) =	user	ft
Width of Main Basin (W _m) =	user	ft
Area of Main Basin (A _m) =	user	ft ²
Volume of Main Basin (V _m) =	user	ft ³
Calculated Total Basin Volume (V _{tot}) =	user	acre-feet

Stages - Storage Description	Stage (ft)	Optional Override Stage (ft)	Length (ft)	Width (ft)	Area (ft ²)	Optional Override Area (ft ²)	Area (acres)	Volume (ft ³)	Volume (ac-ft)
Top of Micropool	0.00	0.00	--	--	--	123	0.003	--	--
	2.00	2.00	--	--	17,934	0.412	17,878	0.410	
	4.00	4.00	--	--	23,642	0.543	59,633	1.369	
	6.00	6.00	--	--	30,115	0.691	113,390	2.603	
	8.00	8.00	--	--	37,329	0.857	180,834	4.151	
	9.00	9.00	--	--	41,187	0.948	220,092	5.053	
	10.00	10.00	--	--	45,204	1.038	263,287	6.044	
	12.00	12.00	--	--	53,556	1.229	362,047	8.311	

DETENTION BASIN STAGE-STORAGE TABLE BUILDER


UD-Detention, Version 3.07 (February 2017)



Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)

Project: FOREST LAKES PHASE 2
Basin ID: POND A



Example Zone Configuration (Retention Pond)

	Stage (ft)	Zone Volume (ac-ft)	Outlet Type
Zone 1 (WQCV)	2.38	0.574	Orifice Plate
Zone 2 (EURV)	4.48	1.063	Orifice Plate
Zone 3 (100-year)	6.66	1.438	Weir&Pipe (Restrict)
		3.075	Total

User Input: Orifice at Underdrain Outlet (typically used to drain WQCV in a Filtration BMP)

Underdrain Orifice Invert Depth = ft (distance below the filtration media surface)
Underdrain Orifice Diameter = inches

Calculated Parameters for Underdrain

Underdrain Orifice Area = ft²
Underdrain Orifice Centroid = feet

User Input: Orifice Plate with one or more orifices or Elliptical Slot Weir (typically used to drain WQCV and/or EURV in a sedimentation BMP)

Invert of Lowest Orifice = ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Vertical Orifice = ft (relative to basin bottom at Stage = 0 ft)
Orifice Plate: Orifice Vertical Spacing = inches
Orifice Plate: Orifice Area per Row = inches

Calculated Parameters for Plate

WQ Orifice Area per Row = ft²
Elliptical Half-Width = feet
Elliptical Slot Centroid = feet
Elliptical Slot Area = ft²

User Input: Stage and Total Area of Each Orifice Row (numbered from lowest to highest)

	Row 1 (required)	Row 2 (optional)	Row 3 (optional)	Row 4 (optional)	Row 5 (optional)	Row 6 (optional)	Row 7 (optional)	Row 8 (optional)
Stage of Orifice Centroid (ft)	0.00	1.67	3.33					
Orifice Area (sq. inches)	12.00	12.00	16.00					
	Row 9 (optional)	Row 10 (optional)	Row 11 (optional)	Row 12 (optional)	Row 13 (optional)	Row 14 (optional)	Row 15 (optional)	Row 16 (optional)
Stage of Orifice Centroid (ft)								
Orifice Area (sq. inches)								

User Input: Vertical Orifice (Circular or Rectangular)

	Not Selected	Not Selected	
Invert of Vertical Orifice =	<input type="text" value="N/A"/>	<input type="text" value="N/A"/>	ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Vertical Orifice =	<input type="text" value="N/A"/>	<input type="text" value="N/A"/>	ft (relative to basin bottom at Stage = 0 ft)
Vertical Orifice Diameter =	<input type="text" value="N/A"/>	<input type="text" value="N/A"/>	inches

Calculated Parameters for Vertical Orifice

	Not Selected	Not Selected	
Vertical Orifice Area =	<input type="text" value="N/A"/>	<input type="text" value="N/A"/>	ft ²
Vertical Orifice Centroid =	<input type="text" value="N/A"/>	<input type="text" value="N/A"/>	feet

User Input: Overflow Weir (Dropbox) and Grate (Flat or Sloped)

	Zone 3 Weir	Not Selected	
Overflow Weir Front Edge Height, Ho =	<input type="text" value="5.00"/>	<input type="text" value="N/A"/>	ft (relative to basin bottom at Stage = 0 ft)
Overflow Weir Front Edge Length =	<input type="text" value="4.00"/>	<input type="text" value="N/A"/>	feet
Overflow Weir Slope =	<input type="text" value="4.00"/>	<input type="text" value="N/A"/>	H:V (enter zero for flat grate)
Horiz. Length of Weir Sides =	<input type="text" value="4.00"/>	<input type="text" value="N/A"/>	feet
Overflow Grate Open Area % =	<input type="text" value="85%"/>	<input type="text" value="N/A"/>	% grate open area/total area
Debris Clogging % =	<input type="text" value="50%"/>	<input type="text" value="N/A"/>	%

Calculated Parameters for Overflow Weir

	Zone 3 Weir	Not Selected	
Height of Grate Upper Edge, H _g =	<input type="text" value="6.00"/>	<input type="text" value="N/A"/>	feet
Over Flow Weir Slope Length =	<input type="text" value="4.12"/>	<input type="text" value="N/A"/>	feet
Grate Open Area / 100-yr Orifice Area =	<input type="text" value="2.86"/>	<input type="text" value="N/A"/>	should be ≥ 4
Overflow Grate Open Area w/o Debris =	<input type="text" value="14.02"/>	<input type="text" value="N/A"/>	ft ²
Overflow Grate Open Area w/ Debris =	<input type="text" value="7.01"/>	<input type="text" value="N/A"/>	ft ²

User Input: Outlet Pipe w/ Flow Restriction Plate (Circular Orifice, Restrictor Plate, or Rectangular Orifice)

	Zone 3 Restrictor	Not Selected	
Depth to Invert of Outlet Pipe =	<input type="text" value="0.20"/>	<input type="text" value="N/A"/>	ft (distance below basin bottom at Stage = 0 ft)
Outlet Pipe Diameter =	<input type="text" value="30.00"/>	<input type="text" value="N/A"/>	inches
Restrictor Plate Height Above Pipe Invert =	<input type="text" value="30.00"/>	<input type="text" value="N/A"/>	inches

Calculated Parameters for Outlet Pipe w/ Flow Restriction Plate

	Zone 3 Restrictor	Not Selected	
Outlet Orifice Area =	<input type="text" value="4.91"/>	<input type="text" value="N/A"/>	ft ²
Outlet Orifice Centroid =	<input type="text" value="1.25"/>	<input type="text" value="N/A"/>	feet
Half-Central Angle of Restrictor Plate on Pipe =	<input type="text" value="3.14"/>	<input type="text" value="N/A"/>	radians

User Input: Emergency Spillway (Rectangular or Trapezoidal)

Spillway Invert Stage = ft (relative to basin bottom at Stage = 0 ft)
Spillway Crest Length = feet
Spillway End Slopes = H:V
Freeboard above Max Water Surface = feet

Calculated Parameters for Spillway

Spillway Design Flow Depth = feet
Stage at Top of Freeboard = feet
Basin Area at Top of Freeboard = acres

Routed Hydrograph Results




	WQCV	EURV	2 Year	5 Year	10 Year	25 Year	50 Year	100 Year	500 Year
Design Storm Return Period =									
One-Hour Rainfall Depth (in)	0.53	1.07	1.19	1.50	1.75	2.00	2.25	2.52	3.10
Calculated Runoff Volume (acre-ft)	0.574	1.637	1.295	1.797	2.532	3.761	4.592	5.682	7.788
OPTIONAL Override Runoff Volume (acre-ft)									
Inflow Hydrograph Volume (acre-ft)	0.573	1.636	1.294	1.796	2.530	3.760	4.590	5.670	7.777
Predevelopment Unit Peak Flow, q (cfs/acre)	0.00	0.00	0.01	0.02	0.22	0.72	1.00	1.34	1.95
Predevelopment Peak Q (cfs)	0.0	0.0	0.5	0.851	8.3	27.1	37.4	50.2	73.1
Peak Inflow Q (cfs)	10.5	29.7	23.6	32.6	45.7	67.5	82.1	100.9	137.3
Peak Outflow Q (cfs)	0.9	1.9	1.5	2.037	4.6	21.3	32.9	45.3	61.1
Ratio Peak Outflow to Predevelopment Q	N/A	N/A	N/A	2.4	0.6	0.8	0.9	0.9	0.8
Structure Controlling Flow	Plate	Plate	Plate	Plate	Overflow Gate 1	Overflow Gate 1	Overflow Gate 1	Overflow Gate 1	Overflow Gate 1
Max Velocity through Gate 1 (fps)	N/A	N/A	N/A	N/A	0.2	1.3	2.1	3.0	4.1
Max Velocity through Gate 2 (fps)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Time to Drain 97% of Inflow Volume (hours)	13	21	19	22	24	23	22	22	20
Time to Drain 99% of Inflow Volume (hours)	14	22	20	23	26	26	25	25	24
Maximum Ponding Depth (ft)	2.15	4.10	3.54	4.36	5.35	6.14	6.50	6.97	8.00
Area at Maximum Ponding Depth (acres)	0.42	0.55	0.51	0.57	0.64	0.70	0.73	0.77	0.86
Maximum Volume Stored (acre-ft)	0.477	1.424	1.121	1.563	2.163	2.701	2.959	3.305	4.143

WQCV release time for EDB's needs to be around 40 hrs.

FYI: Outlet structure will need to be revised on the FDR to release the 5yr at or below historic.

Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)



S-A-V-D Chart Axis Override

	X-axis	Left Y-Axis	Right Y-Axis
minimum bound			
maximum bound			

DETENTION POND "B"



Site-Level Low Impact Development (LID) Design Effective Impervious Calculator LID Credit by Impervious Reduction Factor (IRF) Method

User Input

Calculated cells

***Design Storm: 1-Hour Rain Depth	WQCV Event	0.53	inches
***Minor Storm: 1-Hour Rain Depth	10-Year Event	1.75	inches
***Major Storm: 1-Hour Rain Depth	100-Year Event	2.52	inches
Optional User Defined Storm	CUHP		
(CUHP) NOAA 1 Hour Rainfall Depth and Frequency for User Defined Storm	100-Year Event		
Max intensity for Optional User Defined Storm		0	

Designer: Matt Larson
 Company: Classic Consulting Engineers & Surveyors, LLC
 Date: November 20, 2018
 Project: FOREST LAKES - PHASE 2
 Location: POND B

SITE INFORMATION (USER-INPUT)

Sub-basin Identifier	TRIB BASIN																	
Receiving Pervious Area Soil Type	Sandy Loam																	
Total Area (ac., Sum of DCIA, UIA, RPA, & SPA)	59.940																	
Directly Connected Impervious Area (DCIA, acres)	15.110																	
Unconnected Impervious Area (UIA, acres)	2.170																	
Receiving Pervious Area (RPA, acres)	0.890																	
Separate Pervious Area (SPA, acres)	41.770																	
RPA Treatment Type: Conveyance (C), Volume (V), or Permeable Pavement (PP)	C																	

CALCULATED RESULTS (OUTPUT)

Total Calculated Area (ac, check against input)	59.940																	
Directly Connected Impervious Area (DCIA, %)	25.2%																	
Unconnected Impervious Area (UIA, %)	3.6%																	
Receiving Pervious Area (RPA, %)	1.5%																	
Separate Pervious Area (SPA, %)	69.7%																	
A _s (RPA / UIA)	0.410																	
I _s Check	0.710																	
f / I for WQCV Event:	2.0																	
f / I for 10-Year Event:	0.5																	
f / I for 100-Year Event:	0.3																	
f / I for Optional User Defined Storm CUHP:																		
IRF for WQCV Event:	0.73																	
IRF for 10-Year Event:	0.93																	
IRF for 100-Year Event:	0.96																	
IRF for Optional User Defined Storm CUHP:																		
Total Site Imperviousness: I _{total}	28.8%																	
Effective Imperviousness for WQCV Event:	27.9%																	
Effective Imperviousness for 10-Year Event:	28.6%																	
Effective Imperviousness for 100-Year Event:	28.7%																	
Effective Imperviousness for Optional User Defined Storm CUHP:																		

LID / EFFECTIVE IMPERVIOUSNESS CREDITS

WQCV Event CREDIT: Reduce Detention By:	2.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10-Year Event CREDIT*: Reduce Detention By:	0.9%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
100-Year Event CREDIT**: Reduce Detention By:	0.5%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
User Defined CUHP CREDIT: Reduce Detention By:																		

Total Site Imperviousness:	28.8%
Total Site Effective Imperviousness for WQCV Event:	27.9%
Total Site Effective Imperviousness for 10-Year Event:	28.6%
Total Site Effective Imperviousness for 100-Year Event:	28.7%
Total Site Effective Imperviousness for Optional User Defined Storm CUHP:	

Notes:

- * Use Green Ampt average infiltration rate values from Table 3-3.
- ** Flood control detention volume credits based on empirical equations from Storage Chapter of USDCM.
- *** Method assumes that 1-hour rainfall depth is equivalent to 1-hour intensity for calculation purposes

Design Procedure Form: Extended Detention Basin (EDB)

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 20, 2018
Project: FOREST LAKES - PHASE 2
Location: POND B

<p>1. Basin Storage Volume</p> <p>A) Effective Imperviousness of Tributary Area, I_a</p> <p>B) Tributary Area's Imperviousness Ratio ($i = I_a / 100$)</p> <p>C) Contributing Watershed Area</p> <p>D) For Watersheds Outside of the Denver Region, Depth of Average Runoff Producing Storm</p> <p>E) Design Concept (Select EURV when also designing for flood control)</p> <p>F) Design Volume (WQCV) Based on 40-hour Drain Time ($V_{DESIGN} = (1.0 * (0.91 * i^3 - 1.19 * i^2 + 0.78 * i)) / 12 * Area$)</p> <p>G) For Watersheds Outside of the Denver Region, Water Quality Capture Volume (WQCV) Design Volume ($V_{WQCV\ OTHER} = (d_s * V_{DESIGN} / 0.43)$)</p> <p>H) User Input of Water Quality Capture Volume (WQCV) Design Volume (Only if a different WQCV Design Volume is desired)</p> <p>I) Predominant Watershed NRCS Soil Group</p> <p>J) Excess Urban Runoff Volume (EURV) Design Volume For HSG A: $EURV_A = 1.68 * i^{1.28}$ For HSG B: $EURV_B = 1.36 * i^{1.08}$ For HSG C/D: $EURV_{C/D} = 1.20 * i^{1.08}$ </p>	<p>$I_a =$ <u> 28.8 </u> %</p> <p>$i =$ <u> 0.288 </u></p> <p>Area = <u> 59.940 </u> ac</p> <p>$d_s =$ <u> 0.42 </u> in</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> Choose One <input type="radio"/> Water Quality Capture Volume (WQCV) <input checked="" type="radio"/> Excess Urban Runoff Volume (EURV) </div> <p>$V_{DESIGN} =$ <u> 0.738 </u> ac-ft</p> <p>$V_{DESIGN\ OTHER} =$ <u> 0.720 </u> ac-ft</p> <p>$V_{DESIGN\ USER} =$ _____ ac-ft</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> Choose One <input type="radio"/> A <input checked="" type="radio"/> B <input type="radio"/> C / D </div> <p>EURV = <u> 1.771 </u> ac-ft</p>
<p>2. Basin Shape: Length to Width Ratio (A basin length to width ratio of at least 2:1 will improve TSS reduction.)</p>	<p>L : W = <u> 2.0 </u> : 1</p>
<p>3. Basin Side Slopes</p> <p>A) Basin Maximum Side Slopes (Horizontal distance per unit vertical, 4:1 or flatter preferred)</p>	<p>Z = <u> 4.00 </u> ft / ft</p>
<p>4. Inlet</p> <p>A) Describe means of providing energy dissipation at concentrated inflow locations:</p>	<p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>

Design Procedure Form: Extended Detention Basin (EDB)

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 20, 2018
Project: FOREST LAKES - PHASE 2
Location: POND B

<p>5. Forebay</p> <p>A) Minimum Forebay Volume ($V_{FMIN} =$ <u> 3% </u> of the WQCV)</p> <p>B) Actual Forebay Volume</p> <p>C) Forebay Depth ($D_F =$ <u> 18 </u> inch maximum)</p> <p>D) Forebay Discharge</p> <p style="padding-left: 40px;">i) Undetained 100-year Peak Discharge</p> <p style="padding-left: 40px;">ii) Forebay Discharge Design Flow ($Q_F = 0.02 * Q_{100}$)</p> <p>E) Forebay Discharge Design</p> <p style="padding-left: 40px;">F) Discharge Pipe Size (minimum 8-inches)</p> <p>G) Rectangular Notch Width</p>	<p>$V_{FMIN} =$ <u> 0.022 </u> ac-ft</p> <p>$V_F =$ <u> 0.025 </u> ac-ft</p> <p>$D_F =$ <u> 12.0 </u> in</p> <p>$Q_{100} =$ <u> 176.00 </u> cfs</p> <p>$Q_F =$ <u> 3.52 </u> cfs</p> <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-bottom: 5px;"> Choose One <input type="radio"/> Berm With Pipe <input checked="" type="radio"/> Wall with Rect. Notch <input type="radio"/> Wall with V-Notch Weir </div> <p style="color: blue; font-size: small;">(flow too small for berm w/ pipe)</p> <p>Calculated $D_p =$ <u> </u> in</p> <p>Calculated $W_N =$ <u> 15.1 </u> in</p>
<p>6. Trickle Channel</p> <p>A) Type of Trickle Channel</p> <p>F) Slope of Trickle Channel</p>	<div style="border: 1px solid black; padding: 5px; display: inline-block; margin-bottom: 5px;"> Choose One <input checked="" type="radio"/> Concrete <input type="radio"/> Soft Bottom </div> <p>$S =$ <u> 0.0050 </u> ft / ft</p>
<p>7. Micropool and Outlet Structure</p> <p>A) Depth of Micropool (2.5-foot minimum)</p> <p>B) Surface Area of Micropool (10 ft² minimum)</p> <p>C) Outlet Type</p> <p>D) Smallest Dimension of Orifice Opening Based on Hydrograph Routing (Use UD-Detention)</p> <p>E) Total Outlet Area</p>	<p>$D_M =$ <u> 2.5 </u> ft</p> <p>$A_M =$ <u> 250 </u> sq ft</p> <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-bottom: 5px;"> Choose One <input checked="" type="radio"/> Orifice Plate <input type="radio"/> Other (Describe): </div> <hr style="border: 0; border-top: 1px solid black; margin: 5px 0;"/> <hr style="border: 0; border-top: 1px solid black; margin: 5px 0;"/> <p>$D_{orifice} =$ <u> 1.00 </u> inches</p> <p>$A_{ot} =$ <u> 6.00 </u> square inches</p>

Design Procedure Form: Extended Detention Basin (EDB)

Designer: Matt Larson
 Company: Classic Consulting Engineers & Surveyors, LLC
 Date: November 20, 2018
 Project: FOREST LAKES - PHASE 2
 Location: POND B

<p>8. Initial Surcharge Volume</p> <p>A) Depth of Initial Surcharge Volume (Minimum recommended depth is 4 inches)</p> <p>B) Minimum Initial Surcharge Volume (Minimum volume of 0.3% of the WQCV)</p> <p>C) Initial Surcharge Provided Above Micropool</p>	<p>$D_{IS} =$ <u> 5 </u> in</p> <p>$V_{IS} =$ <u> 94.2 </u> cu ft</p> <p>$V_s =$ <u> 104.2 </u> cu ft</p>
<p>9. Trash Rack</p> <p>A) Water Quality Screen Open Area: $A_t = A_{ot} * 38.5 * (e^{-0.095D})$</p> <p>B) Type of Screen (If specifying an alternative to the materials recommended in the USDCM, indicate "other" and enter the ratio of the total open area to the total screen area for the material specified.)</p> <p style="padding-left: 40px;">Other (Y/N): <u> N </u></p> <p>C) Ratio of Total Open Area to Total Area (only for type 'Other')</p> <p>D) Total Water Quality Screen Area (based on screen type)</p> <p>E) Depth of Design Volume (EURV or WQCV) (Based on design concept chosen under 1E)</p> <p>F) Height of Water Quality Screen (H_{TR})</p> <p>G) Width of Water Quality Screen Opening ($W_{opening}$) (Minimum of 12 inches is recommended)</p>	<p>$A_t =$ <u> 210 </u> square inches</p> <p><u> S.S. Well Screen with 60% Open Area </u></p> <hr/> <hr/> <p>User Ratio =</p> <p>$A_{total} =$ <u> 350 </u> sq. in.</p> <p>$H =$ <u> 5.3 </u> feet</p> <p>$H_{TR} =$ <u> 91.6 </u> inches</p> <p>$W_{opening} =$ <u> 12.0 </u> inches</p>

Design Procedure Form: Extended Detention Basin (EDB)

Sheet 4 of 4

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 20, 2018
Project: FOREST LAKES - PHASE 2
Location: POND B

<p>10. Overflow Embankment</p> <p>A) Describe embankment protection for 100-year and greater overtopping:</p> <p>B) Slope of Overflow Embankment (Horizontal distance per unit vertical, 4:1 or flatter preferred)</p>	<p><u> 50' WIDE CONCRETE SPILLWAY AT ELEV. 7061.00 </u></p> <hr/> <p align="center"><u> 10.00 </u></p>
<p>11. Vegetation</p>	<div style="border: 1px solid black; padding: 5px;"> <p>Choose One</p> <p><input type="radio"/> Irrigated</p> <p><input checked="" type="radio"/> Not Irrigated</p> </div>
<p>12. Access</p> <p>A) Describe Sediment Removal Procedures</p>	<p align="center"><u> 12' WIDE ACCESS ROAD W/ MIN. 30' CL RADIUS TO POND BOTTOM </u></p> <hr/> <hr/> <hr/> <hr/>
<p>Notes: _____</p> <hr/> <hr/>	

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND B EURV

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7052.00
	7052.00
	7054.00
	7056.00
	7057.30

AREA (BTM to TOP):		
	-	acres
110	0.00	acres
16,997	0.39	acres
22,075	0.51	acres
25,000	0.57	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:

VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$

CUMMULATIVE VOLUME:

-	AC-FT	from	7,052	to	7,052	
0.28	AC-FT	from	7,052	to	7,054	0.28
0.89	AC-FT	from	7,054	to	7,056	1.17
0.69	AC-FT	from	7,056	to	7,057	1.86
-	AC-FT	from	7,057	to	-	1.86
-	AC-FT	from	-	to	-	1.86
-	AC-FT	from	-	to	-	1.86
-	AC-FT	from	-	to	-	1.86
-	AC-FT	from	-	to	-	1.86
-	AC-FT	from	-	to	-	1.86
-	AC-FT	from	-	to	-	1.86
-	AC-FT	from	-	to	-	1.86

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = 1.86 AC-FT

APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	1.86	=	81,038	20,260
6	1.86	=	81,038	13,506
8	1.86	=	81,038	10,130
10	1.86	=	81,038	8,104

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND B - SPILLWAY

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7052.00
	7052.00
	7054.00
	7056.00
	7058.00
	7060.00
	7061.00

AREA (BTM to TOP):		
	-	acres
110	0.00	acres
16,997	0.39	acres
22,075	0.51	acres
27,607	0.63	acres
33,584	0.77	acres
36,749	0.84	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:

VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$

CUMMULATIVE VOLUME:

-	AC-FT	from	7,052	to	7,052	
0.28	AC-FT	from	7,052	to	7,054	0.28
0.89	AC-FT	from	7,054	to	7,056	1.17
1.13	AC-FT	from	7,056	to	7,058	2.29
1.39	AC-FT	from	7,058	to	7,060	3.68
0.80	AC-FT	from	7,060	to	7,061	4.48
-	AC-FT	from	7,061	to	-	4.48
-	AC-FT	from	-	to	-	4.48
-	AC-FT	from	-	to	-	4.48
-	AC-FT	from	-	to	-	4.48
-	AC-FT	from	-	to	-	4.48

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = 4.48 AC-FT

APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	4.48	=	#####	48,783
6	4.48	=	#####	32,522
8	4.48	=	#####	24,392
10	4.48	=	#####	19,513

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND B - TOP OF BERM

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7052.00
	7052.00
	7054.00
	7056.00
	7058.00
	7060.00
	7062.00
	7064.00

AREA (BTM to TOP):		
	-	acres
110	0.00	acres
16,997	0.39	acres
22,075	0.51	acres
27,607	0.63	acres
33,584	0.77	acres
40,007	0.92	acres
46,829	1.08	acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:						CUMMULATIVE VOLUME:	
VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$							
-	AC-FT	from	7,052	to	7,052		
0.28	AC-FT	from	7,052	to	7,054	0.28	
0.89	AC-FT	from	7,054	to	7,056	1.17	
1.13	AC-FT	from	7,056	to	7,058	2.29	
1.39	AC-FT	from	7,058	to	7,060	3.68	
1.67	AC-FT	from	7,060	to	7,062	5.35	
1.97	AC-FT	from	7,062	to	7,064	7.32	
-	AC-FT	from	7,064	to	-	7.32	
-	AC-FT	from	-	to	-	7.32	
-	AC-FT	from	-	to	-	7.32	
-	AC-FT	from	-	to	-	7.32	

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = **7.32 AC-FT**


APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	7.32	=	#####	79,743
6	7.32	=	#####	53,162
8	7.32	=	#####	39,871
10	7.32	=	#####	31,897

DETENTION BASIN STAGE-STORAGE TABLE BUILDER

UD-Detention, Version 3.07 (February 2017)

Project: FOREST LAKES PHASE 2
Basin ID: POND B



Required Volume Calculation

Selected BMP Type =	EDB	
Watershed Area =	59.94	acres
Watershed Length =	2,300	ft
Watershed Slope =	0.060	ft/ft
Watershed Imperviousness =	28.80%	percent
Percentage Hydrologic Soil Group A =	0.0%	percent
Percentage Hydrologic Soil Group B =	100.0%	percent
Percentage Hydrologic Soil Groups C/D =	0.0%	percent
Desired WQCV Drain Time =	40.0	hours
Location for 1-hr Rainfall Depths =	User Input	
Water Quality Capture Volume (WQCV) =	0.738	acre-feet
Excess Urban Runoff Volume (EURV) =	1.766	acre-feet
2-yr Runoff Volume (P1 = 1.19 in.) =	1.348	acre-feet
5-yr Runoff Volume (P1 = 1.5 in.) =	1.925	acre-feet
10-yr Runoff Volume (P1 = 1.75 in.) =	2.971	acre-feet
25-yr Runoff Volume (P1 = 2 in.) =	5.052	acre-feet
50-yr Runoff Volume (P1 = 2.25 in.) =	6.413	acre-feet
100-yr Runoff Volume (P1 = 2.52 in.) =	8.194	acre-feet
500-yr Runoff Volume (P1 = 3.1 in.) =	11.589	acre-feet
Approximate 2-yr Detention Volume =	1.258	acre-feet
Approximate 5-yr Detention Volume =	1.826	acre-feet
Approximate 10-yr Detention Volume =	2.859	acre-feet
Approximate 25-yr Detention Volume =	3.102	acre-feet
Approximate 50-yr Detention Volume =	3.270	acre-feet
Approximate 100-yr Detention Volume =	3.883	acre-feet

Optional User Override 1-hr Precipitation	
	1.19 inches
	1.50 inches
	1.75 inches
	2.00 inches
	2.25 inches
	2.52 inches
	3.10 inches


Stage-Storage Calculation

Zone 1 Volume (WQCV) =	0.738	acre-feet
Zone 2 Volume (EURV - Zone 1) =	1.028	acre-feet
Zone 3 Volume (100-year - Zones 1 & 2) =	2.117	acre-feet
Total Detention Basin Volume =	3.883	acre-feet
Initial Surcharge Volume (ISV) =	User	ft ³
Initial Surcharge Depth (ISD) =	User	ft
Total Available Detention Depth (H _{DA}) =	User	ft
Depth of Trickle Channel (H _{TC}) =	User	ft
Slope of Trickle Channel (S _{TC}) =	User	ft/ft
Slopes of Main Basin Sides (S _{MS}) =	User	H/V
Basin Length-to-Width Ratio (R _{LR}) =	User	
Initial Surcharge Area (A _{IS}) =	User	ft ²
Surcharge Volume Length (L _{SV}) =	User	ft
Surcharge Volume Width (W _{SV}) =	User	ft
Depth of Basin Floor (H _{BF}) =	User	ft
Length of Basin Floor (L _{BF}) =	User	ft
Width of Basin Floor (W _{BF}) =	User	ft
Area of Basin Floor (A _{BF}) =	User	ft ²
Volume of Basin Floor (V _{BF}) =	User	ft ³
Depth of Main Basin (H _{MB}) =	User	ft
Length of Main Basin (L _{MB}) =	User	ft
Width of Main Basin (W _{MB}) =	User	ft
Area of Main Basin (A _{MB}) =	User	ft ²
Volume of Main Basin (V _{MB}) =	User	ft ³
Calculated Total Basin Volume (V _{TB}) =	User	acre-feet

Depth Increment = 0.25 ft		ft		ft		ft		ft		ft		ft		ft	
Stages - Storage Description	Stage (ft)	Optional Override Stage (ft)	Length (ft)	Width (ft)	Area (ft ²)	Optional Override Area (ft ²)	Area (ac-ft)	Volume (ft ³)	Volume (ac-ft)	Area (ac-ft)	Volume (ft ³)	Volume (ac-ft)	Area (ac-ft)	Volume (ft ³)	Volume (ac-ft)
Top of Micropool	0.00					110	0.003								
	2.00					16,997	0.390	16,937	0.389						
	4.00					22,075	0.507	56,179	1.290						
	6.00					27,607	0.634	105,861	2.430						
	8.00					33,584	0.771	167,052	3.835						
	9.00					36,749	0.844	202,218	4.642						
	10.00					40,007	0.918	240,596	5.523						
	12.00					46,829	1.075	327,432	7.517						

DETENTION BASIN STAGE-STORAGE TABLE BUILDER

UD-Detention, Version 3.07 (February 2017)




Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)

Project: FOREST LAKES PHASE 2

Basin ID: POND B



	Stage (ft)	Zone Volume (ac-ft)	Outlet Type
Zone 1 (WQCV)	2.84	0.738	Orifice Plate
Zone 2 (EURV)	4.89	1.028	Orifice Plate
Zone 3 (100-year)	8.07	2.117	Weir&Pipe (Restrict)
		3.883	Total

User Input: Orifice at Underdrain Outlet (typically used to drain WQCV in a Filtration BMP)

Underdrain Orifice Invert Depth = ft (distance below the filtration media surface)
 Underdrain Orifice Diameter = inches

Calculated Parameters for Underdrain

Underdrain Orifice Area = ft²
 Underdrain Orifice Centroid = feet

User Input: Orifice Plate with one or more orifices or Elliptical Slot Weir (typically used to drain WQCV and/or EURV in a sedimentation BMP)

Invert of Lowest Orifice = ft (relative to basin bottom at Stage = 0 ft)
 Depth at top of Zone using Orifice Plate = ft (relative to basin bottom at Stage = 0 ft)
 Orifice Plate: Orifice Vertical Spacing = inches
 Orifice Plate: Orifice Area per Row = inches

Calculated Parameters for Plate

WQ Orifice Area per Row = ft²
 Elliptical Half-Width = feet
 Elliptical Slot Centroid = feet
 Elliptical Slot Area = ft²

User Input: Stage and Total Area of Each Orifice Row (numbered from lowest to highest)

	Row 1 (required)	Row 2 (optional)	Row 3 (optional)	Row 4 (optional)	Row 5 (optional)	Row 6 (optional)	Row 7 (optional)	Row 8 (optional)
Stage of Orifice Centroid (ft)	0.00	1.77	3.53					
Orifice Area (sq. inches)	12.00	12.00	16.00					

	Row 9 (optional)	Row 10 (optional)	Row 11 (optional)	Row 12 (optional)	Row 13 (optional)	Row 14 (optional)	Row 15 (optional)	Row 16 (optional)
Stage of Orifice Centroid (ft)								
Orifice Area (sq. inches)								

User Input: Vertical Orifice (Circular or Rectangular)

	Not Selected	Not Selected	
Invert of Vertical Orifice =	N/A	N/A	ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Vertical Orifice =	N/A	N/A	ft (relative to basin bottom at Stage = 0 ft)
Vertical Orifice Diameter =	N/A	N/A	inches

Calculated Parameters for Vertical Orifice

	Not Selected	Not Selected	
Vertical Orifice Area =	N/A	N/A	ft ²
Vertical Orifice Centroid =	N/A	N/A	feet

User Input: Overflow Weir (Dropbox) and Grate (Flat or Sloped)

	Zone 3 Weir	Not Selected	
Overflow Weir Front Edge Height, H _o =	5.30	N/A	ft (relative to basin bottom at Stage = 0 ft)
Overflow Weir Front Edge Length =	6.00	N/A	feet
Overflow Weir Slope =	4.00	N/A	H:V (enter zero for flat grate)
Horiz. Length of Weir Sides =	4.00	N/A	feet
Overflow Grate Open Area % =	85%	N/A	% grate open area/total area
Debris Clogging % =	50%	N/A	%

Calculated Parameters for Overflow Weir

	Zone 3 Weir	Not Selected	
Height of Grate Upper Edge, H _g =	6.30	N/A	feet
Over Flow Weir Slope Length =	4.12	N/A	feet
Grate Open Area / 100-yr Orifice Area =	4.28	N/A	should be ≥ 4
Overflow Grate Open Area w/o Debris =	21.03	N/A	ft ²
Overflow Grate Open Area w/ Debris =	10.51	N/A	ft ²

User Input: Outlet Pipe w/ Flow Restriction Plate (Circular Orifice, Restrictor Plate, or Rectangular Orifice)

	Zone 3 Restrictor	Not Selected	
Depth to Invert of Outlet Pipe =	0.20	N/A	ft (distance below basin bottom at Stage = 0 ft)
Outlet Pipe Diameter =	30.00	N/A	inches
Restrictor Plate Height Above Pipe Invert =	30.00		inches

Calculated Parameters for Outlet Pipe w/ Flow Restriction Plate

	Zone 3 Restrictor	Not Selected	
Outlet Orifice Area =	4.91	N/A	ft ²
Outlet Orifice Centroid =	1.25	N/A	feet
Half-Central Angle of Restrictor Plate on Pipe =	3.14	N/A	radians

User Input: Emergency Spillway (Rectangular or Trapezoidal)

Spillway Invert Stage = ft (relative to basin bottom at Stage = 0 ft)
 Spillway Crest Length = feet
 Spillway End Slopes = H:V
 Freeboard above Max Water Surface = feet

Calculated Parameters for Spillway

Spillway Design Flow Depth = feet
 Stage at Top of Freeboard = feet
 Basin Area at Top of Freeboard = acres




Routed Hydrograph Results

	WQCV	EURV	2 Year	5 Year	10 Year	25 Year	50 Year	100 Year	500 Year
Design Storm Return Period =									
One-Hour Rainfall Depth (in) =	0.53	1.07	1.19	1.50	1.75	2.00	2.25	2.52	3.10
Calculated Runoff Volume (acre-ft) =	0.738	1.766	1.348	1.925	2.971	5.052	6.413	8.194	11.589
OPTIONAL Override Runoff Volume (acre-ft) =									
Inflow Hydrograph Volume (acre-ft) =	0.738	1.766	1.349	1.926	2.973	5.054	6.417	8.195	11.597
Predevelopment Unit Peak Flow, q (cfs/acre) =	0.00	0.00	0.01	0.02	0.23	0.75	1.03	1.38	2.01
Predevelopment Peak Q (cfs) =	0.0	0.0	0.8	1.412	13.8	44.8	61.9	82.9	120.6
Peak Inflow Q (cfs) =	14.0	33.2	25.4	36.0	55.4	93.3	117.8	149.4	209.2
Peak Outflow Q (cfs) =	1.0	2.0	1.6	2.160	10.9	44.5	59.4	64.6	138.7
Ratio Peak Outflow to Predevelopment Q =	N/A	N/A	N/A	1.5	0.8	1.0	1.0	0.8	1.1
Structure Controlling Flow =	Plate	Plate	Plate	Plate	Overflow Grate 1	Overflow Grate 1	Outlet Plate 1	Outlet Plate 1	Spillway
Max Velocity through Gate 1 (fps) =	N/A	N/A	N/A	N/A	0.4	2.0	2.7	2.9	3.1
Max Velocity through Gate 2 (fps) =	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Time to Drain 97% of Inflow Volume (hours) =	15	23	19	22	24	22	21	20	18
Time to Drain 99% of Inflow Volume (hours) =	15	23	21	24	26	25	25	24	23
Maximum Ponding Depth (ft) =	2.58	4.49	3.77	4.75	5.94	6.87	7.37	8.51	9.57
Area at Maximum Ponding Depth (acres) =	0.42	0.54	0.49	0.55	0.63	0.69	0.73	0.81	0.89
Maximum Volume Stored (acre-ft) =	0.625	1.546	1.175	1.688	2.386	3.001	3.363	4.238	5.126

See comments on Pond A worksheet

Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)



S-A-V-D Chart Axis Override

	X-axis	Left Y-Axis	Right Y-Axis
minimum bound			
maximum bound			

DETENTION POND "C"



**Site-Level Low Impact Development (LID) Design Effective Impervious Calculator
LID Credit by Impervious Reduction Factor (IRF) Method**

User Input

Calculated cells

***Design Storm: 1-Hour Rain Depth	WQCV Event	0.53	inches
***Minor Storm: 1-Hour Rain Depth	10-Year Event	1.75	inches
***Major Storm: 1-Hour Rain Depth	100-Year Event	2.52	inches
Optional User Defined Storm	CUHP		
(CUHP) NOAA 1 Hour Rainfall Depth and Frequency for User Defined Storm	100-Year Event		

Designer: Matt Larson
 Company: Classic Consulting Engineers & Surveyors, LLC
 Date: November 20, 2018
 Project: FOREST LAKES - PHASE 2
 Location: POND C

Max Intensity for Optional User Defined Storm 0

SITE INFORMATION (USER-INPUT)

Sub-basin Identifier	TRIB BASIN																	
Receiving Pervious Area Soil Type	Sandy Loam																	
Total Area (ac., Sum of DCIA, UIA, RPA, & SPA)	30.280																	
Directly Connected Impervious Area (DCIA, acres)	9.570																	
Unconnected Impervious Area (UIA, acres)	1.170																	
Receiving Pervious Area (RPA, acres)	0.480																	
Separate Pervious Area (SPA, acres)	19.060																	
RPA Treatment Type: Conveyance (C), Volume (V), or Permeable Pavement (PP)	C																	

CALCULATED RESULTS (OUTPUT)

Total Calculated Area (ac, check against input)	30.280																	
Directly Connected Impervious Area (DCIA, %)	31.6%																	
Unconnected Impervious Area (UIA, %)	3.9%																	
Receiving Pervious Area (RPA, %)	1.6%																	
Separate Pervious Area (SPA, %)	62.9%																	
A _s (RPA / UIA)	0.410																	
I _s Check	0.710																	
f / I for WQCV Event:	2.0																	
f / I for 10-Year Event:	0.5																	
f / I for 100-Year Event:	0.3																	
f / I for Optional User Defined Storm CUHP:																		
IRF for WQCV Event:	0.73																	
IRF for 10-Year Event:	0.93																	
IRF for 100-Year Event:	0.96																	
IRF for Optional User Defined Storm CUHP:																		
Total Site Imperviousness: I _{total}	35.5%																	
Effective Imperviousness for WQCV Event:	34.4%																	
Effective Imperviousness for 10-Year Event:	35.2%																	
Effective Imperviousness for 100-Year Event:	35.3%																	
Effective Imperviousness for Optional User Defined Storm CUHP:																		

LID / EFFECTIVE IMPERVIOUSNESS CREDITS

WQCV Event CREDIT: Reduce Detention By:	1.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10-Year Event CREDIT** Reduce Detention By:	0.8%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
100-Year Event CREDIT** Reduce Detention By:	0.4%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
User Defined CUHP CREDIT: Reduce Detention By:																		

Total Site Imperviousness:	35.5%
Total Site Effective Imperviousness for WQCV Event:	34.4%
Total Site Effective Imperviousness for 10-Year Event:	35.2%
Total Site Effective Imperviousness for 100-Year Event:	35.3%
Total Site Effective Imperviousness for Optional User Defined Storm CUHP:	

Notes:
 * Use Green-Ampt average infiltration rate values from Table 3-3.
 ** Flood control detention volume credits based on empirical equations from Storage Chapter of USDCM.
 *** Method assumes that 1-hour rainfall depth is equivalent to 1-hour intensity for calculation purposes

Design Procedure Form: Extended Detention Basin (EDB)

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 20, 2018
Project: FOREST LAKES - PHASE 2
Location: POND C

<p>1. Basin Storage Volume</p> <p>A) Effective Imperviousness of Tributary Area, I_a</p> <p>B) Tributary Area's Imperviousness Ratio ($i = I_a / 100$)</p> <p>C) Contributing Watershed Area</p> <p>D) For Watersheds Outside of the Denver Region, Depth of Average Runoff Producing Storm</p> <p>E) Design Concept (Select EURV when also designing for flood control)</p> <p>F) Design Volume (WQCV) Based on 40-hour Drain Time ($V_{DESIGN} = (1.0 * (0.91 * i^3 - 1.19 * i^2 + 0.78 * i)) / 12 * Area$)</p> <p>G) For Watersheds Outside of the Denver Region, Water Quality Capture Volume (WQCV) Design Volume ($V_{WQCV\ OTHER} = (d_s * V_{DESIGN} / 0.43)$)</p> <p>H) User Input of Water Quality Capture Volume (WQCV) Design Volume (Only if a different WQCV Design Volume is desired)</p> <p>I) Predominant Watershed NRCS Soil Group</p> <p>J) Excess Urban Runoff Volume (EURV) Design Volume For HSG A: $EURV_A = 1.68 * i^{1.28}$ For HSG B: $EURV_B = 1.36 * i^{1.08}$ For HSG C/D: $EURV_{C/D} = 1.20 * i^{1.08}$ </p>	<p>$I_a =$ <u>35.5</u> %</p> <p>$i =$ <u>0.355</u></p> <p>Area = <u>30.280</u> ac</p> <p>$d_s =$ <u>0.42</u> in</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> Choose One <input type="radio"/> Water Quality Capture Volume (WQCV) <input checked="" type="radio"/> Excess Urban Runoff Volume (EURV) </div> <p>$V_{DESIGN} =$ <u>0.423</u> ac-ft</p> <p>$V_{DESIGN\ OTHER} =$ <u>0.413</u> ac-ft</p> <p>$V_{DESIGN\ USER} =$ _____ ac-ft</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> Choose One <input type="radio"/> A <input checked="" type="radio"/> B <input type="radio"/> C / D </div> <p>EURV = <u>1.121</u> ac-ft</p>
<p>2. Basin Shape: Length to Width Ratio (A basin length to width ratio of at least 2:1 will improve TSS reduction.)</p>	<p>L : W = <u>2.0</u> : 1</p>
<p>3. Basin Side Slopes</p> <p>A) Basin Maximum Side Slopes (Horizontal distance per unit vertical, 4:1 or flatter preferred)</p>	<p>Z = <u>4.00</u> ft / ft</p>
<p>4. Inlet</p> <p>A) Describe means of providing energy dissipation at concentrated inflow locations:</p>	<p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>

Design Procedure Form: Extended Detention Basin (EDB)

Sheet 2 of 4

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 20, 2018
Project: FOREST LAKES - PHASE 2
Location: POND C

<p>5. Forebay</p> <p>A) Minimum Forebay Volume ($V_{MIN} = \underline{\quad 3\% \quad}$ of the WQCV)</p> <p>B) Actual Forebay Volume</p> <p>C) Forebay Depth ($D_F = \underline{\quad 18 \quad}$ inch maximum)</p> <p>D) Forebay Discharge</p> <p style="margin-left: 20px;">i) Undetained 100-year Peak Discharge</p> <p style="margin-left: 20px;">ii) Forebay Discharge Design Flow ($Q_F = 0.02 * Q_{100}$)</p> <p>E) Forebay Discharge Design</p> <p>F) Discharge Pipe Size (minimum 8-inches)</p> <p>G) Rectangular Notch Width</p>	<p>$V_{MIN} = \underline{\quad 0.012 \quad}$ ac-ft</p> <p>$V_F = \underline{\quad 0.015 \quad}$ ac-ft</p> <p>$D_F = \underline{\quad 12.0 \quad}$ in</p> <p>$Q_{100} = \underline{\quad 117.20 \quad}$ cfs</p> <p>$Q_F = \underline{\quad 2.34 \quad}$ cfs</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Choose One</p> <p><input type="radio"/> Berm With Pipe</p> <p><input checked="" type="radio"/> Wall with Rect. Notch</p> <p><input type="radio"/> Wall with V-Notch Weir</p> </div> <p align="right" style="color: blue; font-weight: bold;">(flow too small for berm w/ pipe)</p> <p>Calculated $D_p = \underline{\quad \quad \quad}$ in</p> <p>Calculated $W_N = \underline{\quad 10.8 \quad}$ in</p>
<p>6. Trickle Channel</p> <p>A) Type of Trickle Channel</p> <p>F) Slope of Trickle Channel</p>	<div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Choose One</p> <p><input checked="" type="radio"/> Concrete</p> <p><input type="radio"/> Soft Bottom</p> </div> <p>$S = \underline{\quad 0.0050 \quad}$ ft / ft</p>
<p>7. Micropool and Outlet Structure</p> <p>A) Depth of Micropool (2.5-foot minimum)</p> <p>B) Surface Area of Micropool (10 ft² minimum)</p> <p>C) Outlet Type</p> <p>D) Smallest Dimension of Orifice Opening Based on Hydrograph Routing (Use UD-Detention)</p> <p>E) Total Outlet Area</p>	<p>$D_M = \underline{\quad 2.5 \quad}$ ft</p> <p>$A_M = \underline{\quad 250 \quad}$ sq ft</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Choose One</p> <p><input checked="" type="radio"/> Orifice Plate</p> <p><input type="radio"/> Other (Describe):</p> </div> <hr style="border: 0; border-top: 1px solid black; margin: 5px 0;"/> <hr style="border: 0; border-top: 1px solid black; margin: 5px 0;"/> <hr style="border: 0; border-top: 1px solid black; margin: 5px 0;"/> <p>$D_{orifice} = \underline{\quad 1.00 \quad}$ inches</p> <p>$A_{ot} = \underline{\quad 6.00 \quad}$ square inches</p>

Design Procedure Form: Extended Detention Basin (EDB)

Designer: Matt Larson
 Company: Classic Consulting Engineers & Surveyors, LLC
 Date: November 20, 2018
 Project: FOREST LAKES - PHASE 2
 Location: POND C

<p>8. Initial Surcharge Volume</p> <p>A) Depth of Initial Surcharge Volume (Minimum recommended depth is 4 inches)</p> <p>B) Minimum Initial Surcharge Volume (Minimum volume of 0.3% of the WQCV)</p> <p>C) Initial Surcharge Provided Above Micropool</p>	<p>$D_{IS} =$ <u> 4 </u> in</p> <p>$V_{IS} =$ <u> 54.0 </u> cu ft</p> <p>$V_s =$ <u> 83.3 </u> cu ft</p>
<p>9. Trash Rack</p> <p>A) Water Quality Screen Open Area: $A_1 = A_{ot} \cdot 38.5 \cdot (e^{-0.056D})$</p> <p>B) Type of Screen (If specifying an alternative to the materials recommended in the USDCM, indicate "other" and enter the ratio of the total open area to the total screen area for the material specified.)</p> <p align="center">Other (Y/N): <u> N </u></p> <p>C) Ratio of Total Open Area to Total Area (only for type "Other")</p> <p>D) Total Water Quality Screen Area (based on screen type)</p> <p>E) Depth of Design Volume (EURV or WQCV) (Based on design concept chosen under 1E)</p> <p>F) Height of Water Quality Screen (H_{TR})</p> <p>G) Width of Water Quality Screen Opening ($W_{opening}$) (Minimum of 12 inches is recommended)</p>	<p>$A_1 =$ <u> 210 </u> square inches</p> <p align="center"><u> S.S. Well Screen with 60% Open Area </u></p> <hr/> <hr/> <p>User Ratio =</p> <p>$A_{total} =$ <u> 350 </u> sq. in.</p> <p>$H =$ <u> 5 </u> feet</p> <p>$H_{TR} =$ <u> 88 </u> inches</p> <p>$W_{opening} =$ <u> 12.0 </u> inches</p>

Design Procedure Form: Extended Detention Basin (EDB)

Sheet 4 of 4

Designer: Matt Larson
Company: Classic Consulting Engineers & Surveyors, LLC
Date: November 20, 2018
Project: FOREST LAKES - PHASE 2
Location: POND C

<p>10. Overflow Embankment</p> <p>A) Describe embankment protection for 100-year and greater overtopping:</p> <p>B) Slope of Overflow Embankment (Horizontal distance per unit vertical, 4:1 or flatter preferred)</p>	<p><u> 38' WIDE SPILLWAY AT ELEV. 7039.00 </u></p> <hr/> <p align="center"><u> 10.00 </u></p>
<p>11. Vegetation</p>	<div style="border: 1px solid black; padding: 5px;"> <p>Choose One</p> <p><input type="radio"/> Irrigated</p> <p><input checked="" type="radio"/> Not Irrigated</p> </div>
<p>12. Access</p> <p>A) Describe Sediment Removal Procedures</p>	<p align="center"><u> 12' WIDE ACCESS ROAD W/ MIN. 30' CL RADIUS TO POND BOTTOM </u></p> <hr/> <hr/> <hr/> <hr/>
<p>Notes: _____</p> <hr/> <hr/>	

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND C - SPILLWAY

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7030.00
	7030.00
	7032.00
	7034.00
	7036.00
	7038.00
	7039.00

AREA (BTM to TOP):		
	-	acres
80	0.00	acres
21,200	0.49	acres
26,799	0.62	acres
32,837	0.75	acres
39,314	0.90	acres
42,718	0.98	acres
	-	acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:		CUMMULATIVE VOLUME:				
VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$						
-	AC-FT	from	7,030	to	7,030	
0.34	AC-FT	from	7,030	to	7,032	0.34
1.09	AC-FT	from	7,032	to	7,034	1.43
1.35	AC-FT	from	7,034	to	7,036	2.78
1.64	AC-FT	from	7,036	to	7,038	4.42
0.93	AC-FT	from	7,038	to	7,039	5.35
-	AC-FT	from	7,039	to	-	5.35
-	AC-FT	from	-	to	-	5.35
-	AC-FT	from	-	to	-	5.35
-	AC-FT	from	-	to	-	5.35
-	AC-FT	from	-	to	-	5.35

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = 5.35 AC-FT

APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	5.35	=	#####	58,295
6	5.35	=	#####	38,864
8	5.35	=	#####	29,148
10	5.35	=	#####	23,318

JOB NAME: FOREST LAKES PHASE 2
 JOB NUMBER: 1175.21
 DATE: 11/19/18
 CALCULATED BY: MAL

POND C - TOP OF BERM

POND SIZING WITH PONDPACK EQUATION:
 INSERT POND DESIGN SIZE INFO: (RED)

POND ELEVATION :	
(from lowest to highest)	
	7030.00
	7030.00
	7032.00
	7034.00
	7036.00
	7038.00
	7040.00
	7042.00

AREA (BTM to TOP):		
	-	acres
80	0.00	acres
21,200	0.49	acres
26,799	0.62	acres
32,837	0.75	acres
39,314	0.90	acres
46,217	1.06	acres
53,521	1.23	acres
	-	acres
	-	acres
	-	acres
	-	acres

PRELIMINARY SIZE:

VOLUME = $1/3\{(EL2-EL1)*(A1+A2+((A1*A2)^.5))\}$

CUMMULATIVE VOLUME:

-	AC-FT	from	7,030	to	7,030	
0.34	AC-FT	from	7,030	to	7,032	0.34
1.09	AC-FT	from	7,032	to	7,034	1.43
1.35	AC-FT	from	7,034	to	7,036	2.78
1.64	AC-FT	from	7,036	to	7,038	4.42
1.94	AC-FT	from	7,038	to	7,040	6.36
2.26	AC-FT	from	7,040	to	7,042	8.63
-	AC-FT	from	7,042	to	-	8.63
-	AC-FT	from	-	to	-	8.63
-	AC-FT	from	-	to	-	8.63
-	AC-FT	from	-	to	-	8.63

*SIZING IS FOR PRELIMINARY PURPOSES ONLY.

VOLUME = 8.63 AC-FT

APPROXIMATE SURFACE AREA REQUIREMENT

POND DEPTH (FT)	POND VOLUME			SURFACE AREA (SF)
	AC-FT	=	CF	
4	8.63	=	#####	93,956
6	8.63	=	#####	62,637
8	8.63	=	#####	46,978
10	8.63	=	#####	37,582

DETENTION BASIN STAGE-STORAGE TABLE BUILDER

UD-Detention, Version 3.07 (February 2017)

Project: FOREST LAKES PHASE 2

Basin ID: POND C



Required Volume Calculation

Selected BMP Type =	EDB
Watershed Area =	30.28 acres
Watershed Length =	2,100 ft
Watershed Slope =	0.065 ft/ft
Watershed Imperviousness =	35.50% percent
Percentage Hydrologic Soil Group A =	0.0% percent
Percentage Hydrologic Soil Group B =	100.0% percent
Percentage Hydrologic Soil Group C/D =	0.0% percent
Desired WQCV Drain Time =	40.0 hours
Location for 1-hr Rainfall Depths =	User Input
Water Quality Capture Volume (WQCV) =	0.423 acre-feet
Excess Urban Runoff Volume (EURV) =	1.118 acre-feet
2-yr Runoff Volume (P1 = 1.19 in) =	0.871 acre-feet
5-yr Runoff Volume (P1 = 1.5 in) =	1.224 acre-feet
10-yr Runoff Volume (P1 = 1.75 in) =	1.789 acre-feet
25-yr Runoff Volume (P1 = 2 in) =	2.808 acre-feet
50-yr Runoff Volume (P1 = 2.25 in) =	3.486 acre-feet
100-yr Runoff Volume (P1 = 2.52 in) =	4.375 acre-feet
500-yr Runoff Volume (P1 = 3.1 in) =	6.081 acre-feet
Approximate 2-yr Detention Volume =	0.814 acre-feet
Approximate 5-yr Detention Volume =	1.148 acre-feet
Approximate 10-yr Detention Volume =	1.617 acre-feet
Approximate 25-yr Detention Volume =	1.833 acre-feet
Approximate 50-yr Detention Volume =	1.927 acre-feet
Approximate 100-yr Detention Volume =	2.238 acre-feet

Optional User Override

1-hr Precipitation
1.19 inches
1.50 inches
1.75 inches
2.00 inches
2.25 inches
2.52 inches
3.10 inches


Stage-Storage Calculation

Zone 1 Volume (WQCV) =	0.423 acre-feet
Zone 2 Volume (EURV - Zone 1) =	0.695 acre-feet
Zone 3 Volume (100-year - Zones 1 & 2) =	1.120 acre-feet
Total Detention Basin Volume =	2.238 acre-feet
Initial Surcharge Volume (SV) =	user ft ³
Initial Surcharge Depth (SD) =	user ft
Total Available Detention Depth (H _{DA}) =	user ft
Depth of Trickle Channel (H _{TC}) =	user ft
Slope of Trickle Channel (S _{TC}) =	user ft/ft
Slopes of Main Basin Sides (S _{MS}) =	user ft/V
Basin Length-to-Width Ratio (R _{LR}) =	user
Initial Surcharge Area (A _{SV}) =	user ft ²
Surcharge Volume Length (L _{SV}) =	user ft
Surcharge Volume Width (W _{SV}) =	user ft
Depth of Basin Floor (H _{DF}) =	user ft
Length of Basin Floor (L _{DF}) =	user ft
Width of Basin Floor (W _{DF}) =	user ft
Area of Basin Floor (A _{DF}) =	user ft ²
Volume of Basin Floor (V _{DF}) =	user ft ³
Depth of Main Basin (H _{MB}) =	user ft
Length of Main Basin (L _{MB}) =	user ft
Width of Main Basin (W _{MB}) =	user ft
Area of Main Basin (A _{MB}) =	user ft ²
Volume of Main Basin (V _{MB}) =	user ft ³
Calculated Total Basin Volume (V _{TB}) =	user acre-feet

Depth Increment =	0.25 ft											
Stage - Storage Description	Stage (ft)	Optional Override Stage (ft)	Length (ft)	Width (ft)	Area (ft ²)	Optional Override Area (ft ²)	Area (acre)	Volume (ft ³)	Volume (ac-ft)			
Top of Micropool	0.00	--	--	--	--	80	0.002					
	2.00	--	--	--	21,200	0.487	21,068	0.484				
	4.00	--	--	--	26,799	0.615	69,279	1.590				
	6.00	--	--	--	32,837	0.754	128,915	2.959				
	8.00	--	--	--	39,314	0.903	201,066	4.616				
	9.00	--	--	--	42,718	0.981	242,082	5.557				
	10.00	--	--	--	46,217	1.051	286,549	6.578				
	12.00	--	--	--	53,521	1.229	386,287	8.888				

DETENTION BASIN STAGE-STORAGE TABLE BUILDER


UD-Detention, Version 3.07 (February 2017)



Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)

Project: FOREST LAKES PHASE 2
Basin ID: POND C



	Stage (ft)	Zone Volume (ac-ft)	Outlet Type
Zone 1 (WQCV)	1.87	0.423	Orifice Plate
Zone 2 (EURV)	3.20	0.695	Orifice Plate
Zone 3 (100-year)	5.00	1.120	Weir&Pipe (Restrict)
		2.238	Total

User Input: Orifice at Underdrain Outlet (typically used to drain WQCV in a Filtration BMP)

Underdrain Orifice Invert Depth = ft (distance below the filtration media surface)
Underdrain Orifice Diameter = inches

Calculated Parameters for Underdrain

Underdrain Orifice Area = ft²
Underdrain Orifice Centroid = feet

User Input: Orifice Plate with one or more orifices or Elliptical Slot Weir (typically used to drain WQCV and/or EURV in a sedimentation BMP)

Invert of Lowest Orifice = ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Orifice Plate = ft (relative to basin bottom at Stage = 0 ft)
Orifice Plate: Orifice Vertical Spacing = inches
Orifice Plate: Orifice Area per Row = inches

Calculated Parameters for Plate

WQ Orifice Area per Row = ft²
Elliptical Half-Width = feet
Elliptical Slot Centroid = feet
Elliptical Slot Area = ft²

User Input: Stage and Total Area of Each Orifice Row (numbered from lowest to highest)

	Row 1 (required)	Row 2 (optional)	Row 3 (optional)	Row 4 (optional)	Row 5 (optional)	Row 6 (optional)	Row 7 (optional)	Row 8 (optional)
Stage of Orifice Centroid (ft)	0.00	1.67	3.33					
Orifice Area (sq. inches)	12.00	12.00	16.00					
	Row 9 (optional)	Row 10 (optional)	Row 11 (optional)	Row 12 (optional)	Row 13 (optional)	Row 14 (optional)	Row 15 (optional)	Row 16 (optional)
Stage of Orifice Centroid (ft)								
Orifice Area (sq. inches)								

User Input: Vertical Orifice (Circular or Rectangular)

	Not Selected	Not Selected	
Invert of Vertical Orifice =	N/A	N/A	ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Vertical Orifice =	N/A	N/A	ft (relative to basin bottom at Stage = 0 ft)
Vertical Orifice Diameter =	N/A	N/A	inches

Calculated Parameters for Vertical Orifice

	Not Selected	Not Selected	
Vertical Orifice Area =	N/A	N/A	ft ²
Vertical Orifice Centroid =	N/A	N/A	feet

User Input: Overflow Weir (Dropbox) and Grate (Flat or Sloped)

	Zone 3 Weir	Not Selected	
Overflow Weir Front Edge Height, H _o =	5.00	N/A	ft (relative to basin bottom at Stage = 0 ft)
Overflow Weir Front Edge Length =	6.00	N/A	feet
Overflow Weir Slope =	4.00	N/A	H:V (enter zero for flat grate)
Horiz. Length of Weir Sides =	4.00	N/A	feet
Overflow Grate Open Area % =	85%	N/A	% grate open area/total area
Debris Clogging % =	50%	N/A	%

Calculated Parameters for Overflow Weir

	Zone 3 Weir	Not Selected	
Height of Grate Upper Edge, H _i =	6.00	N/A	feet
Over Flow Weir Slope Length =	4.12	N/A	feet
Grate Open Area / 100-yr Orifice Area =	4.28	N/A	should be ≥ 4
Overflow Grate Open Area w/o Debris =	21.03	N/A	ft ²
Overflow Grate Open Area w/ Debris =	10.51	N/A	ft ²

User Input: Outlet Pipe w/ Flow Restriction Plate (Circular Orifice, Restrictor Plate, or Rectangular Orifice)

	Zone 3 Restrictor	Not Selected	
Depth to Invert of Outlet Pipe =	0.20	N/A	ft (distance below basin bottom at Stage = 0 ft)
Outlet Pipe Diameter =	30.00	N/A	inches
Restrictor Plate Height Above Pipe Invert =	30.00	N/A	inches

Calculated Parameters for Outlet Pipe w/ Flow Restriction Plate

	Zone 3 Restrictor	Not Selected	
Outlet Orifice Area =	4.91	N/A	ft ²
Outlet Orifice Centroid =	1.25	N/A	feet
Half-Central Angle of Restrictor Plate on Pipe =	3.14	N/A	radians

User Input: Emergency Spillway (Rectangular or Trapezoidal)

Spillway Invert Stage = ft (relative to basin bottom at Stage = 0 ft)
Spillway Crest Length = feet
Spillway End Slopes = H:V
Freeboard above Max Water Surface = feet

Calculated Parameters for Spillway

Spillway Design Flow Depth = feet
Stage at Top of Freeboard = feet
Basin Area at Top of Freeboard = acres




Routed Hydrograph Results

	WQCV	EURV	2 Year	5 Year	10 Year	25 Year	50 Year	100 Year	500 Year
Design Storm Return Period =									
One-Hour Rainfall Depth (in) =	0.53	1.07	1.19	1.50	1.75	2.00	2.25	2.52	3.10
Calculated Runoff Volume (acre-ft) =	0.423	1.118	0.871	1.224	1.789	2.808	3.486	4.375	6.081
OPTIONAL Override Runoff Volume (acre-ft) =									
Inflow Hydrograph Volume (acre-ft) =	0.423	1.118	0.871	1.223	1.790	2.809	3.487	4.377	6.075
Predevelopment Unit Peak Flow, q (cfs/acre) =	0.00	0.00	0.01	0.02	0.18	0.62	0.86	1.16	1.69
Predevelopment Peak Q (cfs) =	0.0	0.0	0.3	0.585	5.6	18.8	26.0	35.1	51.2
Peak Inflow Q (cfs) =	6.8	17.8	13.9	19.5	28.3	44.2	54.7	68.4	94.2
Peak Outflow Q (cfs) =	0.6	1.1	1.0	1.185	1.8	4.2	12.4	24.5	47.4
Ratio Peak Outflow to Predevelopment Q =	N/A	N/A	N/A	2.0	0.3	0.2	0.5	0.7	0.9
Structure Controlling Flow =	Plate	Plate	Plate	Plate	Plate	Overflow Grate 1	Overflow Grate 1	Overflow Grate 1	Overflow Grate 1
Max Velocity through Grate 1 (fps) =	N/A	N/A	N/A	N/A	N/A	0.1	0.5	1.0	2.1
Max Velocity through Grate 2 (fps) =	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Time to Drain 97% of Inflow Volume (hours) =	12	20	17	20	24	27	27	26	25
Time to Drain 99% of Inflow Volume (hours) =	13	21	18	22	25	29	29	29	29
Maximum Ponding Depth (ft) =	1.69	2.92	2.50	3.10	3.95	5.26	5.70	6.10	6.63
Area at Maximum Ponding Depth (acre) =	0.41	0.55	0.52	0.56	0.61	0.70	0.73	0.76	0.80
Maximum Volume Stored (acre-ft) =	0.345	0.993	0.740	1.057	1.554	2.414	2.736	3.028	3.449

See comments on Pond A worksheet

Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)




S-A-V-D Chart Axis Override

	X-axis	Left Y-Axis	Right Y-Axis
minimum bound			
maximum bound			


DRAINAGE MAPS





Hydro Engineering Corporation
11400 Northway Lane
Colorado Springs, Colorado
70904-1412
(719) 590-7042


EXHIBIT A
OVERALL EXISTING HYDROLOGY
FOREST LAKES DEVELOPMENT
MASTER DEVELOPMENT DRAINAGE PLAN
FOREST LAKES, LLC
EL PASO COUNTY, COLORADO



LEGEND	
○ (with text)	DRAINAGE BASIN DESIGNATION
○ (with text)	DRAINAGE BASIN AREA
→ (with text)	5-YEAR RUNOFF
→ (with text)	100-YEAR RUNOFF
△	CHECK POINT
—	DRAINAGE BASIN BOUNDARY
—	FLOW DIRECTION

SUB-BASINS	BASIN AREA (sq ft)	5-YEAR ⁽¹⁾		100-YEAR ⁽¹⁾	
		PEAK FLOW (cfs)	MAX. STAGE (Elev)	PEAK FLOW (cfs)	MAX. STAGE (Elev)
NBC151	0.77	328		920	
NBC153	0.82	108		500	
SBC141	0.91	388		1,070	
SBC143	1.28	201		810	
BC1210	0.58	48		320	
BC1220	0.47	74		280	
Brittle Cone	22.03	3,211	6891.9	12,020	6894.6
BC1230	0.12	10		88	
BC1240	0.37	25		160	
BC1250	0.04	10		40	
Pinon	0.41	12	6850.1	87	6850.3
BC1260	0.12	7		59	
BC1270	0.18	16		90	
BC1280	0.09	6		42	
HVC145	0.58	372		800	
HVC161	0.73	268		780	
HVC183	0.71	44		330	
HVC185	0.45	30		190	
HVC187	0.6	84		320	
DESIGN POINTS					
DP143	20.35	4,528		14,090	
DP145	20.9	4,772		14,720	
DP155	25.93	3,507		13,460	
DP187	28.6	3,536		13,650	
DP1220	22.03	4,860		15,190	
DP1230	22.57	3,218		12,100	
DP1290	0.41	31		190	


(1) THE DISCHARGES LISTED BELOW REPRESENT THE BASINS AS FULLY DEVELOPED WITHOUT DETENTION.



Kiowa Engineering Corporation
 2814 International Circle
 Colorado Springs, Colorado
 80910-3127
 (719) 630-7342

EXHIBIT C
LOCALIZED FUTURE HYDROLOGY
 24-HOUR TYPE II STORM
FOREST LAKES DEVELOPMENT
MASTER DEVELOPMENT DRAINAGE PLAN
 FOREST LAKES, LLC
 EL PASO COUNTY, COLORADO

LEGEND	
	— DRAINAGE BASIN DESIGNATION
	— DRAINAGE BASIN AREA
	5-YEAR RUNOFF 100-YEAR RUNOFF
	DESIGN POINT
	DRAINAGE BASIN BOUNDARY
	FLOW DIRECTION



SUB-BASINS	BASIN AREA (sq ft)	5-YEAR		100-YEAR	
		PEAK FLOW (cfs)	MAX. STAGE (Elev)	PEAK FLOW (cfs)	MAX. STAGE (Elev)
NBC151	0.77	329		620	
NBC153	0.82	106		490	
SBC141	0.91	388		1,060	
SBC143	1.28	198		830	
BC1210	0.66	37		280	
BC1220	0.47	69		280	
Bristle Cone	22.03	3,185	6892.5	11,970	6895.6
BC1230	0.12	8		64	
BC1240	0.37	22		150	
BC1250	0.04	2		21	
Pinon	0.41	9	8850.1	75	6850.3
BC1260	0.12	7		59	
BC1270	0.18	12		79	
BC1280	0.09	6		42	
HLC145	0.56	351		770	
HYC181	0.73	266		780	
HYC183	0.71	40		320	
HYC185	0.45	21		160	
HYC187	0.6	64		330	

DESIGN POINTS			
DP143	20.35	4,524	14,080
DP145	20.9	4,756	14,690
DP155	25.93	3,470	13,370
DP167	26.6	3,499	13,550
DP1220	22.03	4,827	15,120
DP1230	22.57	3,185	12,040
DP1250	0.41	24	170







EXHIBIT B
LOCALIZED EXISTING HYDROLOGY
 24-HOUR TYPE II STORM
FOREST LAKES DEVELOPMENT
MASTER DEVELOPMENT DRAINAGE PLAN
 FOREST LAKES, LLC
 EL PASO COUNTY, COLORADO

Kiowa Engineering Corporation
 2814 International Circle
 Colorado Springs, Colorado
 80910-3127
 (719) 630-7342



LEGEND	
	— DRAINAGE BASIN DESIGNATION
	— DRAINAGE BASIN AREA
	— 5-YEAR RUNOFF
	— 100-YEAR RUNOFF
	— DESIGN POINT
	— DRAINAGE BASIN BOUNDARY
	— CONVEYANCE ELEMENT/HYDRAULIC STRUCTURE
	— TIME OF CONCENTRATION FLOW PATH
	— DETENTION BASIN LOCATION
	— 100-YEAR FLOODPLAIN LIMITS

SUMMARY OF DRAINAGE BASINS AND DESIGN POINTS								
BASIN / DP	DEVELOPED CONDITION		BASIN / DP	DEVELOPED CONDITION		BASIN / DP	DEVELOPED CONDITION	
	5 Year	100 Year		5 Year	100 Year		5 Year	100 Year
A	13 cfs	35 cfs	T	9 cfs	13 cfs	OS3	22 cfs	54 cfs
B	4 cfs	10 cfs	V	12 cfs	22 cfs	OS2A	17 cfs	41 cfs
C	11 cfs	25 cfs	W	5 cfs	17 cfs	OS5B	6 cfs	14 cfs
D	23 cfs	51 cfs	X	11 cfs	22 cfs	OS7	8 cfs	16 cfs
E	24 cfs	57 cfs	Y	13 cfs	28 cfs	DP A1	48 cfs	114 cfs
F	11 cfs	26 cfs	Z	9 cfs	18 cfs	DP C1	18 cfs	48 cfs
G	5 cfs	13 cfs	AA	12 cfs	24 cfs	DP D1	57 cfs	140 cfs
H	13 cfs	30 cfs	BB	3 cfs	8 cfs	DP E1	16 cfs	40 cfs
I	18 cfs	41 cfs	CC	2 cfs	6 cfs	DP H1	26 cfs	50 cfs
J	10 cfs	22 cfs	DD	12 cfs	28 cfs	DP K2	47 cfs	110 cfs
K	11 cfs	23 cfs	EE	15 cfs	35 cfs	DP L1	26 cfs	68 cfs
L	7 cfs	17 cfs	FF	9 cfs	21 cfs	DP M1	29 cfs	68 cfs
M	20 cfs	46 cfs	GG	5 cfs	13 cfs	DP W2	57 cfs	135 cfs
N	13 cfs	31 cfs	HH	8 cfs	17 cfs	DP X1	30 cfs	78 cfs
O	8 cfs	19 cfs	II	28 cfs	62 cfs	DP Y2	49 cfs	120 cfs
P	7 cfs	17 cfs	JJ	21 cfs	50 cfs	DP Z1	78 cfs	178 cfs
Q	21 cfs	53 cfs	KK	48 cfs	120 cfs	DP A2	35 cfs	71 cfs
R	18 cfs	40 cfs	LL	38 cfs	95 cfs	DP B2	40 cfs	95 cfs
S	11 cfs	24 cfs	MM	18 cfs	45 cfs	DP C2	4,528 cfs	14,890 cfs
			NN	7 cfs	17 cfs	DP D2	4,772 cfs	14,720 cfs
			OO	14 cfs	34 cfs	DP E2	4,880 cfs	15,190 cfs
			PP	12 cfs	30 cfs	DP F2	3,218 cfs	12,100 cfs

SUMMARY OF DRAINAGE CONVEYANCES			
CONVEYANCE NUMBER	SIZE / TYPE	CONVEYANCE NUMBER	SIZE / TYPE
A-1	ROADSIDE SWALE	V-1	54-INCH RCP
A-2	48-INCH RCP CULVERT	X-1	24-INCH RCP
A-3	30-INCH RCP	Y-2	36-INCH RCP
C-1	30-INCH RCP	BB-1	ROADSIDE SWALE
D-1	48-INCH RCP CULVERT	DD-1	24-INCH RCP
E-1	24-INCH RCP	DD-2	36-INCH RCP
E-2	30-INCH RCP	DD-3	36-INCH RCP
G-1	ROADSIDE SWALE	JH-1	24-INCH RCP
G-2	30-INCH RCP	JH-2	30-INCH RCP
H-1	42-INCH RCP	KK-1	36-INCH RCP CULVERT
I-1	36-INCH RCP		
M-1	36-INCH RCP CULVERT	BC-1	3 - 15' x 8' RCP CULVERT
M-2	36-INCH RCP	BC-2	70-FT CLEAR SPAN BRIDGE
M-3	36-INCH RCP	BC-3	54-INCH RCP CULVERT
P-1	ROADSIDE SWALE		
P-2	30-INCH RCP CULVERT		
Q-1	ROADSIDE SWALE		
Q-2	48-INCH RCP CULVERT		
Q-3	42-INCH RCP		
Q-4	42-INCH RCP		

Kiowa Engineering Corporation
 2814 International Circle
 Colorado Springs, Colorado
 80910-3127
 (719) 630-7342

FOREST LAKES
MASTER DEVELOPMENT DRAINAGE PLAN
 PROPOSED HYDROLOGIC SUBBASINS & DRAINAGE STRUCTURES
 EL PASO COUNTY, COLORADO

Project No.: 00013
 Date: April 11, 2002
 Design: RNW/MWE
 Drawn: MWE
 Check: RNW
 Revisions:

UNPLATTED
FOREST SERVICE
DEPT. OF AGRICULTURE
UNITED STATES OF AMERICA

EXISTING DEBRIS
FLOWLINE


OS-4
465 Q100 = 4,130 CFS
FROM DEBRIS FLOW REPORT

40 ACRE LOT
OWNER, TIMOTHY R.
PETERSON TRUST

OS-2
19.91

40 ACRE LOT
OWNER, TIMOTHY R.
PETERSON TRUST

EXISTING 5 ACRE
HOME LOTS



Show/label how sheet flow will be routed into the grated inlets. Will there be grass swales along the top of the 3:1 slope?

Based on the proposed contours there's no cross slopes from the toe of the 3:1 towards the road at the areas highlighted in yellow. The toe of the hill would behave as a swale conveying drainage across lots.
- If this is the intent then drainage easement and swales across lots must be shown on the preliminary grading plan
- If the intent is to provide side lot swales then provide a typical detail in the preliminary grading.

Show the emergency overflow path for these diversion inlets.

BASIN RUNOFF (RATIONAL)		
BASIN	Q5 (CFS)	Q100 (CFS)
A	54.8	132.2
B	64.1	176.0
C	46.9	117.2
D	11.0	62.4
E	3.2	21.6
F	6.6	44.6
OS-1	22.0	147.5
OS-2	6.2	41.8
OS-3	4.0	27.2
EX. A	12.1	80.9
EX. B	18.7	125.6
EX. C	10.2	68.6

DESIGN POINT SUMMARY (RATIONAL METHOD)			
DESIGN POINT	Q5 (CFS)	Q100 (CFS)	FEATURE
1	54.8	132.2	POND A
2	22.0	147.5	GRATED INLET & BYPASS STORM
	2.0	45.3	30" OUTLET PIPE
3	23.7	186.5	EXISTING CHANNEL
4	64.1	176.0	POND B
5	1441.5	4129.9	FROM CTL REPORT- NORTH BEAVER CREEK DEBRIS FLOW RATE
6	1433.0	4116.3	PROP. BOX CULVERTS-(3) 15'x8'
7	9.8	66.1	GRATED INLET & BYPASS STORM
8	8.7	58.2	GRATED INLET & BYPASS STORM
9	1440.1	4164.4	EXISTING CHANNEL
	2.2	64.6	30" OUTLET PIPE
10	1441.1	4191.5	EXISTING CHANNEL
	46.9	117.2	POND C
11	1.2	24.5	30" OUTLET PIPE
	1441.5	4199.9	EXISTING CHANNEL

LEGEND	
EXISTING GROUND CONTOUR	(7000)
PROPOSED FINISHED CONTOUR	7000
SUBDIVISION BOUNDARY	---
LOT LINE	---
PREBLES MOUSE LIMITS	---
100-YR FLOODPLAIN LIMITS	---
DEBRIS FLOWLINE	---
PROPOSED BASIN BOUNDARY	---
DIRECTION OF DRAINAGE	---
EXISTING STORM SEWER	---
EXISTING STORM INLET	---
PROPOSED STORM SEWER	---
PROPOSED STORM INLET	---
LOW POINT/HIGH POINT	LP/HP
BASIN IDENTIFIER	---
AREA IN ACRES	---
DESIGN POINT	---
EXISTING WETLANDS	---

The segments between the outfall and the existing channel must be hydraulically adequate. Additional improvements may be required. (See areas clouded in yellow)
Add a note that the FDR will provide hydraulic analysis from the discharge point to the creek.

POND 'B'
- 59.94 ACRES AT 28.8%
- IMPERVIOUS TRIBUTARY AREA
- EURL = 1.771 AC. FT.
- Q100 IN = 176.0 CFS
- ALLOWABLE Q100 OUT = 125.6 CFS

POND 'A'
- 37.55 ACRES AT 41.4%
- IMPERVIOUS TRIBUTARY AREA
- EURL = 1.642 AC. FT.
- Q100 IN = 132.2 CFS
- ALLOWABLE Q100 OUT = 80.9 CFS



CLASSIC CONSULTING ENGINEERS & SURVEYORS

619 N. Cascade Avenue, Suite 200
Colorado Springs, Colorado 80903

(719)785-0790
(719)785-0799(Fax)

FOREST LAKES PHASE 2
MDDP AMENDMENT &
PRELIMINARY DRAINAGE REPORT
DEVELOPED CONDITIONS

DESIGNED BY	MAL	SCALE	DATE	11/18/18
DRAWN BY	MAL	(H) 1" = 150'	SHEET	1 OF 2
CHECKED BY	(V) 1" = N/A	JOB NO.	1175.21	



BASIN	Q5 (CFS)	Q100 (CFS)
A	54.8	132.2
B	64.1	176.0
C	46.9	117.2
D	11.0	62.4
E	3.2	21.6
F	6.6	44.6
OS-1	22.0	147.5
OS-2	6.2	41.8
OS-3	4.0	27.2
EX. A	12.1	80.9
EX. B	18.7	125.6
EX. C	10.2	68.6

DESIGN POINT	Q5 (CFS)	Q100 (CFS)	FEATURE
1	54.8	132.2	POND A
2	22.0	147.5	GRATED INLET & BYPASS STORM
3	2.0	45.3	30" OUTLET PIPE
4	23.7	186.5	EXISTING CHANNEL
5	64.1	176.0	POND B
6	1441.5	4129.9	FROM CTL REPORT- NORTH BEAVER CREEK DEBRIS FLOW RATE
7	1433.0	4116.3	PROP. BOX CULVERTS-(3) 15'x8'
8	9.8	66.1	GRATED INLET & BYPASS STORM
9	8.7	58.2	GRATED INLET & BYPASS STORM
10	1440.1	4164.4	EXISTING CHANNEL
11	2.2	64.6	30" OUTLET PIPE
12	1441.1	4191.5	EXISTING CHANNEL
	46.9	117.2	POND C
	1.2	24.5	30" OUTLET PIPE
	1441.5	4199.9	EXISTING CHANNEL

LEGEND

- EXISTING GROUND CONTOUR (7000)
- PROPOSED FINISHED CONTOUR (7000)
- SUBDIVISION BOUNDARY
- LOT LINE
- PREBLES MOUSE LIMITS
- 100-YR FLOODPLAIN LIMITS
- DEBRIS FLOWLINE
- PROPOSED BASIN BOUNDARY
- DIRECTION OF DRAINAGE
- EXISTING STORM SEWER
- EXISTING STORM INLET
- PROPOSED STORM SEWER
- PROPOSED STORM INLET
- LOW POINT/HIGH POINT
- BASIN IDENTIFIER AREA IN ACRES (D 1.41)
- DESIGN POINT (1)
- EXISTING WETLANDS
- LP/HP

POND 1C
 - 30.28 ACRES AT 35.5% IMPERVIOUS TRIBUTARY AREA
 - EURU = 1.121 AC. FT.
 - Q100 IN = 117.2 CFS
 - ALLOWABLE Q100 OUT = 68.6 CFS

Reliable to Beaver Creek per the narrative in page 7

If this is Hell Creek, then label as such.

CLASSIC CONSULTING ENGINEERS & SURVEYORS

FOREST LAKES PHASE 2
 MDDP AMENDMENT &
 PRELIMINARY DRAINAGE REPORT
 DEVELOPED CONDITIONS


DESIGNED BY	MAL	SCALE	DATE	11/18/18
DRAWN BY	MAL	(H) 1"= 150'	SHEET	2 OF 2
CHECKED BY	(V) 1"= N/A	JOB NO.	1175.21	

619 N. Cascade Avenue, Suite 200 Colorado Springs, Colorado 80903 (719)785-0790 (719)785-0799(Fax)


N:\117521\DRAWINGS\DEVELOPMENT\DR-01.dwg, 12/9/2018, 11:37:31 AM, 1:1

Markup Summary


dsdlaforce (50)



Subject: Highlight
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 2:24:06 PM
Color: ■



Subject: Highlight
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 2:35:04 PM
Color: ■




Subject: Highlight
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 2:40:50 PM
Color: ■




Subject: Highlight
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 2:40:56 PM
Color: ■




Subject: Highlight
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 3:09:09 PM
Color: ■




Subject: Cloud
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 3:16:24 PM
Color: ■




Subject: Cloud
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 3:16:32 PM
Color: ■



Subject: Cloud
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 3:16:59 PM
Color: ■




Subject: Cloud
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 3:17:20 PM
Color: ■



Subject: Callout
Page Label: 89
Author: dsdlaforce
Date: 1/7/2019 3:18:23 PM
Color: ■

The segments between the outfall and the existing channel must be hydraulically adequate. Additional improvements may be required. (See areas clouded in yellow)

Add a note that the FDR will provide hydraulic analysis from the discharge point to the creek.



Subject: Cloud
Page Label: 90
Author: dsdlaforce
Date: 1/7/2019 3:29:10 PM
Color: ■




Subject: Callout
Page Label: 7
Author: dsdlaforce
Date: 1/8/2019 1:45:09 PM
Color: ■

Elaborate. Specifically state that channel hydraulics will be analyzed with the final drainage reports.


- Identify the method (such as HEC-RAS) to be used to identify these localized drainage way improvements.
- What extent of Beaver Creek will the subsequent FDR analyze or was it already conducted with previous FDR?
- Discuss the reach limits of analysis the future FDR will conduct for North Beaver Creek, South Beaver Creek and Hell Creek.

See DCM Chapter 6 Section 6.5 fo open channel design criteria.




Subject: Callout
Page Label: 7
Author: dsdlaforce
Date: 1/8/2019 1:48:29 PM
Color: ■

FYI: Hydraulic analysis in the FDR must meet allowable bridge clearance which requires at least 2 feet of freeboard between the the box culvert ceiling and 100yr water surface.



Subject: Cloud+
Page Label: 18
Author: dsdlaforce
Date: 1/8/2019 10:30:29 AM
Color: □

Draw the Phase 2 boundary for clarity. Initial glance of the Area of Interest leads readers to assume the site is located in the Soil Type D to the west.




Subject: Callout
Page Label: 24
Author: dsdlaforce
Date: 1/8/2019 10:41:01 AM
Color: ■

Update Firmette to the latest version.




Subject: Callout
Page Label: 7
Author: dsdlaforce
Date: 1/8/2019 12:44:42 PM
Color: ■

Revise to the latest FIRM.




Subject: Callout
Page Label: 90
Author: dsdlaforce
Date: 1/8/2019 12:48:46 PM
Color: ■

Relable to Beaver Creek per the narrative in page 7




Subject: Callout
Page Label: 90
Author: dsdlaforce
Date: 1/8/2019 12:49:54 PM
Color: ■

If this is Hell Creek, then label as such.



Subject: Cloud
Page Label: 32
Author: dsdlaforce
Date: 1/8/2019 2:01:30 PM
Color: ■




Subject: Text Box
Page Label: 32
Author: dsdlaforce
Date: 1/8/2019 2:16:38 PM
Color: ■

See the City DCM Chapter 6 Section 3.2.6 and verify that the analysis is determining the appropriate peak runoff and discuss in the the narrative.



Subject: Image
Page Label: 32
Author: dsdlaforce
Date: 1/8/2019 2:19:41 PM
Color: ■




Subject: Callout
Page Label: 33
Author: dsdlaforce
Date: 1/8/2019 2:25:42 PM
Color: ■

Expand on the note regarding EX A, B, & C and provide an exhibit. None of the Exhibits or the Developed Condition Drainage Map show these sub-basin boundaries.




Subject: Callout
Page Label: 89
Author: dsdlaforce
Date: 1/8/2019 2:27:00 PM
Color: ■

Based on the proposed contours there's no cross slopes from the toe of the 3:1 towards the road at the areas highlighted in yellow. The toe of the hill would behave as a swale conveying drainage across lots.
 - If this is the intent then drainage easement and swales across lots must be shown on the preliminary grading plan
 - If the intent is to provide side lot swales then provide a typical detail in the preliminary grading.




Subject: Callout
Page Label: 50
Author: dsdlaforce
Date: 1/8/2019 2:56:39 PM
Color: ■

FYI: Outlet structure will need to be revised on the FDR to release the 5yr at or below historic.




Subject: Callout
Page Label: 50
Author: dsdlaforce
Date: 1/8/2019 2:57:25 PM
Color: ■

WQCV release time for EDB's needs to be around 40 hrs.



Subject: Callout
Page Label: 89
Author: dsdlaforce
Date: 1/8/2019 3:01:53 PM
Color: ■

Show/label how sheet flow will be routed into the grated inlets. Will there be grass swales along the top of the 3:1 slope?



Subject: Callout
Page Label: 89
Author: dsdlaforce
Date: 1/8/2019 3:09:29 PM
Color: ■

Show the emergency overflow path for these diversion inlets.



Subject: Text Box
Page Label: 40
Author: dsdlaforce
Date: 1/8/2019 3:26:00 PM
Color: ■

Provide an exhibit showing the DCIA, UIA, RPA, SPA areas for Pond A, B, & C.

Based on the site layout a large portion of SPA does not directly drain into the pond but instead goes through the DCIA before draining into the Detention Pond. These areas upstream of the DCIA should not be counted as SPA. The only applicable SPA would be the pond area itself.

In reviewing the sub-basin, the only possible area where RPA may exist is west of the pond along the back of lots 102-106.

The LID Impervious Calculation for the other ponds will be reviewed with the resubmittal once exhibits are provided.




Subject: Area Measurement
Page Label: 89
Author: dsdlaforce
Date: 1/8/2019 3:26:26 PM
Color: ■

170,901.5 sf




Subject: Callout
Page Label: 31
Author: dsdlaforce
Date: 1/8/2019 3:38:07 PM
Color: ■

revise header to Preliminary Drainage Report. Typical for all headers.




Subject: Callout
Page Label: 7
Author: dsdlaforce
Date: 1/8/2019 3:42:17 PM
Color: ■

1. Revise the last sentence. The sub-basins defined in this PDR did not provide the level of detail described. Add a statement that all subsequent FDR will further break down the sub-basins sufficiently to calculate the hydrologic/hydraulic calculations of the proposed inlets and storm sewer pipes.




Subject: Text Box
Page Label: 36
Author: dsdlaforce
Date: 1/8/2019 4:18:28 PM
Color: ■

FYI: A simple culvert analysis does not seem to be the appropriate method for analyzing the bridge. North Beaver Creek with the bridge structure should be modeled/analyzed with HEC-RAS.




Subject: Callout
Page Label: 36
Author: dsdlaforce
Date: 1/8/2019 4:19:38 PM
Color: ■

Is there no tailwater effect downstream due to the confluence and possibly the Forest Lakes reservoir?



Subject: Image
Page Label: 36
Author: dsdlaforce
Date: 1/8/2019 4:24:49 PM
Color: ■



Subject: Text Box
Page Label: 36
Author: dsdlaforce
Date: 1/8/2019 4:28:13 PM
Color: ■

This box culvert design does not meet the criteria in DCM Chapter 6 Section 6.4.2 which requires two feet of freeboard between the box culvert ceiling and the 100yr WSE. Revise.

1.349	1.936	2.973
0.00	0.02	0.28
0.8	1.412	13.8
2.1	2.100	25.8
1.5	2.5	25.8
N/A	1.5	0.8
Peak	1.5	1.5
N/A	N/A	0.8
19	22	24
21	24	26
3.77	4.75	5.94

Subject: Cloud
Page Label: 65
Author: dsdlaforce
Date: 1/8/2019 4:31:04 PM
Color: ■

100	500	1000	5000
10	20	10	20
100	100	100	100
100	100	100	100
100	100	100	100

See comments on Pond A worksheet

Subject: Text Box
Page Label: 65
Author: dsdlaforce
Date: 1/8/2019 4:31:22 PM
Color: ■

See comments on Pond A worksheet

Peak Inflow Q (cfs)	14.0	22.2
Peak Outflow Q (cfs)	1.2	2.0
at 100 Year Recurrence Int.	1.2	2.0
Volume Coefficient	0.05	0.05
10 Through 1.0	0.05	0.05
10 Through 2.0	0.05	0.05
10 Through 5.0	0.05	0.05
10 Through 10.0	0.05	0.05
10 Through 20.0	0.05	0.05
10 Through 50.0	0.05	0.05
10 Through 100.0	0.05	0.05
10 Through 200.0	0.05	0.05
10 Through 500.0	0.05	0.05
10 Through 1000.0	0.05	0.05
10 Through 5000.0	0.05	0.05
Volume Stored (cfs)	0.05	0.05

Subject: Cloud
Page Label: 65
Author: dsdlaforce
Date: 1/8/2019 4:31:25 PM
Color: ■

100	500	1000	5000
10	20	10	20
100	100	100	100
100	100	100	100
100	100	100	100

See comments on Pond A worksheet

Subject: Text Box
Page Label: 80
Author: dsdlaforce
Date: 1/8/2019 4:32:19 PM
Color: ■

See comments on Pond A worksheet

1.871	1.223	1.790
0.01	0.02	0.18
0.8	1.412	13.8
1.5	2.1	25.8
1.5	2.1	25.8
N/A	1.5	0.8
Peak	1.5	1.5
N/A	N/A	0.8
17	20	24
19	22	25
3.77	4.75	5.94

Subject: Cloud
Page Label: 80
Author: dsdlaforce
Date: 1/8/2019 4:32:19 PM
Color: ■

Peak Inflow Q (cfs)	0.8	17.8	11
Peak Outflow Q (cfs)	0.05	0.1	0.1
at 100 Year Recurrence Int.	0.05	0.1	0.1
Volume Coefficient	0.05	0.05	0.05
10 Through 1.0	0.05	0.05	0.05
10 Through 2.0	0.05	0.05	0.05
10 Through 5.0	0.05	0.05	0.05
10 Through 10.0	0.05	0.05	0.05
10 Through 20.0	0.05	0.05	0.05
10 Through 50.0	0.05	0.05	0.05
10 Through 100.0	0.05	0.05	0.05
10 Through 200.0	0.05	0.05	0.05
10 Through 500.0	0.05	0.05	0.05
10 Through 1000.0	0.05	0.05	0.05
10 Through 5000.0	0.05	0.05	0.05
Volume Stored (cfs)	0.05	0.05	0.05

Subject: Cloud
Page Label: 80
Author: dsdlaforce
Date: 1/8/2019 4:32:19 PM
Color: ■




Subject: Text Box
Page Label: 9
Author: dsdlaforce
Date: 1/8/2019 4:33:50 PM
Color: ■

Describe how these sheet flows will be intercepted and conveyed into the series of grate inlets. Why is this designed with diversion pipes instead of contour berm/swale? These seems to have a potential to be a maintenance problem. Identify who will maintain these pipes.




Subject: Highlight
Page Label: 89
Author: dsdlaforce
Date: 1/8/2019 4:39:28 PM
Color:



Subject: Callout
Page Label: 12
Author: dsdlaforce
Date: 1/8/2019 5:17:07 PM
Color:

Discuss the emergency flow path. If the intent is for roadway overtopping then the path will go through Lot 27.



Subject: Callout
Page Label: 13
Author: dsdlaforce
Date: 1/8/2019 5:18:48 PM
Color:

The calculation does not meet the min drain time.




Subject: Callout
Page Label: 90
Author: dsdlaforce
Date: 1/8/2019 5:19:44 PM
Color:

Is the Metro District maintaining these diversion pipes?




Subject: Cloud+
Page Label: 13
Author: dsdlaforce
Date: 1/8/2019 5:22:00 PM
Color:

Staff has no record of credits to any developers within the Beaver Creek drainage basin.




Subject: Callout
Page Label: 3
Author: dsdlaforce
Date: 1/8/2019 9:37:07 AM
Color:

"C"



Subject: Callout
Page Label: 5
Author: dsdlaforce
Date: 1/8/2019 9:55:49 AM
Color:


Include full size copies of Exhibit A through C and Sheet 1 of 4 of the MDDP Drainage Plan. The reduced maps are not legible.



Subject: Text Box
Page Label: 1
Author: dsdlaforce
Date: 12/27/2018 10:13:51 AM
Color:

Add PCD File No. PUDSP181

Daniel Torres (2)



Subject: Callout
Page Label: 9
Author: Daniel Torres
Date: 1/8/2019 1:13:05 PM
Color:

Flow for design point 2 does not match calculations and table on drainage map. Revise.

Release rates will be finalized with the final c

($Q_2 = 51.8 \text{ cfs}$ and $Q_{10} = 137.2 \text{ cfs}$) is the adjacent national forest. This runoff sheet fl
cies of CDOT Type C grate inlets will be ins
his historic runoff prior to draining into the j

Subject: Highlight

Page Label: 9

Author: Daniel Torres

Date: 1/8/2019 1:13:16 PM

Color: 