



Approved

By: Raimere Fitzpatrick
Date: 02/27/2018

El Paso County Planning & Community Development



19' overall tenant frontage
(not shown in its entirety)

RACEWAY MOUNTED, FRONT LIT, CHANNEL LETTER SET

Channel Letter Specifications:

Front lit, raceway mounted, aluminum fabricated, standard channel letter set having 5" black returns and 1" black trim caps, internal LED illumination, with white acrylic faces illuminated by white LED modules (see illumination specifications). Letters to be flush mounted to aluminum raceway, and raceway to be flush mounted to fascia as shown using adequate fastening anchors.

Illumination Specifications:

White LED modules, low voltage power supply, low voltage insulated wiring, UL listed and approved, service/disconnect switch on raceway.

Electrical Specifications:

Property owner and/or client is responsible at their own expense to provide a dedicated 20A circuit for the sign, and is responsible at their own expense to have a qualified licensed electrician make the final connection of the sign to the provided circuit.

Raceway Specifications:


Aluminum fabricated raceway approximately 4"D X 7"H X (length as necessary) having a 1" mounting bar across top and back. Raceway to be painted to color match building fascia using Sherwin Williams color match system.

Contoured Logo Cabinet Specifications:

3/16" white acrylic face, 1" black trim cap, 5" black return, UV resistant digital print face, white LED illumination.

Electrical and Attachment Detail:

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.



El Nissi Corporation
P.O. Box 63795
Colorado Springs, CO 80962
(719)492-5807

Customer: **PLUSH LADY CONSIGNMENT**
Address: **11605 MERIDIAN MARKET VIEW, SUITE 130
PEYTON, CO 80831**
Contact: **JOYCE SAKWE
(931)624-0629**

Sign Consultant: **ER**
Approved by:

Designed by:
KJR

Article 600 of the National Electric Code (NEC)
This statement "MUST" go on every technical drawing that has a sign installed in any jurisdiction in the United States
(Note: the "UL" label or logo, is the Underwriters Laboratory icon and must be placed on every electrical sign attachment or installation detail drawing. UL is only one of several certifying agencies in the U.S.)

