

## Analytical Results

**TASK NO: 180305097**

**Report To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Bill To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Task No.:** 180305097  
**Client PO:**  
**Client Project:** Flying Horse North

**Date Received:** 3/5/18  
**Date Reported:** 3/22/18  
**Matrix:** Water - Drinking

**Customer Sample ID** Flying Horse North  
**Sample Date/Time:** 3/5/18 8:00 AM  
**Lab Number:** 180305097-01

Test	Result	Method	ML	Date Analyzed	Analyzed By	MCL
Dibromochloropropane	< 0.02 ug/L	EPA 504.1	0.02 ug/L	3/7/18	SPF	0.2
Ethylene dibromide	< 0.01 ug/L	EPA 504.1	0.01 ug/L	3/7/18	SPF	0.05
Aldrin	< 0.05 ug/L	EPA 505	0.05 ug/L	3/7/18	LEH	
Chlordane	< 0.2 ug/L	EPA 505	0.2 ug/L	3/7/18	LEH	2
Dieldrin	< 0.01 ug/L	EPA 505	0.01 ug/L	3/7/18	LEH	
Endrin	< 0.01 ug/L	EPA 505	0.01 ug/L	3/7/18	LEH	2
Heptachlor epoxide	< 0.02 ug/L	EPA 505	0.02 ug/L	3/7/18	LEH	0.2
Hexachlorobenzene	< 0.1 ug/L	EPA 505	0.1 ug/L	3/7/18	LEH	1
Hexachlorocyclopentadiene	< 0.1 ug/L	EPA 505	0.1 ug/L	3/7/18	LEH	50
Lindane	< 0.02 ug/L	EPA 505	0.02 ug/L	3/7/18	LEH	0.2
Methoxychlor	< 0.1 ug/L	EPA 505	0.1 ug/L	3/7/18	LEH	40
Polychlorinated biphenyl's	< 0.1 ug/L	EPA 505	0.1 ug/L	3/7/18	LEH	0.5
Toxaphene	< 1 ug/L	EPA 505	1 ug/L	3/7/18	LEH	3
2,4,5-TP	< 0.2 ug/L	EPA 515.4	0.2 ug/L	3/8/18	mbs	50
2,4,-D	< 0.1 ug/L	EPA 515.4	0.1 ug/L	3/8/18	mbs	70
Dalapon	< 1.0 ug/L	EPA 515.4	1.0 ug/L	3/8/18	mbs	200
Dicamba	< 0.5 ug/L	EPA 515.4	0.5 ug/L	3/8/18	mbs	
Dinoseb	< 0.2 ug/L	EPA 515.4	0.2 ug/L	3/8/18	mbs	7
Pentachlorophenol	< 0.04 ug/L	EPA 515.4	0.04 ug/L	3/8/18	mbs	1
Picloram	< 0.1 ug/L	EPA 515.4	0.1 ug/L	3/8/18	mbs	500

**Abbreviations/ References:**

ML = Minimum Level = LRL = RL  
MCL = Maximum Contaminant Level per The EPA  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed



DATA APPROVED FOR RELEASE BY

## Analytical Results

**TASK NO: 180305097**

**Report To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Bill To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Task No.:** 180305097  
**Client PO:**  
**Client Project:** Flying Horse North

**Date Received:** 3/5/18  
**Date Reported:** 3/22/18  
**Matrix:** Water - Drinking

**Customer Sample ID** Flying Horse North  
**Sample Date/Time:** 3/5/18 8:00 AM  
**Lab Number:** 180305097-01

Test	Result	Method	ML	Date Analyzed	Analyzed By	MCL
Alachlor	< 0.2 ug/L	EPA 525.2	0.2 ug/L	3/8/18	LEH	2
Atrazine	< 0.1 ug/L	EPA 525.2	0.1 ug/L	3/8/18	LEH	3
Benzo(a)pyrene	< 0.02 ug/L	EPA 525.2	0.02 ug/L	3/8/18	LEH	0.2
Butachlor	< 0.25 ug/L	EPA 525.2	0.25 ug/L	3/8/18	LEH	
Di(2-ethylhexyl)adipate	< 0.6 ug/L	EPA 525.2	0.6 ug/L	3/8/18	LEH	400
Di(2-ethylhexyl)phthalate	1.6 ug/L	EPA 525.2	0.6 ug/L	3/8/18	LEH	6
Heptachlor	< 0.04 ug/L	EPA 525.2	0.04 ug/L	3/8/18	LEH	0.4
Metolachlor	< 0.25 ug/L	EPA 525.2	0.25 ug/L	3/8/18	LEH	
Metribuzin	< 0.25 ug/L	EPA 525.2	0.25 ug/L	3/8/18	LEH	
Propachlor	< 0.25 ug/L	EPA 525.2	0.25 ug/L	3/8/18	LEH	
Simazine	< 0.07 ug/L	EPA 525.2	0.07 ug/L	3/8/18	LEH	4
3-Hydroxycarbofuran	< 0.5 ug/L	EPA 531.1	0.5 ug/L	3/6/18	LEH	
Aldicarb	< 0.6 ug/L	EPA 531.1	0.6 ug/L	3/6/18	LEH	
Aldicarb sulfone	< 1.0 ug/L	EPA 531.1	1.0 ug/L	3/6/18	LEH	
Aldicarb sulfoxide	< 0.7 ug/L	EPA 531.1	0.7 ug/L	3/6/18	LEH	
Carbaryl	< 0.5 ug/L	EPA 531.1	0.5 ug/L	3/6/18	LEH	
Carbofuran	< 0.9 ug/L	EPA 531.1	0.9 ug/L	3/6/18	LEH	40
Methomyl	< 0.5 ug/L	EPA 531.1	0.5 ug/L	3/6/18	LEH	
Oxamyl	< 1.0 ug/L	EPA 531.1	1.0 ug/L	3/6/18	LEH	200
Endothall	< 9 ug/L	EPA 548.1	9 ug/L	3/9/18	mbs	100

**Abbreviations/ References:**

ML = Minimum Level = LRL = RL  
MCL = Maximum Contaminant Level per The EPA  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed



DATA APPROVED FOR RELEASE BY



**Organic Chemicals Certified Laboratory Report Form**  
**WQCD - Drinking Water CAS**  
**Submit Online at <http://www.wqedcompliance.com/login>**

Revised 4/13/2015

**VOC/SOC**

Section I (Supplied or Completed by Public Water System)		Section II (Supplied or Completed by Certified Laboratory)	
<b>Public Water System Information</b>		<b>Certified Laboratory Information</b>	
PWSID#:		Laboratory ID: CO 00063	
System Name: PRI II LLC Flying Horse North		Laboratory Name: Colorado Analytical Laboratory	
Contact Person: Drew Balsick	Phone #: 719-499-3133	Contact Person: Customer Service	Phone: 303-659-2313
Comments:	Do Samples Need to be Composited BY THE LAB? <input type="checkbox"/>	Comments:	

Section III (Supplied or Completed by Public Water System)		Section IV Volatile Organic Chemicals (Supplied or Completed by Certified Laboratory)	
Sample Date:	3/7/18	Collector:	RW
Lab Receipt Date	Lab Analysis Date	Lab Sample ID	Analyte Name
3/7/18	3/14/18	180307016-01	1,1,1-Trichloroethane
3/7/18	3/14/18	180307016-01	1,1,2-Trichloroethane
3/7/18	3/14/18	180307016-01	1,1-Dichloroethylene
3/7/18	3/14/18	180307016-01	1,2,4-Trichlorobenzene
3/7/18	3/14/18	180307016-01	1,2-Dichloroethane
3/7/18	3/14/18	180307016-01	1,2-Dichloropropane
3/7/18	3/14/18	180307016-01	Benzene
3/7/18	3/14/18	180307016-01	Carbon Tetrachloride
3/7/18	3/14/18	180307016-01	Monochlorobenzene
3/7/18	3/14/18	180307016-01	cis-1,2-Dichloroethylene
3/7/18	3/14/18	180307016-01	Dichloromethane
3/7/18	3/14/18	180307016-01	Ethylbenzene
3/7/18	3/14/18	180307016-01	o-Dichlorobenzene
3/7/18	3/14/18	180307016-01	Para-Dichlorobenzene
3/7/18	3/14/18	180307016-01	Styrene
3/7/18	3/14/18	180307016-01	Tetrachloroethylene
3/7/18	3/14/18	180307016-01	Toluene
3/7/18	3/14/18	180307016-01	trans-1,2-Dichloroethylene
3/7/18	3/14/18	180307016-01	Trichloroethylene
3/7/18	3/14/18	180307016-01	Vinyl chloride
3/7/18	3/14/18	180307016-01	Xylenes (total)

NT: Not Tested ug/L. Micrograms per Liter MCL: Maximum Contaminant Level BDL Below Laboratory MRL. A less than sign (<) may also be used.

180307016-01 N 1/1 3/19/18



Drinking Water Chain of Custody

Report To Information		Bill To Information (if different from report to)		State Form / Project Information	
Company Name:	FLYING HORSE NORTH	Company Name:		PWSID:	
Contact Name:	DREW BALSIK	Contact Name:	FLYING HORSE NORTH	System Name:	
Address:	6385 Lakewood Dr. Suite 200	Address:	6385 Corporate Dr #200	City:	Co Springs
City:	Co Springs	State:	CO	Zip:	80921
Phone:	719 493 133	Fax:		County:	El Paso
Email:	dbalsik@classic-homes.com	Email:		Compliance Samples:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Sampler Name:	Ross Wise	PO No.:		Send Forms to State:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

CAL Task No. 180307016

ber

RNL

Date	Time	Client Sample ID / EP Code	No. of Containers	Residual Chlorine (mg/L)	P/A Samples Only	Total Coliform P/A	504.1 EDB/BCP	505 Pests/PCBs	515.4 Herbicides	524.2 VOCs	525.2 SOCs-Pest	531.1 Carbamates	547 Glyphosate	548.1 Endothal	549.2 Diquat	524.2 TTHMs	552.2 HAA5s	Lead/Copper	Nitrate	Nitrite	Fluoride	Inorganics	Alk/Lang. Index	TOC, DOC (Circle)	SUA, UV 254 (Circle)	Gross Alpha/Beta	Radium 226	Radium 228	Radon	Uranium	
3/17/18	8 AM	524.2	1							X																					

Instructions: Seals Present Yes  No  Headspace Yes  No

Delivered Via: Hand  C/S Charge  Temp: 8.7 °C/Ice  Sample Pres. Yes  No

Relinquished By: [Signature] Date/Time: 3/17/18

Received By: [Signature] Date/Time: 3/18 9.26

Relinquished By: [Signature] Date/Time: 3/18 9.26

Received By: [Signature] Date/Time: 3/18 9.26

## Analytical Results

**TASK NO: 180305097**

**Report To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Bill To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Task No.:** 180305097  
**Client PO:**  
**Client Project:** Flying Horse North

**Date Received:** 3/5/18  
**Date Reported:** 3/22/18  
**Matrix:** Water - Drinking

Lab Number	Customer Sample ID	Sample Date/Time	Test	Result	Method	Date Analyzed
180305097-01C	Flying Horse North	3/5/18 8:00 AM	Total Coliform	<b>Absent</b>	SM 9223	3/6/18
			E-Coli	<b>Absent</b>	SM 9223	3/6/18

**Abbreviations/ References:**

Absent = Coliform Not Detected  
Present = Coliform Detected - Chlorination Recommended  
Date Analyzed = Date Test Completed  
SM = "Standard Methods for the Examination of Water and Wastewater"; APHA; 19th Edition; 1995



DATA APPROVED FOR RELEASE BY



## Analytical Results

**TASK NO: 180305097**

**Report To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Bill To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

<b>Task No.:</b> 180305097	<b>Date Received:</b> 3/5/18
<b>Client PO:</b>	<b>Date Reported:</b> 3/22/18
<b>Client Project:</b> Flying Horse North	<b>Matrix:</b> Water - Drinking

**Customer Sample ID** Flying Horse North  
**Sample Date/Time:** 3/5/18 8:00 AM  
**Lab Number:** 180305097-01

Test	Result	Method	ML	Date Analyzed	Analyzed By	MCL
Diquat	< 0.4 ug/L	EPA 549.2	0.4 ug/L	3/9/18	Sean	20

**Abbreviations/ References:**

ML = Minimum Level = LRL = RL  
MCL = Maximum Contaminant Level per The EPA  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed



DATA APPROVED FOR RELEASE BY





## Analytical Results

TASK NO: 180305097

**Report To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Bill To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200

**Task No.:** 180305097  
**Client PO:**  
**Client Project:** Flying Horse North

**Date Received:** 3/5/18  
**Date Reported:** 3/22/18  
**Matrix:** Water - Drinking

**Customer Sample ID** Flying Horse North  
**Sample Date/Time:** 3/5/18 8:00 AM  
**Lab Number:** 180305097-01

Test	Result	Method	ML	Date Analyzed	Analyzed By
Bicarbonate	110.6 mg/L as CaCO <sub>3</sub>	SM 2320-B	0.1	3/9/18	LJG
Calcium as CaCO <sub>3</sub>	59.9 mg/L	SM 3111-B	0.1	3/7/18	MBN
Carbonate	21.4 mg/L as CaCO <sub>3</sub>	SM 2320-B	0.1	3/9/18	LJG
Langelier Index	0.91 units	SM 2330-B		3/9/18	SAN
pH	8.79 units	SM 4500-H-B	0.01	3/5/18	MBN
Temperature	20 °C	SM 4500-H-B	1	3/5/18	MBN
Total Alkalinity	132.0 mg/L as CaCO <sub>3</sub>	SM 2320-B	0.1	3/9/18	LJG
Total Dissolved Solids	159 mg/L	SM 2540-C	5	3/7/18	ISG

**Abbreviations/ References:**

ML = Minimum Level = LRL = RL  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed



DATA APPROVED FOR RELEASE BY



## Analytical Results

**TASK NO: 180305097**

**Report To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Bill To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Task No.:** 180305097  
**Client PO:**  
**Client Project:** Flying Horse North

**Date Received:** 3/5/18  
**Date Reported:** 3/22/18  
**Matrix:** Water - Drinking

**Customer Sample ID** Flying Horse North  
**Sample Date/Time:** 3/5/18 8:00 AM  
**Lab Number:** 180305097-01

Test	Result	Method	ML	Date Analyzed	Analyzed By	MCL
Nitrate/ Nitrite Nitrogen	0.21 mg/L	Calculation	0.05 mg/L	3/6/18	SEA	
Chloride	3.7 mg/L	EPA 300.0	0.1 mg/L	3/6/18	SEA	
Fluoride	3.37 mg/L	EPA 300.0	0.09 mg/L	3/6/18	SEA	4
Nitrate Nitrogen	0.17 mg/L	EPA 300.0	0.05 mg/L	3/6/18	SEA	10
Nitrite Nitrogen	0.04 mg/L	EPA 300.0	0.03 mg/L	3/6/18	SEA	1
Sulfate	11.2 mg/L	EPA 300.0	0.1 mg/L	3/6/18	SEA	
Cyanide-Total	< 0.005 mg/L	EPA 335.4	0.005 mg/L	3/9/18	VDB	0.02
<b>Total</b>						
Iron	0.008 mg/L	EPA 200.7	0.005 mg/L	3/7/18	MBN	0.3
Sodium	28.1 mg/L	EPA 200.7	0.1 mg/L	3/7/18	MBN	N/A
Aluminum	0.001 mg/L	EPA 200.8	0.001 mg/L	3/9/18	DBM	
Antimony	< 0.001 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	0.006
Arsenic	0.004 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	0.01
Barium	0.075 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	2
Beryllium	< 0.001 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	0.004
Cadmium	< 0.001 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	0.005
Chromium	< 0.001 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	0.1
Manganese	0.0035 mg/L	EPA 200.8	0.0008 mg/L	3/9/18	DBM	0.05
Mercury	< 0.0001 mg/L	EPA 200.8	0.0001 mg/L	3/6/18	DBM	0.002

**Abbreviations/ References:**

ML = Minimum Level = LRL = RL  
MCL = Maximum Contaminant Level per The EPA  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed



DATA APPROVED FOR RELEASE BY

## Analytical Results

**TASK NO: 180305097**

**Report To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Bill To:** Drew Balsick

**Company:** Pulpit Rock II LLC  
6385 Corporate Dr.  
Suite 200  
Colorado Springs CO 80919

**Task No.:** 180305097  
**Client PO:**  
**Client Project:** Flying Horse North

**Date Received:** 3/5/18  
**Date Reported:** 3/22/18  
**Matrix:** Water - Drinking

**Customer Sample ID** Flying Horse North  
**Sample Date/Time:** 3/5/18 8:00 AM  
**Lab Number:** 180305097-01

Test	Result	Method	ML	Date Analyzed	Analyzed By	MCL
<i>Total</i>						
Nickel	< 0.001 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	N/A
Selenium	0.001 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	0.05
Silver	< 0.0001 mg/L	EPA 200.8	0.0001 mg/L	3/9/18	DBM	
Thallium	< 0.001 mg/L	EPA 200.8	0.001 mg/L	3/6/18	DBM	0.002
Zinc	0.020 mg/L	EPA 200.8	0.001 mg/L	3/9/18	DBM	

**Abbreviations/ References:**

ML = Minimum Level = LRL = RL  
MCL = Maximum Contaminant Level per The EPA  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed



DATA APPROVED FOR RELEASE BY





**Hazen Research, Inc.**  
 4601 Indiana Street  
 Golden, CO 80403 USA  
 Tel: (303) 279-4501  
 Fax: (303) 278-1528

Lab Control ID: 18M01413  
 Received: Mar 06, 2018  
 Reported: Mar 21, 2018  
 Purchase Order No.  
 None Received

Customer ID: 20040H  
 Account ID: Z01034

**ANALYTICAL REPORT**

Stuart Nielson  
 Colorado Analytical Laboratories, Inc.

<b>Lab Sample ID</b>			18M01413-001					
<b>Customer Sample ID</b>			180305097-01K - Flying Horse North sampled on 03/05/18 @ 0800 by Russ Wise					
<b>Parameter</b>	<b>Units</b>	<b>Code</b>	<b>Result</b>	<b>Precision* +/-</b>	<b>Detection Limit</b>	<b>Method</b>	<b>Analysis Date / Time</b>	<b>Analyst</b>
Gross Alpha	pCi/L	T	6.2	2.9	0.1	SM 7110 B	3/19/18 @ 0716	KK
Gross Beta	pCi/L	T	6.0	2.5	3.7	SM 7110 B	3/19/18 @ 0716	KK

Certification ID's: CO/EPA CO00008; CT PH-0152; KS E-10265; NJ CO008; NYSELAP (NELAC Certified) 11417; RI LAO00284; WI 998376610, TX T104704256-15-6

\*Variability of the radioactive decay process (counting error) at the 95% confidence level, 1.96 sigma.

Codes: (T) = Total (D) = Dissolved (S) = Suspended (R) = Total Residual (AR) = As Received < = Less Than

