DRAINAGE LETTER

for

WILLOW SPRINGS RANCH FILING NO. 2 AT FOREST LAKES DRIVE CATTAIL DRIVE ACCESS

Forest Lakes Drive Monument, Colorado

May 19, 2022 PCD File No. CDR224

Prepared for:

Polo Brown Company

514 Pike Avenue Canon City, CO 81212 Contact: Daniel Brown (303) 999-5533

Prepared by:

Drexel, Barrell & Co.

3 South Seventh Street Colorado Springs, CO 80905 Contact: Tim McConnell, P.E. (719) 260-0887

TABLE OF CONTENTS

1.0	CERTIFICATION STATEMENTS	.1
2.0	PURPOSE	. 1
3.0	GENERAL SITE DESCRIPTION	.1
4.0	DRAINAGE CRITERIA	.2
5.0	EXISTING CONDITION	.2
6.0	DEVELOPED CONDITION	.3
7.0	DRAINAGE & BRIDGE FEES	.3
8.0	SUMMARY	.3
9.0	REFERENCES	.4

APPENDICES

VICINITY MAP SOILS MAP FLOODPLAIN MAP HYDROLOGY CALCULATIONS DRAINAGE MAPS

for WILLOW SPRINGS RANCH FILING NO. 2 AT FOREST LAKES DRIVE CATTAIL DRIVE ACCESS

DRAINAGE LETTER

1.0 CERTIFICATION STATEMENTS

Engineer's Statement

The attached drainage plan and report were prepared under my direction and supervision and are correct to the best of my knowledge and belief. Said drainage report has been prepared according to the criteria established by the County for drainage reports and said report is in conformity with the applicable master plan of the drainage basin. I accept responsibility for any liability caused by any negligent acts, errors or omissions on my part in preparing this report.

SIGNATURE (Affix Seal):

For and on behalf of Drexel, Barrell & Co. 33797 Tim D. McConnell, P.E. #33797

Developer's Statement

I, the owner/developer have read and will comply with all of the requirements specified in this drainage report and plan.

Authorized Signature Daniel Brown Polo Brown Company 514 Pike Avenue, Canon City, CO 81212

El Paso County

Filed in accordance with the requirements of the Drainage Criteria Manual, Volumes 1 and 2, El Paso County Engineering Criteria Manual and Land Development Code as amended.

Joshua Palmer, P.E. County Engineer/ECM Administrator

Conditions:

<u>2/2/2022</u> Date

APPROVED Engineering Department

SIONAL EN

12/15/2022 6:53:48 AM dsdnijkamp EPC Planning & Community Development Department

DRAINAGE LETTER

for WILLOW SPRINGS RANCH FILING NO. 2 AT FOREST LAKES DRIVE CATTAIL DRIVE ACCESS

2.0 PURPOSE

The purpose of this letter is to supplement the Preliminary Drainage Report for Willow Springs Ranch (December 12, 2019) with regards to the Cattail Drive (Willow Springs Ranch Filing No. 2) connection to Forest Lakes Drive, an El Paso County owned right-of-way. Runoff patterns, drainage facilities and the ability to safely pass developed runoff to historic downstream facilities shall be presented.

3.0 GENERAL SITE DESCRIPTION

<u>Location</u>

Willow Springs Ranch Filing No. 2 is located in the Town of Monument, El Paso County, Colorado, within the Southeast Quarter Section 27, Township 11 South, Range 67 West of the 6th P.M., north of Forest Lakes Drive

Proposed Development

Willow Springs Ranch Filing No. 2 is approximately 6.15 acres in size. The development is proposed to consist of approximately 27 single-family residential lots, open space tracts, roads, and other improvements.

<u>Soils</u>

According to the Soil Survey of El Paso County Area, Colorado, prepared by the U.S. Department of Agriculture Soil Conservation Service, the following soils are found on the project site:

Tomah-Crowfoot loamy sands (B) and Tomah-Crowfoot complex (B). Runoff coefficients corresponding to group B were used for the purposes of the site drainage analysis. See appendix for Soils map.

<u>Climate</u>

This area of El Paso County can be described as the foothills, with total precipitation amounts typical of a semi-arid region. Winters are generally cold and dry, and summers relatively warm and dry. Precipitation ranges from 12 to 14 inches per year, with the majorityof this moisture occurring in the spring and summer in the form of rainfall. Thunderstorms are common during the summer months.

Floodplain Statement

According to the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map (FIRM) Panels 08041CO278G and 08041CO286G (December 7, 2018), no portion of the site lies within the designated 100-year floodplain along Monument Creek or Teachout Creek.

4.0 DRAINAGE CRITERIA

The drainage analysis has been prepared in accordance with the current El Paso County Drainage Criteria Manual. Calculations were performed to determine runoff quantities during the 5-year and 100-year frequency storms for existing and developed conditions using the Rational Method as required for basins containing less than 100 acres.

5.0 EXISTING CONDITION

For the purposes of this analysis, the study area was limited to the northern portion of the Forest Lakes Drive public right-of-way, along the length of the Willow Springs Ranch Filing No. 2 property. Drainage basins were established to determine flows that are directly tributary to the public right-of-way, versus those that drain offsite to the northeast to be captured by the proposed Willow Springs Ranch drainage system. Reference the drainage map in the appendix.

The study area primarily consists of natively vegetated open space, with a 10' gravel trail running along the length of Forest Lakes Drive.

BASIN	DP	AREA (AC)	Q5 (cfs)	Q100 (cfs)
EXISTING	i			
E1	DPE1	0.48	0.5	1.3
E2	DPE2	0.52	1.7	3.3

See below for a basin summary and table:

Basin E1 consists of a portion of the Willow Springs Ranch Filing No. 2 property, and drains directly into the public right-of-way. Runoff travels via roughly defined roadside swale towards a low point to the northwest where it then discharges overland to the north.

Basin E2 drains directly into the public right-of-way. Runoff travels to the northwest towards an existing public 10' curb inlet, located at Design Point DPE2. Flows then discharge to the southeast via the existing storm system installed as part of the Forest Lakes Subdivision development.

6.0 DEVELOPED CONDITION

Development of the Willow Springs Ranch Filing No. 2 subdivision has resulted in a proposed roadway connection (Cattail Drive) to Forest Lakes Drive. As with the existing condition, the study area has been generally limited to the public right-of-way on the north side of Forest Lakes Drive. Grading for the Willow Springs Ranch Filing No. 2 subdivision will remain outside of the public right-of-way with exception of the roadway connection.

See below for a basin summary and table:

BASIN	DP	AREA (AC)	Q5 (cfs)	Q100 (cfs)
PROPOSE	ED			
A1	DPA1	0.41	1.5	2.9
A2	DPA2	0.11	0.4	0.8

Basin A1 is located southeast of the Cattail Drive connection point. Runoff generated by this basin will travel from the southeasterly high point to the northwest along Forest Lakes Drive. In contrast to the existing condition, this flow will now be directed onto the Willow Springs Ranch Filing No. 2 property, where is will be collected by the onsite storm system and treated for water quality by the existing detention facility installed as part of Willow Springs Filing No. 1. Design Point A1 represents this offsite flow entering the Willow Springs Ranch property.

Basin A2 represents the northwestern portion of existing basin E1 that will still reach the existing inlet on Forest Lakes Drive. The minor increase in basin imperviousness, as a result of the concrete trail addition is offset by the reduction in tributary area reaching the inlet.

7.0 DRAINAGE & BRIDGE FEES

Drainage and bridge fees are not required as the site has been previously platted.

8.0 SUMMARY

Development of the Willow Springs Ranch Filing No. 2 and associated connection to the Forest Lakes Drive public right-of-way will not adversely affect surrounding or downstream developments.

The minor increase in imperviousness as a result of the concrete trail addition, is offset by the flows now directed to the north on to the Willow Springs Ranch property.

9.0 **REFERENCES**

The sources of information used in the development of this study are listed below:

- 1. El Paso County Drainage Criteria Manual, October 31, 2018.
- 2. Final Drainage Report For Baptist Road West, El Paso County, Colorado (Felsburg, Holt & Ullevig), March 19, 2015.
- 3. Preliminary Drainage Report for Willow Springs Ranch (Drexel, Barrell & Co.), December 9, 2019.
- 4. Preliminary & Final Drainage Report for Forest Lakes Filings 2A & 2B (Classic Consulting Engineers & Surveyors) December 2015.

Appendix



Custom Soil Resource Report Soil Map



	MAP L	EGEND		MAP INFORMATION
Area of In	iterest (AOI) Area of Interest (AOI)		Spoil Area Stony Spot	The soil surveys that comprise your AOI were mapped at 1:24,000.
Solis ~ Special © X	Soil Map Unit Polygons Soil Map Unit Lines Soil Map Unit Points Point Features Blowout Borrow Pit Clay Spot	Ø V ♥ V △ C ■ S Water Featur Cransportation	/ery Stony Spot Net Spot Dther Special Line Features es Streams and Canals	Warning: Soil Map may not be valid at this scale. Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.
	Closed Depression Gravel Pit Gravelly Spot Landfill		Rails nterstate Highways JS Routes Major Roads .ocal Roads	measurements. Source of Map: Natural Resources Conservation Service Web Soil Survey URL: Coordinate System: Web Mercator (EPSG:3857) Maps from the Web Soil Survey are based on the Web Mercator
入 歩 ⑦	Lava Flow Marsh or swamp Mine or Quarry Miscellaneous Water	Background	Aerial Photography	projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required. This product is generated from the USDA-NRCS certified data as of the variant deta(a) listed below.
○ + :: (Perennial Water Rock Outcrop Saline Spot Sandy Spot Severely Froded Spot			Soil Survey Area: El Paso County Area, Colorado Survey Area Data: Version 17, Sep 13, 2019 Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.
↓ <i>∅</i>	Sinkhole Slide or Slip Sodic Spot			Date(s) aerial images were photographed: Jul 4, 2010—Oct 16, 2017 The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
1	Alamosa loam, 1 to 3 percent slopes	1.9	1.9%
38	Jarre-Tecolote complex, 8 to 65 percent slopes	7.1	6.8%
71	Pring coarse sandy loam, 3 to 8 percent slopes	32.2	31.1%
92	Tomah-Crowfoot loamy sands, 3 to 8 percent slopes	58.8	56.9%
93	Tomah-Crowfoot complex, 8 to 15 percent slopes	1.5	1.5%
101	Ustic Torrifluvents, loamy	1.9	1.8%
Totals for Area of Interest		103.4	100.0%

Map Unit Legend

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it

was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

National Flood Hazard Layer FIRMette



Legend



PROJECT INFO	ORMATION							-0-/
PROJECT:	Willow Sprin	igs Ranch Fi	ling No. 2					
PROJECT NO:	20876-05							
DESIGN BY:	KGV						Drexel	, Barrell & Co.
REV. BY:	TDM							
AGENCY:	El Paso Cou	unty						
REPORT TYPE:	Final							
DATE:	2/2/2022							
Soil Type: B								
				C2*	C5*	C10*	C100*	% IMPERV
Pasture/Meadow					0.25		0.35	0
Gravel					0.80		0.85	80
Asphalt/Sidewalk	1				0.90		0.96	100
*C Values and Pasin Impor	viouences based or	Table 5.1 El Dese	County Drainage	Critoria Manual				
	viousiless based of	T ADIE 5-1, EL PASO	county Drainage	Unterna iviantual				
			4054			FEIDIENTO		
SUB-BASIN	SURFACE DE	SIGNATION	AREA	COMPOSITE		FFICIENTS		% IMPERV
F1	Destant (Messile		ACRE	C2	C5	C10	C100	0
El	Pasture/Meado	DW	0.48		0.25		0.35	0
	Gravel	- 11.	0.00		0.80		0.85	80
	Asphalt/Sidewa		0.00		0.90		0.96	100
	WEIGHTEDAY	VERAGE	0.40		0.25		0.35	0%
			0.48		0.05		0.05	
E2	Pasture/Meado	DW .	0.19		0.25		0.35	0
	Gravel		0.11		0.80		0.85	80
	Asphalt/Sidewa	alk	0.21		0.90		0.96	100
	WEIGHTED A	VERAGE			0.64		0.71	58%
TOTAL E2			0.52					
PROPOSED	I-			r				
A1	Pasture/Meado	DW	0.11		0.25		0.35	0
	Gravel	L	0.04		0.80		0.85	80
	Asphalt/Sidewa	alk	0.26		0.90		0.96	100
	WEIGHTEDAY	VERAGE	0.41		0.71		0.78	/0%
			0.41		0.05		0.05	
A2	Pasture/Meado	W	0.03		0.25		0.35	0
	Gravel		0.01		0.80		0.85	80
	Asphalt/Sidewa	alk	0.07		0.90		0.96	100
	WEIGHTED AV	VERAGE			0.72		0.79	72%
TOTAL A2			0.11					

PROJECT INFORMATION

PROJECT:Willow Springs Ranch Filing No. 2PROJECT NO:20876-05DESIGN BY:KGVREV. BY:TDMAGENCY:El Paso CountyREPORT TYPE:FinalDATE:2/2/2022

RATIONAL METHOD CALCULATIONS FOR STORM WATER RUNOFF

EXISTING & PROPOSED TIME OF CONCENTRATION STANDARD FORM SF-2

	e e e e e e e e e e e e e e e e e e e	SUB-BASI	N		INITIAL/OVERLAND			TRAVEL TIME					TIME OF CONC.		FINAL	
		DATA				TIME (t _i)				(t _t)				to	:	t _c
BASIN	DESIGN PT:	C ₅	C ₁₀₀	AREA	LENGTH	HT	SLOPE	t _i	LENGTH	HT	SLOPE	VEL.	t _t	COMP.	MINIMUM	
				Ac	Ft	FT	%	Min	Ft	FT	%	FPS	Min	t _c	t _c	Min
E1	DPE1	0.25	0.35	0.48	30	0.6	2.0	6.9	482	9.6	2.0	5.2	1.5	8.5	5	8.5
E2	DPE2	0.64	0.71	0.52	75	12	16.0	3.0	240	4.8	2.0	5.2	0.8	3.7	5	5.0
A1	DPA1	0.71	0.78	0.41	30	0.6	2.0	3.2	382	7.6	2.0	5.2	1.2	4.4	5	5.0
A2	DPA2	0.72	0.79	0.11	30	0.6	2.0	3.1	100	2.00	2.0	5.2	0.3	3.4	5	5.0



PROJECT INFORMATION

PROJECT: PROJECT NO: DESIGN BY: REV. BY: AGENCY: REPORT TYPE: DATE: Willow Springs Ranch Filing No. 2 20876-05 KGV TDM El Paso County Final 2/2/2022



RATIONAL METHOD CALCULATIONS FOR STORM WATER RUNOFF

EXISTING	RUNOFF	5	YR STORI	N		P1=	1.50
			DIRECT RUNC)FF			
BASIN (S)	Design Point	AREA (AC)	RUNOFF COEFF	t _c (MIN)	C * A	I (IN/HR)	Q (CFS)
E1	DPE1	0.48	0.25	8.5	0.12	4.36	0.5
E2	DPE2	0.52	0.64	5.0	0.33	5.10	1.7

PROPOSED	RUNOFF	5	YR STOR		P1=	1.50	
			DIRECT RUNC)FF			
BASIN (S)	Design Point	AREA (AC)	RUNOFF COEFF	t _c (MIN)	C * A	I (IN/HR)	Q (CFS)
A1	DPA1	0.41	0.71	5.0	0.29	5.10	1.5
A2	DPA2	0.11	0.72	5.0	0.08	5.10	0.4

PROJECT INFORMATION

PROJECT: PROJECT NO: DESIGN BY: REV. BY: AGENCY: REPORT TYPE: DATE: Willow Springs Ranch Filing No. 2 20876-05 KGV TDM El Paso County Final 2/2/2022



Drexel, Barrell & Co.

RATIONAL METHOD CALCULATIONS FOR STORM WATER RUNOFF

EXISTING	RUNOFF	10	0 YR STOF	M		P1=	2.67
			DIRECT RUNO	FF			
BASIN (S)	Design Point	AREA (AC)	RUNOFF COEFF	t _c (MIN)	C * A	I (IN/HR)	Q (CFS)
E1	DPE1	0.48	0.35	8.5	0.17	7.76	1.3
E2	DPE2	0.52	0.71	5.0	0.37	9.09	3.3

PROPOSED	RUNOFF	10	00 YR STOF	RW		P1=	2.67
			DIRECT RUNC)FF			
BASIN (S)	Design Point	AREA (AC)	RUNOFF COEFF	t _c (MIN)	C * A	I (IN/HR)	Q (CFS)
A1	DPA1	0.41	0.78	5.0	0.32	9.09	2.9
A2	DPA2	0.11	0.79	5.0	0.09	9.09	0.8



ECEND Image: control boundary ASIN JURISDICTION BOUNDARY Image: control boundary SUSTING DRAINAGE BASIN BOUNDARY Image: control boundary RROPOSED DRAINAGE BASIN BOUNDARY Image: control boundary RROPOSED DRAINAGE BASIN DESIGN POINT Image: control boundary ASIN LOS Image: control boundary INCOMPOSED INTERMEDIATE CONTOUR 6203 INTERMEDIATE CONTOUR 6203 INTERCTION OF FLOW 6203 SCALE: 1"=50' INTERMEDIATE CONTOUR 6203 INTERCTION OF FLOW 6203 SCALE: 1"=50' INTERMEDIATE CONTOUR 6203 INTERCTION OF FLOW 6203 SCALE: 1"=50' INTERMEDIATE CONTOUR 6203 INTERCTION OF FLOW 50 SCALE: 1"=50' INTERMEDIATE CONTOUR 6203 INTERMEDIATE 100 (cfs) EXISTING 100 (cfs) EXISTING 100 (cfs) EXISTING 100 (cfs) EXISTING 100 (cfs) A2 DPA2 0.11 0.4							
ROPERTY LINE ASIN JURISDICTION BOUNDARY ROPOSED DRAINAGE BASIN BOUNDARY ROPOSED DRAINAGE BASIN BOUNDARY ROPOSED INTERACTOR SYEAR DEVELOPED FLOW (CFS) (1)	<u>_EGE</u> ND						
PASH JURISDICTION BOUNDARY COTORAD C	PROPERTY LINE				<u> </u>		DREXE
CONTACT PROPOSED DRAINAGE BASIN BOUNDARY PROPOSED DRAINAGE BASIN BOUNDARY PROPOSED DRAINAGE BASIN DEUNDARY PROPOSED INT ASIN LD. 1 1 1 1 1 1 1 1	BASIN JURISDICTIO	N BOUNDA	RY				S S COLORAD
PROPOSED DRAINAGE BASIN BOUNDARY PRANAGE BASIN DESIGN POINT ASIN LD. ASIN AREA (Acres) 0 YEAR DEVELOPED FLOW (CFS) $0 YEAR DEVELOPED FLOW (CFS) 0 YEAR DEVELOPED FLOW (CFS)0 YEAR DEVELOPED FLOW (CFS) 0 YEAR DEVELOPED TOUR 0 YEAR DEVELOP$	XISTING DRAINAG	E BASIN B	OUNDARY		*******		CONTACT
REALINAGE BASIN DESIGN POINT MASIN LD. MASIN AREA (Acres) $1 + \frac{1}{2}$ 3 + CAR DEVELOPED FLOW (CFS) $0 + CAR DEVELOPED FLOW (CFS) REPOSED INTERMEDIATE CONTOUR 6205REPOSED INTERMEDIATE CONTOUR6205$	ROPOSED DRAIN	AGE BASIN	BOUNDAF	۲Y	_		BOULDER •
ASIN LD. ASIN AREA (Acres) $1 \\ 0.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 126 \\ 10.42 \\ 10.4$	RAINAGE BASIN	DESIGN POI	NT		Λ	\	
AASIN AREA (Acres) 1	BASIN I.D					_	
$\frac{1}{2} \frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2$	BASIN AREA (Acro	es) ———			$\overline{1}$		[
DO YEAR DEVELOPED FLOW (CFS) PROPOSED INTERMEDIATE CONTOUR PROPOSED INDEX CONTOUR EX. INDEX CONTOUR SCALE: $1''=50'$ BASIN DP AREA 0.5 1.3 E2 DPE2 0.52 1.7 3.3 BASIN DP AREA 0.5 (cfs) 0100 (cfs) E1 DPE1 0.48 0.5 1.3 E2 DPE2 0.52 1.7 3.3 BASIN DP AREA 0.5 (cfs) 0100 (cfs) A1 DPA1 0.41 1.5 2.9 A2 DPA2 0.11 0.4 0.8 DESIGN DESIGN	5 YEAR DEVELOPE	ED FLOW (C	;FS) ——		0.42	1.2	
ROPOSED INTERMEDIATE CONTOUR 6203 PROPOSED INDEX CONTOUR 6203 EX. INJEX CONTOUR 6203 SEX. INJEX CONTOUR 50 SEX. INJEX CONTOUR 50 SEX. INJEX CONTOUR 50 EX. INJEX 50	00 YEAR DEVELC	PED FLOW	(CFS) —				
PROPOSED INDEX CONTOUR 6205 EX. INDEX CONTOUR 6205 DIRECTION OF FLOW 6205 SCALE: 100 SCALE: 1"=50' BASIN DP AREA 0.5 (cfs) 0100 (cfs) EX INDEX 0.52 (cfs) 0100 (cfs) EXISTING 1.3 1.3 E2 DPE2 0.52 1.7 3.3 BASIN DP AREA 0.5 (cfs) 0100 (cfs) PROPOSED 1.1 0.4 0.8 0.5 DPA2 0.11 0.4 0.8 0.5	PROPOSED INTERN	IEDIATE CO	NTOUR			3	
EX. INTERMEDIATE CONTOUR -6203 -		CONTOUR			62	205	E
EX. INDEX CONTOUR DRECTION OF FLOW $= X INDEX CONTOUR DIRECTION OF FLOW = X INDEX CONTOUR DIRECTION OF FLOW = X INDEX CONTOUR = X INDEX CON$						···	CANON
$\frac{ V }{ V } = \frac{ V }{ V $	SY INDER CONTO					25	
$\frac{\text{IOUSTING}}{\text{EXISTING}} = \frac{\text{AREA}}{1 \text{ DPE1}} \frac{\text{AREA}}{1.5 \text{ 29}} \frac{\text{ASIN}}{1.5 \text{ DPE2}} \frac{\text{AREA}}{1.5 \text{ 29}} \frac{\text{AREA}}{$		UR			020		
BASIN DP AREA (AC) Q5 (cfs) Q100 (cfs) EXISTING	50	25 (S(CALE:	50 1"=50'	100		DRAINAGE PLANS
EXISTING E1 DPE1 0.48 0.5 1.3 E2 DPE2 0.52 1.7 3.3 BASIN DP AREA (AC) Q5 (cfs) Q100 (cfs) PROPOSED	BASIN	DP	AREA	Q5 (cfs)	Q100 (cfs)]	
E1 DPE1 0.48 0.5 1.3 E2 DPE2 0.52 1.7 3.3 BASIN DP AREA (AC) Q5 (cfs) Q100 (cfs) PROPOSED A1 DPA1 0.41 1.5 2.9 A2 DPA2 0.11 0.4 0.8 DESIGN DRAM CHECKI FILE NAM	EXISTIN	 IG	(AC)			-	
E2 DPE2 0.52 1.7 3.3 ISS BASIN DP AREA (AC) Q5 (cfs) Q100 (cfs) PROPOSED	E1	DPE1	0.48	0.5	1.3	1	
BASIN DP AREA (AC) Q5 (cfs) Q100 (cfs) PROPOSED	E2	DPE2	0.52	1.7	3.3]	
PROPOSED A1 DPA1 0.41 1.5 2.9 A2 DPA2 0.11 0.4 0.8 DESIGN DRAW CHECKE FILE NAM	BASIN	I DP	AREA (AC)	Q5 (cfs)	Q100 (cfs)]	INITIAL
A1 DPA1 0.41 1.5 2.9 A2 DPA2 0.11 0.4 0.8 DESIGN DRAW CHECKE FILE NAM	PROPO	SED				-	
DESIGN DESIGN DRAW CHECKE FILE NAM	A1		0.41	1.5	2.9	-	
DESIGN DRAW CHECKI FILE NAM	~~~		0.11	0.4	0.0	J	
							DESIGN DRAW CHECK



SHEET: 1 OF 1