



**PLANNING and COMMUNITY DEVELOPMENT DEPARTMENT**

Issue Date: 7/23/2019

Permit Number: 30886

**DRIVEWAY ACCESS PERMIT/WAIVER**

The undersigned applicant agrees to perform all work in accordance with the El Paso County Subdivision Criteria Manual, El Paso Land Development Code, recorded plat (if applicable), requirements specified below, and any permit attachments. Should the preceding conditions not be satisfied, this permit shall be considered NULL and VOID.

APPLICANT: DARRELL/CHELICIE OLIVER Company: ROCKY MTN RESTORATION & CONS  
Telephone: (719) 468-8374 Address: 13865 GYMKHANA RD  
CONTACT - SUSAN

City: PEYTON State: CO ZIP: 80831-

Project Location: (Street Address, Lot Number, Tax Schedule #)      TYPE OF DRIVEWAY ACCESS  
21955 SAGEBRUSH LN      Single Family Dwelling

**Remarks:**

A driveway culvert is OPTIONAL within the right-of-way. If a culvert is installed within the right-of-way, it must meet the 18 inch minimum diameter capacity standard. If a culvert is not used, positive right-of-way drainage must be maintained and is the responsibility of the property owner served by the access granted. Single access, maximum width 24 feet. Maximum 4% grade for the first 20' from edge of public roadway.

**REQUIREMENTS:**

1. STATE LAW REQUIRES that utilities be located prior to construction. At least two days advance notice must be given. Phone 1-800-922-1987
2. All work sites must be signed and protected in accordance with the current issue of the MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES and any permit attachments.
3. Should it become necessary for El Paso County to sign, light and barricade hazardous areas or restore the Right-of-Way to its original condition, all costs of said work shall be borne by the applicant.
4. All backfill shall be compacted to 90% of AASHTO T-180 unless otherwise specified.
5. ALL ACCESSES ARE SUBJECT TO RECONSIDERATION UPON LAND USE OR TRAFFIC CHANGES. All permits issued are for a SINGLE ACCESS point to a specific roadway.
6. Road closure will not be permitted.
7. This permit is not good for access to planned arterial roadways.
8. Permit is VOID if construction is not completed within 90 days.
9. Applicant should contact local Fire Protection District for any additional requirements.
10. Monuments within the ROW are not included with this permit; an EPC DOT Encroachment Permit may be required. Please call (719)520-6460 for information.

Fee: \$170.00  
Surcharge: \$37.00  

---

Total Charge: \$207.00