2024 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 10/2023

	PROJECT INFORMATION	
GRANDVIEW RESERVE FILING NO. 1	3/15/2024	SF2311
Project Name	Date	PCD File No.


No conjustico				Unit				(with Pre	-Plat C	onstruction)
Pescription	Quantity	Units		Cost			Total	% Complete		Remaining
ECTION 1 - GRADING AND EROSION CONTROL	L (Construction	and Perma	nent BMPs))						
Earthwork										
Update to match the net		CY	\$	8.00	=	\$	-		\$	-
		CY	\$	6.00	=	\$	-		\$	-
cut or fill per GEC plan		CY	\$	5.00	=	\$	-		\$	-
sheet G0.2		CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min	122792.	CY	\$	2.50	=	\$	306,980.00		\$	306,980.0
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$			\$	-
Permanent Erosion Control Blanket		SY	\$	9.00	=	\$	-		\$	_
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching		AC	\$	2,018.00	=	\$			\$	
Permanent Pond/BMP (See Final Drainage Report)	1.	EA	\$	362,510.00	=	\$	362,510.00		\$	362,510.0
Concrete Washout Basin	1.	EA	\$	1,172.00		\$	1,172.00		\$	1,172.0
Inlet Protection	10.	EA	\$	217.00		\$	2,170.00		\$	2,170.0
Rock Check Dam	2.	EA	\$	651.00		\$	1,302.00		\$	1,302.0
Safety Fence	358.	LF	\$	3.00	=	\$	1,074.00		\$	1,074.0
Sediment Basin		EA	\$	2,294.00	=	\$	-		\$	-
Sediment Trap		EA	\$	538.00	=	\$	-		\$	-
Silt Fence	5142.	LF	\$	3.00	=	\$	15,426.00		\$	15,426.0
Slope Drain		LF	\$	43.00		\$	-		\$	-
Straw Bale		EA	\$	33.00	=	\$	-		\$	-
Straw Wattle/Rock Sock	2945.	LF	\$	8.00	=	\$	23,560.00		\$	23,560.0
Surface Roughening	27.17	AC	\$	269.00		\$	7,308.73		\$	7,308.7
Temporary Erosion Control Blanket	11087.	SY	\$	3.00	=	\$	33,261.00		\$	33,261.0
Temporary Seeding and Mulching	27.17	AC	\$	1,793.00	=	\$	48,723.52		\$	48,723.5
Vehicle Tracking Control	1.	EA	\$	3,085.00	=	\$	3,085.00		\$	3,085.0
[insert items not listed but part of construction plans]					=	\$	-		\$	-
	MAINTENA	NCE (35%	of Constru	ction BMPs)	=	\$	47,568.59		\$	47,568.5
Subject to defect warranty financial assurance. A minimum of 20% shall		•		•			,			
retained until final acceptance (MAXIMUM OF 80% COMPLETE			Section	n 1 Subtotal	=	\$	854,140.84		\$	854,140.84
LOWED)										
ECTION 2 - PUBLIC IMPROVEMENTS *										
OADWAY IMPROVEMENTS										
Construction Traffic Control	1.	LS	\$	7,500.00	=	\$	7,500.00		\$	7,500.0
Aggregate Base Course (135 lbs/cf)	690.	Tons	\$	37.00	=	\$	25,530.00		\$	25,530.0
Aggregate Base Course (135 lbs/cf)		CY	\$	66.00		\$	-		\$	-
Asphalt Pavement (3" thick)		SY	\$	18.00		4	_			
Asphalt Pavement (4" thick)	18661.	SY	\$			\$			\$	-
Asphalt Pavement (6" thick)		01	۶	25.00		\$	466,525.00		\$	- 466,525.0
		SY	\$	25.00 38.00		-				- 466,525.0 -
Asphalt Pavement (147 lbs/cf)" thick					=	\$			\$	- 466,525.0 - -
Asphalt Pavement (147 lbs/cf)" thick		SY	\$	38.00	=	\$	466,525.00		\$ \$ \$	-
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		SY Tons SF	\$ \$ \$	38.00 114.00 11.00	=	\$ \$ \$ \$	466,525.00 - - -		\$ \$ \$	-
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	7.	SY Tons SF EA	\$	38.00 114.00	=	\$ \$ \$ \$ \$	466,525.00 - -		\$ \$ \$ \$	-
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		SY Tons SF EA EA	\$ \$ \$ \$	38.00 114.00 11.00 392.00	=	\$ \$ \$ \$ \$	466,525.00 - - -		\$ \$ \$ \$	- - -
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	7.	SY Tons SF EA EA SF	\$ \$ \$ \$ \$	38.00 114.00 11.00 392.00	= = = =	\$ \$ \$ \$ \$ \$	466,525.00 - - - - - 2,744.00 -		\$ \$ \$ \$ \$	2,744.(- - - -
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	7.	SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00	= = = = =	\$ \$ \$ \$ \$ \$	466,525.00 - - - - 2,744.00 - -		\$ \$ \$ \$ \$	- - 2,744.(- - -
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	7.	SY Tons SF EA SF SF SF SF EA	\$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00	= = = = =	\$ \$ \$ \$ \$ \$ \$	466,525.00 - - - - - 2,744.00 -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.(- - - -
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I	7. 12.	SY Tons SF EA SF SF SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00	= = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$	466,525.00 - - - - 2,744.00 - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 2,744. - - - -
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	7.	SY Tons SF EA SF SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00	= = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 - - - - 2,744.00 - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 2,744.0 - - -
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	7. 12. 831.	SY Tons SF EA SF SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 - - - 2,744.00 - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.0
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	7. 12.	SY Tons SF EA EA SF SF EA EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 - - - - 2,744.00 - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. - 2,744. - - - - 31,578.
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	7. 12. 831.	SY Tons SF EA EA SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 - - - 2,744.00 - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.l 2,744.l - - - 31,578.l - 331,550.l
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	7. 12. 831.	SY Tons SF EA EA SF SF EA EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 - - - 2,744.00 - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.l 2,744.l - - - 31,578.l - 331,550.l
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	7. 12. 831. 8725.	SY Tons SF EA EA SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00	= = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.l 2,744.l - - - 31,578.l - 331,550.l
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	7. 12. 831. 8725.	SY Tons SF EA SF SF EA LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 2,744. - - - -
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	7. 12. 831. 8725.	SY Tons SF EA EA SF SF EA LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00 - 411,180.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. 2,744. - - - - 31,578. - 331,550. - 411,180.
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp	7. 12. 831. 8725. 5340.	SY Tons SF EA EA SF EA EA LF LF LF SY SY SY EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 331,550.00 - 411,180.00 31,416.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.0 - 2,744.0 - - - 31,578.0 - 331,550.0 - 411,180.0
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	7. 12. 831. 8725. 5340.	SY Tons SF EA EA SF SF EA EA LF LF SY SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 331,550.00 411,180.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. 2,744. - - - - 31,578. - 331,550. - 411,180.
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 9" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	7. 12. 831. 8725. 5340.	SY Tons SF EA EA SF EA EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 79.00 119.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00 - 411,180.00 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.l 2,744.l 2,744.l 2,744.l 31,578.l 331,550.l 411,180.l 28,440.l
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase	7. 12. 831. 8725. 5340.	SY Tons SF EA SF EA LF LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 1,996.00 1,926.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 411,180.00 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. 2,744. - - - 31,578. - 331,550. - 411,180. - - 31,416. 28,440.
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6" wide to include return) Cross Pan, collector (9" thick, 8" wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)	7. 12. 831. 8725. 5340.	SY Tons SF EA SF EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00 - 411,180.00 - 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. 2,744. - - - 31,578. - 331,550. - 411,180. - 31,416. 28,440.
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk (sidewalk (vertical) 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	7. 12. 831. 8725. 5340.	SY Tons SF EA EA SF EA LF LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00 - 411,180.00 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. 2,744. - - 31,578. - 331,550. - 411,180. - - 31,416. 28,440.
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Tpe 7 (Concrete) Guardrail End Anchorage	7. 12. 831. 8725. 5340.	SY Tons SF EA EA SF EA LF LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 1,496.00 79.00 119.00 1,926.00 94.00 2,731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00 - 411,180.00 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. 2,744. - - - 31,578. - 331,550. - 411,180. - - 31,416. 28,440.
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator	7. 12. 831. 8725. 5340.	SY Tons SF EA EA SF SF EA LF LF LF SY SY SY LF LF LF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 1,96.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 331,550.00 411,180.00 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.l 2,744.l 2,744.l 2,744.l 31,578.l 331,550.l 31,416.l 28,440.l
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	7. 12. 831. 8725. 5340.	SY Tons SF EA SF EA LF LF LF SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 392.00 30.00 259.00 31.00 38.00 38.00 62.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 - 331,550.00 - 411,180.00 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.0 2,744.1 2,744.1 31,578.1 331,578.1 411,180.1 31,416.1 28,440.1
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6" wide to include return) Cross Pan, collector (9" thick, 8" wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6" high) Sound Barrier Fence (panels, 6" high)	7. 12. 831. 8725. 5340.	SY Tons SF EA SF EA LF LF LF SY SY SY LF LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00 104.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00 2,744.00 31,578.00 331,550.00 411,180.00 31,416.00 28,440.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744.l 2,744.l 2,744.l 2,744.l 31,578.l 331,550.l 31,416.l 28,440.l
Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 9" Sidewalk 8" Sidewalk 9" Sidewalk 9	7. 12. 831. 8725. 5340.	SY Tons SF EA SF EA LF LF LF SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	38.00 114.00 11.00 392.00 392.00 30.00 259.00 31.00 38.00 38.00 62.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	466,525.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	2,744. 2,744. - - - 31,578. 331,550. 411,180. - 31,416. 28,440.


PROJECT INFORMATION						
GRANDVIEW RESERVE FILING NO. 1	3/15/2024	SF2311				
Project Name	Date	PCD File No.				

			Unit					-Plat	Construction)
escription	Quantity	Units	Cost			Total	% Complete		Remaining
Fire Access Road - Bollards w/ Chains	4.	EA	\$ 1,500.00	=	\$	6,000.00		\$	6,000.0
5' Pedestrian Trail (Crushed Fines)	10313.	SF	\$ 0.75		\$	7,734.75		\$	7,734.7
Maintenance & Fire Access Roads (Gravel)	34890.	SF	\$ 1.25		\$	43,612.50		\$	43,612.5
[insert items not listed but part of construction plans]				=	\$	-		\$	-
TORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$	-		\$	-
18" Reinforced Concrete Pipe		LF	\$ 82.00	=	\$	-		\$	-
24" Reinforced Concrete Pipe	655.	LF	\$ 98.00	=	\$	64,190.00		\$	64,190.0
30" Reinforced Concrete Pipe	305.	LF	\$ 123.00	=	\$	37,515.00		\$	37,515.0
36" Reinforced Concrete Pipe	440.	LF	\$ 151.00		\$	66,440.00		\$	66,440.0
42" Reinforced Concrete Pipe	165.	LF	\$ 201.00		\$	33,165.00		\$	33,165.0
48" Reinforced Concrete Pipe	105.	LF	\$ 245.00	=	\$	-		\$	33,103.0
54" Reinforced Concrete Pipe		LF	\$ 320.00		\$			\$	_
60" Reinforced Concrete Pipe		LF	\$ 374.00		\$			\$	
66" Reinforced Concrete Pipe		LF	\$ 433.00	=	\$			\$	
·		LF			\$				
72" Reinforced Concrete Pipe		LF	· ·		\$			\$	
18" Corrugated Steel Pipe			· ·						
24" Corrugated Steel Pipe		LF	\$ 121.00		\$	-		\$	-
30" Corrugated Steel Pipe		LF	\$ 154.00		\$	-		\$	-
36" Corrugated Steel Pipe		LF	\$ 184.00	=	\$	-		\$	-
42" Corrugated Steel Pipe		LF	\$ 212.00	=	\$	-		\$	-
48" Corrugated Steel Pipe		LF	\$ 223.00		\$	-		\$	-
54" Corrugated Steel Pipe		LF	\$ 327.00	=	\$	-		\$	-
60" Corrugated Steel Pipe		LF	\$ 353.00	=	\$	-		\$	-
66" Corrugated Steel Pipe		LF	\$ 427.00	=	\$	-		\$	-
72" Corrugated Steel Pipe		LF	\$ 502.00	=	\$	-		\$	-
78" Corrugated Steel Pipe		LF	\$ 578.00	=	\$	-		\$	-
84" Corrugated Steel Pipe		LF	\$ 691.00	=	\$	-		\$	-
Flared End Section (FES) RCP Size = 18"	2.		\$ 420.00	=	\$	840.00		\$	840.0
(unit cost = 6x pipe unit cost)	۲,	EA	Ψ 120.00		۳	0 10.00		Ψ	0 10.0
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		EA		=	\$	-		\$	-
End Treatment- Headwall		EA		_	\$			\$	
		EA			\$				
End Treatment - Cutoff Well		EA						\$	
End Treatment - Cutoff Wall			\$ 7,212.00	=	\$	-		\$	-
Curb Inlet (Type R) L=5', Depth < 5'	2	EA	- ·		1 \$	20 121 00		\$	- 20 121 /
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'	3.	EA	S Unresolve	d:		28,131.00		\$	28,131.0
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA				-		\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EĄ-	Provide st	orm ar	ain	-		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		E/	s manhole o	uontiti.	00	-		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		7 A		uarillili	5 5.	-		\$	-
Curb Inlet (Type R) L =15', Depth < 5'		EΑ	\$ 12,507.00	-	Ψ	-		\$	-
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'	7.	/EA	\$ 13,835.00		\$	96,845.00		\$	96,845.0
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		/ EA	\$ 15,130.00		\$	-		\$	-
Curb Inlet (Type R) L =20', Depth < 5'		/ EA	\$ 13,755.00	=	\$	-		\$	-
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		/ EA	\$ 15,181.00	=	\$	-		\$	-
Grated Inlet (Type C), Depth < 5'		EA	\$ 6,037.00	=	\$	-		\$	-
Grated Inlet (Type D), Depth < 5'	\/	EA	\$ 7,458.00	=	\$	-		\$	-
Storm Sewer Manhole, Box Base	V	EA	\$ 15,130.00	=	\$	-		\$	-
Storm Sewer Manhole, Slab Base		EA	\$ 8,322.00	=	\$	-		\$	-
Geotextile (Erosion Control)		SY	\$ 9.00	=	\$	-		\$	-
Rip Rap, d50 size from 6" to 24"	1895.	Tons	\$ 104.00		\$	197,080.00		\$	197,080.0
Rip Rap, Grouted		Tons	\$ 124.00		\$	-		\$	- , , , , , , , , , , , , , , , , , , ,
Drainage Channel Construction, Size (W x H)		LF	, 224.00	-	\$	_		\$	-
Drainage Channel Lining, Concrete		CY	\$ 741.00		\$			\$	-
Drainage Channel Lining, Concrete Drainage Channel Lining, Rip Rap		CY	\$ 145.00		\$			\$	
Drainage Channel Lining, Rip Rap Drainage Channel Lining, Grass		AC	\$ 1,911.00		\$				
		AC	1,911.00		_			\$	-
Drainage Channel Lining, Other Stabilization	10.151	6-		=	\$			\$	
	18456.	SF	\$ 1.00		\$	18,456.00		\$	18,456.
Type 2 Granular Bedding									
Type 2 Granular Bedding Grass Lined Drainage Swale [insert items not listed but part of construction plans]	325.	LF	\$ 9.00	=	\$	2,925.00		\$	2,925.

PROJECT INFORMATION							
GRANDVIEW RESERVE FILING NO. 1	3/15/2024	SF2311					
Project Name	Date	PCD File No.					

				Unit				(with Pre-F	lat Construction)
Description	Quantity	Units		Cost			Total	% Complete	Remaining	J
SECTION 3 - COMMON DEVELOPMENT IMPRO	OVEMENTS (Priva	ate or Di	strict an	d NOT Maintair	ned by	EPC)*	*			
ROADWAY IMPROVEMENTS										
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
STORM DRAIN IMPROVEMENTS (Exce	ption: Permanent Pon	d/BMP shal	l be itemize	ed under Section 1)						
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
					=	\$	-	\$		-
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"	5223.	LF	\$	84.00	=	\$	438,732.00	\$	438,7	732.00
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$	-	\$		-
Gate Valves, 8"	30.	EA	\$	2,418.00	=	\$	72,540.00	\$		540.00
Fire Hydrant Assembly, w/ all valves	12.	EA	\$	8,584.00	=	\$	103,008.00	\$		00.800
Water Service Line Installation, inc. tap and valves	119.	EA	\$	1,723.00	=	\$	205,037.00	\$		037.00
Fire Cistern Installation, complete		EA			=	\$	-	\$		-
					=	\$	-	\$		-
[insert items not listed but part of construction plans]					=	\$	-	\$		-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"	5127.	LF	\$	84.00	=	\$	430,668.00	\$		568.00
Sanitary Sewer Manhole, Depth < 15 feet	46.	EA	\$	5,708.00	=	\$	262,568.00	\$		568.00
Sanitary Service Line Installation, complete	119.	EA	\$	1,825.00	=	\$	217,175.00	\$		175.00
Sanitary Sewer Lift Station, complete		EA			=	\$	-	\$		-
					=	\$	-	\$		-
[insert items not listed but part of construction plans]					=	\$	-	\$		-
LANDSCAPING IMPROVEMENTS	(For subdivision spe					_				
DECIDUOUS TREE	45.	EA	\$	450.00	=	\$	20,250.00	\$		250.00
ORNAMENTAL TREE	39.	EA	\$	350.00	=	\$	13,650.00	\$		550.00
EVERGREEN TREE	53.	ES	\$	500.00		\$	26,500.00	\$		500.00
SOD	37597.	SF	\$	1.10		\$	41,356.70	\$		356.70
SEED A	27025.	SF	\$	0.40	=	\$	10,810.00	\$		310.00
SEED B	303873.	SF	\$	0.40	=	\$	121,549.20	\$		549.20
SEED (DETENTION)	57080.	SF	\$	0.40	=	\$	22,832.00	\$		332.00
** - Section 3 is not subject to defect warranty requirements			Sect	ion 3 Subtotal	=	\$	1,986,675.90		1,986,67	5 00





PROJECT INFORMATION								
GRANDVIEW RESERVE FILING NO. 1	3/15/2024	SF2311						
Project Name	Date	PCD File No.						

				Unit				(with Pre	e-Plat	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
	-									
AS-BUILT PLANS (Public Improvements inc. Permanent We	QCV BMPs)	LS	\$	20,000.00	=	\$	20,000.00		\$	20,000.00
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS	\$	10,000.00	=	\$	10,000.00		\$	10,000.00
				(Sum of all see			uction Financia s-builts and pond/Bl		-7	4,810,214.04
				`		·	·	,		
	То	tal Remain	ing Co	nstruction Finar	icial Ass	urance	with Pre-Plat Co	onstruction)	\$	4,810,213.99
		(Sum of all	section	otals less credit for it	ems comp	lete plus a	s-builts and pond/Bl	MP certification)		
					Total D	efect Wa	arranty Financia	I Assurance	\$	521,777.46
		(2	no/ of all	items identified as (*) To be co	Mataraliza	d at time of prolimina	nr. accontancol		

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as show	n on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Engineer (1.2. Sear required)	
Approved by Owner / Applicant	Date
	-
Approved by El Paso County Engineer / ECM Administrator	Date