2022 Financial Assurance Estimate Form

(with pre-plat construction) Updated: 12/22/2020

	PROJECT INFORMATION	
Sterling Recycling Facility Grading	11/12/2022	PPR 22-41
Project Name	Date	PCD File No.

			(Unit				(with Pre	-Plat Cor	nstruction)
Description	Quantity	Units	(Cost		Total		% Complete	plete Remaii	
ECTION 1 - GRADING AND EROSION CONT	ROL (Construction	and Perma	nent BM	1Ps)						
* Earthwork										
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-		\$	
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	
* Permanent Seeding (inc. noxious weed mgmnt.)		AC	\$	886.00	=	\$	-		\$	
* Mulching		AC	\$	831.00	=	\$	-		\$	
* Permanent Erosion Control Blanket		SY	\$	7.00	=	\$	-		\$	
* Permanent Pond/BMP Construction		CY	\$	22.00	=	\$	-		\$	
* Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	
		EA			=	\$	-		\$	
Safety Fence		LF	\$	3.00	=	\$	-		\$	
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	
Vehicle Tracking Control		EA	\$	2,625.00	=	\$	-		\$	
Silt Fence	3,680	LF	\$	3.00	=	\$	11,040.00		\$	11,040
Temporary Seeding		AC	\$	695.00	=	\$	-		\$	
Temporary Mulch		AC	\$	831.00	=	\$	-		\$	
Erosion Bales		EA	\$	28.00	=	\$	-		\$	
Erosion Logs/Straw Waddle		LF	\$	6.00	=	\$	-		\$	
Rock Check Dams		EA	\$	554.00	=	\$	-		\$	
Inlet Protection		EA	\$	185.00	=	\$	-		\$	
Sediment Basin		EA	\$	1,952.00	=	\$	-		\$	
Concrete Washout Basin		EA	\$	997.00	=	\$	-		\$	
					=	\$	-		\$	
[insert items not listed but part of construction plans]					=	\$	-		\$	
	MAINTENANCE (3	5% of Cons	truction	n BMPs)	=	\$	3,864.00		\$	3,864
Subject to defect warranty financial assurance. A minimum of 20% shall be	9	Sec	tion 1 S	Subtotal	=	\$	14,904.00		\$	14,904.0

ROADWAY IMPROVEMENTS

<u> </u>						
Overstanding Treffin Oversel			=	\$ -	\$	-
Construction Traffic Control	LS	04.00			_	
Aggregate Base Course (135 lbs/cf)	Tons	\$ 31.00	=	\$ -	\$	-
Aggregate Base Course (135 lbs/cf) (8" thick)	CY	\$ 56.00		\$ -	\$	-
Asphalt Pavement (3" thick)	SY	\$ 16.00	=	\$ -	\$	-
Asphalt Pavement (4" thick)	SY	\$ 21.00	=	\$ -	\$	-
Asphalt Pavement (6" thick)	SY	\$ 32.00	=	\$ -	\$	-
Asphalt Pavement (147 lbs/cf)" thick	Tons	\$ 97.00	=	\$ -	\$	-
Raised Median, Paved	SF	\$ 9.00	=	\$ -	\$	-
Regulatory Sign/Advisory Sign	EA	\$ 333.00	=	\$ -	\$	-
Guide/Street Name Sign	EA	\$ 200.00	=	\$ -	\$	-
Epoxy Pavement Marking	SF	\$ 15.00	=	\$ -	\$	-
Thermoplastic Pavement Marking	SF	\$ 26.00	=	\$ -	\$	-
Barricade - Type 3	EA	\$ 221.00	=	\$ -	\$	-
Delineator - Type I	EA	\$ 27.00	=	\$ -	\$	-
Curb and Gutter, Type A (6" Vertical)	LF	\$ 32.00	=	\$ -	\$	-
Curb and Gutter, Type B (Median)	LF	\$ 32.00	=	\$ -	\$	-
Curb and Gutter, Type C (Ramp)	LF	\$ 32.00	=	\$ -	\$	-
4" Sidewalk (common areas only)	SY	\$ 53.00	=	\$ -	\$	-
5" Sidewalk	SY	\$ 66.00	=	\$ -	\$	-
6" Sidewalk	SY	\$ 80.00	=	\$ -	\$	-
8" Sidewalk	SY	\$ 106.00		\$ -	\$	-
Pedestrian Ramp	EA	\$ 1,273.00	=	\$ -	\$	-
Cross Pan, local (8" thick, 6' wide to include return)	LF	\$ 67.00	=	\$ -	\$	-
Cross Pan, collector (9" thick, 8' wide to include return)	LF	\$ 102.00		\$ -	\$	-
Curb Chase	EA	\$ 1,639.00	=	\$ -	\$	-
Guardrail Type 3 (W-Beam)	LF	\$ 55.00	=	\$ -	\$	-
Guardrail Type 7 (Concrete)	LF	\$ 80.00	=	\$ -	\$	-
Guardrail End Anchorage	EA	\$ 2.324.00	=	\$ -	\$	-
Guardrail Impact Attenuator	EA	\$ 4,172.00	=	\$ -	\$	-
Sound Barrier Fence (CMU block, 6' high)	LF	\$ 87.00		\$ -	\$	-
Sound Barrier Fence (panels, 6' high)	LF	\$ 89.00	-	\$ -	\$	-
Electrical Conduit, Size =	LF	\$ 18.00	=	\$ _	\$	-
Traffic Signal, complete intersection	EA	\$ 470,666	=	\$ _	\$	-

	PROJECT INFORMATION	
Sterling Recycling Facility Grading	11/12/2022	PPR 22-41
Project Name	Date	PCD File No.

escription	Quantity	Units		Unit Cost		Total	% Complete	re-Plat Construction Remainii	-
scription	Quantity	Units		Cost	=	\$	- Complete	\$	iig
insert items not listed but part of construction plans]						\$	-	\$	
ORM DRAIN IMPROVEMENTS						Ψ		Ψ	
<u> </u>								-	
Concrete Box Culvert (M Standard), Size (W x H)		LF			=	\$	-	\$	
18" Reinforced Concrete Pipe		LF	\$	70.00	=	\$	-	\$	
24" Reinforced Concrete Pipe		LF	\$	83.00	=	\$	-	\$	_
30" Reinforced Concrete Pipe		LF	\$	104.00	=	\$	-	\$	
36" Reinforced Concrete Pipe		LF	\$	128.00	=	\$	-	\$	
42" Reinforced Concrete Pipe		LF	\$	171.00	=	\$	-	\$	
48" Reinforced Concrete Pipe		LF	\$	209.00	=	\$	-	\$	
54" Reinforced Concrete Pipe		LF	\$	272.00	=	\$	-	\$	
60" Reinforced Concrete Pipe		LF	\$	319.00	=	\$	-	\$	
66" Reinforced Concrete Pipe		LF	\$	368.00	=	\$	-	\$	
72" Reinforced Concrete Pipe		LF	\$	421.00	=	\$	-	\$	
18" Corrugated Steel Pipe		LF	\$	90.00	=	\$	-	\$	
24" Corrugated Steel Pipe		LF	\$	103.00	=	\$	-	\$	
30" Corrugated Steel Pipe		LF	\$	131.00	=	\$	-	\$	
36" Corrugated Steel Pipe		LF	\$	157.00	=	\$	-	\$	
42" Corrugated Steel Pipe		LF	\$	180.00	=	\$	-	\$	
48" Corrugated Steel Pipe		LF	\$	190.00	=	\$	-	\$	
54" Corrugated Steel Pipe		LF	\$	278.00	=	\$	-	\$	
60" Corrugated Steel Pipe		LF	\$	300.00	=	\$	-	\$	
66" Corrugated Steel Pipe		LF	\$	364.00	=	\$	-	\$	
72" Corrugated Steel Pipe		LF	\$	428.00	=	\$	-	\$	
78" Corrugated Steel Pipe		LF	\$	492.00	=	\$	-	\$	
84" Corrugated Steel Pipe		LF	\$	588.00	=	\$	-	\$	
Flared End Section (FES) RCP Size =					=	\$	_	\$	
(unit cost = 6x pipe unit cost)		EA				7	_	7	
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		EA			=	\$	-	\$	
End Treatment- Headwall		EA			=	\$	_	\$	
End Treatment- Wingwall		EA				\$	-	\$	
End Treatment - Cutoff Wall		EA				\$	-	\$	
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$	6,138.00		\$	_	\$	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$	7,981.00		\$	-	\$	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$	9,242.00		\$	-	\$	
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$	8,447.00	=	\$	-	\$	
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$	8,706.00	=	\$	_	\$	
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$	10,898.00	=	\$	-	\$	
Curb Inlet (Type R) L =15',		EA	\$	10,984.00	=	\$	_	\$	
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$	11,775.00		\$	_	\$	
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$	12,876.00		\$	_	\$	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$	11,706.00		\$	-	\$	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$	12,920.00		\$	-	\$	
Grated Inlet (Type C), Depth < 5'		EA	\$	5,138.00		\$	-	\$	
Grated Inlet (Type O), Depth < 5'		EA	\$	6,347.00		\$	-	\$	
Storm Sewer Manhole, Box Base		EA	\$	12,876.00		\$	-	\$	
Storm Sewer Manhole, Slab Base		EA	\$	7.082.00		\$	-	\$	
Geotextile (Erosion Control)		SY	\$	7.00		\$	-	\$	
Rip Rap, d50 size from 6" to 24"		Tons	\$	89.00		\$	-	\$	
Rip Rap, Grouted		Tons	\$	105.00		\$	-	\$	
Drainage Channel Construction, Size (W x H)		LF	Ψ	100.00		\$	-	\$	
Drainage Channel Lining, Concrete		CY	\$	631.00		\$	-	\$	
Drainage Channel Lining, Rip Rap		CY	\$	124.00		\$	-	\$	
Drainage Channel Lining, Kip Kap Drainage Channel Lining, Grass		AC	\$	1,626.00		\$	-	\$	
Drainage Channel Lining, Other Stabilization		۸٥	Ψ	1,020.00		\$	-	\$	
5.a.a.go Onamor Emmy, Outor Otabilization						\$	-	\$	
[insert items not listed but part of construction plans]						\$	-	\$	
prison norms not iisteu put part Ur CUNStruCtiOn planS[0	tion '	2 Subtotal	=	\$ -		\$	
Subject to defect warranty financial assurance. A minimum of 20% shall be									-

					=	\$ -	\$	-
					=	\$ -	\$	-
					=	\$ -	\$	-
					=	\$ -	\$	-
					=	\$ -	\$	-
STORM DRAIN IMPROVEMENTS (Excepti	on: Permanent Pon	d/BMP shall b	e itemiz	zed under S	Section 1)			
18" Reinforced Concrete Pipe		LF	\$	67.00	=	\$ -	\$	-
48" Reinforced Concrete Pipe		LF	\$	202.00	=	\$ -	\$	-
36" Reinforced Concrete Pipe		LF	\$	124.00	=	\$ -	\$	-

PROJECT INFORMATION									
Sterling Recycling Facility Grading	11/12/2022	PPR 22-41							
Project Name	Date	PCD File No.							

			Unit				(with Pre-	Plat Cons	struction)
Quantity	Units		Cost			Total	% Complete	Re	maining
	EA	\$	402.00	=	\$	-		\$	-
	EA	\$	744.00		\$	-		\$	-
	CY	\$	116.00	=	\$	-		\$	-
				=	\$	-		\$	-
				=	\$	-		\$	-
	LF	\$	71.00	=	\$	-		\$	-
	LF	\$	83.00	=	\$	-		\$	-
	EA	\$	2,058.00	=	\$	-		\$	-
	EA	\$	7,306.00	=	\$	-		\$	-
	EA	\$	1,466.00	=	\$	-		\$	-
	EA			=	\$	-		\$	-
				=	\$	-		\$	-
				=	\$	-		\$	-
			-						
	LF	\$	71.00	=	\$	-		\$	-
	EA	\$	4,858.00	=	\$	-		\$	-
	EA	\$	1,553.00	=	\$	-		\$	-
	EA			=	\$	-		\$	-
				=		-			-
				=		-			-
r subdivision spe	ecific conditio	n of an	oproval, or PUI	D)	'				
	SF				\$	-		\$	-
				=	-	_			_
				=		_			_
				=		_			_
						_			_
		tion 3	Subtotal			_			
					Ψ	ļ		Ψ	
V BMPs)	LS	\$	5.000.00	=	\$	5.000.00		\$	5,000.00
		•	2,000.00			-	-		-,,,,,,,,,
anations,					Ψ		-	Ψ	
				Tota	I Construe	ction Financia	I Assurance	¢	19,904.00
		-	Sum of all coct				_	Ψ	15/504.00
		(Sulli Oi ali Seci	ion subtot	ais pius as-u	unts and pond/bit	nr certification)		
Total Rem	aining Cor	etru	ction Financ	cial Acc	urance (w	ith Pro-Plat Co	onetruction)	.	19,904.00
	_				•		· · · · · · · · · · · · · · · ·	⊅	19,904.00
(Sum of	all section to	tais ie	ss credit for ite	ms compi	ete pius as-b	ulits and pond/Biv	/IP certification)		
				T-4-1 5	-ft \N/		I A = =		
							LACCHTANCA	•	_
						anty Financia t time of prelimina		7	
	r subdivision spe V BMPs) ulations)	EA EA CY LF LF EA EA EA EA EA EA EA EA EA E	EA \$ EA \$ CY \$ CY \$ LF \$ LF \$ EA	Quantity Units Cost EA \$ 402.00 EA \$ 744.00 CY \$ 116.00 LF \$ 71.00 LF \$ 83.00 EA \$ 2,058.00 EA \$ 7,306.00 EA \$ 1,466.00 EA \$ 1,466.00 EA \$ 1,553.00 EA \$ 1,553.00 EA \$ 1,553.00 EA \$ 1,553.00 EA EA EA	Quantity Units Cost EA \$ 402.00 = EA \$ 744.00 = CY \$ 116.00 = = = = LF \$ 71.00 = LF \$ 83.00 = EA \$ 2,058.00 = EA \$ 1,466.00 = EA \$ 1,466.00 = EA \$ 4,858.00 = EA \$ 1,553.00 = EA \$ 1,553.00 = EA \$ 1,553.00 = EA = = EA = = Total EA = = EA = = <	Quantity Units Cost EA \$ 402.00 = \$ EA \$ 744.00 \$ \$ CY \$ 116.00 = \$ EA \$ 71.00 = \$ LF \$ 83.00 = \$ EA \$ 2,058.00 = \$ EA \$ 7,306.00 = \$ EA \$ 1,466.00 = \$ EA \$ 1,466.00 = \$ EA \$ 1,466.00 = \$ EA \$ 1,553.00 = \$ EA \$ 1,553.00 = \$ EA \$ 1,553.00 = \$ EA = \$ = \$ Total Condition of approval, or PUD) SF = \$ = \$ EA = \$ = \$ = \$ EA = \$ = \$ = \$	Quantity	Quantity Units Cost Total % Complete	Quantity Units Cost Total % Complete Re EA \$ 402.00 = \$ - \$ EA \$ 744.00 \$ - \$ CY \$ 116.00 = \$ - \$ CY \$ 116.00 = \$ - \$ LF \$ 71.00 = \$ - \$ LF \$ 83.00 = \$ - \$ EA \$ 2,058.00 = \$ - \$ EA \$ 2,058.00 = \$ - \$ EA \$ 1,466.00 = \$ - \$ EA \$ 2,530.00 = \$ - \$ EA \$ 3,4858.00

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as	s shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Fasings (D.F. Cod Despited)	
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date