2021 Financial Assurance Estimate Form

(with pre-plat construction)

(with pre-plat construction)		Updated: 12/22/2020
	PROJECT INFORMATION	
Mayberry Communities 6" Gas Main Extension	12/6/2021	CDR2117
Project Name	Date	PCD File No.

				nit				(with Pre	-Plat C	
Description	Quantity	Units		ost			Total	% Complete		Remaining
SECTION 1 - GRADING AND EROSION CONTR	OL (Construction	n and Pern	nanent E	BMPs)						
* Earthwork										
less than 1,000; \$5,300 min		CY	\$	8.00	=				\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min	9,332	CY	\$	5.00	=	\$	46,660.00		\$	46,660.00
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
* Permanent Seeding (inc. noxious weed mgmnt.)	32	AC	-	828.00	=	\$	26,496.00		\$	26,496.00
* Mulching	32	AC	-	777.00	=	\$	24,864.00		\$	24,864.00
* Permanent Erosion Control Blanket		SY	\$	6.00	=	\$	-		\$	-
* Permanent Pond/BMP Construction		CY	\$	21.00	=	\$	-		\$	-
* Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Temporary Erosion Control Blanket	267	SY	\$	3.00	=	\$	800.00		\$	800.00
Vehicle Tracking Control	16	EA		453.00	=	\$	39,248.00		\$	39,248.00
Silt Fence	2,725	LF	\$	2.60	=	\$	7,085.00		\$	7,085.00
Temporary Seeding		AC		650.00	=	\$	-		\$	<u>-</u>
Temporary Mulch		AC		777.00	=	\$	-		\$	-
Erosion Bales		EA	\$	26.00	=	\$	-		\$	-
Erosion Logs/Straw Waddle	280	LF	\$	5.00	=	\$	1,400.00		\$	1,400.00
Rock Check Dams		EA	\$ 5	518.00	=	\$	-		\$	-
Inlet Protection		EA	\$ '	173.00	=	\$	-		\$	-
Sediment Basin		EA	\$ 1,8	824.00	=	\$	-		\$	-
Concrete Washout Basin		EA	\$ 9	932.00	=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
MAI	NTENANCE (35%	of Constr	uction B	BMPs)	=	\$	16,986.55		\$	16,986.55
- Subject to defect warranty financial assurance. A minimum of 20% shall	•									
e retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section				\$	163,539.55		\$	163,539.55
LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS) 1 T Su	blotai	=		·			
LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control		LS			=	\$	<u>-</u>		\$	-
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)		LS Tons	\$	29.00		\$	-		\$	-
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		LS Tons CY	\$ \$	29.00 52.00	=	\$ \$ \$	- - - -		\$ \$ \$	- - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		LS Tons CY SY	\$ \$	29.00 52.00 14.50	=	\$ \$ \$ \$	- - - - - -		\$ \$ \$	- - - -
COADWAY IMPROVEMENTS * COADWAY IMPROVEMENTS COnstruction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		LS Tons CY SY	\$ \$ \$ \$	29.00 52.00 14.50 20.00	=	\$ \$ \$ \$	- - - - - -		\$ \$ \$ \$	- - - - -
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY	\$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00	= =	\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS CONSTRUCTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		LS Tons CY SY SY SY Tons	\$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00	= =	\$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$ \$ \$	
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		LS Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30	= = = =	\$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS CONSTRUCTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign		LS Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00	= = = = =	\$ \$ \$ \$ \$ \$ \$	- - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		LS Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf) Asphalt Pavement (14T lbs/cf) Asphalt Pavement (14T lbs/cf) Asphalt Pavement (14T lbs/cf) Clark Walter (14T lbs/cf) Clark Walt		LS Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		LS Tons CY SY SY Tons SF EA EA SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00 207.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Compared to thick Compared		LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00 207.00 25.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Call Company Com		LS Tons CY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00 207.00 25.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		LS Tons CY SY SY Tons SF EA EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 2207.00 25.00 31.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		LS Tons CY SY SY SY Tons EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 50.00 62.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTTON 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pa		LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 35.00 62.00 75.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (4" thick) Asphalt Pavement (4" thick) Asphalt Pavement (5" thick) Asphalt Pavement (5" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (5" thick) Asphalt Pavement (6" thick) Asphalt Pavement (5" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 99.00 190.00 63.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons EA EA SF EA LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 2207.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 63.00 95.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTTON 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pa		LS Tons CY SY SY SY Tons EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 199.00 199.00 95.00 532.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTTON 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" Vertical) Curde Are Gutter, Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 190.00 63.00 95.00 532.00 51.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
ECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 7 (Concrete)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00 30.00 62.00 75.00 99.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 75.00 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pa		LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 31.00 35.00 62.00 75.00 99.00 63.00 95.00 63.00 95.00 532.00 51.00 75.00 75.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 50.00 75.00 99.00 190.00 63.00 95.00 532.00 51.00 75.00 75.00 75.00 899.00		* * * * * * * * * * * * * * * * * * * *			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTTON 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF LF EA LF LF EA LF LF EA LF LF LF EA LF LF LF EA LF LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 2207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00 190.00 63.00 95.00 532.00 51.00 75.00 172.00 899.00 81.00		* * * * * * * * * * * * * * * * * * * *			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pa		LS Tons CY SY SY SY Tons EA EA SF EA LF LF LF SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 190.00 63.00 95.00 532.00 51.00 75.00 99.00 172.00 889.00 889.00 889.00 889.00 889.00 889.00 889.00		* * * * * * * * * * * * * * * * * * * *			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF LF EA LF LF EA LF LF EA LF LF LF EA LF LF LF EA LF LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 2207.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 63.00 95.00 532.00 51.00 75.00 190.00 63.00 95.00 63.00 95.00 63.00 83		* * * * * * * * * * * * * * * * * * * *			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

PROJECT INFORMATION								
Mayberry 6" Steel Main Extension	12/6/2021	CDR2117						
Project Name	Date	PCD File No.						

Description	Quantity Units Cost				Total	(with Pre-Plat Construction % Complete Remaining		
escription	Quantity	Units	Cost			% Complete		
[insert items not listed but part of construction plans]				=	\$ -		\$ -	
				=	\$ -		\$ -	
TORM DRAIN IMPROVEMENTS Concrete Box Culvert (M Standard), Size (W x H)		LF		_	\$ -		\$ -	
, , ,		LF	\$ 67.00	=	Ψ		т	
18" Reinforced Concrete Pipe		LF	-	=	Ψ		Ψ	
24" Reinforced Concrete Pipe			\$ 81.00	=	\$ - \$ -		\$ -	
30" Reinforced Concrete Pipe		LF LF	\$ 100.00	=	Ψ		Ψ	
36" Reinforced Concrete Pipe		LF	\$ 124.00	=	Ψ		Ψ	
42" Reinforced Concrete Pipe		LF	\$ 166.00	=	Ψ		Ψ	
48" Reinforced Concrete Pipe		LF	\$ 202.00 \$ 254.00	=	Ψ		Ψ	
54" Reinforced Concrete Pipe		LF		=	Ψ		Ψ	
60" Reinforced Concrete Pipe			\$ 298.00	=	Ψ		Ψ	
66" Reinforced Concrete Pipe		LF LF	\$ 344.00	=	Ψ		Ψ	
72" Reinforced Concrete Pipe			\$ 393.00	=	Ψ		\$ -	
18" Corrugated Steel Pipe		LF	\$ 87.00	=	\$ - \$ -		\$ -	
24" Corrugated Steel Pipe		LF	\$ 99.00	=	Ψ		Ψ	
30" Corrugated Steel Pipe		LF LF	\$ 126.00	=	\$ -		\$ -	
36" Corrugated Steel Pipe		LF	\$ 152.00	=	\$ - \$ -		Ψ	
42" Corrugated Steel Pipe		LF	\$ 174.00 \$ 184.00	=	\$ -		Ψ	
48" Corrugated Steel Pipe 54" Corrugated Steel Pipe		LF	\$ 184.00	=	\$ -		\$ - \$ -	
		LF		=	\$ -			
60" Corrugated Steel Pipe		LF	\$ 290.00 \$ 352.00		- ·		Ψ	
66" Corrugated Steel Pipe		LF		=	Ψ		Ψ	
72" Corrugated Steel Pipe				=	Ψ		Ψ	
78" Corrugated Steel Pipe		LF	\$ 476.00	=	\$ -		Ψ	
84" Corrugated Steel Pipe Flared End Section (FES) RCP Size =		LF	\$ 569.00	=	\$ -		\$ -	
(unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -	
Flared End Section (FES) CSP Size =							.	
(unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -	
End Treatment- Headwall		EA		=	\$ -		\$ -	
End Treatment- Wingwall		EA		=	\$ -		\$ -	
End Treatment - Cutoff Wall		EA		=	\$ -		\$ -	
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 5,736.00	=	\$ -		\$ -	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,440.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 8,637.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 7,894.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,136.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,185.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,265.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,005.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,034.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 10,940.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 12,075.00	=	\$ -		\$ -	
Grated Inlet (Type C), Depth < 5'		EA	\$ 4,802.00	=	\$ -		\$ -	
Grated Inlet (Type D), Depth < 5'		EA	\$ 5,932.00	=	\$ -		\$ -	
Storm Sewer Manhole, Box Base		EA	\$ 12,034.00	=	\$ -		\$ -	
Storm Sewer Manhole, Slab Base		EA	\$ 6,619.00	=	\$ -		\$ -	
Geotextile (Erosion Control)		SY	\$ 6.20	=	\$ -		\$ -	
Rip Rap, d50 size from 6" to 24"		Tons	\$ 83.00	=	\$ -		\$ -	
Rip Rap, Grouted		Tons	\$ 98.00	=	\$ -		\$ -	
Drainage Channel Construction, Size (W x H)		LF		=	\$ -		\$ -	
Drainage Channel Lining, Concrete		CY	\$ 590.00	=	\$ -		\$ -	
Drainage Channel Lining, Rip Rap		CY	\$ 116.00	=	\$ -		\$ -	
Drainage Channel Lining, Grass		AC	\$ 1,520.00	=	\$ -		\$ -	
Drainage Channel Lining, Other Stabilization				=	\$ -		\$ -	
•				=	\$ -		\$ -	
[insert items not listed but part of construction plans]				=	\$ -		\$ -	
Subject to defect warranty financial assurance. A minimum of 20% shall						1	f	

PROJECT INFORMATION								
Mayberry 6" Steel Main Extension	12/6/2021	CDR2117						
Project Name	Date	PCD File No.						

				Unit				(with Pre-Plat Construction)		
Description	Quantity	Units		Cost			Total	% Complete	Remaining	
SECTION 3 - COMMON DEVELOPMENT IMPRO	OVEMENTS (P	rivate or D	istr	ict and N	IOT Main	tained	by EPC)**			
ROADWAY IMPROVEMENTS							-,,			
					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
STORM DRAIN IMPROVEMENTS (Except	ion: Permanent Po	nd/BMP shall l	oe ite	emized unde	er Section 1)				
· · ·					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
					=	\$	-		\$ -	
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$	-		\$ -	
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	78.00	=	\$	-		\$ -	
Gate Valves, 8"		EA	\$	1,923.00	=	\$	-		\$ -	
Fire Hydrant Assembly, w/ all valves		EA	\$	6,828.00	=	\$	-		\$ -	
Water Service Line Installation, inc. tap and valves		EA	\$	1,370.00	=	\$	-		\$ -	
Fire Cistern Installation, complete		EA			=	\$	-		\$ -	
					=	\$	-		\$ -	
[insert items not listed but part of construction plans]					=	\$	-		\$ -	
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$	-		\$ -	
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,540.00	=	\$	-		\$ -	
Sanitary Service Line Installation, complete		EA	\$	1,451.00	=	\$	-		\$ -	
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$ -	
					=	\$	-		\$ -	
[insert items not listed but part of construction plans]					=	\$	-		\$ -	
LANDSCAPING IMPROVEMENTS	(For subdivision sp	ecific conditio	n of a	approval, or	PUD)					
		EA			=	\$	-		\$ -	
		EA			=	\$	-		\$ -	
		EA			=	\$	-		\$ -	
		EA			=	\$	-		\$ -	
		EA			=	\$	-		\$ -	
** - Section 3 is not subject to defect warranty requirements		Section	n 3	Subtotal	=	\$	-		\$ -	

	PROJECT INFORMATION	
Mayberry 6" Steel Main Extension	12/6/2021	CDR2117
Project Name	Date	PCD File No.

			Unit					(with Pre-Plat Construction)		
Description	Quantity	Units	Cost			Total		% Complete	Remaining	
AS-BUILT PLANS (Public Improvemen	nts inc. Permanent WQCV BMPs)	LS		=	5			s	(e)	
POND/BMP CERTIFICATION (Inc. elev	ations and volume calculations)	LS		=				\$		

Total Construction Financial Assurance \$

Total Defect Warranty Financial Assurance \$

(Sum of all section subtotals plus as-builts and pond/BMP certification)

Total Remaining Construction Financial Assurance (with Pre-Plat Construction)

(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

163,539.55

19,604.00

(20% of all items identified as (*), To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that Project.

of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the

Engineer

oved by Owner / Applicant

Approved by El Paso County Engineer / ECM Administrator

12/01/2021 Date

APPROVED Engineering Department

12/29/2021 3:58:44 PM dsdnijkamp

EPC Planning & Community Development Department