2024 Financial Assurance Estimate Form (with pre-plat construction)

with pre-plat construction) Updated: 10/2023

PROJECT INFORMATION							
FLYING HORSE NORTH FILING 5	10/4/2024						
Project Name	Date	PCD File No. SF2427					

			Unit					-Plat (t Construction)		
Description	Quantity	Units		Cost			Total	% Complete		Remaining	
SECTION 1 - GRADING AND EROSION CONTRO	OL (Construction	and Perma	nent	BMPs)							
Earthwork											
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-	
1,000-5,000; \$8,000 min	1006.04	CY	\$	6.00	=	\$	8,000.00		\$	8,000.00	
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-		\$	-	
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-	
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-	
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-	
Permanent Erosion Control Blanket	5290.44	SY	\$	9.00	=	\$	47,613.97		\$	47,613.97	
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	6.26	AC	\$	2,018.00	=	\$	12,637.35		\$	12,637.35	
Permanent Pond/BMP (provide engineer's estimate)	0.20	EA	\$	-	=	\$	-		\$	-	
Concrete Washout Basin	1.	EA	\$	1,172.00	=	\$	1,172.00		\$	1,172.00	
Inlet Protection	5.	EA	\$	217.00	_	\$	1,085.00		\$	1,085.00	
Rock Check Dam	48.	EA	\$	651.00	=	\$	31,248.00		\$	31,248.00	
	70.	LF					31,240.00			31,240.00	
Safety Fence			\$	3.00	=	\$	-		\$	-	
Sediment Basin	2.	EA	\$	2,294.00	=	\$	4,588.00		\$	4,588.00	
Sediment Trap		EA	\$	538.00	=	\$	-		\$	-	
Silt Fence	10018.44	LF	\$	3.00	=	\$	30,055.32		\$	30,055.32	
Slope Drain		LF	\$	43.00		\$	-		\$	-	
Straw Bale		EA	\$	33.00	=	\$	-		\$	-	
Straw Wattle/Rock Sock		LF	\$	8.00	=	\$	-		\$	-	
Surface Roughening		AC	\$	269.00		\$	-		\$	-	
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-	
Temporary Seeding and Mulching		AC	\$	1,793.00	=	\$	-		\$	-	
Vehicle Tracking Control	1.	EA	\$	3,085.00	=	\$	3,085.00		\$	3,085.00	
Permanent Turf Reinforcement Mat (Rollmax or Equiv.)	128880.99	SF	\$	1.50	=	\$	193,321.49		\$	193,321.49	
[insert items not listed but part of construction plans]			, ·		_	\$	-		\$	-	
· · · · · · · · · · · · · · · · · · ·	AINTENANCE (35	% of Cons	truct	ion BMPs)	=	\$	92,183.98		\$	92,183.98	
- Subject to defect warranty financial assurance. A minimum of 20% shall be		70 01 00110				4	32/100.50		Ψ	32/103.30	
etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)		Sec	tion '	1 Subtotal	=	\$	424,990.10		\$	424,990.10	
SECTION 2 - PUBLIC IMPROVEMENTS *											
	1.	LS	\$	10,000.00	=	\$	10,000.00		\$	10,000.00	
ROADWAY IMPROVEMENTS Construction Traffic Control	1.	LS Tons	\$	10,000.00 37.00	= =		10,000.00			10,000.00	
ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)			\$	37.00		\$	-		\$	-	
ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)	7394.	Tons CY	\$	37.00 66.00		\$	488,004.00		\$	488,004.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		Tons CY SY	\$ \$	37.00 66.00 18.00		\$ \$ \$	-		\$ \$ \$	488,004.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	7394.	Tons CY SY SY	\$ \$	37.00 66.00 18.00 25.00		\$ \$ \$	488,004.00 231,480.00		\$ \$ \$	488,004.00 231,480.00	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	7394.	Tons CY SY SY	\$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00	=	\$ \$ \$ \$ \$	488,004.00		\$ \$ \$ \$	488,004.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick	7394. 12860.	Tons CY SY SY SY Tons	\$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$	488,004.00 231,480.00 - -		\$ \$ \$ \$ \$	488,004.00 231,480.00 - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Agphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	7394. 12860. 1750.	Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00	= = =	\$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00		\$ \$ \$ \$ \$	488,004.00 231,480.00 - - 19,250.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	7394. 12860. 1750. 11.	Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00	= = =	\$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00		\$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - 19,250.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	7394. 12860. 1750.	Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = =	\$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" lbs/cf) Asphalt Pavement (14" lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	7394. 12860. 1750. 11.	Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - 19,250.00 4,312.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	7394. 12860. 1750. 11.	Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00 - - - - - - - - - 19,250.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00 - - - - - - - 518.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons SF EA EA SF EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00 - - - - - - - - - 19,250.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00 - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf) Asphalt Pavement (14T lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons SF EA SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - - 19,250.00 4,312.00 - - - 518.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.0(231,480.0(- - - 19,250.0(4,312.0(- - 518.0(
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	7394. 12860. 1750. 11. 4.	Tons CY SY SY Tons EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - - 19,250.00 4,312.00 - - - 518.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - - 19,250.00 4,312.00 - - - 518.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Asphalt Pavement (147 lbs/cf)" thick Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 38.00 62.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		* * * * * * * * * * * * * * * * * * * *	- 488,004.00 231,480.00 	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 - - 19,250.00 4,312.00 - - 518.00 - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Marking Bericade - Type 3 Delineator - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) A" Sidewalk (common areas only) 5" Sidewalk	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 38.00 77.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.0(231,480.0(- - - 19,250.0(4,312.0(- - - 518.0(- - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.00 231,480.00 19,250.00 4,312.00 518.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	488,004.0(231,480.0(- - - 19,250.0(4,312.0(- - - 518.0(- - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 1,496.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asparage Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 62.00 77.00 125.00 1,496.00 79.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Wedian) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1496.00 79.00 119.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 114.00 39.00 17.00 392.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Wedian) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1496.00 79.00 119.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pa	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 114.00 39.00 17.00 392.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.0(231,480.0(231,480.0(
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons SF EA EA SF EA LF LF LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 65.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asparegate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (V-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 125.00 1,496.00 79.00 119.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 231,480.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 9" Corss Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons EA EA SF EA LF LF LF SY SY SY LF LF EA LF LF EA LF LF EA LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 62.00 77.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 19,250.00 4,312.00 - - - 518.00 - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Asphalt Pavement (147 lbs/cf)" thick Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 9" Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (CMU block, 6' high)	7394. 12860. 1750. 11. 4.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 125.00 1496.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 231,480.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Asphalt Pavement (147 lbs/cf)" thick Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	7394. 12860. 1750. 11. 4.	Tons CY SY SY SY Tons EA EA SF EA LF LF LF SY SY SY LF LF EA LF LF EA LF LF EA LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 62.00 77.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 488,004.00 231,480.00 231,480.00	

PROJECT INFORMATION						
FLYING HORSE NORTH FILING 5	10/4/2024					
Project Name	Date	PCD File No.				

escription		Quantity	Unito		Unit			Total		e-Plat Construction)	
Description		Quantity	Units		Cost	_	+	Total -	% Complete	4	Remaining -
[insert items not listed but part of construction	nlanel					=	\$	<u> </u>		\$	-
STORM DRAIN IMPROVEMENTS	piarisj					_	P			P	
Concrete Box Culvert (M Standard), Size (W	/ x H)		LF			=	\$			\$	
18" Reinforced Concrete Pipe	X /	100.55	LF	\$	82.00	=	\$	8,245.10		\$	8,245.10
24" Reinforced Concrete Pipe		281.76	LF	\$	98.00	=	\$	27,612.48		\$	27,612.48
30" Reinforced Concrete Pipe			LF	\$	123.00	=	\$	- ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		\$	
36" Reinforced Concrete Pipe			LF	\$	151.00	=	\$	-		\$	-
42" Reinforced Concrete Pipe			LF	\$	201.00	=	\$	-		\$	-
48" Reinforced Concrete Pipe			LF	\$	245.00	=	\$	-		\$	-
54" Reinforced Concrete Pipe			LF	\$	320.00	=	\$	-		\$	-
60" Reinforced Concrete Pipe			LF	\$	374.00	=	\$	-		\$	-
66" Reinforced Concrete Pipe			LF	\$	433.00	=	\$	-		\$	-
72" Reinforced Concrete Pipe			LF	\$	495.00	=	\$	-		\$	-
18" Corrugated Steel Pipe			LF	\$	105.00	=	\$	-		\$	-
24" Corrugated Steel Pipe			LF	\$	121.00	=	\$	-		\$	-
30" Corrugated Steel Pipe			LF	\$	154.00	=	\$	-		\$	-
36" Corrugated Steel Pipe			LF	\$	184.00	=	\$	-		\$	-
42" Corrugated Steel Pipe			LF	\$	212.00	=	\$	-		\$	-
48" Corrugated Steel Pipe			LF	\$	223.00	=	\$	-		\$	-
54" Corrugated Steel Pipe			LF	\$	327.00	=	\$	-		\$	-
60" Corrugated Steel Pipe			LF LF	\$	353.00	=	\$	-		\$	-
66" Corrugated Steel Pipe			LF	\$	427.00 502.00	=	\$	-		\$	-
72" Corrugated Steel Pipe 78" Corrugated Steel Pipe			LF	\$	578.00	=	\$	-		\$	-
84" Corrugated Steel Pipe			LF	\$	691.00	=	\$			\$	
Flared End Section (FES) RCP Size =	18"		Li								
(unit cost = 6x pipe unit cost)	10	3.	EA	\$	492.00	=	\$	1,476.00		\$	1,476.0
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	24"	2.	EA	\$	588.00	=	\$	1,176.00		\$	1,176.0
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	36"		EA	\$	906.00	=	\$	-		\$	-
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	42"		EA	\$	1,206.00	=	\$	-		\$	-
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	48"		EA	\$	1,470.00	=	\$	-		\$	-
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	54"		EA	\$	1,920.00	=	\$	-		\$	-
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	60"		EA	\$	2,244.00	=	\$	-		\$	-
End Treatment- Headwall	00		EA			=	\$			\$	
End Treatment- Wingwall			EA			=	\$			\$	
End Treatment - Cutoff Wall			EA			=	\$	-		\$	-
Curb Inlet (Type R) L=5', Depth < 5'			EA	\$	7,212.00	=	\$	-		\$	-
Curb Inlet (Type R) L=5', 5' ≤ Depth < 1	0'		EA	\$	9,377.00	=	\$	-		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 1	5'		EA	\$	10,859.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', Depth < 5'			EA	\$	9,925.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 1	0'		EA	\$	10,230.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 1	5'		EA	\$	12,805.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', Depth < 5'			EA	\$	12,907.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', $5' \le Depth < 1$			EA	\$	13,835.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 1	5'		EA	\$	15,130.00	=	\$	-		\$	-
Curb Inlet (Type R) L =20', Depth < 5'			EA	\$	13,755.00	=	\$	-		\$	-
Curb Inlet (Type R) L =20', 5' ≤ Depth < 1	0'		EA	\$	15,181.00	=	\$	-		\$	-
Grated Inlet (Type C), Depth < 5'			EA	\$	6,037.00	=	\$	-		\$	-
Grated Inlet (Type D), Depth < 5'			EA	\$	7,458.00	=	\$	-		\$	-
Storm Sewer Manhole, Box Base			EA	\$	15,130.00	=	\$	-		\$	-
Storm Sewer Manhole, Slab Base Geotextile (Erosion Control)			EA	\$	8,322.00	=	\$	-		\$	-
Rip Rap, d50 size from 6" to 24"		272	SY Tons	\$	9.00	=	\$			\$	38,792.0
Rip Rap, Grouted		373.	Tons	\$	124.00	=	\$	38,792.00		\$	36,/92.0
Drainage Channel Construction, Size (W x	н)		LF	ڔ	124.00	=	\$			\$	
Drainage Channel Lining, Concrete	11)		CY	\$	741.00	=	\$			\$	-
Drainage Channel Lining, Concrete Drainage Channel Lining, Rip Rap			CY	\$	145.00	=	\$			\$	
Drainage Channel Lining, Rip Rap Drainage Channel Lining, Grass			AC	\$	1,911.00	=	\$	<u> </u>		\$	
Drainage Channel Lining, Other Stabilization			, 10	7	1,511.00	=	\$			\$	
go channel Limity, other ctabilization						=	\$			\$	
[insert items not listed but part of construction	plans]					=	\$	-		\$	-
						_	Ψ			T	
 Subject to defect warranty financial assurance. A minim 								830,865.60			

PROJECT INFORMATION							
FLYING HORSE NORTH FILING 5	10/4/2024						
Project Name	Date	PCD File No.					

				Unit				(with Pre-Plat Construction)		
Description	Quantity	Units	(Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO	OVEMENTS (Priv	ate or Dis	strict a	and NOT	Maintai	ned by	EPC)**			
ROADWAY IMPROVEMENTS							,			
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Excep	otion: Permanent Pon	id/BMP shall l	be itemiz	zed under	Section 1)					
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS	·									
Water Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$	2,418.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$	8,584.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$	1,723.00	=	\$	-		\$	-
Fire Cistern Installation, in Tract A	1.	EA	\$ 50	00,000.00	=	\$	500,000.00		\$	500,000.00
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	-
Sanitary Sewer Manhole, Depth < 15 feet		EA		5,708.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete		EA	\$	1,825.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	cific condition	n of appr	roval, or PU	JD)					
Trees		EA	\$	500.00	=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Sect	tion 3 S	Subtotal	=	\$	500,000.00		\$	500,000.00

PROJECT INFORMATION							
FLYING HORSE NORTH FILING 5	10/4/2024						
Project Name	Date	PCD File No.					

			Unit				(with Pre-	-Plat (Construction)
Description	Quantity	Units	Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent Wo	QCV BMPs)		\$ 15,000.00	=	\$	15,000.00		\$	15,000.00
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS		=	\$	-		\$	-
				Tota	al Constr	uction Financia	I Assurance	\$	1,770,855.70
			(Sum of all se	ction subto	tals plus as	s-builts and pond/BN	MP certification)		
	Total Rem	aining Con	struction Fina	ncial Ass	surance (with Pre-Plat Co	onstruction)	\$	1,770,855.68
	(Sum of	all section total	als less credit for i	tems comp	lete plus as	-builts and pond/BM	IP certification)		•
				Total D	efect Wa	arranty Financia	al Assurance	\$	179,823.38
(20% of all items identified as (*). To be collateralized at time of preliminary acceptance							=	T	=: =,0=0:00

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work $% \left\{ 1\right\} =\left\{ 1$	as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
,	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date
Approved by Li raso County Engineer / ECM Administrator	Date