

# Retreat at TimberRidge

## PRELIMINARY PLAN

### EL PASO COUNTY, COLORADO

#### LEGAL DESCRIPTION

##### RETREAT AT TIMBER RIDGE

A PORTION OF SECTION 21, 22, 27 AND 28, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH P.M., EL PASO COUNTY, COLORADO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

**BASIS OF BEARINGS:**  
LINE BEGINS BETWEEN THE NORTHEAST CORNER OF THE NORTHWEST ONE-QUARTER OF THE NORTHWEST ONE-QUARTER (NW1/4 NW1/4) OF SECTION 27 AND THE SOUTHEAST CORNER OF THE NORTHWEST ONE-QUARTER (NW1/4 SW1/4) OF SAID SECTION 27, TOWNSHIP 12 SOUTH, RANGE 65 WEST, MONUMENTED AT THE NORTHERLY END BY A 3-1/4" ALUMINUM CAP STAMPED "2006 ESI PLS 10376" AND MONUMENTED AT THE SOUTHERLY END BY A 3-1/4" ALUMINUM CAP STAMPED "2006 ESI PLS 10376" AND IS ASSUMED TO BEAR 500' 54' 30" E, A DISTANCE OF 3925.63 FEET;

**PARCEL 1**  
COMMENCING AT THE NORTHEAST CORNER OF THE NORTHWEST QUARTER OF THE NORTHWEST QUARTER OF SECTION 27, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH P.M., SAID POINT ALSO BEING THE POINT OF BEGINNING;  
THENCE 500' 54' 30" E ON THE EAST LINE OF THE WEST HALF OF THE WEST HALF OF SAID SECTION 27, A DISTANCE OF 3925.63 FEET TO THE SOUTHEAST CORNER OF THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SAID SECTION 27;

THENCE 587' 35" W ON THE SOUTH LINE OF SAID NORTHWEST QUARTER OF THE SOUTHWEST QUARTER, A DISTANCE OF 1332.78 FEET TO THE SOUTHWEST CORNER OF SAID NORTHWEST QUARTER OF THE SOUTHWEST QUARTER;

THENCE 500' 53' 18" W ON THE WEST LINE OF SAID NORTHWEST QUARTER OF THE SOUTHWEST QUARTER, A DISTANCE OF 1316.78 FEET TO THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER OF THE SOUTHWEST QUARTER;

THENCE 589' 08' 28" W ON THE SOUTH LINE OF THE SOUTHEAST QUARTER OF THE NEIGHBOR QUARTER OF SECTION 28, A DISTANCE OF 1326.68 FEET TO THE SOUTHWEST CORNER OF SAID SOUTHEAST QUARTER OF THE NEIGHBOR QUARTER;

THENCE N00°30'49" W ON THE WEST LINE OF SAID SOUTHEAST QUARTER OF THE NEIGHBOR QUARTER, A DISTANCE OF 1270.77 FEET TO A POINT ON THE EASTERNLY RIGHT-OF-WAY LINE OF VOLLMER ROAD AS RECORDED IN BOOK 2678 AT PAGE 430 OF THE EL PASO COUNTY CLERK AND RECORDER;

THENCE N21°41'10" E ON SAID EASTERNLY RIGHT-OF-WAY LINE, A DISTANCE OF 1450.84 FEET TO THE POINT OF INTERSECTION OF THE SOUTHERLY RIGHT-OF-WAY LINE AS DESCRIBED IN A DEED RECORDED IN BOOK 2678 AT PAGE 431 OF SAID COUNTY RECORDS;

THENCE ON THE SOUTHERLY, EASTERNLY AND NORTHERLY RIGHT-OF-WAY LINES OF SAID DEED THE FOLLOWING FOUR COURSES:

1. N89°40'23" E, A DISTANCE OF 761.52 FEET TO A POINT ON THE EAST LINE OF THE NEIGHBOR QUARTER OF SAID SECTION 28;

2. N00°52'58" W ON SAID EAST LINE, A DISTANCE OF 30.00 FEET TO THE SOUTHEAST CORNER OF SAID SECTION 21;

3. N00°37'14" W ON THE WEST LINE OF THE SOUTHWEST QUARTER OF SECTION 22, A DISTANCE OF 30.00 FEET;

4. S89°40'23" W, A DISTANCE OF 736.82 FEET TO THE POINT OF INTERSECTION OF THE EASTERNLY RIGHT-OF-WAY LINE AS DESCRIBED IN A DEED RECORDED IN BOOK 2678 AT PAGE 431 OF SAID COUNTY RECORDS;

THENCE N21°41'10" E ALONG SAID EASTERNLY RIGHT-OF-WAY LINE, A DISTANCE OF 113.82 FEET;

THENCE S68°18'50" E, A DISTANCE OF 145.93 FEET TO A POINT OF CURVE;

THENCE ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 560.00 FEET, A CENTRAL ANGLE OF 22°00'47" FOR A LENGTH OF 215.15 FEET TO A POINT OF TANGENT;

THENCE N89°40'23" E ON A LINE THAT IS 40.00 NORtherly OF AND PARALLEL WITH THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 21, A DISTANCE OF 348.32 FEET;

THENCE N88°38'56" E ON A LINE THAT IS 40.00 NORtherly OF AND PARALLEL WITH THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 22, A DISTANCE OF 477.80 FEET TO A POINT ON THE WESTERLY BOUNDARY LINE OF A WARRANTY DEED RECORDED UNDER RECEIPT NO. 21711767 OF SAID RECORDS;

THENCE ALONG THE BOUNDARY OF SAID WARRANTY DEED THE FOLLOWING SEVEN COURSES:

1. N47°35'42" E, A DISTANCE OF 44.33 FEET;

2. N36°59'01" E, A DISTANCE OF 517.38 FEET;

3. N56°32'31" E, A DISTANCE OF 489.24 FEET;

4. N56°32'31" E, A DISTANCE OF 489.24 FEET;

5. N89°41'56" E, A DISTANCE OF 1283.66 FEET;

6. S00°18'04" E, A DISTANCE OF 852.14 FEET TO A POINT ON THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SECTION 21;

7. S88°38'37" W ON SAID SOUTH LINE, A DISTANCE OF 1300.52 FEET TO THE POINT OF BEGINNING.

CONTAINING A CALCULATED AREA OF 9,891,306 SQ. FEET, OR 227.07 ACRES.

TOGETHER WITH:

##### PARCEL 2

BEGINNING AT THE EAST 1/16TH CORNER OF SAID SECTION 21 AND 28;

THENCE N89°40'23" ON THE NORTH LINE OF THE NEIGHBOR QUARTER OF SAID SECTION 28, A DISTANCE OF 499.73 FEET TO A POINT ON THE WESTERLY RIGHT OF WAY LINE OF VOLLMER ROAD AS RECORDED IN BOOK 2678 AT PAGE 30 OF SAID RECORDS;

THENCE S21°41'10" W ON SAID WESTERLY RIGHT OF WAY LINE, A DISTANCE OF 1312.75 FEET TO A POINT ON THE WEST LINE OF THE NEIGHBOR QUARTER OF THE NEIGHBOR QUARTER OF SAID SECTION 28;

THENCE N00°41'17" W ON SAID WEST LINE, A DISTANCE OF 1217.12 FEET TO THE POINT OF BEGINNING.

CONTAINING A CALCULATED AREA OF 304,098 SQUARE FEET, OR 6.98 ACRES.

#### TRACT TABLE

TRACT	SIZE	USE	OWNERSHIP	MAINTENANCE
B	1.296 AC (56,448 SF)	Detention, Water Quality	TimberRidge MetroDistrict	TimberRidge MetroDistrict
C	0.065 AC (2,844 SF)	Signage, Landscape	TimberRidge MetroDistrict	TimberRidge MetroDistrict
D	0.251 AC (10,955 SF)	Detention, Water Quality	TimberRidge MetroDistrict	TimberRidge MetroDistrict
E	0.241 AC (10,500 SF)	Detention, Water Quality	TimberRidge MetroDistrict	TimberRidge MetroDistrict
F	17.762 AC (773,713 SF)	Regional & Local Trails, Existing Drainageway, Open Space	TimberRidge MetroDistrict + El Paso County Parks	TimberRidge MetroDistrict
G	4.580 AC (199,518 SF)	Existing Drainageway, Open Space	TimberRidge MetroDistrict	TimberRidge MetroDistrict
H	2.279 AC (99,280 SF)	Detention, Water Quality, Local Trail	TimberRidge MetroDistrict	TimberRidge MetroDistrict
I	0.374 AC (16,303 SF)	Regional Trails, Landscape	TimberRidge MetroDistrict	TimberRidge MetroDistrict + El Paso County Parks
J	0.366 AC (15,941 SF)	Regional Trails, Landscape	TimberRidge MetroDistrict	TimberRidge MetroDistrict + El Paso County Parks
K	0.360 AC (15,684 SF)	Regional Trails, Landscape	TimberRidge MetroDistrict	TimberRidge MetroDistrict + El Paso County Parks


#### MAINTENANCE NOTES:

- All detention and water quality facilities within Tracts shall be owned and maintained by TimberRidge Metropolitan District.


#### GENERAL NOTES

- All rural roads will be asphalt with gravel shoulders. All urban streets will be asphalt with type A or C curb & gutter.
- This property is subject to the findings summary and conclusions of a geologic hazard report prepared by ENTECH dated April 12, 2017 and revised on December 1, 2017. A copy of said report has been submitted with this application and can be found under file no. SP-182. Contact the El Paso County Land use review team, if you would like to review said report.
- Development Requirements:
  - Maximum lot coverage:
    - For lots less than 20,000 Sq. Ft. - 45%
    - For lots with a minimum lot size of 20,000 Sq. Ft. - 45%
    - For lots 2.5 acres and greater including Tract A - 20%
  - Maximum building height: thirty (35) feet.
  - Minimum Lot Size: 12,000 Sq. Ft.
  - Setback minimums:
    - For lots less than 20,000 square feet:
      - Front - 25 feet minimum
      - Corner Lots - 10 feet for non-garage front
      - Side - 7.5 feet minimum
      - Rear - 25 feet minimum
    - For lots with a minimum lot size of 20,000 square feet:
      - Front - 25 feet minimum
      - Corner Lots - 15 feet for non-garage front
      - Side - 15 feet minimum
      - Rear - 35 feet minimum
    - For lots 2.5 acres and greater including Tract A:
      - Front - 35 feet minimum
      - Side - 25 feet minimum
      - Rear - 50 feet minimum, except that lots 20 - 26 shall have a rear yard setback of 100 feet minimum
  - Accessory buildings must comply with the setbacks established above, except that the rear yard setback may be reduced to twenty (20) feet for any lots that do not abut a public street or the golf course. Accessory structures are governed by architectural covenants regarding building colors and materials to be consistent with the primary structure of the site.
  - All development of lots are subject to the development guidelines and provisions of the approved PUD Resolution File No# PUD 17-3 and PUD Rec. 21604692.
  - Final Plats may contain more than one phase and may not be sequenced as shown on the Phasing Diagram.
  - In Areas of High Groundwater, all foundations shall incorporate an underground drainage system.
  - Phasing is conceptual and may change without revision to the Preliminary Plan.
  - Lots 1-41 will be served by individual wells and IDS systems. All other lots will be served by the Sterling Ranch Metro District for central water and wastewater.
  - The following deviations have been requested and approved:
    - ECM 2.3.8.A - The request to allow an interim cul-de-sac length in excess of 1,600 feet for Nature Refuge Way has been approved pending fire district concurrence.
    - ECM 2.2.5.B.1 - Deviations to permit an interim (shared) access from Vollmer Road to lots 11 & 12 has been approved. This approval will require notation on the subdivision plat for these two lots that the access is interim, to be removed/relocated when the remainder parcel develops.
  - Individual lot sediment control BMPs will be required for Lots 11 & 12 to be owned and maintained by individual owners.
  - Lots 1-52 will have individual well and septic systems. Lots 53-205 will be served by the Sterling Ranch Metropolitan District for Central water and wastewater.

#### PHASE & TRACT MAP



#### VICINITY MAP



#### SITE DATA

OWNERS:  
Arroyo Investments LLC  
1283 Kelly Johnson Blvd.  
Colorado Springs, CO 80920

Jacob Decoto  
10620 Vollmer Rd  
Colorado Springs, CO 80910

TimberRidge Estates, LLC  
2760 Brogans Bluff Drive  
Colorado Springs, CO 80919

APPLICANT:  
N.E.S. Inc.  
619 N Cascade Ave., Suite 200  
Colorado Springs, CO 80903

TAX ID NUMBER:  
522700004; 5228000019;  
522700003; 522700001;  
520000039; 5200000397;  
522200023; 5200000393

DEVELOPMENT SCHEDULE:  
SITE AREAGE: 2018  
CURRENT ZONING: 234.05 AC  
CURRENT LAND USE: PUD  
PROPOSED LAND USE: Vacant  
Residential: 205 Total Lots,  
Gross Density: 0.876 DU/AC; Net Density: 0.992 DU/AC  
• 2.5 AC Minimum: 41 Lots  
• 1 AC Minimum: 11 Lots  
• 15,000 SF Minimum: 11 Lots  
• 12,000 SF Minimum: 142 Lots  
Open Space: 27.58 AC  
• Open Space (Sand Creek Greenway): 22.34 AC  
• Landscape & Buffers: 1.17 AC  
• Detention/Water Quality: 4.07 AC  
Public Streets / ROW: 27.17 AC

#### PHASING PLAN


PHASE	TOTAL COUNT	LOT COUNTS	LOT NUMBERS	MINIMUM LOT SIZE	AVERAGE LOT SIZE
1	10 Lots	10	1-10	2.5 Acres	3.01 Acres
2	13 Lots	13	11-12, 20-30	2.5 Acres	2.73 Acres
3	59 Lots	59	68-112, 127-136, 196-199	12,000 SF	14,326 SF
4	33 Lots	3	39-41	2.5 Acres	2.54 Acres
		11	42-52	1 Ac	1.06 Acres
		9	53-61	15,000 SF	17,618 SF
		10	62-67, 200-203	12,000 SF	19,636 SF
5	15 Lots	15	13-19, 31-38	2.5 Acres	2.56 Acres
6	75 Lots	2	204-205	15,000 SF	22,120 SF
		73	113-126, 137-195	12,000 SF	15,619 SF

#### SHEET INDEX



- Sheet 1 of 8: Cover Sheet  
Sheet 2 of 8: PUD Development Plan  
Sheet 3 of 8: PUD Development Plan  
Sheet 4 of 8: Building Constraint Map  
Sheet




## KEY MAP



Add to each sheet in the prelim plan set \*8 sheets) (A)Title Block and Reference formation  
Name of proposed subdivision centered on the top of the plan and at the top of each sheet. On each sheet, a subtitle, in smaller lettering, shall indicate the quarter section(s)(1/4), section, township and range in which the subdivision is located. The name of the County and the State shall be included in the subtitle.






Identify the wetlands and areas in lots that are to be preserved by no-build areas - all sheets where impacted OR identify no build areas on Constraints Map (sheets 4 and 5)

EXISTING GEOLOGIC CONSTRAINTS LEGEND:



- Qaf - Artificial Fill Deposits of Holocene Age: man-made fill deposits
- Qal - Recent Alluvium of Holocene Age: recent water deposited materials
- Qam - Middle Alluvium of Holocene to Pleistocene Age: lower stream terrace deposits
- TKd - Dawson Formation of Tertiary to Cretaceous Age: arkosic sandstone with siltstone and claystone lenses
- dsc - down slope creep
- er - erosion
- psw - potential seasonal shallow water
- pu - potentially unstable slope
- sw - seasonal shallow water
- w - water

GEOLOGIC CONSTRAINTS NOTES:

1. THE INDICATED LOTS HAVE BEEN FOUND TO BE IMPACTED BY GEOLOGIC CONSTRAINTS. MITIGATION MEASURES AND A MAP OF THE HAZARD AREA CAN BE FOUND IN THE REPORTS "SOIL, GEODEMIC, GELOGIC HAZARD, AND WATERWATER STUDY THE RETREAT AT TIMBER RIDGE, EL PASO COUNTY, COLORADO" AND "SOIL, GEODEMIC, AND GELOGIC HAZARD THE RETREAT AT TIMBER RIDGE ACROSS LOTS VOLLMER ROAD AND ARROYO LANE EL PASO COUNTY, COLORADO" BY ENTECH DATED APRIL 12, 2107 IN FILE NO SP-182 AVAILABLE AT THE EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT.
2. IF ANY DISCREPANCIES ARE FOUND BETWEEN PLAN AND SAID REPORTS, THE REPORTS SUPERSEDE THIS MAP.
3. IN AREAS OF HIGH GROUNDWATER: DUE TO HIGH GROUNDWATER IN THE AREA, ALL FOUNDATIONS SHALL INCORPORATE AN UNDERGROUND DRAINAGE SYSTEM.
4. REFERENCE GRADING PLAN SHEETS 7-8 FOR OVER-LOT GRADING AND CHANNEL IMPROVEMENTS THAT WILL BE INCORPORATED FOR MITIGATION OF EXISTING DRAINAGEWAYS.



### KEY MAP





#### EXISTING GEOLOGIC HAZARD LEGEND:

- Qal - Recent Alluvium of Holocene Age:  
recent water deposited materials
- TKd - Dawson Formation of Tertiary to Cretaceous Age:  
arenic sandstone with siltstone and claystone lenses
- psw - potential seasonal shallow water
- sw - seasonal shallow water

#### GEOLOGIC CONSTRAINTS NOTES:

1. THE INDICATED LOTS HAVE BEEN FOUND TO BE IMPACTED BY GEOLOGIC CONSTRAINTS. MITIGATION MEASURES AND A MAP OF THE HAZARD AREA CAN BE FOUND IN THE REPORT "SOIL GEOLOGY, GEOLOGIC HAZARD, AND WATERWATER STUDY THE RETREAT AT TIMBERRIDGE VOLMER ROAD AND ARROYA LANE, EL PASO COUNTY, COLORADO AND '303' GED - ANNUAL HAZARD REPORT AT TIMBER RIDGE 5.5-ACRE LOTS VOLMER ROAD AND ARROYA LANE EL PASO COUNTY, COLORADO" BY ENTECH DATED APRIL 12, 2107 IN FILE NO SP-182 AVAILABLE AT THE EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT.
2. IF ANY CONCERN IS FOUND BETWEEN PLAN AND SAID REPORTS, THE REPORTS SUPERSEDE.
3. IN AREAS OF HIGH GROUNDWATER: DUE TO HIGH GROUNDWATER IN THE AREA, ALL FOUNDATIONS SHALL INCORPORATE AN UNDERGROUND DRAINAGE SYSTEM.



N.E.S. Inc.  
619 N. Cascade Avenue, Suite 200  
Colorado Springs, CO 80903  
Tel. 719.471.0073  
Fax 719.471.0267  
[www.nescolorado.com](http://www.nescolorado.com)  
© 2012. All Rights Reserved.

## Retreat at TimberRidge

### Preliminary Plan

EL PASO COUNTY, CO

DATE:  
PROJECT MGR:  
PREPARED BY:  
04/11/18  
J. MAYNARD  
K. MARSHALL

ISSUE INFO


DATE: 06-26-18 BY: KMM DESCRIPTION: Per County Review Comments

### SITE SECTIONS & DETAILS

6

8


SP 182



FRONT ELEVATION


D1 3-RAIL WOODEN FENCE

NOT TO SCALE




D2 GRAVEL METRO. DISTRICT (LOCAL) TRAIL SECTION

NOT TO SCALE




D3 BREEZE GRAVEL REGIONAL MULTI-USE TRAIL SECTION

NOT TO SCALE




S1 URBAN LOCAL ROAD TYPICAL SECTION - 50' ROW

SCALE: 1" = 1'-0"




S2 RURAL LOCAL ROAD TYPICAL SECTION - 60' ROW

SCALE: 1" = 1'-0"




S3 ARROYA LANE INTERIM RURAL LOCAL ROAD SECTION - 80' ROW

SCALE: 1" = 1'-0"




S4 ARROYA LANE FUTURE RURAL MINOR COLLECTOR ROAD SECTION - 80' ROW

SCALE: 1" = 1'-0"



**TYPICAL LOT SECTION DETAIL**

N.T.S.



**LOT DRAINAGE TYPES**

N.T.S.

**NOTES:**


1. AT LEAST TEN DAYS PRIOR TO THE ANTICIPATED START OF CONSTRUCTION FOR PROJECTS THAT DISTURB 1 ACRE OR MORE (ONE ACRE OR MORE AFTER JULY 1, 2002), THE OWNER OR OPERATOR OF THE CONSTRUCTION ACTIVITY SHALL SUBMIT A PERMIT APPLICATION FOR STORMWATER DISCHARGE TO THE COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT, WATER QUALITY CONTROL DIVISION. THE APPLICATION CONTAINS CERTIFICATION OF COMPLETION OF A STORMWATER MANAGEMENT PLAN (SWMP), OF WHICH THIS GRADING AND EROSION CONTROL PLAN MAY BE A PART. FOR INFORMATION OR APPLICATION MATERIALS CONTACT:

COLORADO DEPARTMENT OF PUBLIC  
HEALTH AND ENVIRONMENT  
WATER QUALITY CONTROL DIVISION  
WQCD - PERMITS  
4300 CHERRY CREEK DRIVE SOUTH  
DENVER, CO 80246-1530  
ATTN: PERMITS UNIT

2. ALL DISTURBED AREAS TO BE RESEED UPON COMPLETION OF OVERLOT GRADING AND EROSION CONTROL MEASURES HAVE BEEN INSTALLED OR WITHIN 60 DAYS, WHICHEVER IS LESS.


3. SEE SHEET 1 FOR EROSION CONTROL NOTES AND SHEET 4 FOR EROSION CONTROL DETAILS.

\* NOTE:  
NO GRADING PROPOSED FOR  
LOTS 11 & 12 OTHER THAN  
FOR DRIVEWAY ACCESS




**TYPICAL A LOT**

NOT TO SCALE



**TYPICAL B LOT**

NOT TO SCALE




**TYPICAL WALKOUT LOT (W/O)  
OR GARDEN (G)**

NOT TO SCALE

**TYPICAL LOT TEMPLATES**

**LEGEND**

6600	EXISTING GROUND CONTOUR
6600	PROPOSED FINISHED CONTOUR
→	FLOW DIRECTION
↗	EXISTING FLOW
—	FILING BOUNDARY
—	PROPOSED STORM SEWER



48 HOURS BEFORE YOU DIG,  
CALL UTILITY LOCATORS  
**1-800-922-1987**

CITY OF COLORADO SPRINGS DEPT. OF UTILITIES

GAS, ELECTRIC, WATER AND WASTEWATER

THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK. THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE CAUSED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

NO. REVISION

DATE

REVIEW:

PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF  
CLASSIC CONSULTING ENGINEERS AND SURVEYORS, LLC


MARC A. WHORTON, COLORADO P.E. #37155

DATE



RETREAT AT TIMBERIDGE  
PRELIMINARY PLAN

PRELIMINARY GRADING PLAN



CONSULTING  
ENGINEERS & SURVEYORS

INC.

DESIGNER BY

MAW

SCALE

DATE

6-25-18

(H) 1" = 200'


SHEET 7 OF 8

JOB NO. 2520.00

CHECKED BY


(V) 1" = N/A

JOB NO. 2520.00



**TYPICAL LOT SECTION DETAIL**

N.T.S.



**LOT DRAINAGE TYPES**

N.T.S.


**NOTES:**

1. AT LEAST TEN DAYS PRIOR TO THE ANTICIPATED START OF CONSTRUCTION, FOR PROJECTS THAT WILL DISTURB 1 ACRE OR MORE (ONE ACRE OR MORE AFTER JULY 1, 2002), THE OWNER OR OPERATOR OF THE CONSTRUCTION ACTIVITY SHALL SUBMIT A PERMIT APPLICATION FOR STORMWATER DISCHARGE TO THE COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT, WATER QUALITY CONTROL DIVISION. THE APPLICATION CONTAINS CERTIFICATION OF COMPLETION OF A STORMWATER MANAGEMENT PLAN (SWMP), OF WHICH THIS GRADING AND EROSION CONTROL PLAN MAY BE A PART. FOR INFORMATION OR APPLICATION MATERIALS CONTACT:

COLORADO DEPARTMENT OF PUBLIC  
HEALTH AND ENVIRONMENT  
WATER QUALITY CONTROL DIVISION  
WQCD - PERMITS  
4300 CHERRY CREEK DRIVE SOUTH  
DENVER, CO 80246-1530  
ATTN: PERMITS UNIT


2. ALL DISTURBED AREAS TO BE RESEEDED UPON COMPLETION OF OVERLOT GRADING AND EROSION CONTROL MEASURES HAVE BEEN INSTALLED OR WITHIN 60 DAYS, WHICHEVER IS LESS.

3. SEE SHEET 1 FOR EROSION CONTROL NOTES AND SHEET 4 FOR EROSION CONTROL DETAILS.




**TYPICAL A LOT**

NOT TO SCALE



**TYPICAL B LOT**


NOT TO SCALE



**TYPICAL WALKOUT LOT (W/O)  
OR GARDEN (G)**


NOT TO SCALE

**TYPICAL LOT TEMPLATES**



**LEGEND**

6600	EXISTING GROUND CONTOUR	H.P.	HIGH POINT
6600	PROPOSED FINISHED CONTOUR	LP	LOW POINT
→	FLOW DIRECTION	"A"	A LOT
→	EXISTING FLOW	"B"	B LOT
—	FILING BOUNDARY	"W/O"	WALKOUT LOT
—	PROPOSED STORM SEWER	"T"	TRANSITION LOT
—		"G"	GARDEN LOT
—		"N"	NATURAL LOT



SCALE: 1" = 200'

48 HOURS BEFORE YOU DIG,  
CALL UTILITY LOCATORS  
**1-800-922-1987**  
CITY OF COLORADO SPRINGS DEPT. OF UTILITIES  
GAS, ELECTRIC, WATER AND WASTEWATER

THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK. THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE CAUSED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

NO. REVISION

DATE

REVIEW:  
PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF  
CLASSIC CONSULTING ENGINEERS AND SURVEYORS, LLC  
MARC A. WHORTON, COLORADO P.E. #37155 DATE



RETREAT AT TIMBERRIDGE  
PRELIMINARY PLAN  
PRELIMINARY GRADING PLAN  
DESIGNED BY MAW SCALE DATE 6-25-18  
DRAWN BY MAW (H) 1"= 200' SHEET 8 OF 8  
CHECKED BY (V) 1"= N/A JOB NO. 2520.00



CONSULTING  
ENGINEERS & SURVEYORS