2015 Financial Assurance

10/15/2015

Estimate Form (with pre-plat construction)

Project Information	
Lorson Blvd. Bridge over Jimmy Camp Creek Main Channel	9/15/2017
Project Name	Date

Section 1 - Grading and Erosion Control BMPs	Quantity	Units		Price				% Complete	Remaining
Earthwork*	5,000.00	CY	@	\$ \$5	=	\$	25,000.00		\$ 25,000.00
Permanent Seeding*	2.50	AC	@	\$ \$582	=	\$	1,455.00		\$ 1,455.00
Mulching*		AC	@	\$ \$507	=	\$			\$ -
Permanent Erosion Control Blanket*	4,000.00	SY	@	\$ \$6	=	\$	24,000.00		\$ 24,000.00
Temporary Erosion Control Blanket		SY	@	\$ \$3		\$			\$ -
Vehicle Tracking Control	2.00	EA	@	\$ \$1,625	=	\$	3,250.00		\$ 3,250.00
Safety Fence		LF	@	\$ \$3	=	\$			\$ -
Silt Fence	1,200.00	LF	@	\$ \$4	=	\$	4,800.00		\$ 4,800.00
Temporary Seeding		AC	@	\$ \$485	=	\$			\$ -
Temporary Mulch		AC	@	\$ \$507	=	\$			\$ -
Erosion Bales		EA	@	\$ \$21	=	\$			\$ -
Erosion Logs	100.00	LF	@	\$ \$6	=	\$	600.00		\$ 600.00
Rock Ditch Checks	1.00	EA	@	\$ \$4,000	=	\$	4,000.00		\$ 4,000.00
Inlet Protection		EA	@	\$ \$153	=	\$			\$ -
Sediment Basin		EA	@	\$ \$1,625	=	\$			\$ -
Concrete Washout Basin	2.00	EA	@	\$ \$776	=	\$	1,552.00		\$ 1,552.00
			@	\$	=	\$			\$ -
* specified items subject to defect warranty financial assurance. A minimum of 20% to be retained up to preliminary acceptance process.				Section 1 Subtota	_	s	64,657.00		\$ 64,657.00

Section 2 - Public Improvements**	Quantity	Units		Price			% Complete	Rem	aining
- Roadway Improvements									
Construction Traffic Control	•	LS	@	\$ 5,000	=	\$		\$	-
Aggregate Base Course	1,800.00	Tons	@	\$ \$18	=	\$ 32,400.00		\$	32,400.00
Asphalt Pavement	1,350.00	Tons	@	\$ \$65	=	\$ 87,750.00		\$	87,750.00
Raised Median, Paved		SF	@	\$ \$7	=	\$		\$	-
Electrical Conduit, Size =		LF	@	\$ \$14	=	\$		\$	-
Traffic Signal, complete intersection		EA	@	\$ \$250,000	=	\$		\$	-
Regulatory Sign		EA	@	\$ \$100	=	\$		\$	-
Advisory Sign		EA	@	\$ \$100	=	\$		\$	-
Guide/Street Name Sign		EA	@	\$ \$200		\$		\$	-
Epoxy Pavement Marking		SF	@	\$ \$12	=	\$		\$	-
Thermoplastic Pavement Marking		SF	@	\$ \$22	=	\$		\$	-
Barricade - Type F		EA	@	\$ \$115	=	\$		\$	-
Delineator (Type I)		EA	@	\$ \$21	=	\$		\$	-
Curb and Gutter, Type C (Ramp)		LF	@	\$ \$21	=	\$		\$	-
Curb and Gutter, Type A (6" Vertical)	2,000.00	LF	@	\$ \$16	=	\$ 32,000.00		\$	32,000.00
Curb and Gutter, Type B (Median)		LF	@	\$ \$13	=	\$		\$	-
Pedestrian Ramp		SY	@	\$ \$108	=	\$		\$	-

Include all items marked with a dot.

Cross Pan		SY	@	\$	\$53	=	\$		\$	<u> </u>
Curb Chase		EA	@	\$	\$1,300	=	\$		\$	-
Guardrail Type 3 (W-Beam)	280.00	LF	@	\$	\$18	=	\$ 5,040.00		\$	5,040.00
Guardrail Type 7 (Concrete)		LF	@	\$	\$67	=	\$		\$	
Guardrail End Anchorage	4.00	EA	@	\$	\$1,978	=	\$ 7,912.00		\$	7,912.00
	4.00	EA	@	\$		=	\$		\$	7,712.00
Guardrail Impact Attenuator	1.00		@	\$ \$	\$3,564	=	\$ 2,550,000.00	-	\$	2,550,000.00
Jimmy Camp Creek Bridge (260' long)	1.00	LS		ф	\$2,550,000	H	\$ 2,550,000.00		Φ	2,330,000.00
- Storm Drain Improvements										
Concrete Box Culvert (M Standard), Size (W x H)		LF	@	\$		=	\$		\$	-
Reinforced Concrete Pipe (RCP) 24" HERC		LF	@	\$	90	=	\$		\$	-
18" Reinforced Concrete Pipe		LF	@	\$	\$69	=	\$		\$	-
24" Reinforced Concrete Pipe	-	LF	@	\$	\$84	=	\$		\$	-
30" Reinforced Concrete Pipe	-	LF	@	\$	\$94	=	\$		\$	-
36" Reinforced Concrete Pipe	-	LF	@	\$	\$124	=	\$		\$	
42" Reinforced Concrete Pipe	H-	LF	@	\$	\$134	=	\$		\$	_
18" Reinforced Concrete Pipe		LF	@	\$	\$178	=	\$		\$	_
54" Reinforced Concrete Pipe		LF	@	\$	\$182	=	\$	1	\$	
·		LF	@	\$	\$216	=	\$		\$	
60" Reinforced Concrete Pipe		LF	@	\$	\$216	-	\$		\$	
66" Reinforced Concrete Pipe	-		@	_			_	+	\$	
72" Reinforced Concrete Pipe		LF		\$	\$283	=	\$	+	\$	-
Corrugated Steel Pipe (CSP) Size		LF	@	\$		=	\$		_	
18" Corrugated Steel Pipe		LF	@	\$	\$66	=	\$	_	\$	-
24" Corrugated Steel Pipe		LF	@	\$	\$96	=	\$		\$	-
30" Corrugated Steel Pipe	-	LF	@	\$	\$101	=	\$		\$	-
36" Corrugated Steel Pipe		LF	@	\$	\$136	=	\$		\$	-
12" Corrugated Steel Pipe		LF	@	\$	\$147	=	\$		\$	-
8" Corrugated Steel Pipe		LF	@	\$	\$169	=	\$		\$	-
54" Corrugated Steel Pipe		LF	@	\$	\$193	=	\$		\$	-
60" Corrugated Steel Pipe		LF	@	\$	\$227	=	\$		\$	-
66" Corrugated Steel Pipe		LF	@	\$	\$278	=	\$		\$	-
72" Corrugated Steel Pipe		LF	@	\$	\$330	=	\$		\$	-
78" Corrugated Steel Pipe		LF	@	\$	\$381	=	\$		\$	-
34" Corrugated Steel Pipe		LF	@	\$	\$432	=	\$		\$	-
Flared End Section (FES) RCP		EA	@	\$	800	=	\$		\$	-
Flared End Section (FES) CSP	-	EA	@	\$	-	=	\$		\$	-
End Treatment- Headwall		EA	@	\$		=	\$		\$	
End Treatment- Wingwall		EA	@	\$		=	\$		\$	
End Treatment - Cutoff Wall		EA	@	\$	-	=	\$	-	\$	
Curb Inlet (Type R) L=5', Depth < 5 feet	-	EA	@	\$ \$	\$3,791	=	\$	-	\$	
	-	EA	@	_		H	_	-	\$	
Curb Inlet (Type R) L=5', 5'-10' Depth	-		@	\$	\$5,044		\$		\$	
Curb Inlet (Type R) L =5' , 10'-15' Depth	-	EA	\rightarrow	\$	\$6,027	=	\$	1		
Curb Inlet (Type R) L =10', Depth < 5 feet		EA	@	\$	\$5,528	=	\$		\$	-
Curb Inlet (Type R) L =10' , 5'-10' Depth		EA	@	\$	\$6,694	=	\$		\$	-
Curb Inlet (Type R) L =10' , 10'-15' Depth		EA	@	\$	\$7,500	=	\$		\$	-
Curb Inlet (Type R) L =15', Depth < 5 feet		EA	@	\$	\$7,923	=	\$	_	\$	-
Curb Inlet (Type R) L =15', 5'-10' Depth		EA	@	\$	\$8,000	=	\$		\$	-
Curb Inlet (Type R) L =15', 10'-15' Depth		EA	@	\$	\$8,800	=	\$		\$	-
Curb Inlet (Type R) L =20', Depth < 5 feet		EA	@	\$	\$8,000	=	\$		\$	-
Curb Inlet (Type R) L =20' , 5'-10' Depth		EA	@	\$	\$8,830	=	\$	_	\$	-
Curb Inlet (Type R) L =','' Depth		EA	@	\$		=	\$		\$	-
Curb Inlet (Type R) L =','' Depth		EA	@	\$		=	\$		\$	-
Grated Inlet (Type C), < 5' deep		EA	@	\$	\$3,270	=	\$		\$	-
Grated Inlet (Type D), < 5' deep		EA	@	\$	\$3,908	=	\$		\$	-
Storm Sewer Manhole, Box Base, Depth < 15 feet		EA	@	\$	\$8,592	=	\$		\$	-
Storm Sewer Manhole, Slab Base, Depth < 15 feet		EA	@	\$	\$4,575	=	\$		\$	-
Geotextile (Erosion Control)		SY	@	\$	\$5	=	\$		\$	
Rip Rap, d50 Size from 6" to 24"	1,800.00	CY	@	\$	\$98	=	\$ 176,400.00		\$	176,400.00
Rip Rap, Grouted	.,	CY	@	\$	\$215	=	\$	1	\$	-
		LF	@	\$	φ210	=	\$		\$	
Orainage Channel Construction, Size (W x H)	-		@	_	6450			-	\$	
Channel Lining, Concrete		CY	@	\$ \$	\$450	=	\$ \$	+	\$	-
Channel Lining, Rip Rap		CY	(a)	ď.	\$98	=	~	1	1. %	-


Attach a breakdown of bridge costs.

Channel Lining, Other Stabilization	SY	@	\$	\$3	=	\$		\$	-	*
Detention Outlet Structure	EA	@	\$	20,000	=	\$		\$	-	*
Detention Emergency Spillway	EA	@	\$	15,000	=	\$		\$	-	*
Permanent Water Quality Facility (Describe)	EA	@	\$	25,000	=	\$		\$	-	*
* specified items subject to defect warranty financial assurance. A minimum of 20% to be retained up to preliminary acceptance process. + For flared end sections, multiply pipe LF cost by 6			Sact	tion 2 Subtota	=	•	2,891,502.00	176,400.00	2,891,502.00	**

Section 3 - Common Development Improvements (Private or District)***	Quantity	Units			Price			% Complete	Remaining
- Roadway Improvements									
(Include any applicable items from above Public			@	\$		=	\$		\$ -
Improvements list, that are to be private and NOT			@	\$		=	\$		\$
maintained by El Paso County)			@	\$		=	\$		\$ -
Concrete Sidewalk	550.00	SY	@	\$	\$38	=	\$ 20,900.00		\$ 20,900.00
			@	\$		=	\$		\$ -
			@	\$		=	\$		\$ -
- Storm Drain Improvements						Н			
(Include any applicable items from above Public			@	\$		=	\$		\$ -
Improvements list, that are to be private and NOT			@	\$		=	\$		\$ -
maintained by El Paso County)			@	\$		=	\$		\$ -
			@	\$		=	\$		\$ -
			@	\$		=	\$		\$ -
			@	\$		=	\$		\$ -
- Water System Improvements						Н			
Water Main Pipe (PVC), Size 8"	4,000.00	LF	@	\$	\$94	=	\$ 376,000.00		\$ 376,000.00
Water Main Pipe (Ductile Iron), Size 8"		LF	@	\$	\$137	=	\$		\$ -
Gate Valves, 8"	2.00	EA	@	\$	\$1,852	=	\$ 3,704.00		\$ 3,704.00
Fire Hydrant Assembly w/ all valves	1.00	EA	@	\$	\$6,430	=	\$ 6,430.00		\$ 6,430.00
Water Service Line Installation, including tap and valves		EA	@	\$	1,253	=	\$		\$ -
		EA	@	\$		=	\$		\$ -
- Sanitary Sewer Improvements						Н			
Sewer Main Pipe (PVC), Size 8"		LF	@	\$	\$94	=	\$		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	@	\$	\$4,575	=	\$		\$ -
Sanitary Service Line Installation, complete		EA	@	\$	1,516	=	\$		\$ -
Sanitary Sewer Lift Station, complete		EA	@	\$		=	\$		\$ -
- Landscaping (If Applicable)									
(List landscaping line items and cost - usually only in case of		EA	@	\$		=	\$		\$ -
subdivision specific condition of approval, or PUD)		EA	@	\$		=	\$		
		EA	@	\$		=	\$		\$ -
		EA	@	\$		=	\$		\$ -
		EA	@	\$		=	\$		\$ -
****items in this section are not subject to defect warranty			Ш			H			
financial assurance				Sectio	n 3 Subtota	=	\$ 407,034.00		407,034.00

Financial Assurance Totals			
As-built drawings - (FILL IN IF THERE ARE	ANY PUBLICLY-MAINTAINED I	IMPROVEMENTS) \$	
(Inc. survey to verify detention pond volume	s.)	Total Construction Financial Assurance	\$3,363,193.00
		(Sum of all section subtotals)	
		Total Remaining Construction Financial Assurance	3,363,193.00
		(Sum of all section totals less credit for items complete)	
		Total Defect Warranty Financial Assurance	\$588,391.40
	(20% of all items identified	d as public improvements(*). To be collateralized at time of preliminary acceptance)	
Approvals			
I hereby certify that this is an accurate and c	complete estimate of costs for the	e work as shown on the approved Construction Drawings associated with the Project.	
Engineer	_	Date	
Engineer	(P.E. Seal)	Date	
	(F.E. Sedi)		
Approved by Owner / Applicant		Date	
Approved by El Paso Couny Engineer / ECM A	Administrator	Date	

Markup Summary



Subject: Text Box Include all items marked with a dot. Page Label: 1 Lock: Unlocked Status: Checkmark: Unchecked Author: dsdrice Date: 11/28/2017 9:43:44 AM Color: Subject: Highlight Page Label: 1 Lock: Unlocked Status: Checkmark: Unchecked Author: dsdrice Date: 11/28/2017 9:45:03 AM Color: Subject: Highlight Page Label: 1 Lock: Unlocked Status: Checkmark: Unchecked Author: dsdrice Date: 11/28/2017 9:44:02 AM Color: Subject: Text Box Attach a breakdown of bridge costs. Page Label: 2 Lock: Unlocked Status: Checkmark: Unchecked Author: dsdrice Date: 11/28/2017 10:04:50 AM Color: Subject: Highlight Page Label: 3 Lock: Unlocked Status:

Checkmark: Unchecked

Date: 11/28/2017 9:47:26 AM

Author: dsdrice

Color: