

2015 Financial Assurance Estimate Form (with pre-plat construction)

10/15/2015

Project Information

Lorson Blvd. Bridge over Jimmy Camp Creek Main Channel

4/2/2018

Project Name

Date

Section 1 - Grading and Erosion Control BMPs	Quantity	Units	Price		% Complete	Remaining
Earthwork*	5,000.00	CY	@ \$ 5	= \$ 25,000.00		\$ 25,000.00 *
Permanent Seeding*	2.50	AC	@ \$ 582	= \$ 1,455.00		\$ 1,455.00 *
Mulching*	2.50	AC	@ \$ 507	= \$ 1,267.50		\$ 1,267.50 *
Permanent Erosion Control Blanket*	4,000.00	SY	@ \$ 6	= \$ 24,000.00		\$ 24,000.00 *
Temporary Erosion Control Blanket		SY	@ \$ 3	= \$		\$ -
Vehicle Tracking Control	2.00	EA	@ \$ 1,625	= \$ 3,250.00		\$ 3,250.00
Safety Fence	100.00	LF	@ \$ 3	= \$ 300.00		\$ 300.00
Silt Fence	1,200.00	LF	@ \$ 4	= \$ 4,800.00		\$ 4,800.00
Temporary Seeding		AC	@ \$ 485	= \$		\$ -
Temporary Mulch		AC	@ \$ 507	= \$		\$ -
Erosion Bales		EA	@ \$ 21	= \$		\$ -
Erosion Logs	100.00	LF	@ \$ 6	= \$ 600.00		\$ 600.00
Rock Ditch Checks	1.00	EA	@ \$ 4,000	= \$ 4,000.00		\$ 4,000.00
Inlet Protection		EA	@ \$ 153	= \$		\$ -
Sediment Basin	1.00	EA	@ \$ 1,625	= \$ 1,625.00		\$ 1,625.00
Concrete Washout Basin	2.00	EA	@ \$ 776	= \$ 1,552.00		\$ 1,552.00
		@ \$	= \$			\$ -
* specified items subject to defect warranty financial assurance. A minimum of 20% to be retained up to preliminary acceptance process.						
Section 1 Subtotal				= \$ 67,849.50		\$ 67,849.50

Section 2 - Public Improvements**	Quantity	Units	Price		% Complete	Remaining
- Roadway Improvements						
Construction Traffic Control	1.00	LS	@ \$ 500	= \$ 500.00		\$ 500.00 *
Aggregate Base Course	1,800.00	Tons	@ \$ 18	= \$ 32,400.00		\$ 32,400.00 *
Asphalt Pavement	1,350.00	Tons	@ \$ 65	= \$ 87,750.00		\$ 87,750.00 *
Raised Median, Paved		SF	@ \$ 7	= \$		\$ - *
Electrical Conduit, Size =		LF	@ \$ 14	= \$		\$ - *
Traffic Signal, complete intersection		EA	@ \$ 250,000	= \$		\$ - *
Regulatory Sign		EA	@ \$ 100	= \$		\$ - *
Advisory Sign		EA	@ \$ 100	= \$		\$ - *
Guide/Street Name Sign		EA	@ \$ 200	= \$		\$ - *
Epoxy Pavement Marking	140.00	SF	@ \$ 12	= \$ 1,680.00		\$ 1,680.00 *
Thermoplastic Pavement Marking		SF	@ \$ 22	= \$		\$ - *
Barricade - Type F		EA	@ \$ 115	= \$		\$ - *
Delineator (Type I)		EA	@ \$ 21	= \$		\$ - *
Curb and Gutter, Type C (Ramp)	40.00	LF	@ \$ 21	= \$ 840.00		\$ 840.00 *
Curb and Gutter, Type A (6" Vertical)	2,000.00	LF	@ \$ 16	= \$ 32,000.00		\$ 32,000.00 *
Curb and Gutter, Type B (Median)		LF	@ \$ 13	= \$		\$ - *
Pedestrian Ramp		SY	@ \$ 108	= \$		\$ - *

Cross Pan		SY	@	\$	\$53	=	\$		\$	-	*
Curb Chase		EA	@	\$	\$1,300	=	\$		\$	-	*
Guardrail Type 3 (W-Beam)	280.00	LF	@	\$	\$18	=	\$	5,040.00	\$	5,040.00	*
Guardrail Type 7 (Concrete)		LF	@	\$	\$67	=	\$		\$	-	*
Guardrail End Anchorage	4.00	EA	@	\$	\$1,978	=	\$	7,912.00	\$	7,912.00	*
Guardrail Impact Attenuator		EA	@	\$	\$3,564	=	\$		\$	-	*
Jimmy Camp Creek Bridge (260' long)	1.00	LS	@	\$	\$2,550,000	=	\$	2,550,000.00	\$	2,550,000.00	*
- Storm Drain Improvements											
Concrete Box Culvert (M Standard), Size (W x H)		LF	@	\$		=	\$		\$	-	*
Reinforced Concrete Pipe (RCP) 24" HERC		LF	@	\$	90	=	\$		\$	-	*
18" Reinforced Concrete Pipe		LF	@	\$	\$69	=	\$		\$	-	*
24" Reinforced Concrete Pipe		LF	@	\$	\$84	=	\$		\$	-	*
30" Reinforced Concrete Pipe		LF	@	\$	\$94	=	\$		\$	-	*
36" Reinforced Concrete Pipe		LF	@	\$	\$124	=	\$		\$	-	*
42" Reinforced Concrete Pipe		LF	@	\$	\$134	=	\$		\$	-	*
48" Reinforced Concrete Pipe		LF	@	\$	\$178	=	\$		\$	-	*
54" Reinforced Concrete Pipe		LF	@	\$	\$182	=	\$		\$	-	*
60" Reinforced Concrete Pipe		LF	@	\$	\$216	=	\$		\$	-	*
66" Reinforced Concrete Pipe		LF	@	\$	\$263	=	\$		\$	-	*
72" Reinforced Concrete Pipe		LF	@	\$	\$283	=	\$		\$	-	*
Corrugated Steel Pipe (CSP) Size		LF	@	\$		=	\$		\$	-	*
18" Corrugated Steel Pipe		LF	@	\$	\$66	=	\$		\$	-	*
24" Corrugated Steel Pipe		LF	@	\$	\$96	=	\$		\$	-	*
30" Corrugated Steel Pipe		LF	@	\$	\$101	=	\$		\$	-	*
36" Corrugated Steel Pipe		LF	@	\$	\$136	=	\$		\$	-	*
42" Corrugated Steel Pipe		LF	@	\$	\$147	=	\$		\$	-	*
48" Corrugated Steel Pipe		LF	@	\$	\$169	=	\$		\$	-	*
54" Corrugated Steel Pipe		LF	@	\$	\$193	=	\$		\$	-	*
60" Corrugated Steel Pipe		LF	@	\$	\$227	=	\$		\$	-	*
66" Corrugated Steel Pipe		LF	@	\$	\$278	=	\$		\$	-	*
72" Corrugated Steel Pipe		LF	@	\$	\$330	=	\$		\$	-	*
78" Corrugated Steel Pipe		LF	@	\$	\$381	=	\$		\$	-	*
84" Corrugated Steel Pipe		LF	@	\$	\$432	=	\$		\$	-	*
Flared End Section (FES) RCP †		EA	@	\$	800	=	\$		\$	-	*
Flared End Section (FES) CSP †		EA	@	\$		=	\$		\$	-	*
End Treatment- Headwall		EA	@	\$		=	\$		\$	-	*
End Treatment- Wingwall		EA	@	\$		=	\$		\$	-	*
End Treatment - Cutoff Wall		EA	@	\$		=	\$		\$	-	*
Curb Inlet (Type R) L=5', Depth < 5 feet		EA	@	\$	\$3,791	=	\$		\$	-	*
Curb Inlet (Type R) L=5', 5'-10' Depth		EA	@	\$	\$5,044	=	\$		\$	-	*
Curb Inlet (Type R) L =5' , 10'-15' Depth		EA	@	\$	\$6,027	=	\$		\$	-	*
Curb Inlet (Type R) L =10' , Depth < 5 feet		EA	@	\$	\$5,528	=	\$		\$	-	*
Curb Inlet (Type R) L =10' , 5'-10' Depth		EA	@	\$	\$6,694	=	\$		\$	-	*
Curb Inlet (Type R) L =10' , 10'-15' Depth		EA	@	\$	\$7,500	=	\$		\$	-	*
Curb Inlet (Type R) L =15' , Depth < 5 feet		EA	@	\$	\$7,923	=	\$		\$	-	*
Curb Inlet (Type R) L =15' , 5'-10' Depth		EA	@	\$	\$8,000	=	\$		\$	-	*
Curb Inlet (Type R) L =15' , 10'-15' Depth		EA	@	\$	\$8,800	=	\$		\$	-	*
Curb Inlet (Type R) L =20' , Depth < 5 feet		EA	@	\$	\$8,000	=	\$		\$	-	*
Curb Inlet (Type R) L =20' , 5'-10' Depth		EA	@	\$	\$8,830	=	\$		\$	-	*
Curb Inlet (Type R) L = ____' , ____' - ____' Depth		EA	@	\$		=	\$		\$	-	*
Curb Inlet (Type R) L = ____' , ____' - ____' Depth		EA	@	\$		=	\$		\$	-	*
Grated Inlet (Type C), < 5' deep		EA	@	\$	\$3,270	=	\$		\$	-	*
Grated Inlet (Type D), < 5' deep		EA	@	\$	\$3,908	=	\$		\$	-	*
Storm Sewer Manhole, Box Base, Depth < 15 feet		EA	@	\$	\$8,592	=	\$		\$	-	*
Storm Sewer Manhole, Slab Base, Depth < 15 feet		EA	@	\$	\$4,575	=	\$		\$	-	*
Geotextile (Erosion Control)		SY	@	\$	\$5	=	\$		\$	-	*
Rip Rap, d50 Size from 6" to 24"	1,800.00	CY	@	\$	\$98	=	\$	176,400.00	\$	176,400.00	*
Rip Rap, Grouted		CY	@	\$	\$215	=	\$		\$	-	*
Drainage Channel Construction, Size (W x H)		LF	@	\$		=	\$		\$	-	*
Channel Lining, Concrete		CY	@	\$	\$450	=	\$		\$	-	*
Channel Lining, Rip Rap		CY	@	\$	\$98	=	\$		\$	-	*
Channel Lining, Grass		AC	@	\$	\$1,287	=	\$		\$	-	*

Channel Lining, Other Stabilization	SY	@	\$	\$3	=	\$	\$	-	*
Detention Outlet Structure	EA	@	\$	20,000	=	\$	\$	-	*
Detention Emergency Spillway	EA	@	\$	15,000	=	\$	\$	-	*
Permanent Water Quality Facility (Describe)	EA	@	\$	25,000	=	\$	\$	-	*
* specified items subject to defect warranty financial assurance. A minimum of 20% to be retained up to preliminary acceptance process. † For flared end sections, multiply pipe LF cost by 6								176,400.00	
Section 2 Subtotal					=	\$	2,894,522.00	2,894,522.00	**

Section 3 - Common Development Improvements (Private or District)***	Quantity	Units	Price		% Complete	Remaining
- Roadway Improvements						
(Include any applicable items from above Public Improvements list, that are to be private and NOT maintained by El Paso County)		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
Concrete Sidewalk	550.00	SY	@ \$38	=	\$ 20,900.00	\$ 20,900.00
		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
- Storm Drain Improvements						
(Include any applicable items from above Public Improvements list, that are to be private and NOT maintained by El Paso County)		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
		@	\$	=	\$	\$ -
- Water System Improvements						
Water Main Pipe (PVC), Size 8"		LF	@ \$94	=	\$	\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	@ \$137	=	\$	\$ -
Gate Valves, 8"		EA	@ \$1,852	=	\$	\$ -
Fire Hydrant Assembly w/ all valves		EA	@ \$6,430	=	\$	\$ -
Water Service Line Installation, including tap and valves		EA	@ \$1,253	=	\$	\$ -
		EA	@ \$	=	\$	\$ -
- Sanitary Sewer Improvements						
Sewer Main Pipe (PVC), Size 8"		LF	@ \$94	=	\$	\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	@ \$4,575	=	\$	\$ -
Sanitary Service Line Installation, complete		EA	@ \$1,516	=	\$	\$ -
Sanitary Sewer Lift Station, complete		EA	@ \$	=	\$	\$ -
- Landscaping (If Applicable)						
(List landscaping line items and cost - usually only in case of subdivision specific condition of approval, or PUD)		EA	@ \$	=	\$	\$ -
		EA	@ \$	=	\$	\$ -
		EA	@ \$	=	\$	\$ -
		EA	@ \$	=	\$	\$ -
		EA	@ \$	=	\$	\$ -
***Items in this section are not subject to defect warranty financial assurance						
Section 3 Subtotal				=	\$ 20,900.00	20,900.00

In providing opinions of probable construction cost, the Client understands that Loris and Associates has no control over costs of the price of labor, equipment or materials, or over the Contractor's method of pricing, and that the opinions of probable construction costs provided herein are to be made on the basis of our qualifications and experience. Loris and Associates make no warranty, expressed or implied, as to the accuracy of such opinions as compared to bid or actual costs.

Financial Assurance Totals

As-built drawings - (FILL IN IF THERE ARE ANY PUBLICLY-MAINTAINED IMPROVEMENTS)

(Inc. survey to verify detention pond volumes.)

\$ \$3,000

Total Construction Financial Assurance \$2,986,271.50

(Sum of all section subtotals)

Total Remaining Construction Financial Assurance 2,986,271.50

(Sum of all section totals less credit for items complete)

Total Defect Warranty Financial Assurance \$589,248.90


(20% of all items identified as public improvements(*). To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the approved Construction Drawings associated with the Project.

Engineer

(P.E. Seal)



Approved by Owner / Applicant

Date

Approved by El Paso County Engineer / ECM Administrator

Date