

**FINAL BRIDGE
HYDROLOGY AND HYDRAULICS REPORT**

**EL PASO COUNTY
LORSON BOULEVARD BRIDGE
OVER JIMMY CAMP CREEK**


LORSON RANCH DEVELOPMENT



PREPARED BY:

LORIS AND ASSOCIATES INC.

100 SUPERIOR PLAZA WAY
SUITE 220
SUPERIOR, CO 80027
(303) 444-2073



CDR 17-007

**FINAL BRIDGE
HYDROLOGY AND HYDRAULICS REPORT**

PREPARED BY:
LORIS AND ASSOCIATES INC.

100 SUPERIOR PLAZA WAY
SUITE 220
SUPERIOR, CO 80027
(303) 444-2073

MARCH 02, 2018

FINAL BRIDGE HYDROLOGY AND HYDRAULICS REPORT

Engineer's Statement:

The attached drainage plan and report were prepared under my direction and supervision and are correct to the best of my knowledge and belief. Said drainage report has been prepared according to the criteria established by the City/County for drainage reports and said report is in conformity with the master plan for the drainage basin. I accept responsibility for any liability caused by any negligent acts, errors or omissions on my part in preparing this report.

Christian Joseph Baroody

Registered Professional Engineer
State of Colorado No. 42540



Seal

Developer's Statement:

I, the developer have read and will comply with all of the requirements specified in this drainage report and plan.

Lorson LLC

Business Name

By: [Signature]

Title: Authorized Signing Agent

Address: 212 N. Wansath

Colorado Springs, CO 80903

El Paso County:

Filed in accordance with the requirements of the Drainage Criteria Manual, Volumes 1 and 2, El Paso County Engineering Criteria Manual and Land Development Code as amended.

Jennifer Irvine, P.E.

County Engineer / ECM Administrator

Approved

by Elizabeth Nijkamp

El Paso County Planning and Community Development
on behalf of Jennifer Irvine, County Engineer / ECM Administrator

04/12/2018 5:50:38 PM



SECTION 1: HYDROLOGY AND HYDRAULICS REPORT

Section 1: Hydrology and Hydraulics Report	i
Acronyms and abbreviations	iii
List of Figures	iv
List of Tables.....	iv
1.0 Introduction.....	1
1.1 Project Location	1
1.2 Description of the Project.....	1
2.0 Data And Site Investigation	3
2.1 Existing Floodplain Studies	3
2.2 Survey Data	3
2.3 Geotechnical Investigation	4
3.0 Hydraulic Design Criteria	4
3.1 Design Frequency.....	4
3.2 Freeboard.....	4
3.3 Floodplain Regulations	4
3.4 Scour Requirements	5
4.0 Hydrology.....	5
5.0 Hydraulics.....	7
5.1 Hydraulic Modeling Approach.....	7
5.1.1 Floodplain Parameters.....	8
5.1.2 Boundary Conditions	9
5.1.3 Ineffective Flow Areas	10
5.1.4 Flow Rates.....	10
5.1.5 Bridge Parameters	10
6.0 Hydraulic Analysis Results	11
6.1 Bridge Hydraulics Results	11
6.2 Impacts to Floodplain.....	13
6.3 Scour Analysis Results	14
6.3.1 Contraction Scour.....	14
6.3.2 Pier Scour	14
6.3.3 Abutment Scour.....	15
7.0 Conclusions.....	16
7.1 Summary	16
7.2 Scour Countermeasures and Channel Stability.....	17
7.3 Water Quality Provisions	19
8.0 LIST OF REFERENCES.....	20

APPENDIX A – VICINITY MAPS.....	21
APPENDIX B – FLOOD INSURANCE RATE MAP.....	22
APPENDIX C – JIMMY CAMP CREEK LOMR.....	23
APPENDIX D – GRADATION OF STREAMBED SAMPLES.....	24
APPENDIX E – HEC-RAS LAYOUT and FLOODPLAIN	25
APPENDIX F – HEC-RAS PROFILE TABLES.....	26
APPENDIX G – HEC-RAS SCOUR ANALYSIS RESULTS.....	27
APPENDIX H – BRIDGE ARMAMENT CALCS & DETAILS.....	28
APPENDIX I – HEC-RAS MODEL CROSS-SECTIONS.....	29
APPENDIX J – HEC-RAS MODEL REPORT	30

ACRONYMS AND ABBREVIATIONS

AMC	Antecedent Moisture Condition
CDOT	Colorado Department of Transportation
CDWR	Colorado Division of Water Resources
cfs	cubic feet per second
CLOMR	Conditional Letter of Map Revision
CN	Curve Number
CR	County Road
CWCB	Colorado Water Conservation Board
DTM	Digital Terrain Model
ESRI	Environmental Systems Research Institute
FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FIS	Flood Insurance Study
fps	feet per second
GIS	Geographic Information System
HEC-RAS	Hydrologic Engineering Center's Hydrologic Modeling System
LOMR	Letter of Map Revision
NFIP	National Flood Insurance Program
NOAA	National Oceanic and Atmospheric Administration
NRCS	Natural Resources Conservation Service
SCS	Soil Conservation Service
SH	State Highway
USACE	U.S. Army Corps of Engineers
USDA	U.S. Department of Agriculture
USGS	U.S. Geological Survey
WSE	Water Surface Elevation

LIST OF FIGURES

Figure 1	Lorson Ranch Development
Figure 2	Flow Rates from FHA of Jimmy Camp Creek, October 1975
Figure 3	Jimmy Camp Creek Channel and Bank Coverage
Figure 4	100-Year Flow Distribution at Lorson Boulevard Bridge
Figure 5	100-Year Profile at the Proposed Lorson Boulevard Bridge
Figure 6	100-Year Scour Profile at the Proposed Lorson Boulevard Bridge
Figure 7	500-Year Scour Profile at the Proposed Lorson Boulevard Bridge

LIST OF TABLES

Table 1	Peak Flow Rate of Jimmy Camp Creek for Lorson Boulevard Bridge (FEMA)
Table 2	Peak Flow Rate of Jimmy Camp Creek for Lorson Boulevard Bridge (DBPS)
Table 3	New Cross-Sections of Lorson Boulevard Bridge HEC-RAS Model
Table 4	Manning's n Values of Lorson Boulevard Bridge HEC-RAS Model
Table 5	Lower Boundary WSE of Lorson Boulevard Bridge HEC-RAS Model
Table 6	Flow Rates for Jimmy Camp Creek at Lorson Boulevard Bridge
Table 7	Lorson Boulevard Bridge HEC-RAS Model Parameters
Table 8	Bridge Hydraulic Performance (WSE)
Table 9	Bridge Hydraulic Performance (Velocity)
Table 10	Bridge Hydraulic Performance (Maximum Velocity)
Table 11	Bridge Hydraulic Performance (Freeboard)
Table 12	Jimmy Camp Creek Floodway Elevations With and Without Bridge (FEMA 100-Year)
Table 13	Lorson Boulevard Bridge Pier Scour Input Parameters
Table 14	Abutment Scour Analysis Results
Table 15	Abutment Riprap Analysis Input
Table 16	Pier Riprap Analysis Input

1.0 INTRODUCTION

Loris and Associates, Inc. (LORIS) has been contracted by Core Engineering Group to provide design services for the proposed Lorson Boulevard Bridge over Jimmy Camp Creek. Lorson Boulevard is a new roadway proposed as part of the 1400-acre Lorson Ranch Development located in El Paso County, southwest of Colorado Springs. The development is a phased residential community consisting of schools, commercial stores, open space, neighborhood parks and a connected trail system. Residential home building started in 2007 and there are currently 1000 completed homes. Nearly 3000 homes are to be constructed at the completion of the development in 2033.

This report presents the hydrologic and hydraulic analysis for the proposed bridge over Jimmy Camp Creek and describes the data and methodology used for the analysis. The analysis includes development of a hydraulic model, established from the latest effective model, which is updated to determine the existing base flood elevations and hydraulic conditions at the site of the proposed bridge. This updated model is then revised to incorporate the proposed bridge structure and modifications to the channel to assess the performance of the bridge under various flow conditions. Results of the modeling and analysis are used to:

- Verify the proposed bridge meets the drainage design criteria.
- Identify impacts to the existing floodplain and base flood elevations.
- Identify velocities at the bridge and within the channel to assess the stability of the channel.
- Identify potential scour at the bridge.

1.1 PROJECT LOCATION

Lorson Ranch is located in the central portion of El Paso County approximately 15-miles southeast of Colorado Springs. More precisely, the development is situated directly east of the intersection of Marksheffel Road and Fontaine Boulevard and is comprised of a series of phased developments that will extend approximately 2500-feet to the north and south of Fontaine Boulevard.

The project area is bordered to the west by Marksheffel Road; to the north by the Banning Lewis and Rolling Hills Ranch; and to the east by the future Meridian Road. The residential development and golf course of Peaceful Valley Estates is located to the south. Current land uses include agriculture, rangeland and land under various states of development. A Vicinity Map of Lorson Ranch within Colorado and El Paso County is shown in Appendix A. The development and project location is described by the following:

County:	El Paso
Town:	Colorado Springs, CO
Township:	015 South
Range:	065 West
Section:	23
Quarter Section:	NW
Latitude:	38°43'59" N
Longitude:	104°38'42" W
Elevation:	5700 ft.

1.2 DESCRIPTION OF THE PROJECT

Lorson Boulevard is new roadway proposed for the development. The roadway is to be a 40-foot wide urban section comprised of two vehicle lanes with bike lanes divided by a painted median. The roadway will travel primarily east to west and begin at a new intersection with Marksheffel Road which is to be constructed approximately 2600-feet south of Fontaine Boulevard. Approximately 500-feet east of the new intersection, the alignment will shift Lorson Boulevard to the north to a location approximately 1600-feet south of Fontaine Boulevard before crossing Jimmy Camp Creek. The roadway will continue another 1.5-mile as part of future phases of the development. A series of intersections will be constructed along the boulevard for access to a number of tracts within the development. Figure 1 shows the proposed location of Lorson Boulevard within the development.




Figure 1: Lorson Ranch Development

Jimmy Camp Creek runs through the development flowing from north to south at the western side of Lorson Ranch. Jimmy Camp Creek originally occupied a very wide shallow floodplain with a poorly defined main channel that meandered through the site. The channel was realigned and channelized as part of the first phase of the development to consolidate the wide floodplain in order to facilitate residential and commercial development, and provide the future residential properties safety from flooding.

The new channel section was sized to convey the 100-year flow entirely within the channel and is comprised of a 105-foot wide main channel approximately 3-feet deep. Two 52-foot wide benches sloped at 2% are located 12-feet from the toe of the main channel and act as overbank areas for the floodplain. A second set of benches approximately 16-feet wide, are located above the first bench and provide graded area for trails parallel to the channel. All sideslopes of the new channel are 4:1 and comprised of topsoil-covered riprap, which is grass-lined and includes trees planted in the bench areas.

The proposed Lorson Bridge is to carry Lorson Boulevard over Jimmy Camp Creek. The location and length of the bridge was determined during preliminary planning of the development. Details of the proposed bridge and site include:

- The proposed 256-foot bridge length will span the majority of the existing channel and will be comprised of two spans divided by a center pier located midway in the channel.
- The proposed bridge superstructure is to be BT72 prestressed concrete girders, spaced at 9.5-feet apart with an 8-inch concrete deck.
- The proposed Lorson Boulevard roadway and bridge will have an east-west bearing and will be located at a skew of approximately 15-degrees with the existing channel. The abutments and center pier are to be located parallel to the existing channel centerline.
- The proposed roadway alignment and vertical geometry has been set by the civil design team. The profile of the roadway is set to cross an existing irrigation channel that parallels Jimmy Camp Creek to the west.
- The upper benches of the channel are the location of two proposed trails that the bridge will span. These benches and trail alignment are to be shifted into the existing channel for the location and grading of the proposed abutments.

2.0 DATA AND SITE INVESTIGATION

2.1 EXISTING FLOODPLAIN STUDIES

A number of floodplain studies have been prepared for Jimmy Camp Creek over the years. According to the latest FEMA Flood Insurance (Panel 08041C0957F effective March 17, 1997), the project is located on Jimmy Camp Creek, which is designated as Zone AE. Therefore, base flood elevations have been established by detailed study of the floodplain. The Panel identifies this section of Jimmy Camp Creek located within El Paso County, the City of Colorado Springs and the City of Fountain. Jimmy Camp Creek is comprised of both a floodplain and floodway within the entire reach shown in the panel.

The panel shows the historic alignment of Jimmy Camp Creek as meandering within a wide and shallow floodplain. The main channel migrated westerly towards Marksheffel Road in a series of sharp sinusoidal curves. This Panel is shown in Appendix B. As described above, Jimmy Camp Creek was realigned and straightened in a north-south alignment during the first phase of the Lorson Ranch development. The realignment began approximately 2600-feet north of Fontaine Boulevard ending at Pleasant Valley Road for length of 5600-feet. A LOMR was prepared for the completed channel alignment as well as the construction of Fontaine Boulevard Bridge over Jimmy Camp Creek and submitted to FEMA, effective August 29, 2007. The LOMR and effective Map Panel are shown in Appendix C. The LOMR application, AutoCAD design files and HEC-RAS models used for preparation of the LOMR were provided to LORIS for the hydraulic analysis of the proposed Lorson Boulevard Bridge.

Currently the FIS for El Paso, County Colorado and Incorporated Areas are being updated as part of FIS number 08041CV001A. The preliminary FIS is dated July 29, 2015 and available for review. The preliminary FIS provides flood profiles with a vertical datum of NAVD88 where the existing FIS and available CLOMR for the project have a vertical datum of NGVD29.

2.2 SURVEY DATA

Topographic survey was obtained by Core Engineering Group for the entire development site. As a master planned development, Core Engineering Group is preparing the layout and design of all

roadways, site grading, utilities and tracts. Core Engineering Group has provided DTMs of existing and final grading in the AutoCAD Civil3D format to LORIS for the layout and design of the Lorson Boulevard Bridge.

A review of the DTMs and comparison with the AutoCAD design files used to prepare the LOMR shows they are correlated with each other and the existing Jimmy Creek channel designed and constructed during phase one of the development. The drawings use the same local or truncated coordinates with a NGVD29 vertical datum used in the LOMR.

2.3 GEOTECHNICAL INVESTIGATION

A geotechnical investigation was performed for the design of the proposed Lorson Boulevard Bridge. The investigation included drilling of eight exploratory borings at the bridge site, lab testing of material sampled at various depths of the borings and submittal of a final report. The report includes results of the lab testing and recommendations for the bridge foundation.

Borings CP-1 and CP-2 were taken within the streambed of Jimmy Camp Creek at the location of the proposed center pier at the upstream and downstream face of the proposed bridge. The borings included sampling at 4.0 and 9.0-foot depths of which gradations were performed and used as data for the analysis of scour at the proposed bridge. The report indicated the streambed is comprised of non-plastic, well to poorly drained, silty sand. Gradations of the samples taken at the 4.0 and 9.0 foot depth indicate the soil is uniformly sized with a D_{50} particle size of 0.50 mm.

The D_{50} particle size; determined from these gradation, is used as input to the procedures for analysis for general scour. The D_{50} and additional particle sizes are used for the calculation of local scour depth at the pier of the proposed bridge. The results of the gradation for samples taken at CP-1 and CP-2 are presented in Appendix D.

3.0 HYDRAULIC DESIGN CRITERIA

3.1 DESIGN FREQUENCY

Separate frequencies and discharges will be used for the design criteria for separate components of the proposed Lorson Boulevard Bridge. These frequencies and discharges Design frequencies are established from a combination of NFIP regulations, the El Paso County Drainage Criteria Manual and the CDOT Drainage Design Manual.

1. The FEMA 100-year flow is to be used to determine impacts to the existing floodway and floodplain.
2. The 100-year flows established for future development of the basin is to be used to determine the minimum freeboard at the bridge and scour design.

3.2 FREEBOARD

The Lorson Boulevard Bridge is to provide the minimum freeboard or clearance between the Water Surface Elevation (WSE) of the design flood event and the low girder of the bridge. Per Section 6.4.2 Allowable Clearance of Bridges of the El Paso County Drainage Criteria Manual all structures classified as a bridge shall not be overtopped and provide a minimum clearance of 2.0-feet between the low chord of the bridge and profile for the 100-year design flow. The manual does not specify an approach location on the profile where free freeboard is determined. For the Lorson Boulevard Bridge; the WSE at the upstream face of the bridge, will be used to compute the freeboard at the bridge.

3.3 FLOODPLAIN REGULATIONS

As described above, Jimmy Camp Creek is a regulated floodplain with a floodway. The proposed Lorson Bridge project is to meet all the requirements set forth in the NFIP regulations and regulations adopted by El Paso County. Determination of impacts to the existing floodplain will be made by detailed modeling of the proposed bridge. Modeling of the proposed Lorson Bridge shall be performed within the latest effective model used to establish the flood profiles of Jimmy Camp Creek in the latest LOMR. Comparison of the existing and proposed model will be made to determine impacts.

It is noted that the 100-year flow is completely contained within the channel; therefore, the floodplain and floodway are the same limit. Any impacts to the channel are expected to warrant the CLOMR/LOMR submittal process for the project. Per Section 60.3(d) of the NFIP regulations the community shall:

(3) Prohibit encroachments, including fill, new construction, substantial improvements, and other development within the adopted regulatory floodway unless it has been demonstrated through hydrologic and hydraulic analyses performed in accordance with standard engineering practice that the proposed encroachment would not result in any increase in flood levels within the community during the occurrence of the base flood discharge;

3.4 SCOUR REQUIREMENTS

To ensure the bridge foundations will be designed and located with appropriate safety factors, a detailed scour analysis was performed for both the 100 and 500-Year design frequency discharges. El Paso County does not have a requirement for scour analysis in the drainage criteria manual; therefore, the CDOT Drainage Design Manual was used to establish the criteria.

Per the CDOT Drainage Design Manual Section 10.4.3 Scour Analysis, the design-frequency scour depth is used to design the bridge abutments (pier caps, abutment retaining walls, etc.); and the 500-year scour depth is used to design the bridge foundation. Scour depths shall be evaluated for the most severe scour condition. Scour should not cause failure of the bridge structure for the 500-year flood

Analysis of scour of the proposed structure is performed using the Hydraulic Design Function for Bridge Scour provided in the USACE HEC-RAS version 5.0.03 software. The computation of scour at bridges within HEC-RAS is based upon the methods outlined in the FHWA Hydraulic Engineering Circular No. 18 (HEC-18). The methodology includes procedures for determining two classifications of scour including general and local.

- General scour includes contraction scour, which is the removal of streambed material caused by the bridge constricting the natural channel flow. This contraction generally causes flow to accelerate, increasing the flows erosive strength. Contraction scour is directly additive to aggregation, degradation, and the local scour computed at piers and abutments.
- Local scour occurs around piers, abutments, the ends of guide banks, and any other obstructions to flow. Local scour is the result of the turbulence and local velocity vector changes caused by obstructions.

4.0 HYDROLOGY

A hydrologic analysis was not required for the Lorson Boulevard Bridge hydraulic analysis. Flow rates for the analysis were taken from the existing LOMR model and the latest Drainage Basin Planning Study of Jimmy Camp Creek to compile two sets of flow rates the hydraulic analysis of Lorson Bridge.

The first set of flow rates was taken from the existing LOMR study to evaluate the impact of the bridge on the existing floodplain and effective FIRM. According to the LOMR, the rates are from a FIS dated 1981 and extracted from the conversion of the HEC-2 model used in the FIS to the HEC-RAS model used in the LOMR for Jimmy Camp Creek. Peak flow rates for the 10, 50, 100 & 500-year events appear to be sourced from a study titled Flood Hazard Analysis Portion of Jimmy Camp Creek and Tributaries, prepared by the USDA Soil Conservation Service and the CWCB, dated October 1975. The boundary conditions used in the FIS appear to be sourced from the same study.

TABLE 1 (Continued) FLOOD FREQUENCY-ELEVATION AND DISCHARGE DATA 1/									
JIMMY CAMP CREEK, REACH 1									
Cross- Section Number	Stationing from Mouth Feet	Identification	Stream Bed Elevation ft. M.S.L.	Crest-Elevation ft. M.S.L., and Peak Discharge c.f.s.					
				10-Year Flood	25-Year Flood	50-Year Flood	100-Year Flood	500-Year Flood	
J177	283+10		5664.1	5673.5 6,800	5674.4 9,000	5675.0 10,700	5675.7 12,900	5676.5 16,400	

Figure 2: Flow Rates from FHA of Jimmy Camp Creek, October 1975

Table 1 presents the flow rates from the LOMR used in the Lorson Bridge hydraulic analysis to model effective flow conditions.

Table 1: Peak Flow Rate of Jimmy Camp Creek for Lorson Boulevard Bridge (FEMA)		
Storm Event	Description / Source	Discharge (cfs)
FEMA 10-Year	From LOMR / Effective Model	6,800
FEMA 50-Year	From LOMR / Effective Model	10,700
FEMA 100-Year	From LOMR / Effective Model	12,900
FEMA 500-Year	From LOMR / Effective Model	16,400

The second set of peak discharges are taken from the Drainage Basin Planning Study (DBPS) of Jimmy Camp Creek, prepared by Kiowa Engineering Corporation, dated March of 2015. The DBPS provides updated hydrologic analysis of the basin and provides updated existing and future design flow rates. The flow rates from the DBPS are used to evaluate the hydraulic conditions of the bridge and verify the bridge provides sufficient freeboard for the 100-year design event.

The DBPS provides peak discharges for a number of design points within the basin. From Table III-10 Hydrology Results – Peak Flows of the study, design points within the reach include The Confluence of Marksheffel Tributary at the upper limits of the reach and at discharges at Peaceful Valley Road at the lower limits of the reach. The difference in flow rates between the design points are not significant. Therefore, the greater flow rates at Peaceful Valley Road were used for the updated existing and future flows in the HEC-RAS model.

The DBPS provides peak discharges for the 10 and 100-year storm events for both the existing and future conditions using a 24-hour Type II rainfall distribution and AMC II conditions. However, peak discharges need to be determined for the 500-year event to evaluate scour conditions at the proposed bridge. Per Section 7.2.5 500-Year Multipliers of the CDOT Drainage manual, a multiplier of 1.2 of the 100-year storm may be used to estimate peak discharges for the 500-year event for basins within the mountain region of Colorado. Table 2 presents the flow rates from the DBPS used in the Lorson Bridge hydraulic analysis to determine freeboard and scour at the proposed bridge.

Table 2: Peak Flow Rate of Jimmy Camp Creek for Lorson Boulevard Bridge (DBPS)		
Storm Event	Description/ Source	Discharge (cfs)
10-Year DBPS (Existing)	From 2015 DPBS (Existing)	7,731
100-Year DBPS (Existing)	From 2015 DPBS (Existing)	17,709
500-Year DBPS (Existing)	1.2 Flow Multiplier of 100-year	21,251
10-Year DBPS (Future)	From 2015 DPBS (Future)	13,402
100-Year DBPS (Future)	From 2015 DPBS (Future)	26,734
500-Year DBPS (Future)	1.2 Flow Multiplier of 100-year	32,081

5.0 HYDRAULICS

5.1 HYDRAULIC MODELING APPROACH

Detailed modeling of the proposed Lorson Boulevard Bridge was performed using the USACE HEC-RAS software. The proposed bridge span will require location of the abutments within the channel section. The abutments will be located within the upper bench of the channel and require grading to shift the bench away from the abutment to allow use of the bench as a bike path. A 2:1 sideslope will be applied between the bench and abutment and the proposed wingwalls. The proposed bridge and grading will produce a reduction in the bridge opening area within the channel.

The hydraulic model for the proposed Lorson Bridge was established from the existing LOMR model for Jimmy Camp Creek. The model was updated with the insertion of eight new sections upstream and downstream of the proposed bridge. Each of the new cross-sections are referenced to the existing LOMR model using the channel alignment of Jimmy Camp Creek provided in the LOMR submittal AutoCAD drawings. Table 3 summarizes the river station and channel station of the new cross-sections with the LOMR cross-sections. Appendix E shows the layout of cross-sections in the LOMR with the new cross-sections used to model the Lorson Bridge.

Table 3: New Cross-Sections of Lorson Boulevard Bridge HEC-RAS Model					
River Station	Channel Station	Description	Downstream Length		
			LOB	Channel	ROB
136.00	56+88.49	Existing LOMR Section	332.63	332.63	332.63
135.60	53+55.42	Existing LOMR Section	62.7	55.42	47.48
135.553	53+00.00	New cross section	29.38	29.37	9.53
135.496	52+70.63	New cross section	55.38	35.02	20.44
135.472	52+35.61	New cross section	32.05	14.97	8.17
135.338	52+20.64	Bridge bounding section	82.00	82.00	82.00
135.298	51+38.03	Bridge bounding section	10.40	25.15	44.27
135.253	51+12.88	New cross section	10.40	27.83	51.05
135.140	50+85.05	New cross section	65.50	70.05	70.3
134.889	50+15.00	New cross section	139.22	155.06	171.54
134.80	48+59.94	Existing LOMR Section	293.50	293.50	293.50
134.40	45+65.84	Existing LOMR Section	355.07	354.08	353.89

Two of the new sections were located as bounding sections of the proposed bridge 8.5-feet offset from the bridge face. Additional sections were located to model the flow transition upstream and downstream of the bridge and compute the scour from blocked flow upstream of the abutment.

The AutoCAD Civil3D design software was used to generate DTM of the grading at the proposed bridge. The channel alignment and cross-section were exported to the GIS file format using the HEC-RAS export routines incorporated in the software. Import of the GIS file into HEC-RAS results in a georeferenced model, which includes the channel alignment, station-elevation data along each cross-section read from the DTM, downstream reach lengths and overbank locations. This information was used to create the new cross-sections inserted into the existing LOMR model to generate the proposed model for hydraulic analysis of the new bridge.

Appendix E shows the HEC-RAS layout of the channel alignment, cross sections, and resulting flood extents of the 100 and 500-year flood events for the proposed bridge and river reach. The following data was used to develop the HEC-RAS model.

5.1.1 Floodplain Parameters

The LOMR model uses a Manning's n of 0.040 for both the channel and overbank locations at each cross-section of the realigned channel. The 0.040 value appears to reflect the grassland areas of the channel and overbank comprised of high grass, some trees and scattered brush. The LOMR model uses a Manning's n of 0.100 at each of the riprap drop structures applied along the realigned channel.

The new cross-sections in the HEC-RAS model of Lorson Bridge used the same Manning's n values for the channel and overbanks as used in existing LOMR model. However, a composite channel was used with horizontal variation in Manning's n at the bridge to reflect the portions of the channel that are lined with riprap for armament of the abutment and piers. Manning's n values of the riprap was adjusted to account for depth of flow using the 100-year design event. Table 4 summarizes the locations and Manning's n values used in the HEC-RAS model.

Table 4: Manning's n Values of Lorson Boulevard Bridge HEC-RAS Model		
Description	Location	Manning's n
Sandy Bed covered with grassland area of high grass	Channel	0.040
Grassland area with high grasses, some trees and brush	Floodplain (left)	0.040
Grassland area with high grasses, some trees and brush	Floodplain (right)	0.040
Riprap (24-inch) at Abutments (Sloped)	Composite Channel	0.090
Riprap (30-inch) at Piers and Riprap (24-inch) at Abutment Toe		0.067
Channel Bed		0.040
Grouted or Filled Riprap (24-inch) under Bike Path		0.056

The existing LOMR model utilizes composite Main Channel Manning's n values with a compositing slope criteria of 5:1 in the geometric data. Compositing of the main channel using a 5:1 slope criteria is not optimal yet retained from the original LOMR model as it results in a conservative analysis with the horizontal variations in Manning's n used at the bridge.



Figure 3: Jimmy Camp Creek Channel and Bank Coverage

5.1.2 Boundary Conditions

Examination of the critical depth computed in steady flow analysis at the proposed bridge and upstream and downstream channel indicates subcritical flow will occur at the proposed bridge. Therefore, all modelling of the proposed bridge was performed using a subcritical flow regime. CDOT requires modeling of bridges be performed using a subcritical flow regime to meet a more conservative freeboard requirement.

The existing LOMR model uses known water surface elevation as the downstream boundary condition and critical depth for the upstream boundary condition. The confluence of Fountain Creek is the lower model limit of Jimmy Camp Creek; therefore, known WSE for the Jimmy Camp Creek LOMR were determined from the effective model of Fountain Creek. The effective models provides WSE for each of the 10, 25, 50 and 100-year effective flood events. A regression analysis of this data was used to compute lower boundary conditions for updated and future flood events provided in the 2015 Drainage Basin Planning Study. Table 5 summarizes the WSE used for the lower boundary condition for all flow rates.

Table 5: Lower Boundary WSE of Lorson Boulevard Bridge HEC-RAS Model		
Storm Event	Discharge (cfs)	WSE (ft)
FEMA 10-Year	6,800	5673.50
FEMA 50-Year	9,000	5674.91
FEMA 100-Year	10,700	5675.33
FEMA 500-Year	12,900	5676.21
100-Year DBPS (Existing)	17,709	5676.81
500-Year DBPS (Existing)	21,251	5677.43
100-Year DBPS (Future)	26,734	5678.22
500-Year DBPS (Future)	32,081	5678.55

5.1.3 Ineffective Flow Areas

The application of ineffective flow areas was evaluated in the model of the proposed bridge. Application of a 1:1 contraction reach upstream of the bridge and a 3:1 expansion reach downstream of the bridge applied at the vertical portion of the abutment produce ineffective flow areas behind the proposed grading and below the flood events. Therefore, the application of the ineffective flow in the proposed models is not required. A suitable number of cross-sections are used upstream and downstream of the proposed bridge to model the flow transition from the natural channel to the bridge section.

5.1.4 Flow Rates

The two sets of peak discharges were input to the HEC-RAS model as Steady Flow Data. The respective boundary conditions were updated for each flow rate. The FEMA flow rates are used to evaluate the impact of the bridge on the existing flood plain. The DBPS (Future) flow rates are used to evaluate the freeboard of the bridge and compute the scour. Table 6 summarizes the flow rates and flow change locations used in the HEC-RAS model.

Table 6: Flow Rates for Jimmy Camp Creek at Lorson Boulevard Bridge			
Storm Event	HEC-RAS Model Discharge and Station		
	160.0 (cfs)	152.0 (cfs)	141.6 (cfs)
FEMA 10-Year	6,100	6,600	6,800
FEMA 50-Year	9,800	10,500	10,700
FEMA 100-Year	11,800	12,600	12,900
FEMA 500-Year	15,100	16,100	16,400
DBPS (Future) 10-Year	13,402	13,402	13,402
DBPS (Future) 100-Year	26,734	26,734	26,734
DBPS (Future) 500-Year	32,081	32,081	32,081

5.1.5 Bridge Parameters

The proposed double span bridge was modeled within HEC-RAS using the Deck/Roadway Data Editor to reflect the structure depth of the 256-foot span and vertical portion of the bridge abutments. A pier was inserted into the bridge and modeled based on input into the Pier Data Editor available in HEC-RAS. Abutments were inserted into the bridge and modeled based on input into the Sloping Abutment Data Editor found in HEC-RAS.

The proposed Lorson Bridge provides sufficient clearance above all design flows so that Low Flow Method is all that is required for approach to the bridge modelling. Since the bridge will include a pier the Standard Step Method, Momentum Balance and Yarnell Equation were used to compute energy losses through the bridge. The highest energy loss is selected by HEC-RAS to be applied at the bridge. The proposed bridge was modeled in HEC-RAS with the following parameters summarized in Table 7.

Table 7: Lorson Boulevard Bridge HEC-RAS Model Parameters	
Parameter	Value
Sloping Abutment	Spill Through
Center Pier	3-foot Width, No Debris
Modelling (Low Flow)	Energy (Standard Step) Momentum, Cd = 1.2 Yarnell, K = 0.95 Highest Energy Answer Selected
Modelling (High Flow)	Energy (Standard Step)
Weir Coefficient	2.60
Weir Crest shape	Broad Crested
Contraction Coefficient	0.30
Expansion Coefficient	0.50

6.0 HYDRAULIC ANALYSIS RESULTS

6.1 BRIDGE HYDRAULICS RESULTS

The LOMR model, revised with new cross-sections, was updated and modified with the data and parameters provided above to model the new bridge. Steady flow analysis was performed for the updated model with and without the bridge.

The new bridge is to reduce the bridge opening area as result of the placement of the abutments and roadway embankment in the upper bench of the channel section. This will result in an increase of the water surface elevations upstream of the proposed bridge compared to the channel without the bridge.

Table 8 compares the model results of the upstream and downstream Water Surface Elevations (WSE) in the Jimmy Camp Creek channel with and without the proposed Lorson Bridge. The results were taken from the bounding cross sections from the HEC-RAS model of the proposed bridge.

Table 8: Bridge Hydraulic Performance (WSE)					
Design Event	Discharge (cfs)	Without Bridge		With Lorson Bridge	
		52+20.64 Upstream WSE (ft)	51+38.03 Downstream WSE (ft)	52+20.64 Upstream WSE (ft)	51+38.03 Downstream WSE (ft)
10-Year FEMA	6,800	5690.97	5690.62	5691.76	5690.49
100-Year FEMA	12,900	5693.14	5692.80	5694.17	5692.50
10-Year DBPS	13,402	5693.28	5692.94	5694.34	5692.64
100-Year DBPS	26,734	5696.39	5696.06	5697.71	5695.41

Table 9 compares the model results of the upstream and downstream flow velocities in the Jimmy Camp Creek channel with and without the proposed Lorson Bridge. The results were taken from the bounding cross sections from the HEC-RAS model of the existing and proposed bridge. The results show an increase in the flow velocities within the channel at the location of the bridge.

Table 9: Bridge Hydraulic Performance (Velocity)					
Design Event	Discharge	Without Bridge		With Lorson Bridge	
		52+20.64 Upstream Velocity	51+38.03 Downstream Velocity	52+20.64 Upstream Velocity	51+38.03 Downstream Velocity
	(cfs)	(ft/sec)	(ft/sec)	(ft/sec)	(ft/sec)
10-Year FEMA	6,800	6.47	6.34	6.26	7.35
100-Year FEMA	12,900	7.81	7.66	7.85	9.61
10-Year DBPS	13,402	7.91	7.76	7.95	9.75
100-Year DBPS	26,734	9.99	9.84	10.63	13.13

Structural analysis calculations and evaluation of channel stability require the maximum flow velocities produced by the bridge within the channel. These velocities are produced at the downstream bridge opening in the deepest portion of the channel. Table 10 present the maximum and average flow velocities in the upstream and downstream bridge opening within the channel. These velocities were determined from the flow distribution of the Cross-Section Output of HEC-RAS as shown in Figure 4.

Table 10: Bridge Hydraulic Performance (Maximum Velocity)					
Design Event	Discharge	Lorson Bridge			
		52+12.14 Upstream Velocity (ft/sec)		51+46.53 Downstream Velocity (ft/sec)	
	(cfs)	Max	Ave	Max	Ave
100-Year DBPS	26,734	14.37	11.11	16.40	13.14
500-Year DBPS	32,081	15.57	12.06	17.89	14.32




Figure 4: 100-Year Flow Distribution at Lorson Boulevard Bridge

Table 11 summarizes the freeboard provided by the proposed bridge for each of the 100-year design discharges. The freeboard is computed between the low chord of the bridge and the water surface elevation at the upstream face of the bridge.

Table 11: Bridge Hydraulic Performance (Freeboard)				
Design Event	Discharge (cfs)	Bridge Low Chord WSE (ft)	Proposed Upstream WSE (ft)	Provided Freeboard (ft)
10-Year FEMA	6,800	5699.53	5691.64	7.89
100-Year FEMA	12,900	5699.53	5694.01	5.52
10-Year DBPS	13,402	5699.53	5694.18	5.35
100-Year DBPS	26,734	5699.53	5697.45	2.08

A comparison of the 100-year flow profiles in the channel with and without the proposed bridge shows that attenuation of the proposed 100-Year profile occurs 1495-feet upstream of the proposed bridge. Attenuation of the proposed 100-Year profile occurs 123-feet downstream of the proposed bridge. Figure 5 compares the existing and proposed 100-year profiles generated from HEC-RAS at the location of the bridge.




Figure 5: 100-Year Profile at the Proposed Lorson Boulevard Bridge

A layout of the HEC-RAS channel alignment and cross-sections prepared for the hydraulic analysis of the proposed bridge is shown in Appendix E. The GIS tool RAS Mapper which is available in HEC-RAS, was used to delineate the floodplain for the 100-year event using the digital terrain model. The delineation of the floodplain is shown in the attached Appendix for both the FEMA and DBPS 100-year flows. Appendix F presents the HEC-RAS Profile Summary Table of both the FEMA and DBPS 100-year flows for the existing and proposed condition. Cross sections of the HEC-RAS model of the proposed bridge and channel are provided in Appendix I.

6.2 IMPACTS TO FLOODPLAIN

The floodplain and floodway are both contained within the channel of Jimmy Camp Creek and have the same flood elevation and limits. There is no flood fringe or area outside of the floodway upon

which to encroach. The encroachment analysis is limited to any change in the floodway elevation. A comparison of the floodway elevations at each new cross-section with and without the bridge is shown in Table 12. There is expected to be a 1.21-foot rise in the floodway elevation upstream of the proposed bridge.

River Station	Channel Station	Description	Without Bridge Floodway Elev (ft)	With Bridge Floodway Elev (ft)	Delta (ft)
136.00	56+88.49	Existing LOMR Section	5695.37	5695.70	0.33
135.60	53+55.42	Existing LOMR Section	5694.23	5694.85	0.62
135.553	53+00.00	New cross section	5693.52	5694.73	1.21
135.496	52+70.63	New cross section	5693.32	5694.60	1.28
135.472	52+35.61	New cross section	5693.15	5694.27	1.12
135.338	52+20.64	Bridge bounding section	5693.14	5694.17	1.03
135.298	51+38.03	Bridge bounding section	5692.80	5692.50	-0.30
135.253	51+12.88	New cross section	5692.58	5692.33	-0.25
135.140	50+85.05	New cross section	5692.36	5692.21	-0.15
134.889	50+15.00	New cross section	5691.99	5691.98	-0.01
134.80	48+59.94	Existing LOMR Section	5691.28	5691.27	-0.01

6.3 SCOUR ANALYSIS RESULTS

There are three potential scour conditions at the proposed Lorson Boulevard Bridge. These include contraction scour and the two local scours at the abutments and pier. A scour analysis was performed for both the 100 and 500-year design frequency event using the Hydraulic Design Function for Bridge Scour in HEC-RAS. As noted above, the future DBPS flow rates are to be utilized for the scour computations. With the majority of design flows located within the channel, 43 of the available 45 flow distributions were assigned to the channel and the remaining distributions were used for each overbank for analysis of the scour.

The closest approach cross-section to the bridge is at river station 135.47 (channel station 52+35.61) but includes a reduced cross-section as it is within the new grading limits of the abutment. Therefore, scour for Lorson Bridge was computed using the flow, flow area, flow width and depth of flow obstructed at the approach cross-section river station 135.5 (channel station 52+70.63) which is upstream of all grading for the abutment. Computations of the pier and contraction scour used the default values determined from the HEC-RAS model as input to the Hydraulic Design Function.

6.3.1 Contraction Scour

Using the D_{50} grain size of 0.50-millimeters determined from the gradation provided in the geotechnical investigation, the analysis determined there is a live-bed scour condition at the proposed bridge. The new bridge will reduce the flow width in the channel from 307-feet during the 100 event and from 329-feet during the 500-year event to 242-feet. A live-bed contraction scour will yield 1.99-feet of scour for the 100-year event and 2.89-feet of scour for the 500-year event. The contraction scour is to be added to the local scour computed at the abutment and pier to compute the total scour at each element.

6.3.2 Pier Scour

The proposed bridge was modeled in HEC-RAS with the following parameters summarized in Table 13. The scour depth computed at the pier is 7.20-feet for both the 100 and 500-year event.

Table 13: Lorson Boulevard Bridge Pier Scour Input Parameters		
Parameter	Value (100-Year)	Value (500-Year)
Shape	Round nose	Round nose
Pier Width	3.00 ft	3.00 ft
D ₅₀	0.50 mm	0.50 mm
D ₉₅	2.25 mm	2.25 mm
Upstream Depth	13.47 ft	14.59 ft
Upstream Velocity	13.71 ft/sec	14.39 ft/sec
Method	CSU Equation	CSU Equation
Nose shape factor, K1	1.00	1.00
Angle	0.0	0.0
Pier Length	65.0 ft	65.0 ft
Flow angle factor, K2	1.00	1.00
Bed Condition, K3	Clear-Water Scour	Clear-Water Scour
Armoring correction factor, K4	1.00	1.00

6.3.3 Abutment Scour

Use of the Froehlich's Equation is applicable for the computation of the abutment scour at the proposed bridge. Scour was computed as spill-thru abutments and determined from the amount of flow upstream of the bridge obstructed by the abutments and embankment. Table 14 summarizes the scour depths for the proposed Lorson Bridge. Figures 6 and 7 show the 100 and 500-Year scour profile at the proposed bridge. Appendix G present plots of the scour results computed by HEC-RAS.

Table 14: Abutment Scour Analysis Results						
Storm Event	Left Abutment			Right Abutment		
	Contraction (ft)	Abutment (ft)	Total (ft)	Contraction (ft)	Abutment (ft)	Total (ft)
100-Year	1.99	11.65	13.64	1.99	11.93	13.92
500-Year	2.89	13.21	16.10	2.89	13.70	16.59




Figure 6: 100-Year Scour Profile at the Proposed Lorson Boulevard Bridge




Figure 7: 500-Year Scour Profile at the Proposed Lorson Boulevard Bridge

7.0 CONCLUSIONS

7.1 SUMMARY

The hydraulic analysis presented in this report has been prepared with close coordination between the civil and structural design teams in order to develop the hydraulic model that matches the ultimate configuration of the proposed Lorson Boulevard Bridge. The proposed model incorporates the latest existing topography, location and layout the proposed bridge and final grading to model the hydraulic performance of the bridge located within the Jimmy Creek channel.

The analysis evaluates three components of the proposed bridge and summarized below:

1. Freeboard

The analysis shows the proposed bridge provides 2.1-feet of freeboard between the low chord of the bridge and the flow profile generated from the 100-year future flow rate of 26,734-cfs identified in the DPBS. Related to freeboard is the calculation of velocities

within the channel at the bridge, which may be used to determine whether the proposed bridge provides the necessary opening and span length. The CDOT Drainage Design Manual recommends that if the mean velocity in the bridge is greater than 16-fps the bridge should be lengthened. Average velocity during the 100-year event is 13.14-fps and indicates the bridge is of adequate length. The maximum velocity within the bridge is computed to be 16.40-fps.

2. Computed Scour Depth

The hydraulic analysis adequately computes the scour depths expected to occur at the bridge under the 100 and 500-year events. These depths should be used by the structure design team to evaluate the stability of the structure under these conditions and make recommendations for the bridge foundation.

3. Impacts to the floodplain

The hydraulic analysis indicates a measurable impact to the regulatory floodplain/floodway. The rise in the floodway as described above warrants the submittal of a CLOMR to FEMA per NFIP regulations. The CLOMR should be submitted once final bridge plans are completed and prior to start of construction. The CLOMR should include a submittal of riverine structures form for the new bridge and potentially the riverine hydrology hydraulics form for the revision to the effective model for updated survey of the new channel. A LOMR submittal will be required once construction of the bridge is completed.

7.2 SCOUR COUNTERMEASURES AND CHANNEL STABILITY

Scour countermeasures are required for the proposed Lorson Boulevard Bridge at each of the abutments and the center pier. Both the abutment and pier scour was determined per the procedures described above in the Scour Analysis Section of this report. Per the CDOT Drainage Design Manual, neither riprap nor other linings are part of the calculation to determine the depth of abutment scour. Nor can riprap or lining be included in the model for the purpose of determining the extent by which riprap may eliminate scour. Riprap revetment is generally employed at the abutments as a countermeasure to protect the abutments.

Analysis for the proposed riprap at the abutment and pier was performed in accordance to the procedures outlined in FHWA HEC-23 Bridge Scour and Stream Instability Countermeasures: Experience, Selection, and Design Guidance, 3rd Edition. The FHWA Hydraulic Toolbox 4.0 software was used to size the riprap using the Riprap Analysis Calculator within the software. The calculator includes analysis for Abutments and Guide Banks structure types per the procedures in HEC-23. Input into the software was taken directly from the Flow Distribution Output of the HEC-RAS results at the pier and abutments of the proposed bridge. The recurrence interval used to size the armament is the 100-year storm.

Table 15 summarizes the input to the Riprap Analysis Calculator for riprap at the abutment. The input parameters for the abutment include the maximum channel velocity, overbank discharge and setback area.

Table 15: Abutment Riprap Analysis Input		
Parameter	Left Abutment	Right Abutment
Abutment Type	Spill-Through	Spill-Through
Set-Back Length	27.56 ft	22.80 ft
Average Channel Flow Depth	12.16 ft	12.16 ft
Flow Depth at Abutment Toe	8.45 ft	8.45 ft
Total Discharge	26,734 cfs	26,734 cfs
Overbank Discharge	819.66 cfs	763.92 cfs
Total Bridge Flow Area	2411.22 ft ²	2411.22 ft ²
Setback Area	142.95 ft ²	159.80 ft ²
Maximum Channel Velocity	16.40 ft/sec	16.40 ft/sec
Specific Gravity of Riprap	2.65	2.65

The results of the analysis indicate that a riprap size of D_{50} equal to 24.73-inches should be used at the abutments for scour protection. A 4-foot thick mat of D_{50} equal to 24-inch riprap is selected as the abutment scour protection and should extend a minimum of 16.90-feet from the toe of the abutment and 25.00-feet at the abutment approach.

Table 16 summarizes the input to the Riprap Analysis Calculator for riprap at the pier. The input parameters for the pier include the local velocity at the pier, contraction scour depth and parameters for the pier width and shape.

Table 16: Pier Riprap Analysis Input	
Parameter	Pier
Velocity Input Type	Local velocity near pier
Local Velocity near Pier (Maximum)	13.71 ft/sec
Pier Shape Factor	Round-nose pier
Pier Width	3.00 ft
Contraction Scour Depth	1.99 ft
Bed Form Depth	0.50 ft
Specific Gravity of Riprap	2.65

The results of the analysis indicate that a riprap size of D_{50} equal to 33.08-inches should be used at the pier for scour protection. HEC-23 recommends a riprap thickness of $3 \times D_{50}$ at the pier; therefore, a 7.5-foot thick mat of D_{50} equal to 30-inch riprap is selected as the abutment pier protection and should extend a minimum of 6.0-feet around all sides of the pier.

The output results of the software for each abutment and pier are provided in Appendix H. Appendix H also includes the details showing the configuration of riprap at each of the abutments.

7.3 WATER QUALITY PROVISIONS

There are two distinct areas within this project site that will determine whether permanent water quality BMP's are necessary. For areas outside the ROW and under the bridge there are no impervious surfaces proposed and thus does not need permanent WQ BMP's. The remaining areas are within the proposed ROW of Lorson Boulevard. The west portion of the ROW includes streets/sidewalk and flows westward in curb/gutter to existing inlets at a low point in Lorson Boulevard west of Wando Drive. The inlets drain south to existing Pond G1/G2 where it is treated for water quality prior to discharge into Jimmy Camp Creek. Pond G1/G2 has been sized to treat/detain runoff from Lorson Boulevard from this drainage area. The east portion of the ROW includes streets/sidewalk and flows eastward in curb/gutter until the street construct terminates at Station 52+00. In interim conditions the runoff will enter a temporary sediment basin which will capture sediment prior to discharging offsite. This condition could last up to two years. When Lorson Boulevard is constructed to the east all the runoff in the ROW will flow east in curb/gutter and will be collected in inlets north of existing Pond C1 and will flow into the pond. Pond C1 has been sized to treat/detain runoff from Lorson Boulevard from this drainage area.

8.0 LIST OF REFERENCES


1. ***El Paso County Drainage Criteria Manual***
El Paso County, September 30, 1990
2. ***CDOT Drainage Design Manual***
CDOT, April 2004
3. ***Jimmy Camp Creek Drainage Basin Planning Study
Development of Alternatives & Design of Selected Plan Report***
Kiowa Engineering Corporation, March 9, 2015
4. ***Flood Hazard Analyses Portions of Jimmy Camp Creek and Tributaries
El Paso County, Colorado***
U.S. Department of Agriculture, Soil Conservation Service, October 1975
5. ***Regional Regression Equations for Estimation
Of Natural Streamflow Statistics in Colorado***
Capesius, J.P., and Stephens, V.C.
USGS, Scientific Investigations Report 2009–5136, 2009
6. ***HEC-RAS River Analysis System User's Manual
Version 5.0***
US Army Corps of Engineers, March 2016
7. ***Hydraulic Engineering Circular No. 18,
Evaluating Scour at Bridges, Fifth Edition***
FHWA, April 2012
8. ***Hydraulic Engineering Circular No. 23,
Bridge Scour and Stream Instability Countermeasures:
Experience, Selection, and Design Guidance, Third Edition***
FHWA, September 2009
9. ***Subsurface Soil Investigation
Lorson Boulevard Bridge over Jimmy Camp Creek, El Paso County Colorado***
Rocky Mountain Group, April 3, 2017

SECTION 2: APPENDICES

- A. Vicinity Maps*
- B. Flood Insurance Rate Map*
- C. Jimmy Camp Creek LOMR*
- D. Gradation of Streambed Samples*
- E. HEC-RAS Layout and Floodplain Delineation*
- F. HEC-RAS Profile Tables (Existing and Proposed)*
- G. HEC-RAS Scour Analysis Results*
- H. Bridge Armament Calculations and Details*
- I. HEC-RAS Model Cross Sections (Proposed)*
- J. HEC-RAS Repot*

APPENDIX A

APPENDIX A – VICINITY MAPS





Lorson Boulevard Bridge Over Jimmy Camp Creek Vicinity Map

County:	El Paso
Latitude:	38°43'49" N
Longitude:	104°38'46" W
Township:	015 South
Range:	065 West
Section:	22, 23

0 1.5 3 6 Miles

1 in = 3 miles





Lorson Boulevard Bridge and Lorson Ranch Development

County:	El Paso
Latitude:	38°43'49" N
Longitude:	104°38'46" W
Township:	015 South
Range:	065 West
Section:	22, 23


0 0.1 0.2 0.4 Miles

1 in = 0.2 miles



APPENDIX B

APPENDIX B – FLOOD INSURANCE RATE MAP



LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

ZONE A No base flood elevations determined.

ZONE AE Base flood elevations determined.

ZONE AH Flood depths of 1 to 3 feet usually areas of ponding; base flood elevations determined.

ZONE AO Flood depths of 1 to 3 feet usually sheet flow on sloping terrain; average depths determined; for areas of alluvial fan flooding, velocities also determined.

ZONE A99 To be protected from 100-year flood by federal flood protection system under construction; no base elevations determined.

ZONE V Coastal flood with velocity hazard (wave action); no base flood elevations determined.

ZONE VE Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE

OTHER FLOOD AREAS

ZONE X Areas of 500-year flood areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

ZONE X Areas determined to be outside 500-year floodplain.

ZONE D Areas in which flood hazards are undetermined.

UNDEVELOPED COASTAL BARRIERS

Identified 1982 Coastal barrier areas are normally located within or adjacent to Special Flood Hazard Areas.

Identified 1990 Flood Boundary

Otherwise Flooded Area

Flood Boundary

Floodway Boundary

Zone D Boundary

Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Control Base Flood Elevations Within Special Flood Hazard Zones.

Base Flood Elevation Line: Elevation in Feet. See Map Index for Elevation Datum.

Cross Section Line

Base Flood Elevation in Feet Where Uniform Within Zone. See Map Index for Elevation Datum.

Elevation Reference Mark

River Mile

Horizontal Coordinates Based on North American Datum of 1983 (NAD 83) Projection.

NOTES

This map is for use in administering the National Flood Insurance Program; it does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size, or all plainwater features outside Special Flood Hazard Areas.

Coastal base flood elevations apply only landward of 0.0 NGVD and include the effects of wave action; these elevations may also differ significantly from those developed by the National Weather Service for hurricane evacuation planning.

Areas of Special Flood Hazard (100-year flood) include Zones A, AE, AH, AO, A99, V, and VE.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the Federal Emergency Management Agency.

Floodway widths in some areas may be too narrow to show to scale. Floodway widths are provided in the Flood Insurance Study Report.

This map may incorporate approximate boundaries of Coastal Barrier Resource System Units and/or Otherwise Protected Areas established under the Coastal Barrier Improvement Act of 1989 (P.L. 101-681).

Corporate limits shown are current as of the date of this map. The user should contact appropriate community officials to determine if corporate limits have changed subsequent to the issuance of this map.

For community map revision history prior to countywide mapping, see Section 6.3 of the Flood Insurance Study Report.

For adjoining map panels and base map source see separately printed Map Index.

MAP REPOSITORY
Refer to Repository Listing on Map Index.

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP:
MARCH 17, 1997

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL:

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE DATE shown on this map to determine when actual uses apply to structures in zones where elevations or depths have been established.

To determine if flood insurance is available, contact an insurance agent or call the National Flood Insurance Program at (800) 638-6920.



NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

EL PASO COUNTY, COLORADO AND UNINCORPORATED AREAS

PANEL 957 OF 1300
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COUNTY, COMMUNITY	NUMBER	PANEL	SUFFIX
COLORADO SPRINGS, CITY OF	080060	0957	F
EL PASO COUNTY, UNINCORPORATED AREAS	080059	0957	F
FOUNTAIN, CITY OF	080061	0957	F

MAP NUMBER
08041C0957 F

EFFECTIVE DATE:
MARCH 17, 1997

Federal Emergency Management Agency

APPENDIX C

APPENDIX C – JIMMY CAMP CREEK LOMR



Federal Emergency Management Agency

Washington, D.C. 20472

MAY 07 2007

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

The Honorable Dennis Hisey
Chairman, El Paso County
Board of Commissioners
27 East Vermijo Avenue
Colorado Springs, CO 80903

IN REPLY REFER TO:

Case No.: 06-08-B643P

Follows Conditional

Case No.: 05-08-0286R

Community Name: El Paso County, CO

Community No.: 080059

Effective Date of **AUG 29 2007**

This Revision:

Dear Mr. Hisey:

The Flood Insurance Study report and Flood Insurance Rate Map for your community have been revised by this Letter of Map Revision (LOMR). Please use the enclosed annotated map panel(s) revised by this LOMR for floodplain management purposes and for all flood insurance policies and renewals issued in your community.

Additional documents are enclosed which provide information regarding this LOMR. Please see the List of Enclosures below to determine which documents are included. Other attachments specific to this request may be included as referenced in the Determination Document. If you have any questions regarding floodplain management regulations for your community or the National Flood Insurance Program (NFIP) in general, please contact the Consultation Coordination Officer for your community. If you have any technical questions regarding this LOMR, please contact the Director, Federal Insurance and Mitigation Division of the Department of Homeland Security's Federal Emergency Management Agency (FEMA) in Denver, Colorado, at (303) 235-4830, or the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP). Additional information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

Sincerely,

Patrick F. Sacbibit, P.E., CFM, Project Engineer
Engineering Management Section
Mitigation Division

For: William R. Blanton Jr., CFM, Chief
Engineering Management Section
Mitigation Division

List of Enclosures:

Letter of Map Revision Determination Document
Annotated Flood Insurance Rate Map
Annotated Flood Insurance Study Report

cc: The Honorable Lionel Rivera
Mayor, City of Colorado Springs

The Honorable Jeri Howells
Mayor, City of Fountain

Pentacor Engineering LLC

Landhuis Company

Mr. Phil Wuthier, P.E., CFM
Regional Floodplain Administrator
Pikes Peak Regional Building Department



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION DETERMINATION DOCUMENT

COMMUNITY AND REVISION INFORMATION		PROJECT DESCRIPTION	BASIS OF REQUEST
COMMUNITY	El Paso County Colorado (Unincorporated Areas)	CHANNEL RELOCATION	FLOODWAY HYDRAULIC ANALYSIS NEW TOPOGRAPHIC DATA
	COMMUNITY NO.: 080059		
IDENTIFIER	Lorson Ranch Development – Jimmy Camp Creek	APPROXIMATE LATITUDE & LONGITUDE: 38.690, -104.686 SOURCE: USGS QUADRANGLE DATUM: NAD 27	
ANNOTATED MAPPING ENCLOSURES		ANNOTATED STUDY ENCLOSURES	
TYPE: FIRM* NO.: 08041C0957 F DATE: March 17, 1997		DATE OF EFFECTIVE FLOOD INSURANCE STUDY: August 23, 1999 PROFILE(S): 107P and 108P FLOODWAY DATA TABLE: 5	

Enclosures reflect changes to flooding sources affected by this revision.

* FIRM - Flood Insurance Rate Map; ** FBFM - Flood Boundary and Floodway Map; *** FHBM - Flood Hazard Boundary Map

FLOODING SOURCE(S) & REVISED REACH(ES)

Jimmy Camp Creek – from approximately 3,240 feet downstream to approximately 3,650 feet upstream of Fontaine Boulevard

SUMMARY OF REVISIONS

Flooding Source	Effective Flooding	Revised Flooding	Increases	Decreases
Jimmy Camp Creek	Zone AE	Zone AE	YES	YES
	Zone X (shaded)	Zone X (shaded)	YES	YES
	Floodway	Floodway	YES	YES
	BFEs*	BFEs	YES	YES

* BFEs - Base Flood Elevations

DETERMINATION

This document provides the determination from the Department of Homeland Security's Federal Emergency Management Agency (FEMA) regarding a request for a Letter of Map Revision (LOMR) for the area described above. Using the information submitted, we have determined that a revision to the flood hazards depicted in the Flood Insurance Study (FIS) report and/or National Flood Insurance Program (NFIP) map is warranted. This document revises the effective NFIP map, as indicated in the attached documentation. Please use the enclosed annotated map panels revised by this LOMR for floodplain management purposes and for all flood insurance policies and renewals in your community.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.


Patrick F. Sacbibit, P.E., CFM, Project Engineer
Engineering Management Section
Mitigation Division

109770 10.3.1.0608B643

102-I-A-C

**Federal Emergency Management Agency**

Washington, D.C. 20472

**LETTER OF MAP REVISION
DETERMINATION DOCUMENT (CONTINUED)****OTHER COMMUNITIES AFFECTED BY THIS REVISION****CID Number:** 080060 **Name:** City of Colorado Springs, Colorado**AFFECTED MAP PANELS**

TYPE: FIRM NO.: 08041C0957 F DATE: March 17, 1997

AFFECTED PORTIONS OF THE FLOOD INSURANCE STUDY REPORTDATE OF EFFECTIVE FLOOD INSURANCE STUDY: August 23, 1999
PROFILE(S): 108P and 109P
FLOODWAY DATA TABLE: 5**CID Number:** 080061 **Name:** City of Fountain, Colorado**AFFECTED MAP PANELS**

TYPE: FIRM NO.: 08041C0957 F DATE: March 17, 1997

AFFECTED PORTIONS OF THE FLOOD INSURANCE STUDY REPORTDATE OF EFFECTIVE FLOOD INSURANCE STUDY: August 23, 1999
PROFILE(S): 107P
FLOODWAY DATA TABLE: 5

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional information about the NFIP is available on our website at <http://www.fema.gov/nfip>.


Patrick F. Sacbibil, P.E., CFM, Project Engineer
Engineering Management Section
Mitigation Division



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION DETERMINATION DOCUMENT (CONTINUED)

COMMUNITY INFORMATION

APPLICABLE NFIP REGULATIONS/COMMUNITY OBLIGATION

We have made this determination pursuant to Section 206 of the Flood Disaster Protection Act of 1973 (P.L. 93-234) and in accordance with the National Flood Insurance Act of 1968, as amended (Title XIII of the Housing and Urban Development Act of 1968, P.L. 90-448), 42 U.S.C. 4001-4128, and 44 CFR Part 65. Pursuant to Section 1361 of the National Flood Insurance Act of 1968, as amended, communities participating in the NFIP are required to adopt and enforce floodplain management regulations that meet or exceed NFIP criteria. These criteria, including adoption of the FIS report and FIRM, and the modifications made by this LOMR, are the minimum requirements for continued NFIP participation and do not supersede more stringent State/Commonwealth or local requirements to which the regulations apply.

We provide the floodway designation to your community as a tool to regulate floodplain development. Therefore, the floodway revision we have described in this letter, while acceptable to us, must also be acceptable to your community and adopted by appropriate community action, as specified in Paragraph 60.3(d) of the NFIP regulations.

NFIP regulations Subparagraph 60.3(b)(7) requires communities to ensure that the flood-carrying capacity within the altered or relocated portion of any watercourse is maintained. This provision is incorporated into your community's existing floodplain management ordinances; therefore, responsibility for maintenance of the altered or relocated watercourse, including any related appurtenances such as bridges, culverts, and other drainage structures, rests with your community. We may request that your community submit a description and schedule of maintenance activities necessary to ensure this requirement.

COMMUNITY REMINDERS

We based this determination on the 1-percent-annual-chance flood discharges computed in the FIS for your community without considering subsequent changes in watershed characteristics that could increase flood discharges. Future development of projects upstream could cause increased flood discharges, which could cause increased flood hazards. A comprehensive restudy of your community's flood hazards would consider the cumulative effects of development on flood discharges subsequent to the publication of the FIS report for your community and could, therefore, establish greater flood hazards in this area.

Your community must regulate all proposed floodplain development and ensure that permits required by Federal and/or State/Commonwealth law have been obtained. State/Commonwealth or community officials, based on knowledge of local conditions and in the interest of safety, may set higher standards for construction or may limit development in floodplain areas. If your State/Commonwealth or community has adopted more restrictive or comprehensive floodplain management criteria, those criteria take precedence over the minimum NFIP requirements.

We will not print and distribute this LOMR to primary users, such as local insurance agents or mortgage lenders; instead, the community will serve as a repository for the new data. We encourage you to disseminate the information in this LOMR by preparing a news release for publication in your community's newspaper that describes the revision and explains how your community will provide the data and help interpret the NFIP maps. In that way, interested persons, such as property owners, insurance agents, and mortgage lenders, can benefit from the information.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

A handwritten signature in black ink, appearing to read "P. Sacibit".

Patrick F. Sacibit, P.E., CFM, Project Engineer
Engineering Management Section
Mitigation Division



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION DETERMINATION DOCUMENT (CONTINUED)

We have designated a Consultation Coordination Officer (CCO) to assist your community. The CCO will be the primary liaison between your community and FEMA. For information regarding your CCO, please contact:

Ms. Jeanine D. Petterson
Director, Federal Insurance and Mitigation Division
Federal Emergency Management Agency, Region VIII
Denver Federal Center, Building 710
P.O. Box 25267
Denver, CO 80225-0267
(303) 235-4830

STATUS OF THE COMMUNITY NFIP MAPS

We will not physically revise and republish the FIRM and FIS report for your community to reflect the modifications made by this LOMR at this time. When changes to the previously cited FIRM panel(s) and FIS report warrant physical revision and republication in the future, we will incorporate the modifications made by this LOMR at that time.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.

A handwritten signature in black ink, appearing to read "Patrick F. Sacbibit".

Patrick F. Sacbibit, P.E., CFM, Project Engineer
Engineering Management Section
Mitigation Division



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION DETERMINATION DOCUMENT (CONTINUED)

PUBLIC NOTIFICATION OF REVISION

PUBLIC NOTIFICATION

FLOODING SOURCE	LOCATION OF REFERENCED ELEVATION	BFE (FEET NGVD 29)		MAP PANEL NUMBER(S)
		EFFECTIVE	REVISED	
Jimmy Camp Creek	Approximately 2,000 feet downstream of Fontaine Boulevard	5,693	5,692	08041C0957 F
	Approximately 2,500 feet upstream of Fontaine Boulevard	5,726	5,723	08041C0957 F

Within 90 days of the second publication in the local newspaper, a citizen may request that we reconsider this determination. Any request for reconsideration must be based on scientific or technical data. This revision is effective as of the date of this letter. However, until the 90-day period has elapsed, the revised BFEs presented in this LOMR may be changed.

A notice of changes will be published in the *Federal Register*. This information also will be published in your local newspaper on or about the dates listed below.

LOCAL NEWSPAPER

Name: *El Paso County News*

Dates: 05/23/2007 05/30/2007

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at <http://www.fema.gov/nfip>.


Patrick F. Sacbibit, P.E., CFM, Project Engineer
Engineering Management Section
Mitigation Division

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Jimmy Camp Creek (Cont'd)	25,770	180	1,464	9.9	5,632.5	5,632.5	5,633.1	0.6	
	27,710	300	2,552	5.6	5,641.1	5,641.1	5,641.5	0.4	
	30,850	140	926	15.4	5,652.4	5,652.4	5,652.4	0.0	
	31,610	220	1,367	10.5	5,659.8	5,659.8	5,659.9	0.1	
	33,590	570	2,391	5.9	5,668.8	5,668.8	5,669.4	0.6	
	34,870	450	1,890	6.8	5,674.5	5,674.5	5,674.5	0.0	
	35,090	650	3,215	4.0	5,675.6	5,675.6	5,675.6	0.0	
	36,070	200	1,109	11.6	5,678.9	5,678.9	5,678.9	0.0	
	37,850	380	2,497	5.2	5,688.0	5,688.0	5,688.5	0.5	
	39,710	293	1,538	8.4	5,695.1	5,695.1	5,695.2	0.1	
	41,060	274	1,481	8.7	5,704.7	5,704.7	5,704.7	0.0	
	42,525	290	1,333	9.5	5,714.2	5,714.2	5,714.2	0.0	
	43,890	445	1,454	8.7	5,729.6	5,729.6	5,729.7	0.1	
	47,160	225	1,218	10.3	5,741.7	5,741.7	5,741.9	0.2	
	48,820	440	1,455	8.1	5,753.9	5,753.9	5,754.6	0.7	
	49,960	340	1,590	7.4	5,762.4	5,762.4	5,762.6	0.2	
	51,500	252	1,222	9.7	5,772.9	5,772.9	5,772.9	0.0	
	53,060	646	2,265	5.2	5,785.1	5,785.1	5,786.1	1.0	
	54,660	160	878	13.4	5,803.1	5,803.1	5,803.1	0.0	
	56,750	320	1,466	7.8	5,823.3	5,823.3	5,823.5	0.2	
	57,440	390	1,168	9.2	5,830.2	5,830.2	5,830.3	0.1	
	58,240	140	711	10.4	5,839.0	5,839.0	5,839.2	0.2	
	59,460	110	648	11.0	5,849.0	5,849.0	5,849.0	0.0	
	60,580	150	656	10.8	5,859.6	5,859.6	5,859.7	0.1	
	61,260	170	686	10.3	5,867.0	5,867.0	5,867.0	0.0	
	61,390	150	757	9.4	5,867.5	5,867.5	5,868.3	0.8	

REVISED DATA

¹Feet Above Confluence With Fountain Creek


REVISED TO
REFLECT LOMB

FEDERAL EMERGENCY MANAGEMENT AGENCY

EL PASO COUNTY, CO
AND INCORPORATED AREAS


FLOODWAY DATA EFFECTIVE AUG 29 2007


JIMMY CAMP CREEK



LEGEND


- 0.2% ANNUAL CHANCE FLOOD
- 1% ANNUAL CHANCE FLOOD
- 2% ANNUAL CHANCE FLOOD
- 10% ANNUAL CHANCE FLOOD
- STREAM BED
- CROSS SECTION LOCATION





APPENDIX D

APPENDIX D – GRADATION OF STREAMBED SAMPLES



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Test Boring	Depth (ft)	Classification	LL	PL	PI	Cc	Cu
● AB-3	44.0	WELL-GRADED SAND with SILT(SW-SM)	NP	NP	NP	2.0	25.1
☒ AB-3	54.0	LEAN CLAY with SAND(CL)	33	14	19		
▲ AB-3	59.0	SANDY LEAN CLAY(CL)	34	14	20		
★ CP-2	4.0	POORLY GRADED SAND with SILT(SP-SM)	NP	NP	NP	0.9	4.4
⊙ CP-2	9.0	POORLY GRADED SAND with SILT(SP-SM)	NP	NP	NP	0.9	4.2

Test Boring	Depth (ft)	%Gravel	%Sand	%Silt	%Clay
● AB-3	44.0	14.1	75.2	10.7	
☒ AB-3	54.0	0.0	27.8	72.2	
▲ AB-3	59.0	0.5	33.1	66.4	
★ CP-2	4.0	0.3	93.5	6.1	
⊙ CP-2	9.0	0.3	94.4	5.4	

Colorado Springs: (Corporate Office)
2910 Austin Bluffs Parkway
Colorado Springs, CO 80918
Voice (719) 548-0000
Fax (719) 548-0223




SOIL CLASSIFICATION DATA

JOB No. 155271

FIGURE No. 12

DATE 4/3/17



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Test Boring	Depth (ft)	Classification	LL	PL	PI	Cc	Cu
● CP-2	14.0	SILTY SAND(SM)	NP	NP	NP		
⊠ CP-2	19.0	WELL-GRADED SAND with SILT(SW-SM)	NP	NP	NP	1.7	9.1
▲ CP-2	29.0	WELL-GRADED SAND with SILT and GRAVEL(SW-SM)	NP	NP	NP	2.6	47.1
★ CP-2	39.0	SILTY GRAVEL with SAND(GM)	NP	NP	NP		
⊙ CP-2	49.0	CLAYEY SAND(SC)	31	14	17		

Test Boring	Depth (ft)	%Gravel	%Sand	%Silt	%Clay
● CP-2	14.0	0.5	80.2	19.3	
⊠ CP-2	19.0	2.9	87.4	9.8	
▲ CP-2	29.0	23.6	65.0	11.3	
★ CP-2	39.0	51.9	35.3	12.8	
⊙ CP-2	49.0	0.0	50.6	49.4	

Colorado Springs: (Corporate Office)
2510 Austin Bluffs Parkway
Colorado Springs, CO 80918
Voice (719) 548-0800
Fax (719) 548-0223



SOIL CLASSIFICATION DATA

JOB No. 155271


FIGURE No. 13

DATE 4/3/17

APPENDIX E

APPENDIX E – HEC-RAS LAYOUT AND FLOODPLAIN

G:\Engineering\Projects\JimmyCamp\20.5 ACAD\20.5.8 Report\Lorson Report-Overall Layout.dwg Sep 19, 2017 -- 8:17pm



LEGEND:

•

LOMR HEC-RAS SECTION

•

NEW HEC-RAS SECTION

•

BRIDGE/CULVERT

•

CHANNEL CENTERLINE


•

CHANNEL BANKS

- NOTES:
- CHANNEL GEOMETRY FROM LOMR OF JIMMY CAMP CREEK, EFFECTIVE DATE MARCH 29, 2007
-
- PROJECTION:
- LOCAL COORDINATE SYSTEM
- NGVD29 U.S. SURVEY FOOT
-
- FLOODPLAIN LIMITS SHOWN ON THE PLAN ARE DELINEATED FROM HYDRAULIC ANALYSIS PREPARED FOR THE PROPOSED LORSON BOULEVARD BRIDGE, DATED APRIL 26, 2017

•

•



Print Date:

File Name:

Horiz. Scale:

Unit Information

Vert. Scale: As Noted

Unit Leader Initials

Sheet Revisions		
Date:	Comments	Init.

Loris and Associates, Inc.

100 Superior Plaza Way,
Suite 220
Superior, Colorado 80027
303.444.2073
www.LorisandAssociates.com

THE LANDHUIS COMPANY

212 N. WASATCH, SUITE 301
COLORADO SPRINGS, CO 80903
PHONE: 719-635-3200

CORE
ENGINEERING GROUP

212 N. WAHSATCH AVE., SUITE 206
COLORADO SPRINGS, CO 80903
PH: 719.576.1100
FAX: 719.570.1106
CONTACT: RICHARD L. SCHINDLER, P.E.
EMAIL: RichS@cegi.com

As Constructed

No Revisions:

Revised:

Void:

LORSON BOULEVARD BRIDGE OVER JIMMY CAMP CREEK

BRIDGE HYDRAULICS LAYOUT

OVERALL HEC-RAS LAYOUT

Designer: CJB

Detailer: CJB

Sheet Subset:

Structure Numbers


Subset Sheets:

Project No./Code

-

-

Sheet Number



LEGEND:

- HEC-RAS SECTION
- BRIDGE/CULVERT
- CHANNEL CENTERLINE
- CHANNEL BANKS
- FLOODPLAIN AREA (100-YEAR)
- FLOODPLAIN AREA (500-YEAR)

- NOTES:**
- CHANNEL GEOMETRY FROM LOMR OF JIMMY CAMP CREEK, EFFECTIVE DATE MARCH 29, 2007
 - PROJECTION: LOCAL COORDINATE SYSTEM NGVD29 U.S. SURVEY FOOT
 - FLOODPLAIN LIMITS SHOWN ON THE PLAN ARE DELINEATED FROM HYDRAULIC ANALYSIS PREPARED FOR THE PROPOSED LORSON BOULEVARD BRIDGE, DATED APRIL 26, 2017
 - EXISTING AND PROPOSED FLOODPLAIN LIMITS DELINEATED FROM UPDATED TOPO DATA GENERATED FOR LORSON BRIDGE DESIGN.
 - 1-FOOT CONTOUR INTERVALS

Print Date:
File Name:
Horiz. Scale: Vert. Scale: As Noted
Unit Information Unit Leader Initials


Sheet Revisions		
Date:	Comments	Init.

Loris and Associates, Inc.
100 Superior Plaza Way,
Suite 220
Superior, Colorado 80027
303.444.2073
www.LorisandAssociates.com

THE LANDHUIS COMPANY
212 N. WASATCH, SUITE 301
COLORADO SPRINGS, CO 80903
PHONE: 719-635-3200

212 N. WASATCH AVE., SUITE 206
COLORADO SPRINGS, CO 80903
PH: 719.576.1100
FAX: 719.570.1106
CONTACT: RICHARD L. SCHINDLER, P.E.
EMAIL: RichS@cegi.com

As Constructed	LORSON BOULEVARD BRIDGE OVER JIMMY CAMP CREEK BRIDGE HYDRAULICS LAYOUT 100-YEAR FLOODWAY		Project No./Code
No Revisions:	Designer: CJB	Structure Numbers	-
Revised:	Detailer: CJB		-
Void:	Sheet Subset:	Subset Sheets:	Sheet Number



C:\Engineering\Projects\JimmyCamp\20.5 ACA\20.5.8 Report\Lorson Report-Flood-100(DBPS).dwg Apr 24, 2017 9:04pm

APPENDIX F

APPENDIX F – HEC-RAS PROFILE TABLES

HEC-RAS River: Jimmy Camp Creek Reach: Lorson Ranch Profile: FEMA 100-Year

Reach	River Sta	Profile	Plan	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Lorson Ranch	160	FEMA 100-Year	Lorson (Proposed)	11800.00	5756.70	5762.40	5761.52	5763.38	0.007982	9.49	1683.50	464.37	0.76
Lorson Ranch	160	FEMA 100-Year	Lorson (Existing)	11800.00	5756.70	5762.40	5761.52	5763.38	0.007982	9.49	1683.50	464.37	0.76
Lorson Ranch	156	FEMA 100-Year	Lorson (Proposed)	11800.00	5748.70	5753.99	5753.12	5754.84	0.007044	8.01	1724.41	508.73	0.70
Lorson Ranch	156	FEMA 100-Year	Lorson (Existing)	11800.00	5748.70	5753.99	5753.12	5754.84	0.007044	8.01	1724.41	508.73	0.70
Lorson Ranch	155.2"	FEMA 100-Year	Lorson (Proposed)	11800.00	5745.96	5751.65	5750.80	5752.61	0.006778	8.53	1623.16	413.30	0.70
Lorson Ranch	155.2"	FEMA 100-Year	Lorson (Existing)	11800.00	5745.96	5751.65	5750.80	5752.61	0.006778	8.53	1623.16	413.30	0.70
Lorson Ranch	154.4"	FEMA 100-Year	Lorson (Proposed)	11800.00	5743.22	5749.34	5748.44	5750.40	0.006812	8.72	1559.89	435.06	0.70
Lorson Ranch	154.4"	FEMA 100-Year	Lorson (Existing)	11800.00	5743.22	5749.34	5748.44	5750.40	0.006812	8.72	1559.89	435.06	0.70
Lorson Ranch	153.6"	FEMA 100-Year	Lorson (Proposed)	11800.00	5740.48	5746.59	5746.12	5747.93	0.008328	9.74	1450.69	472.48	0.78
Lorson Ranch	153.6"	FEMA 100-Year	Lorson (Existing)	11800.00	5740.48	5746.59	5746.12	5747.93	0.008328	9.74	1450.69	472.48	0.78
Lorson Ranch	152.8"	FEMA 100-Year	Lorson (Proposed)	11800.00	5737.74	5744.24	5743.45	5745.46	0.006716	9.41	1586.87	476.85	0.71
Lorson Ranch	152.8"	FEMA 100-Year	Lorson (Existing)	11800.00	5737.74	5744.24	5743.45	5745.46	0.006716	9.41	1586.87	476.85	0.71
Lorson Ranch	152	FEMA 100-Year	Lorson (Proposed)	12600.00	5735.00	5741.67	5741.22	5743.16	0.007280	10.36	1495.83	374.33	0.75
Lorson Ranch	152	FEMA 100-Year	Lorson (Existing)	12600.00	5735.00	5741.67	5741.22	5743.16	0.007280	10.36	1495.83	374.33	0.75
Lorson Ranch	151.333"	FEMA 100-Year	Lorson (Proposed)	12600.00	5733.17	5739.58	5739.36	5741.06	0.005101	10.16	1561.20	491.28	0.81
Lorson Ranch	151.333"	FEMA 100-Year	Lorson (Existing)	12600.00	5733.17	5739.58	5739.36	5741.06	0.005101	10.16	1561.20	491.28	0.81
Lorson Ranch	150.666"	FEMA 100-Year	Lorson (Proposed)	12600.00	5731.33	5737.69	5737.69	5739.31	0.004969	10.71	1632.07	609.44	0.81
Lorson Ranch	150.666"	FEMA 100-Year	Lorson (Existing)	12600.00	5731.33	5737.69	5737.69	5739.31	0.004969	10.71	1632.07	609.44	0.81
Lorson Ranch	150. "	FEMA 100-Year	Lorson (Proposed)	12600.00	5729.50	5735.95	5735.95	5737.44	0.004553	10.28	1761.70	750.53	0.78
Lorson Ranch	150. "	FEMA 100-Year	Lorson (Existing)	12600.00	5729.50	5735.95	5735.95	5737.44	0.004553	10.28	1761.70	750.53	0.78
Lorson Ranch	149.333"	FEMA 100-Year	Lorson (Proposed)	12600.00	5727.67	5734.23	5734.23	5735.59	0.004132	9.86	1937.78	1000.97	0.74
Lorson Ranch	149.333"	FEMA 100-Year	Lorson (Existing)	12600.00	5727.67	5734.23	5734.23	5735.59	0.004132	9.86	1937.78	1000.97	0.74
Lorson Ranch	148.666"	FEMA 100-Year	Lorson (Proposed)	12600.00	5725.83	5732.39	5732.39	5733.53	0.003671	9.23	2353.60	1405.74	0.70
Lorson Ranch	148.666"	FEMA 100-Year	Lorson (Existing)	12600.00	5725.83	5732.39	5732.39	5733.53	0.003671	9.23	2353.60	1405.74	0.70
Lorson Ranch	148	FEMA 100-Year	Lorson (Proposed)	12600.00	5724.00	5730.14	5729.14	5730.60	0.027012	4.22	2514.38	1748.50	0.34
Lorson Ranch	148	FEMA 100-Year	Lorson (Existing)	12600.00	5724.00	5730.14	5729.14	5730.60	0.027012	4.22	2514.38	1748.50	0.34
Lorson Ranch	147.992"	FEMA 100-Year	Lorson (Proposed)	12600.00	5723.54	5729.80	5728.81	5730.27	0.028233	4.37	2493.93	1631.83	0.34
Lorson Ranch	147.992"	FEMA 100-Year	Lorson (Existing)	12600.00	5723.54	5729.80	5728.81	5730.27	0.028233	4.37	2493.93	1631.83	0.34
Lorson Ranch	147.985"	FEMA 100-Year	Lorson (Proposed)	12600.00	5723.08	5729.46	5728.47	5729.94	0.028598	4.47	2484.30	1476.93	0.35
Lorson Ranch	147.985"	FEMA 100-Year	Lorson (Existing)	12600.00	5723.08	5729.46	5728.47	5729.94	0.028598	4.47	2484.30	1476.93	0.35
Lorson Ranch	147.978"	FEMA 100-Year	Lorson (Proposed)	12600.00	5722.62	5729.15	5728.22	5729.61	0.027791	4.48	2496.55	1329.07	0.34
Lorson Ranch	147.978"	FEMA 100-Year	Lorson (Existing)	12600.00	5722.62	5729.15	5728.22	5729.61	0.027791	4.48	2496.55	1329.07	0.34
Lorson Ranch	147.971"	FEMA 100-Year	Lorson (Proposed)	12600.00	5722.16	5728.86	5728.16	5729.30	0.025850	4.41	2530.67	1238.21	0.33
Lorson Ranch	147.971"	FEMA 100-Year	Lorson (Existing)	12600.00	5722.16	5728.86	5728.16	5729.30	0.025850	4.41	2530.67	1238.21	0.33
Lorson Ranch	147.964"	FEMA 100-Year	Lorson (Proposed)	12600.00	5721.70	5728.61	5727.75	5729.02	0.023097	4.27	2580.58	1151.41	0.32
Lorson Ranch	147.964"	FEMA 100-Year	Lorson (Existing)	12600.00	5721.70	5728.61	5727.75	5729.02	0.023097	4.27	2580.58	1151.41	0.32
Lorson Ranch	147.957"	FEMA 100-Year	Lorson (Proposed)	12600.00	5721.24	5728.40	5727.32	5728.78	0.020040	4.09	2638.88	1065.36	0.30
Lorson Ranch	147.957"	FEMA 100-Year	Lorson (Existing)	12600.00	5721.24	5728.40	5727.32	5728.78	0.020040	4.09	2638.88	1065.36	0.30
Lorson Ranch	147.95"	FEMA 100-Year	Lorson (Proposed)	12600.00	5720.78	5728.21	5726.91	5728.58	0.017286	3.92	2689.66	980.23	0.28
Lorson Ranch	147.95"	FEMA 100-Year	Lorson (Existing)	12600.00	5720.78	5728.21	5726.91	5728.58	0.017286	3.92	2689.66	980.23	0.28
Lorson Ranch	147.942"	FEMA 100-Year	Lorson (Proposed)	12600.00	5720.32	5728.05	5726.51	5728.41	0.015186	3.79	2715.12	894.69	0.26
Lorson Ranch	147.942"	FEMA 100-Year	Lorson (Existing)	12600.00	5720.32	5728.05	5726.51	5728.41	0.015186	3.79	2715.12	894.69	0.26
Lorson Ranch	147.935"	FEMA 100-Year	Lorson (Proposed)	12600.00	5719.86	5727.90	5726.11	5728.26	0.013864	3.74	2700.35	808.74	0.25
Lorson Ranch	147.935"	FEMA 100-Year	Lorson (Existing)	12600.00	5719.86	5727.90	5726.11	5728.26	0.013864	3.74	2700.35	808.74	0.25
Lorson Ranch	147.928"	FEMA 100-Year	Lorson (Proposed)	12600.00	5719.40	5727.73	5725.73	5728.12	0.013425	3.79	2631.10	721.80	0.25
Lorson Ranch	147.928"	FEMA 100-Year	Lorson (Existing)	12600.00	5719.40	5727.73	5725.73	5728.12	0.013425	3.79	2631.10	721.80	0.25
Lorson Ranch	147.921"	FEMA 100-Year	Lorson (Proposed)	12600.00	5718.94	5727.54	5725.37	5727.98	0.014002	3.98	2500.53	634.33	0.26
Lorson Ranch	147.921"	FEMA 100-Year	Lorson (Existing)	12600.00	5718.94	5727.54	5725.37	5727.98	0.014002	3.98	2500.53	634.33	0.26
Lorson Ranch	147.914"	FEMA 100-Year	Lorson (Proposed)	12600.00	5718.48	5727.30	5725.03	5727.82	0.016222	4.38	2298.54	546.84	0.28
Lorson Ranch	147.914"	FEMA 100-Year	Lorson (Existing)	12600.00	5718.48	5727.30	5725.03	5727.82	0.016222	4.38	2298.54	546.84	0.28
Lorson Ranch	147.907"	FEMA 100-Year	Lorson (Proposed)	12600.00	5718.02	5726.93	5724.79	5727.62	0.022163	5.17	2008.01	458.88	0.33
Lorson Ranch	147.907"	FEMA 100-Year	Lorson (Existing)	12600.00	5718.02	5726.93	5724.79	5727.62	0.022163	5.17	2008.01	458.88	0.33
Lorson Ranch	147.9	FEMA 100-Year	Lorson (Proposed)	12600.00	5717.56	5726.45	5724.65	5727.33	0.035820	7.53	1674.35	380.82	0.63
Lorson Ranch	147.9	FEMA 100-Year	Lorson (Existing)	12600.00	5717.56	5726.45	5724.65	5727.33	0.035820	7.53	1674.35	380.82	0.63
Lorson Ranch	147.8	FEMA 100-Year	Lorson (Proposed)	12600.00	5715.70	5725.24	5723.01	5726.15	0.013581	7.64	1649.17	294.65	0.57
Lorson Ranch	147.8	FEMA 100-Year	Lorson (Existing)	12600.00	5715.70	5725.24	5723.01	5726.15	0.013581	7.64	1649.17	294.65	0.57
Lorson Ranch	147.7	FEMA 100-Year	Lorson (Proposed)	12600.00	5715.60	5724.95	5722.07	5725.68	0.008556	6.84	1842.00	292.24	0.48
Lorson Ranch	147.7	FEMA 100-Year	Lorson (Existing)	12600.00	5715.60	5724.95	5722.07	5725.68	0.008556	6.84	1842.00	292.24	0.48
Lorson Ranch	147.6	FEMA 100-Year	Lorson (Proposed)	12600.00	5715.00	5724.04	5721.36	5724.79	0.009390	6.94	1815.12	298.00	0.50
Lorson Ranch	147.6	FEMA 100-Year	Lorson (Existing)	12600.00	5715.00	5724.04	5721.36	5724.79	0.009390	6.94	1815.12	298.00	0.50
Lorson Ranch	147.2	FEMA 100-Year	Lorson (Proposed)	12600.00	5713.34	5721.64	5719.82	5722.65	0.013940	8.04	1566.36	283.13	0.60
Lorson Ranch	147.2	FEMA 100-Year	Lorson (Existing)	12600.00	5713.34	5721.64	5719.82	5722.65	0.013940	8.04	1566.36	283.13	0.60

HEC-RAS River: Jimmy Camp Creek Reach: Lorson Ranch Profile: FEMA 100-Year (Continued)

Reach	River Sta	Profile	Plan	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Lorson Ranch	146.3	FEMA 100-Year	Lorson (Proposed)	12600.00	5712.29	5719.25	5719.25	5721.41	0.022964	11.80	1068.11	253.05	1.01
Lorson Ranch	146.3	FEMA 100-Year	Lorson (Existing)	12600.00	5712.29	5719.25	5719.25	5721.41	0.022964	11.80	1068.11	253.05	1.01
Lorson Ranch	146.1	FEMA 100-Year	Lorson (Proposed)	12600.00	5711.71	5719.37	5717.98	5720.54	0.005352	8.67	1452.93	288.26	0.68
Lorson Ranch	146.1	FEMA 100-Year	Lorson (Existing)	12600.00	5711.71	5719.37	5717.98	5720.54	0.005352	8.67	1452.93	288.26	0.68
Lorson Ranch	145.6	FEMA 100-Year	Lorson (Proposed)	12600.00	5710.99	5717.34	5717.20	5719.31	0.021211	11.26	1119.29	263.55	0.96
Lorson Ranch	145.6	FEMA 100-Year	Lorson (Existing)	12600.00	5710.99	5717.34	5717.20	5719.31	0.021211	11.26	1119.29	263.55	0.96
Lorson Ranch	144.7	FEMA 100-Year	Lorson (Proposed)	12600.00	5708.87	5717.48	5715.24	5718.36	0.006471	7.53	1673.17	292.83	0.56
Lorson Ranch	144.7	FEMA 100-Year	Lorson (Existing)	12600.00	5708.87	5717.48	5715.24	5718.36	0.006471	7.53	1673.17	292.83	0.56
Lorson Ranch	144.6	FEMA 100-Year	Lorson (Proposed)	12600.00	5709.16	5716.61	5715.33	5717.77	0.009840	8.65	1456.26	295.90	0.69
Lorson Ranch	144.6	FEMA 100-Year	Lorson (Existing)	12600.00	5709.16	5716.61	5715.33	5717.77	0.009840	8.65	1456.26	295.90	0.69
Lorson Ranch	144.4	FEMA 100-Year	Lorson (Proposed)	12600.00	5707.20	5715.66	5714.21	5716.81	0.005147	8.62	1462.34	288.95	0.68
Lorson Ranch	144.4	FEMA 100-Year	Lorson (Existing)	12600.00	5707.20	5715.66	5714.21	5716.81	0.005147	8.62	1462.34	288.95	0.68
Lorson Ranch	144	FEMA 100-Year	Lorson (Proposed)	12600.00	5706.95	5713.77	5713.45	5715.48	0.010587	10.49	1200.81	282.93	0.90
Lorson Ranch	144	FEMA 100-Year	Lorson (Existing)	12600.00	5706.95	5713.77	5713.45	5715.48	0.010587	10.49	1200.81	282.93	0.90
Lorson Ranch	143.2	FEMA 100-Year	Lorson (Proposed)	12600.00	5704.54	5713.90	5711.49	5714.73	0.010752	7.31	1722.82	295.35	0.53
Lorson Ranch	143.2	FEMA 100-Year	Lorson (Existing)	12600.00	5704.54	5713.90	5711.49	5714.73	0.010752	7.31	1722.82	295.35	0.53
Lorson Ranch	142.4	FEMA 100-Year	Lorson (Proposed)	12600.00	5703.00	5711.26	5709.34	5712.19	0.003907	7.72	1631.16	295.22	0.58
Lorson Ranch	142.4	FEMA 100-Year	Lorson (Existing)	12600.00	5703.00	5711.26	5709.34	5712.19	0.003907	7.72	1631.16	295.22	0.58
Lorson Ranch	141.6	FEMA 100-Year	Lorson (Proposed)	12900.00	5701.00	5709.41	5707.03	5710.25	0.003219	7.32	1761.13	296.58	0.53
Lorson Ranch	141.6	FEMA 100-Year	Lorson (Existing)	12900.00	5701.00	5709.41	5707.03	5710.25	0.003219	7.32	1761.13	296.58	0.53
Lorson Ranch	140.8	FEMA 100-Year	Lorson (Proposed)	12900.00	5698.38	5705.24	5704.53	5706.78	0.027579	9.96	1295.34	278.83	0.81
Lorson Ranch	140.8	FEMA 100-Year	Lorson (Existing)	12900.00	5698.38	5705.24	5704.53	5706.78	0.027579	9.96	1295.34	278.83	0.81
Lorson Ranch	140	FEMA 100-Year	Lorson (Proposed)	12900.00	5696.02	5704.66	5703.16	5705.84	0.018162	8.71	1480.40	273.97	0.66
Lorson Ranch	140	FEMA 100-Year	Lorson (Existing)	12900.00	5696.02	5704.66	5703.16	5705.84	0.018162	8.71	1480.40	273.97	0.66
Lorson Ranch	139.7	FEMA 100-Year	Lorson (Proposed)	12900.00	5695.16	5704.17	5702.06	5705.14	0.012765	7.90	1632.20	270.21	0.57
Lorson Ranch	139.7	FEMA 100-Year	Lorson (Existing)	12900.00	5695.16	5704.17	5702.06	5705.14	0.012765	7.90	1632.20	270.21	0.57
Lorson Ranch	139.3	FEMA 100-Year	Lorson (Proposed)	12900.00	5695.00	5702.81	5701.63	5704.22	0.006196	9.53	1352.98	255.38	0.73
Lorson Ranch	139.3	FEMA 100-Year	Lorson (Existing)	12900.00	5695.00	5702.81	5701.63	5704.22	0.006196	9.53	1352.98	255.38	0.73
Lorson Ranch	138.8		Bridge										
Lorson Ranch	138.3	FEMA 100-Year	Lorson (Proposed)	12900.00	5694.00	5701.94	5700.36	5703.08	0.004799	8.58	1504.34	278.66	0.65
Lorson Ranch	138.3	FEMA 100-Year	Lorson (Existing)	12900.00	5694.00	5701.94	5700.36	5703.08	0.004799	8.58	1504.34	278.66	0.65
Lorson Ranch	138	FEMA 100-Year	Lorson (Proposed)	12900.00	5692.18	5699.70	5698.88	5701.23	0.007272	9.91	1301.25	276.70	0.81
Lorson Ranch	138	FEMA 100-Year	Lorson (Existing)	12900.00	5692.18	5699.70	5698.88	5701.23	0.007272	9.91	1301.25	276.70	0.81
Lorson Ranch	137.6	FEMA 100-Year	Lorson (Proposed)	12900.00	5688.97	5697.79	5696.50	5698.98	0.005280	8.76	1473.15	290.41	0.69
Lorson Ranch	137.6	FEMA 100-Year	Lorson (Existing)	12900.00	5688.97	5697.83	5696.50	5699.00	0.005170	8.69	1484.22	291.08	0.68
Lorson Ranch	136.8	FEMA 100-Year	Lorson (Proposed)	12900.00	5687.60	5697.64	5695.49	5698.52	0.012054	7.53	1713.03	296.89	0.55
Lorson Ranch	136.8	FEMA 100-Year	Lorson (Existing)	12900.00	5687.60	5697.68	5695.49	5698.55	0.011763	7.47	1725.80	297.52	0.55
Lorson Ranch	136	FEMA 100-Year	Lorson (Proposed)	12900.00	5687.00	5695.62	5693.57	5696.54	0.003699	7.69	1678.16	296.90	0.57
Lorson Ranch	136	FEMA 100-Year	Lorson (Existing)	12900.00	5687.00	5695.20	5693.57	5696.27	0.004636	8.30	1554.10	293.29	0.64
Lorson Ranch	135.6	FEMA 100-Year	Lorson (Proposed)	12900.00	5685.38	5694.73	5691.97	5695.46	0.002594	6.89	1873.58	297.63	0.48
Lorson Ranch	135.6	FEMA 100-Year	Lorson (Existing)	12900.00	5685.38	5693.78	5691.96	5694.80	0.004161	8.09	1595.32	290.17	0.61
Lorson Ranch	135.55	FEMA 100-Year	Lorson (Proposed)	12900.00	5684.91	5694.60	5691.71	5695.31	0.002820	6.76	1907.21	298.82	0.47
Lorson Ranch	135.55	FEMA 100-Year	Lorson (Existing)	12900.00	5684.91	5693.52	5691.65	5694.54	0.005044	8.12	1588.21	292.74	0.61
Lorson Ranch	135.50	FEMA 100-Year	Lorson (Proposed)	12900.00	5684.89	5694.46	5691.70	5695.22	0.003089	6.99	1844.73	294.41	0.49
Lorson Ranch	135.50	FEMA 100-Year	Lorson (Existing)	12900.00	5684.89	5693.32	5691.60	5694.38	0.005409	8.28	1558.04	294.08	0.63
Lorson Ranch	135.47	FEMA 100-Year	Lorson (Proposed)	12900.00	5684.86	5694.10	5691.65	5695.07	0.003817	7.92	1628.25	251.46	0.55
Lorson Ranch	135.47	FEMA 100-Year	Lorson (Existing)	12900.00	5684.86	5693.15	5691.38	5694.19	0.005254	8.17	1578.04	297.01	0.63
Lorson Ranch	135.34	FEMA 100-Year	Lorson (Proposed)	12900.00	5684.19	5694.00	5691.43	5695.00	0.004813	8.05	1603.46	240.93	0.55
Lorson Ranch	135.34	FEMA 100-Year	Lorson (Existing)	12900.00	5684.19	5693.14	5691.17	5694.09	0.004615	7.81	1652.45	302.39	0.59
Lorson Ranch	135.3135		Bridge										
Lorson Ranch	135.29	FEMA 100-Year	Lorson (Proposed)	12900.00	5683.95	5692.50	5690.88	5693.93	0.007986	9.62	1341.08	225.09	0.69
Lorson Ranch	135.29	FEMA 100-Year	Lorson (Existing)	12900.00	5683.95	5692.80	5690.71	5693.71	0.004322	7.66	1685.04	302.36	0.57
Lorson Ranch	135.25	FEMA 100-Year	Lorson (Proposed)	12900.00	5683.93	5692.33	5690.82	5693.73	0.006482	9.49	1359.76	238.70	0.70
Lorson Ranch	135.25	FEMA 100-Year	Lorson (Existing)	12900.00	5683.93	5692.58	5690.69	5693.58	0.004911	8.02	1608.06	295.98	0.61
Lorson Ranch	135.14	FEMA 100-Year	Lorson (Proposed)	12900.00	5683.91	5692.21	5690.75	5693.53	0.006349	9.22	1399.72	253.13	0.69
Lorson Ranch	135.14	FEMA 100-Year	Lorson (Existing)	12900.00	5683.91	5692.36	5690.65	5693.43	0.005476	8.33	1549.24	292.62	0.64
Lorson Ranch	134.89	FEMA 100-Year	Lorson (Proposed)	12900.00	5683.00	5691.99	5690.18	5693.05	0.005244	8.25	1563.75	291.53	0.63
Lorson Ranch	134.89	FEMA 100-Year	Lorson (Existing)	12900.00	5683.00	5691.99	5690.18	5693.05	0.005244	8.25	1563.74	291.53	0.63
Lorson Ranch	134.8	FEMA 100-Year	Lorson (Proposed)	12900.00	5683.03	5691.28	5689.52	5692.31	0.004284	8.12	1588.14	289.88	0.61
Lorson Ranch	134.8	FEMA 100-Year	Lorson (Existing)	12900.00	5683.03	5691.28	5689.52	5692.31	0.004284	8.12	1588.14	289.88	0.61
Lorson Ranch	134.4	FEMA 100-Year	Lorson (Proposed)	12900.00	5682.00	5689.97	5688.18	5691.03	0.004424	8.24	1565.83	289.21	0.62
Lorson Ranch	134.4	FEMA 100-Year	Lorson (Existing)	12900.00	5682.00	5689.97	5688.18	5691.03	0.004424	8.24	1565.83	289.21	0.62

HEC-RAS River: Jimmy Camp Creek Reach: Lorson Ranch Profile: FEMA 100-Year (Continued)

Reach	River Sta	Profile	Plan	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
				(cfs)	(ft)	(ft)	(ft)	(ft)	(ft/ft)	(ft/s)	(sq ft)	(ft)	
Lorson Ranch	133.6	FEMA 100-Year	Lorson (Proposed)	12900.00	5680.06	5688.85	5686.38	5689.67	0.003035	7.28	1772.07	285.41	0.52
Lorson Ranch	133.6	FEMA 100-Year	Lorson (Existing)	12900.00	5680.06	5688.85	5686.38	5689.67	0.003035	7.28	1772.07	285.41	0.52
Lorson Ranch	132.8	FEMA 100-Year	Lorson (Proposed)	12900.00	5677.64	5688.85	5685.13	5689.47	0.006123	6.29	2051.68	277.93	0.41
Lorson Ranch	132.8	FEMA 100-Year	Lorson (Existing)	12900.00	5677.64	5688.85	5685.13	5689.47	0.006123	6.29	2051.68	277.93	0.41
Lorson Ranch	132.2	FEMA 100-Year	Lorson (Proposed)	12900.00	5675.48	5688.06	5685.74	5689.05	0.011392	7.97	1619.50	277.27	0.58
Lorson Ranch	132.2	FEMA 100-Year	Lorson (Existing)	12900.00	5675.48	5688.06	5685.74	5689.05	0.011392	7.97	1619.50	277.27	0.58
Lorson Ranch	132	FEMA 100-Year	Lorson (Proposed)	12900.00	5679.40	5687.95	5685.73	5688.51	0.002544	7.34	2808.09	648.12	0.46
Lorson Ranch	132	FEMA 100-Year	Lorson (Existing)	12900.00	5679.40	5687.95	5685.73	5688.51	0.002544	7.34	2808.09	648.12	0.46
Lorson Ranch	128	FEMA 100-Year	Lorson (Proposed)	12900.00	5670.60	5678.93	5678.93	5680.85	0.008286	12.94	1560.41	404.73	0.83
Lorson Ranch	128	FEMA 100-Year	Lorson (Existing)	12900.00	5670.60	5678.93	5678.93	5680.85	0.008286	12.94	1560.41	404.73	0.83
Lorson Ranch	124	FEMA 100-Year	Lorson (Proposed)	12900.00	5664.10	5675.38	5671.27	5675.50	0.000521	3.21	5296.81	1203.85	0.19
Lorson Ranch	124	FEMA 100-Year	Lorson (Existing)	12900.00	5664.10	5675.38	5671.27	5675.50	0.000521	3.21	5296.81	1203.85	0.19
Lorson Ranch	120.4	FEMA 100-Year	Lorson (Proposed)	12900.00	5664.10	5675.33	5671.46	5675.45	0.000536	3.25	5235.90	1195.46	0.19
Lorson Ranch	120.4	FEMA 100-Year	Lorson (Existing)	12900.00	5664.10	5675.33	5671.46	5675.45	0.000536	3.25	5235.90	1195.46	0.19

HEC-RAS River: Jimmy Camp Creek Reach: Lorson Ranch Profile: DBPS-2015_100

Reach	River Sta	Profile	Plan	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Lorson Ranch	160	DBPS-2015_100	Lorson (Existing)	26734.00	5756.70	5764.94	5764.13	5766.64	0.010289	13.25	3347.05	969.76	0.91
Lorson Ranch	160	DBPS-2015_100	Lorson (Proposed)	26734.00	5756.70	5764.67	5764.06	5766.17	0.009191	12.24	3099.53	913.19	0.85
Lorson Ranch	156	DBPS-2015_100	Lorson (Existing)	26734.00	5748.70	5756.59	5755.39	5757.87	0.005872	10.10	3388.92	719.99	0.69
Lorson Ranch	156	DBPS-2015_100	Lorson (Proposed)	26734.00	5748.70	5756.54	5755.38	5757.82	0.005956	10.12	3350.12	711.91	0.69
Lorson Ranch	155.2*	DBPS-2015_100	Lorson (Existing)	26734.00	5745.96	5754.17	5753.25	5755.79	0.006920	11.49	2952.84	815.00	0.76
Lorson Ranch	155.2*	DBPS-2015_100	Lorson (Proposed)	26734.00	5745.96	5754.15	5753.25	5755.74	0.006841	11.40	2933.05	806.50	0.75
Lorson Ranch	154.4*	DBPS-2015_100	Lorson (Existing)	26734.00	5743.22	5751.78	5751.32	5753.51	0.007223	11.73	3091.88	812.04	0.77
Lorson Ranch	154.4*	DBPS-2015_100	Lorson (Proposed)	26734.00	5743.22	5751.63	5751.24	5753.41	0.007639	11.89	2973.35	780.98	0.79
Lorson Ranch	153.6*	DBPS-2015_100	Lorson (Existing)	26734.00	5740.48	5749.28	5749.28	5751.14	0.007548	12.28	3222.40	846.77	0.79
Lorson Ranch	153.6*	DBPS-2015_100	Lorson (Proposed)	26734.00	5740.48	5748.96	5748.82	5750.87	0.008257	12.48	2955.55	819.93	0.82
Lorson Ranch	152.8*	DBPS-2015_100	Lorson (Existing)	26734.00	5737.74	5747.37	5746.32	5748.77	0.005055	10.91	3448.29	616.57	0.66
Lorson Ranch	152.8*	DBPS-2015_100	Lorson (Proposed)	26734.00	5737.74	5747.35	5746.16	5748.71	0.004946	10.77	3437.15	616.46	0.65
Lorson Ranch	152	DBPS-2015_100	Lorson (Existing)	26734.00	5735.00	5744.12	5743.71	5746.61	0.008526	13.88	2420.53	379.63	0.85
Lorson Ranch	152	DBPS-2015_100	Lorson (Proposed)	26734.00	5735.00	5744.09	5743.64	5746.57	0.008562	13.88	2408.48	379.46	0.85
Lorson Ranch	151.333*	DBPS-2015_100	Lorson (Existing)	26734.00	5733.17	5741.69	5741.58	5744.18	0.005851	13.69	2603.04	504.06	0.92
Lorson Ranch	151.333*	DBPS-2015_100	Lorson (Proposed)	26734.00	5733.17	5741.68	5741.51	5744.14	0.005809	13.64	2599.35	503.96	0.91
Lorson Ranch	150.666*	DBPS-2015_100	Lorson (Existing)	26734.00	5731.33	5739.86	5739.86	5742.20	0.005280	13.80	2995.72	656.90	0.89
Lorson Ranch	150.666*	DBPS-2015_100	Lorson (Proposed)	26734.00	5731.33	5739.82	5739.82	5742.17	0.005348	13.84	2969.13	655.32	0.89
Lorson Ranch	150.*	DBPS-2015_100	Lorson (Existing)	26734.00	5729.50	5738.01	5738.01	5740.04	0.004800	13.08	3418.63	884.37	0.84
Lorson Ranch	150.*	DBPS-2015_100	Lorson (Proposed)	26734.00	5729.50	5737.98	5737.98	5740.01	0.004832	13.09	3392.31	882.76	0.85
Lorson Ranch	149.333*	DBPS-2015_100	Lorson (Existing)	26734.00	5727.67	5736.14	5736.14	5737.84	0.004286	12.26	4092.90	1276.34	0.80
Lorson Ranch	149.333*	DBPS-2015_100	Lorson (Proposed)	26734.00	5727.67	5736.08	5736.08	5737.78	0.004351	12.29	4020.25	1267.18	0.80
Lorson Ranch	148.666*	DBPS-2015_100	Lorson (Existing)	26734.00	5725.83	5733.94	5733.94	5735.39	0.004228	11.71	4672.47	1541.16	0.78
Lorson Ranch	148.666*	DBPS-2015_100	Lorson (Proposed)	26734.00	5725.83	5733.89	5733.89	5735.35	0.004284	11.74	4600.25	1540.29	0.79
Lorson Ranch	148	DBPS-2015_100	Lorson (Existing)	26734.00	5724.00	5731.77	5730.78	5732.23	0.012871	3.53	5393.71	1778.33	0.24
Lorson Ranch	148	DBPS-2015_100	Lorson (Proposed)	26734.00	5724.00	5731.71	5730.82	5732.20	0.013134	3.54	5284.34	1777.21	0.25
Lorson Ranch	147.992*	DBPS-2015_100	Lorson (Existing)	26734.00	5723.54	5731.67	5730.43	5732.08	0.010662	3.32	5619.00	1682.42	0.22
Lorson Ranch	147.992*	DBPS-2015_100	Lorson (Proposed)	26734.00	5723.54	5731.61	5730.48	5732.05	0.010764	3.32	5515.53	1681.28	0.22
Lorson Ranch	147.985*	DBPS-2015_100	Lorson (Existing)	26734.00	5723.08	5731.59	5730.10	5731.97	0.008953	3.15	5813.43	1587.15	0.21
Lorson Ranch	147.985*	DBPS-2015_100	Lorson (Proposed)	26734.00	5723.08	5731.53	5730.17	5731.93	0.008944	3.13	5720.46	1586.05	0.21
Lorson Ranch	147.978*	DBPS-2015_100	Lorson (Existing)	26734.00	5722.62	5731.52	5729.76	5731.88	0.007698	3.02	5958.79	1492.06	0.19
Lorson Ranch	147.978*	DBPS-2015_100	Lorson (Proposed)	26734.00	5722.62	5731.46	5729.79	5731.84	0.007598	2.99	5876.49	1491.02	0.19
Lorson Ranch	147.971*	DBPS-2015_100	Lorson (Existing)	26734.00	5722.16	5731.45	5729.46	5731.80	0.006804	2.93	6045.77	1397.54	0.18
Lorson Ranch	147.971*	DBPS-2015_100	Lorson (Proposed)	26734.00	5722.16	5731.40	5729.44	5731.76	0.006631	2.88	5973.46	1396.54	0.18
Lorson Ranch	147.964*	DBPS-2015_100	Lorson (Existing)	26734.00	5721.70	5731.39	5728.98	5731.73	0.006182	2.89	6073.22	1303.20	0.18
Lorson Ranch	147.964*	DBPS-2015_100	Lorson (Proposed)	26734.00	5721.70	5731.34	5729.08	5731.69	0.005948	2.82	6010.88	1302.25	0.17
Lorson Ranch	147.957*	DBPS-2015_100	Lorson (Existing)	26734.00	5721.24	5731.32	5728.64	5731.67	0.005792	2.88	6035.26	1209.30	0.17
Lorson Ranch	147.957*	DBPS-2015_100	Lorson (Proposed)	26734.00	5721.24	5731.28	5728.73	5731.63	0.005503	2.80	5981.55	1208.40	0.17
Lorson Ranch	147.95*	DBPS-2015_100	Lorson (Existing)	26734.00	5720.78	5731.25	5728.32	5731.61	0.005613	2.92	5928.50	1116.14	0.17
Lorson Ranch	147.95*	DBPS-2015_100	Lorson (Proposed)	26734.00	5720.78	5731.21	5728.42	5731.58	0.005268	2.82	5882.19	1115.27	0.16
Lorson Ranch	147.942*	DBPS-2015_100	Lorson (Existing)	26734.00	5720.32	5731.16	5728.02	5731.55	0.005657	3.01	5746.55	1023.48	0.17
Lorson Ranch	147.942*	DBPS-2015_100	Lorson (Proposed)	26734.00	5720.32	5731.12	5728.14	5731.52	0.005243	2.89	5706.58	1022.64	0.17
Lorson Ranch	147.935*	DBPS-2015_100	Lorson (Existing)	26734.00	5719.86	5731.06	5727.77	5731.48	0.005945	3.16	5492.18	931.93	0.18
Lorson Ranch	147.935*	DBPS-2015_100	Lorson (Proposed)	26734.00	5719.86	5731.02	5727.89	5731.46	0.005442	3.02	5457.62	931.09	0.17
Lorson Ranch	147.928*	DBPS-2015_100	Lorson (Existing)	26734.00	5719.40	5730.94	5727.55	5731.41	0.006629	3.42	5168.19	850.09	0.19
Lorson Ranch	147.928*	DBPS-2015_100	Lorson (Proposed)	26734.00	5719.40	5730.90	5727.69	5731.40	0.005920	3.22	5137.90	849.67	0.18
Lorson Ranch	147.921*	DBPS-2015_100	Lorson (Existing)	26734.00	5718.94	5730.76	5727.42	5731.33	0.007682	3.75	4759.14	749.41	0.20
Lorson Ranch	147.921*	DBPS-2015_100	Lorson (Proposed)	26734.00	5718.94	5730.73	5727.56	5731.33	0.006844	3.53	4733.90	748.88	0.19
Lorson Ranch	147.914*	DBPS-2015_100	Lorson (Existing)	26734.00	5718.48	5730.51	5727.36	5731.23	0.009797	4.30	4253.60	650.93	0.23
Lorson Ranch	147.914*	DBPS-2015_100	Lorson (Proposed)	26734.00	5718.48	5730.47	5727.54	5731.23	0.008686	4.04	4229.77	650.34	0.22
Lorson Ranch	147.907*	DBPS-2015_100	Lorson (Existing)	26734.00	5718.02	5730.08	5727.46	5731.08	0.014575	5.27	3625.16	552.23	0.28
Lorson Ranch	147.907*	DBPS-2015_100	Lorson (Proposed)	26734.00	5718.02	5730.02	5727.62	5731.09	0.012934	4.94	3591.48	551.12	0.26
Lorson Ranch	147.9	DBPS-2015_100	Lorson (Existing)	26734.00	5717.56	5730.00	5727.47	5730.90	0.016368	7.84	3692.34	864.14	0.52
Lorson Ranch	147.9	DBPS-2015_100	Lorson (Proposed)	26734.00	5717.56	5730.00	5727.46	5730.89	0.016111	7.79	3698.25	864.46	0.51
Lorson Ranch	147.8	DBPS-2015_100	Lorson (Existing)	26734.00	5715.70	5728.53	5726.02	5730.05	0.012595	9.91	2733.01	501.81	0.63
Lorson Ranch	147.8	DBPS-2015_100	Lorson (Proposed)	26734.00	5715.70	5728.53	5726.02	5730.05	0.012583	9.90	2733.75	502.20	0.63
Lorson Ranch	147.7	DBPS-2015_100	Lorson (Existing)	26734.00	5715.60	5728.20	5725.03	5729.58	0.009117	9.43	2835.70	319.26	0.56
Lorson Ranch	147.7	DBPS-2015_100	Lorson (Proposed)	26734.00	5715.60	5728.20	5725.03	5729.58	0.009117	9.43	2835.70	319.26	0.56
Lorson Ranch	147.6	DBPS-2015_100	Lorson (Existing)	26734.00	5715.00	5727.23	5724.22	5728.65	0.009649	9.54	2803.04	318.50	0.57
Lorson Ranch	147.6	DBPS-2015_100	Lorson (Proposed)	26734.00	5715.00	5727.23	5724.22	5728.65	0.009649	9.54	2803.04	318.50	0.57
Lorson Ranch	147.2	DBPS-2015_100	Lorson (Existing)	26734.00	5713.34	5724.47	5722.68	5726.39	0.014856	11.10	2407.50	307.55	0.70
Lorson Ranch	147.2	DBPS-2015_100	Lorson (Proposed)	26734.00	5713.34	5724.47	5722.68	5726.39	0.014856	11.10	2407.50	307.55	0.70

HEC-RAS River: Jimmy Camp Creek Reach: Lorson Ranch Profile: DBPS-2015_100 (Continued)

Reach	River Sta	Profile	Plan	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Lorson Ranch	146.3	DBPS-2015_100	Lorson (Existing)	26734.00	5712.29	5722.11	5722.11	5725.20	0.019239	14.11	1894.55	308.59	1.00
Lorson Ranch	146.3	DBPS-2015_100	Lorson (Proposed)	26734.00	5712.29	5722.11	5722.11	5725.20	0.019239	14.11	1894.55	308.59	1.00
Lorson Ranch	146.1	DBPS-2015_100	Lorson (Existing)	26734.00	5711.71	5722.32	5720.80	5724.34	0.005864	11.42	2340.79	312.51	0.74
Lorson Ranch	146.1	DBPS-2015_100	Lorson (Proposed)	26734.00	5711.71	5722.32	5720.80	5724.34	0.005864	11.42	2340.79	312.51	0.74
Lorson Ranch	145.6	DBPS-2015_100	Lorson (Existing)	26734.00	5710.99	5720.37	5719.99	5723.16	0.016313	13.41	1994.03	305.07	0.92
Lorson Ranch	145.6	DBPS-2015_100	Lorson (Proposed)	26734.00	5710.99	5720.37	5719.99	5723.16	0.016313	13.41	1994.03	305.07	0.92
Lorson Ranch	144.7	DBPS-2015_100	Lorson (Existing)	26734.00	5708.87	5720.59	5718.14	5722.21	0.007116	10.19	2623.61	317.10	0.62
Lorson Ranch	144.7	DBPS-2015_100	Lorson (Proposed)	26734.00	5708.87	5720.59	5718.14	5722.21	0.007116	10.19	2623.61	317.10	0.62
Lorson Ranch	144.6	DBPS-2015_100	Lorson (Existing)	26734.00	5709.16	5719.70	5718.05	5721.61	0.009019	11.10	2409.42	321.16	0.71
Lorson Ranch	144.6	DBPS-2015_100	Lorson (Proposed)	26734.00	5709.16	5719.70	5718.05	5721.61	0.009021	11.10	2409.26	321.16	0.71
Lorson Ranch	144.4	DBPS-2015_100	Lorson (Existing)	26734.00	5707.20	5718.60	5717.07	5720.62	0.005749	11.39	2348.07	312.24	0.73
Lorson Ranch	144.4	DBPS-2015_100	Lorson (Proposed)	26734.00	5707.20	5718.60	5717.07	5720.62	0.005750	11.39	2347.92	312.24	0.73
Lorson Ranch	144	DBPS-2015_100	Lorson (Existing)	26734.00	5706.95	5716.99	5716.10	5719.35	0.008385	12.33	2168.36	314.15	0.83
Lorson Ranch	144	DBPS-2015_100	Lorson (Proposed)	26734.00	5706.95	5716.99	5716.10	5719.35	0.008390	12.33	2167.90	314.13	0.83
Lorson Ranch	143.2	DBPS-2015_100	Lorson (Existing)	26734.00	5704.54	5717.18	5714.40	5718.67	0.010116	9.77	2736.08	320.95	0.59
Lorson Ranch	143.2	DBPS-2015_100	Lorson (Proposed)	26734.00	5704.54	5717.18	5714.40	5718.67	0.010120	9.77	2735.77	320.95	0.59
Lorson Ranch	142.4	DBPS-2015_100	Lorson (Existing)	26734.00	5703.00	5714.56	5712.08	5716.15	0.004003	10.12	2654.60	325.28	0.61
Lorson Ranch	142.4	DBPS-2015_100	Lorson (Proposed)	26734.00	5703.00	5714.56	5712.08	5716.15	0.004003	10.11	2654.60	325.28	0.61
Lorson Ranch	141.6	DBPS-2015_100	Lorson (Existing)	26734.00	5701.00	5712.56	5709.78	5714.06	0.003626	9.81	2729.64	316.04	0.58
Lorson Ranch	141.6	DBPS-2015_100	Lorson (Proposed)	26734.00	5701.00	5712.56	5709.78	5714.06	0.003625	9.81	2729.64	316.04	0.58
Lorson Ranch	140.8	DBPS-2015_100	Lorson (Existing)	26734.00	5698.38	5708.20	5707.26	5710.55	0.020906	12.30	2173.30	309.89	0.82
Lorson Ranch	140.8	DBPS-2015_100	Lorson (Proposed)	26734.00	5698.38	5708.20	5707.26	5710.55	0.020906	12.30	2173.30	309.89	0.82
Lorson Ranch	140	DBPS-2015_100	Lorson (Existing)	26734.00	5696.02	5707.90	5706.03	5709.74	0.014770	10.89	2454.13	316.78	0.69
Lorson Ranch	140	DBPS-2015_100	Lorson (Proposed)	26734.00	5696.02	5707.90	5706.03	5709.74	0.014767	10.89	2454.28	316.78	0.69
Lorson Ranch	139.7	DBPS-2015_100	Lorson (Existing)	26734.00	5695.16	5707.48	5704.89	5709.10	0.012564	10.23	2612.33	330.29	0.64
Lorson Ranch	139.7	DBPS-2015_100	Lorson (Proposed)	26734.00	5695.16	5707.48	5704.89	5709.11	0.012561	10.23	2612.50	330.30	0.64
Lorson Ranch	139.3	DBPS-2015_100	Lorson (Existing)	26734.00	5695.00	5706.03	5704.66	5708.19	0.006015	11.81	2269.23	306.72	0.75
Lorson Ranch	139.3	DBPS-2015_100	Lorson (Proposed)	26734.00	5695.00	5706.03	5704.66	5708.19	0.006014	11.81	2269.38	306.72	0.75
Lorson Ranch	138.8			Bridge									
Lorson Ranch	138.3	DBPS-2015_100	Lorson (Existing)	26734.00	5694.00	5705.02	5703.20	5706.92	0.005154	11.05	2418.67	309.49	0.70
Lorson Ranch	138.3	DBPS-2015_100	Lorson (Proposed)	26734.00	5694.00	5705.02	5703.20	5706.92	0.005163	11.06	2417.46	309.46	0.70
Lorson Ranch	138	DBPS-2015_100	Lorson (Existing)	26734.00	5692.18	5702.76	5701.67	5705.02	0.007005	12.23	2185.04	305.77	0.81
Lorson Ranch	138	DBPS-2015_100	Lorson (Proposed)	26734.00	5692.18	5702.76	5701.67	5705.05	0.006830	12.13	2203.72	306.20	0.80
Lorson Ranch	137.6	DBPS-2015_100	Lorson (Existing)	26734.00	5688.97	5700.95	5699.20	5702.80	0.005169	10.91	2450.85	321.64	0.70
Lorson Ranch	137.6	DBPS-2015_100	Lorson (Proposed)	26734.00	5688.97	5701.18	5699.20	5702.92	0.004724	10.59	2525.09	322.63	0.67
Lorson Ranch	136.8	DBPS-2015_100	Lorson (Existing)	26734.00	5687.60	5700.85	5698.22	5702.34	0.010898	9.80	2726.84	328.45	0.60
Lorson Ranch	136.8	DBPS-2015_100	Lorson (Proposed)	26734.00	5687.60	5701.10	5698.22	5702.50	0.009860	9.52	2807.83	329.72	0.58
Lorson Ranch	136	DBPS-2015_100	Lorson (Existing)	26734.00	5687.00	5698.43	5696.29	5700.15	0.004573	10.51	2543.77	319.67	0.65
Lorson Ranch	136	DBPS-2015_100	Lorson (Proposed)	26734.00	5687.00	5699.53	5696.29	5700.86	0.003037	9.24	2901.16	328.33	0.54
Lorson Ranch	135.6	DBPS-2015_100	Lorson (Existing)	26734.00	5685.38	5696.93	5694.72	5698.64	0.004464	10.49	2548.87	315.01	0.65
Lorson Ranch	135.6	DBPS-2015_100	Lorson (Proposed)	26734.00	5685.38	5698.79	5694.72	5699.91	0.002353	8.51	3146.59	329.78	0.48
Lorson Ranch	135.55	DBPS-2015_100	Lorson (Existing)	26734.00	5684.91	5696.68	5694.47	5698.38	0.004934	10.48	2552.92	317.87	0.65
Lorson Ranch	135.55	DBPS-2015_100	Lorson (Proposed)	26734.00	5684.91	5698.69	5694.49	5699.77	0.002315	8.38	3278.48	465.01	0.46
Lorson Ranch	135.50	DBPS-2015_100	Lorson (Existing)	26734.00	5684.89	5696.51	5694.41	5698.24	0.005085	10.54	2537.81	319.85	0.66
Lorson Ranch	135.50	DBPS-2015_100	Lorson (Proposed)	26734.00	5684.89	5698.55	5694.51	5699.69	0.002480	8.59	3185.08	442.49	0.48
Lorson Ranch	135.47	DBPS-2015_100	Lorson (Existing)	26734.00	5684.86	5696.37	5694.19	5698.04	0.004944	10.38	2576.16	323.21	0.65
Lorson Ranch	135.47	DBPS-2015_100	Lorson (Proposed)	26734.00	5684.86	5697.96	5694.67	5699.55	0.003484	10.14	2678.44	317.87	0.56
Lorson Ranch	135.34	DBPS-2015_100	Lorson (Existing)	26734.00	5684.19	5696.39	5693.94	5697.94	0.004435	9.99	2677.06	329.15	0.62
Lorson Ranch	135.34	DBPS-2015_100	Lorson (Proposed)	26734.00	5684.19	5697.71	5694.62	5699.46	0.006627	10.63	2529.26	259.32	0.59
Lorson Ranch	135.29	DBPS-2015_100	Lorson (Existing)	26734.00	5683.95	5696.06	5693.49	5697.56	0.004254	9.84	2716.57	329.83	0.60
Lorson Ranch	135.29	DBPS-2015_100	Lorson (Proposed)	26734.00	5683.95	5695.41	5694.18	5698.08	0.012565	13.13	2036.86	245.60	0.80
Lorson Ranch	135.25	DBPS-2015_100	Lorson (Existing)	26734.00	5683.93	5695.79	5693.50	5697.44	0.004729	10.28	2600.08	322.24	0.64
Lorson Ranch	135.25	DBPS-2015_100	Lorson (Proposed)	26734.00	5683.93	5695.26	5694.04	5697.75	0.007447	12.67	2110.45	265.67	0.79
Lorson Ranch	135.14	DBPS-2015_100	Lorson (Existing)	26734.00	5683.91	5695.55	5693.47	5697.29	0.005054	10.60	2524.02	318.64	0.66
Lorson Ranch	135.14	DBPS-2015_100	Lorson (Proposed)	26734.00	5683.91	5695.26	5693.80	5697.47	0.006741	11.94	2239.44	289.15	0.75
Lorson Ranch	134.89	DBPS-2015_100	Lorson (Existing)	26734.00	5683.00	5695.21	5693.04	5696.95	0.004761	10.60	2542.36	317.40	0.64
Lorson Ranch	134.89	DBPS-2015_100	Lorson (Proposed)	26734.00	5683.00	5695.20	5693.04	5696.94	0.004775	10.61	2538.80	317.31	0.64
Lorson Ranch	134.8	DBPS-2015_100	Lorson (Existing)	26734.00	5683.03	5694.56	5692.29	5696.21	0.004357	10.24	2609.58	330.42	0.64
Lorson Ranch	134.8	DBPS-2015_100	Lorson (Proposed)	26734.00	5683.03	5694.56	5692.29	5696.20	0.004393	10.27	2602.80	330.30	0.64
Lorson Ranch	134.4	DBPS-2015_100	Lorson (Existing)	26734.00	5682.00	5693.15	5691.01	5694.89	0.004589	10.56	2531.46	316.88	0.66
Lorson Ranch	134.4	DBPS-2015_100	Lorson (Proposed)	26734.00	5682.00	5693.10	5691.01	5694.85	0.004690	10.64	2513.21	316.59	0.67
Lorson Ranch	133.6	DBPS-2015_100	Lorson (Existing)	26734.00	5680.06	5691.72	5689.14	5693.34	0.003995	10.22	2615.98	302.10	0.61


HEC-RAS River: Jimmy Camp Creek Reach: Lorson Ranch Profile: DBPS-2015_100 (Continued)

Reach	River Sta	Profile	Plan	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Vel Chnl	Flow Area	Top Width	Froude # Chl
				(cfs)	(ft)	(ft)	(ft)	(ft)	(ft/ft)	(ft/s)	(sq ft)	(ft)	
Lorson Ranch	133.6	DBPS-2015_100	Lorson (Proposed)	26734.00	5680.06	5691.59	5689.14	5693.26	0.004187	10.37	2577.19	302.10	0.63
Lorson Ranch	132.8	DBPS-2015_100	Lorson (Existing)	26734.00	5677.64	5691.73	5687.96	5693.06	0.008460	9.24	2892.75	304.33	0.53
Lorson Ranch	132.8	DBPS-2015_100	Lorson (Proposed)	26734.00	5677.64	5691.61	5687.96	5692.97	0.008867	9.37	2854.41	304.33	0.54
Lorson Ranch	132.2	DBPS-2015_100	Lorson (Existing)	26734.00	5675.48	5690.41	5688.94	5692.46	0.015846	11.47	2331.66	326.46	0.76
Lorson Ranch	132.2	DBPS-2015_100	Lorson (Proposed)	26734.00	5675.48	5689.92	5688.94	5692.27	0.019891	12.32	2170.78	317.90	0.83
Lorson Ranch	132	DBPS-2015_100	Lorson (Existing)	26734.00	5679.40	5690.84	5688.17	5691.63	0.002601	9.17	4896.18	793.80	0.49
Lorson Ranch	132	DBPS-2015_100	Lorson (Proposed)	26734.00	5679.40	5690.54	5687.93	5691.31	0.002620	9.03	4661.43	778.01	0.49
Lorson Ranch	128	DBPS-2015_100	Lorson (Existing)	26734.00	5670.60	5681.96	5681.96	5684.19	0.007371	15.30	3299.65	734.61	0.83
Lorson Ranch	128	DBPS-2015_100	Lorson (Proposed)	26734.00	5670.60	5681.52	5681.52	5683.72	0.007708	15.21	2983.33	700.22	0.84
Lorson Ranch	124	DBPS-2015_100	Lorson (Existing)	26734.00	5664.10	5678.27	5673.03	5678.43	0.000522	3.88	8889.00	1260.32	0.20
Lorson Ranch	124	DBPS-2015_100	Lorson (Proposed)	26734.00	5664.10	5678.27	5673.04	5678.43	0.000512	3.84	8887.15	1260.31	0.20
Lorson Ranch	120.4	DBPS-2015_100	Lorson (Existing)	26734.00	5664.10	5678.22	5673.04	5678.39	0.000533	3.91	8825.01	1259.75	0.20
Lorson Ranch	120.4	DBPS-2015_100	Lorson (Proposed)	26734.00	5664.10	5678.22	5673.06	5678.38	0.000523	3.87	8825.01	1259.75	0.20

APPENDIX G

APPENDIX G – HEC-RAS SCOUR ANALYSIS RESULTS

Bridge Scour RS = 135.3135



Legend	
WS DBPS-2015_100	
Ground	■
Bank Sta	●
Contr Scour	- - -
Total Scour

Hydraulic Design Data
Contraction Scour

Input Data

	Left	Channel	Right
Average Depth (ft):	0.53	10.07	0.86
Approach Velocity (ft/s):	1.67	8.59	1.79
Br Average Depth (ft):		9.94	1.06
BR Opening Flow (cfs):		26726.88	7.12
BR Top WD (ft):		242.00	4.44
Grain Size D50 (mm):	0.50	0.50	0.50
Approach Flow (cfs):		66.7226574.92	92.36
Approach Top WD (ft):		75.09307.28	60.13
K1 Coefficient:	0.64	0.690	0.640

Results

Scour Depth Ys (ft):	1.99	0.00
Critical Velocity (ft/s):	1.94	1.29
Equation:	Live	Live

Pier Scour

All piers have the same scour depth

Input Data

Pier Shape: Round nose	
Pier Width (ft):	3.00
Grain Size D50 (mm):	0.50000
Depth Upstream (ft):	13.47
Velocity Upstream (ft/s):	13.71
K1 Nose Shape:	1.00
Pier Angle:	0.00
Pier Length (ft):	65.00
K2 Angle Coef:	1.00
K3 Bed Cond Coef:	1.10
Grain Size D90 (mm):	2.25000
K4 Armouring Coef:	1.00

Results

Scour Depth Ys (ft):	7.20
Froude #:	0.66
Equation:	CSU equation
Pier Scour Limited to Maximum of Ys = 2.4 * a	

Abutment Scour

Input Data

	Left	Right
Station at Toe (ft):	588.30	822.67
Toe Sta at appr (ft):	581.88	830.90
Abutment Length (ft):	110.43	83.05
Depth at Toe (ft):	5.71	4.71
K1 Shape Coef: 0.55 - Spill-through abutment		
Degree of Skew (degrees):	75.00	105.00
K2 Skew Coef:	0.98	1.02
Projected Length L' (ft):	54.15	40.69
Avg Depth Obstructed Ya (ft):	3.89	3.46
Flow Obstructed Qe (cfs):	819.66	763.92
Area Obstructed Ae (sq ft):	210.46	141.41

Results

Scour Depth Ys (ft):	11.65	11.93
Qe/Ae = Ve:	3.89	5.40
Froude #:	0.35	0.51
Equation:	Fröhlich	Fröhlich

Combined Scour Depths

Pier Scour + Contraction Scour (ft):	
Channel:	9.19
Left abutment scour + contraction scour (ft):	13.64
Right abutment scour + contraction scour (ft):	13.92

Print Date:	
File Name:	
Horiz. Scale:	Vert. Scale: As Noted
Unit Information	Unit Leader Initials

Sheet Revisions		
Date:	Comments	Init.



Loris and Associates, Inc.
100 Superior Plaza Way,
Suite 220
Superior, Colorado 80027
303.444.2073
www.LorisandAssociates.com




THE LANDHUIS COMPANY
212 N. WASATCH, SUITE 301
COLORADO SPRINGS, CO 80903
PHONE: 719-635-3200



212 N. WASATCH AVE., SUITE 206
COLORADO SPRINGS, CO 80903
PH: 719.570.1100
FAX: 719.570.1106
CONTACT: RICHARD L. SCHINDLER, P.E.
EMAIL: RichS@cegl.com

As Constructed	HYDRAULIC ANALYSIS (PROPOSED) SCOUR ANALYSIS (100-YEAR)		Project No./Code
No Revisions:			-
Revised:	Designer: CJB	Structure	-
	Detailer: CJB	Numbers	
Void:	Sheet Subset:	Subset Sheets:	Sheet Number

Bridge Scour RS = 135.3135



Legend	
WS DBPS-2015_500	
Ground	
Bank Sta	
Contr Scour	
Total Scour	

Hydraulic Design Data
Contraction Scour

	Left	Channel	Right
Input Data			
Average Depth (ft):	1.19	11.44	2.00
Approach Velocity (ft/s):	2.20	8.82	2.86
Br Average Depth (ft):	10.99	1.48	
BR Opening Flow (cfs):	32058.85	22.15	
BR Top WD (ft):	242.00	7.11	
Grain Size D50 (mm):	0.50	0.50	0.50
Approach Flow (cfs):	669.61	31006.00	405.39
Approach Top WD (ft):	256.80	307.28	70.88
K1 Coefficient:	0.64	0.690	0.640
Results			
Scour Depth Ys (ft):	2.89	0.00	
Critical Velocity (ft/s):	1.98	1.48	
Equation:	Live	Live	

Pier Scour

All piers have the same scour depth	
Input Data	
Pier Shape:	Round nose
Pier Width (ft):	3.00
Grain Size D50 (mm):	0.50000
Depth Upstream (ft):	14.59
Velocity Upstream (ft/s):	14.39
K1 Nose Shape:	1.00
Pier Angle:	0.00
Pier Length (ft):	65.00
K2 Angle Coef:	1.00
K3 Bed Cond Coef:	1.10
Grain Size D90 (mm):	2.25000
K4 Armouring Coef:	1.00
Results	
Scour Depth Ys (ft):	7.20
Froude #:	0.66
Equation:	CSU equation
Pier Scour Limited to Maximum of Ys = 2.4 * a	

Abutment Scour

	Left	Right
Input Data		
Station at Toe (ft):	588.30	822.67
Toe Sta at appr (ft):	581.88	830.90
Abutment Length (ft):	292.14	93.80
Depth at Toe (ft):	6.82	5.82
K1 Shape Coef:	0.55 - Spill-through abutment	
Degree of Skew (degrees):	75.00	105.00
K2 Skew Coef:	0.98	1.02
Projected Length L' (ft):	62.00	46.14
Avg Depth Obstructed Ya (ft):	4.28	3.92
Flow Obstructed Qe (cfs):	1136.44	1076.29
Area Obstructed Ae (sq ft):	265.65	180.91
Results		
Scour Depth Ys (ft):	13.21	13.70
Qe/Ae = Ve:	4.28	5.95
Froude #:	0.36	0.53
Equation:	Froehlich	Froehlich

Combined Scour Depths

Pier Scour + Contraction Scour (ft):	10.09
Channel:	
Left abutment scour + contraction scour (ft):	16.10
Right abutment scour + contraction scour (ft):	16.59

Print Date:	
File Name:	
Horiz. Scale:	Vert. Scale: As Noted
Unit Information	Unit Leader Initials

Sheet Revisions		
Date:	Comments	Init.



Loris and Associates, Inc.
100 Superior Plaza Way,
Suite 220
Superior, Colorado 80027
303.444.2073
www.LorisandAssociates.com



THE LANDHUIS COMPANY
212 N. WASATCH, SUITE 301
COLORADO SPRINGS, CO 80903
PHONE: 719-635-3200



212 N. WASATCH AVE., SUITE 206
COLORADO SPRINGS, CO 80903
PH: 719.576.1100
FAX: 719.570.1106
CONTACT: RICHARD L. SCHINDLER, P.E.
EMAIL: RichS@cegl.com

As Constructed		HYDRAULIC ANALYSIS (PROPOSED) SCOUR ANALYSIS (500-YEAR)			Project No./Code	
No Revisions:					-	
Revised:		Designer:	CJB	Structure	-	
Void:		Detailer:	CJB	Numbers		
		Sheet Subset:		Subset Sheets:	Sheet Number	

APPENDIX H

APPENDIX H – BRIDGE ARMAMENT CALCS & DETAILS

Hydraulic Analysis Report

Project Data

Project Title: Lorson Bridge

Designer: CJB

Project Date: Monday, September 25, 2017

Project Units: U.S. Customary Units

Notes: Lorson Boulevard Bridge - Armament Analysis (HEC-23)

Riprap Analysis: Riprap Analysis - Pier

Notes: Lorson Boulevard Bridge Armament Analysis - Pier

Input Parameters

Riprap Type: Pier

The velocity is specified as local velocity near pier

Local Velocity near Pier: 13.71 ft

The piers have a round shape

Pier Width (normal to flow): 3 ft

Contraction Scour Depth: 1.99 ft

Bed Form Depth: 0.5 ft

Specific Gravity of Riprap: 2.65

Result Parameters

Design Velocity: 20.565 ft/s

Design velocity never less than average channel velocity

Computed D50: 33.077 in

Riprap Class

Riprap Name: RIPRAP 30-INCH

Riprap Class: VIII

The following values are an 'average' of the size fraction range for the selected riprap class.

d100: 53 in

d85: 42.5 in

d50: 33.25 in

d15: 22.25 in

Layout Recommendations

Depth of Riprap below Streambed: 8.31 ft (99.75 in)

Design thickness of riprap below streambed is greatest of Contraction Scour Depth (includes Long-Term Degradation, if applicable), Bed Form Depth, or 3x Design D50

Minimum Riprap Extent: 6 ft

Filter Placement Extent: 4 ft

See HEC 23, Figure 11.15

No channel used in calculations

Riprap Analysis: Riprap Analysis - Abutment (Left)

Notes: Lorson Boulevard Bridge

Armament Analysis - Abutment (Left)

Input Parameters

Riprap Type: Abutment/Guide Bank

The structure is an abutment

The water will spill through the abutment

Set-back Length: 27.56 ft

The set-back length is the distance from the near edge of the main channel to the toe of abutment

Main Channel Average Flow Depth: 12.59 ft

Flow Depth at Toe of Abutment: 8.45 ft

Calculations will use either total or overbank discharges.

Total Discharge: 26734 cfs

Overbank Discharge: 819.66 cfs

Total Bridge Area: 2411.22 ft²

Setback Area: 210.48 ft²

Maximum Channel Velocity: 16.4 ft/s

Specific Gravity of Riprap: 2.65

Result Parameters

Set-back ratio: 2.18904

Characteristic Velocity: 11.0873 ft/s

Froude Number at the Abutment Toe: 0.672429

Abutment Coefficient: 0.89

Computed D50: 24.7307 in

Riprap Class

Riprap Name: RIPRAP 24-INCH

Riprap Class: VII

The following values are an 'average' of the size fraction range for the selected riprap class.

d100: 42.5 in

d85: 34 in

d50: 25.25 in

d15: 17.75 in

Layout Recommendations

Minimum Riprap Thickness: 42.5 in

Minimum Horizontal Extent of the Toe Apron from the Abutment Toe: 16.9 ft

Minimum Extent of "Wrap Around" beyond the Abutment Radius, along the Approach Embankment: 25 ft

See HEC 23, Figure 14.7

No channel used in calculations

Riprap Analysis: Riprap Analysis - Abutment (Right)

Notes: Lorson Boulevard Bridge

Armament Analysis - Abutment (Right)

Input Parameters

Riprap Type: Abutment/Guide Bank

The structure is an abutment

The water will spill through the abutment

Set-back Length: 27.56 ft

The set-back length is the distance from the near edge of the main channel to the toe of abutment

Main Channel Average Flow Depth: 12.59 ft

Flow Depth at Toe of Abutment: 8.45 ft

Calculations will use either total or overbank discharges.

Total Discharge: 26734 cfs

Overbank Discharge: 763.92 cfs

Total Bridge Area: 2411.22 ft²

Setback Area: 141.41 ft²

Maximum Channel Velocity: 16.4 ft/s

Specific Gravity of Riprap: 2.65

Result Parameters

Set-back ratio: 2.18904

Characteristic Velocity: 11.0873 ft/s

Froude Number at the Abutment Toe: 0.672429

Abutment Coefficient: 0.89

Computed D50: 24.7307 in

Riprap Class

Riprap Name: RIPRAP 24-INCH

Riprap Class: VII

The following values are an 'average' of the size fraction range for the selected riprap class.

d100: 42.5 in

d85: 34 in

d50: 25.25 in

d15: 17.75 in

Layout Recommendations





Minimum Riprap Thickness: 42.5 in

Minimum Horizontal Extent of the Toe Apron from the Abutment Toe: 16.9 ft

Minimum Extent of "Wrap Around" beyond the Abutment Radius, along the Approach Embankment: 25 ft

See HEC 23, Figure 14.7


No channel used in calculations





Print Date:		<div><div></div><div></div><div></div><div></div></div>	Sheet Revisions			<div><div></div><div>Loris and Associates, Inc. 100 Superior Plaza Way, Suite 220 Superior, Colorado 80027 303.444.2073 www.LorisandAssociates.com</div></div>	<div><div><div>LORSON RANCH</div></div><div><div>THE LANDHUIS COMPANY 212 N. WASATCH, SUITE 301 COLORADO SPRINGS, CO 80903 PHONE: 719-635-3200</div></div></div>	<div><div><div>CORE ENGINEERING GROUP</div></div><div><div>212 N. WAHSATCH AVE., SUITE 206 COLORADO SPRINGS, CO 80903 PH: 719.570.1100 FAX: 719.570.1106 CONTACT: RICHARD L. SCHINDLER, P.E. EMAIL: RichS@cegi.com</div></div></div>	As Constructed		LORSON BOULEVARD BRIDGE OVER JIMMY CAMP CREEK				Project No./Code		
File Name:			Date:		Comments				Init.		BRIDGE HYDRAULIC ARMAMENT DETAILS		-				
Horiz. Scale:			Vert. Scale: As Noted								Designer: CJB		Structure		-		
Unit Information			Unit Leader Initials								Detailer: CJB		Numbers		-		
								Void:		Sheet Subset:		Subset Sheets:		Sheet Number			


APPENDIX I


APPENDIX I – HEC-RAS MODEL CROSS-SECTIONS














LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.964*




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.957*




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.95*







LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.921*



LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.914*




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.907*




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017

RS = 147.9 Top of 7th Drop Structure and Bottom of Berm. Cross section at




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017

RS = 147.8 Bottom of 7th Drop Structure and Top of Berm. Cross section at




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017


RS = 147.7 50' Downstream of 7th Drop Structure. Added X-Sec from As Built




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.6 cross section at river station 93+55




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 147.2 Top of 6th Drop Structure. Cross section at river station 91+69




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 146.3 Bottom of 6th Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 146.1 50' Downstream of 6th Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 145.6 Top of 5th Drop Structure. Cross section at river station 89+48




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 144.7 Bottom of 5th Drop Structure. DCBO Jimmy Camp Creek River Stati






LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017

RS = 143.2 Bottom of 4th Drop Structure. Cross section at river station 84




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017

RS = 142.4 cross section at river station 80+45




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017


RS = 141.6 cross section at river station 75+58




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 140.8 Top of 3rd Drop Structure. Cross section at river station 70+87




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 140 Bottom of 3rd Drop Structure. Cross section at river station 70




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 139.7 Added X-Sec from As-built 8/21/06 50' Downstream of 3rd Drop Str




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 139.3 cross section upstream of bridge at river station 69+00




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 138.8 BR DBCO Proposed Bridge




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 138.8 BR DBCO Proposed Bridge




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
 RS = 138.3 cross section downstream of bridge at river station 67+19




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
 RS = 138 cross section after full expansion at river station 64+80




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
 RS = 137.6 Top of 2nd Drop Structure. Cross section at river station 60+65




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 136 cross section at river station 56+89




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 135.6 cross section at river station 53+55




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 135.55 Cross Section: Sta. 53+00.00




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 135.50 Cross Section: Sta. 52+70.63



LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 135.47 Cross Section: Sta. 52+35.61




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 135.34 Cross Section: Sta. 52+20.64 US Lorson Bridge




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017

RS = 135.29 Cross Section: Sta. 51+38.03 - DS Lorson Bridge




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017

RS = 135.25 Cross Section: Sta. 5112.888




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017


RS = 135.14 Cross Section: Sta. 50+85.05




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 134.89 Cross Section: Sta. 50+15.00




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 134.8 cross section at river station 48+60




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 134.4 cross section at river station 45+66




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
 RS = 133.6 Top of 1st Drop structure. Cross section at river station 42+23




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
 RS = 132.8 Bottom of 1st Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
 RS = 132.2 50' Downstream of 1st Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 132 FEMA cross section AI



LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 128 FEMA cross section AH





LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017
RS = 124 FEMA cross section AG




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Existing) 9/24/2017


RS = 120.4 Intermediate station downstream of FEMA cross section AG









LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 152.8*



LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 152 FEMA cross section AN




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 151.333*



LOMR w/ Lorson Bridge

Plan: Lorson Bridge (Proposed) 9/24/2017


RS = 150.666*



LOMR w/ Lorson Bridge

Plan: Lorson Bridge (Proposed) 9/24/2017


RS = 150.*





LOMR w/ Lorson Bridge


Plan: Lorson Bridge (Proposed) 9/24/2017


RS = 149.333*
















LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 147.9 Top of 7th Drop Structure and Bottom of Berm. Cross section at




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 147.8 Bottom of 7th Drop Structure and Top of Berm. Cross section at




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 147.7 50' Downstream of 7th Drop Structure. Added X-Sec from As Built




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 147.6 cross section at river station 93+55




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 147.2 Top of 6th Drop Structure. Cross section at river station 91+69




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017


RS = 146.3 Bottom of 6th Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 146.1 50' Downstream of 6th Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 145.6 Top of 5th Drop Structure. Cross section at river station 89+48




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 144.7 Bottom of 5th Drop Structure. DCBO Jimmy Camp Creek River Stati






LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 143.2 Bottom of 4th Drop Structure. Cross section at river station 84




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 142.4 cross section at river station 80+45




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017


RS = 141.6 cross section at river station 75+58




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 140.8 Top of 3rd Drop Structure. Cross section at river station 70+87




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 140 Bottom of 3rd Drop Structure. Cross section at river station 70




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 139.7 Added X-Sec from As-built 8/21/06 50' Downstream of 3rd Drop Str




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 139.3 cross section upstream of bridge at river station 69+00




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 138.8 BR DBCO Proposed Bridge




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 138.8 BR DBCO Proposed Bridge




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 138.3 cross section downstream of bridge at river station 67+19



LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 138 cross section after full expansion at river station 64+80




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 137.6 Top of 2nd Drop Structure. Cross section at river station 60+65




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 136 cross section at river station 56+89




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 135.6 Cross Section: Sta. 53+55




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017


RS = 135.55 Cross Section: Sta. 53+00.00




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 135.50 Cross Section: Sta. 52+70.63




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 135.47 Cross Section: Sta. 52+35.61




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
 RS = 135.34 Cross Section: Sta. 52+20.64 US Lorson Bridge






LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 135.25 Cross Section: Sta. 51+12.888




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 135.14 Cross Section: Sta. 50+85.05




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 134.89 Cross Section: Sta. 50+15.00




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 134.8 cross section at river station 48+60




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017

RS = 134.4 cross section at river station 45+66




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017


RS = 133.6 Top of 1st Drop structure. Cross section at river station 42+23




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 132.8 Bottom of 1st Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 132.2 50' Downstream of 1st Drop Structure




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 132 FEMA cross section AI




LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 128 FEMA cross section AH



LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 124 FEMA cross section AG



LOMR w/ Lorson Bridge Plan: Lorson Bridge (Proposed) 9/24/2017
RS = 120.4 Intermediate station downstream of FEMA cross section AG



APPENDIX J

APPENDIX J – HEC-RAS REPORT

lomr.rep

HEC-RAS HEC-RAS 5.0.3 September 2016
U.S. Army Corps of Engineers
Hydrologic Engineering Center
609 Second Street
Davis, California

X	X	XXXXXX	XXXX	XXXX	XX	XXXX
X	X	X	X	X	X	X
X	X	X	X	X	X	X
XXXXXXXX	XXXX	X	XXX	XXXX	XXXXXX	XXXX
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	XXXXXX	XXXX	X	X	XXXXX

PROJECT DATA

Project Title: LOMR w/ Lorson Bridge

Project File : lomr.prj

Run Date and Time: 9/24/2017 1:06:11 PM

Project in English units

Project Description:

8/21/06 JCB: Pentacor Engineering added a new geometry file based on as-built information on drop structures given by RMLS.

8/2/06 JCB: Pentacor

Engineering added a new geometry file based on as-built information on drop structures.

7/12/06 ALB: Pentacor Engineering added a new geometry file based on as-built information (received from Rocky Mountain Land Services). This file will be used to support the LOMR application for the main channel of Jimmy Camp Creek

6/16/06 ALB: Pentacor Engineering added a new geometry file to simulate the proposed Lorson Boulevard Bridge. Results of the analysis with the bridge were used to perform scour and stable particle size analysis for the channel in the vicinity of the bridge.

02/13/06 JDH: Revisions to account for moving of northernmost drop structure and regrading of northern channel taper by PentaCorp. Correct problem with starting water surface elevation boundary condition and reinsert floodway profile (but not

lomr.rep

encroachment information). Main solution was to adjust Manning's n upward to 0.167 to force WSEL at Station 148 to increase to a point where effects of hydraulic jump in channel transition does not carry upstream and provide erroneous water surface elevations.

11/10/05 JDH: Cross-section data from original CLOMR submittal was revised to include an additional bench and low flow channel based on USACE comments regarding balancing of sediment transport. Once project is constructed a LOMR will need to be submitted which will require modifications to this model to include Floodway modeling for comparison with Duplicate Effective Floodway model results.

08/02/05 JDH: Base model copied from CLOMR submittal's proposed conditions model. Modified to include wing wall configuration at bridge for purpose of modeling abutment scour.

04/12/17 CJB: Added Flows to LOMR Steady Flow Data from DBPS 2015 for freeboard and scour computation of Lorson Bridge

04/12/17 CJB: LOMR model copied for inclusion of Lorson Bridge. Modified to include additional sections for bridge hydraulics analysis channel grading for freeboard and scour calculations.

09/25/17 CJB: Final Model revised for Final Report. Manning's n revised at Lorson Bridge for armament limits and n values for depth of flow.

PLAN DATA

Plan Title: Lorson Bridge (Existing)

Plan File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson Bridge-Final\lomr.p03

Geometry Title: Lorson Bridge - From LOMR (Existing)

Geometry File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson Bridge-Final\lomr.g03

Flow Title : FIS Flows for LOMR

Flow File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson Bridge-Final\lomr.f01

Plan Description:

Lorson Bridge Analysis (Existing 2) (09/25/17)

Existing sections applied at
proposed section locations

Plan Summary Information:

Number of:	Cross Sections =	68	Multiple Openings =	0
	Culverts =	0	Inline Structures =	0
	Bridges =	1	Lateral Structures =	0

Computational Information

Water surface calculation tolerance	=	0.01
Critical depth calculation tolerance	=	0.01
Maximum number of iterations	=	20
Maximum difference tolerance	=	0.3
Flow tolerance factor	=	0.001

Computation Options

Critical depth computed at all cross sections
Conveyance Calculation Method: At breaks in n values only
Friction Slope Method: Average Conveyance
Computational Flow Regime: Subcritical Flow

FLOW DATA

Flow Title: FIS Flows for LOMR

Flow File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson
Bridge-Final\lomr.f01

Flow Data (cfs)

River	Reach	RS	FEMA 100-Year	FEMA 10-Year	FEMA
50-YearFEMA 100-Year_FW	FEMA 500-Year	DBPS-2015_10	DBPS-2015_100		
DBPS-2015_500					
Jimmy Camp Creek	Lorson Ranch	160	11800	6100	
9800	11800	15000	13402	26734	
32081					
Jimmy Camp Creek	Lorson Ranch	152	12600	6600	
10500	12600	16100	13402	26734	
32081					
Jimmy Camp Creek	Lorson Ranch	141.6	12900	6800	
10700	12900	16400	13402	26734	
32081					

River	Reach	RS	DBPS_EX_100	DBPS_EX_500
Jimmy Camp Creek	Lorson Ranch	160	17709	21251
Jimmy Camp Creek	Lorson Ranch	152	17709	21251
Jimmy Camp Creek	Lorson Ranch	141.6	17709	21251

Boundary Conditions

River Downstream	Reach	Profile	Upstream
Jimmy Camp Creek	Lorson Ranch	FEMA 100-Year	Critical
Known WS = 5675.33			
Jimmy Camp Creek	Lorson Ranch	FEMA 10-Year	Critical
Known WS = 5673.5			
Jimmy Camp Creek	Lorson Ranch	FEMA 50-Year	Critical
Known WS = 5674.91			
Jimmy Camp Creek	Lorson Ranch	FEMA 100-Year_FW	Critical
Known WS = 5675.7			
Jimmy Camp Creek	Lorson Ranch	FEMA 500-Year	Critical
Known WS = 5676.21			
Jimmy Camp Creek	Lorson Ranch	DBPS-2015_10	Critical
Known WS = 5675.85			
Jimmy Camp Creek	Lorson Ranch	DBPS-2015_100	Critical
Known WS = 5678.22			
Jimmy Camp Creek	Lorson Ranch	DBPS-2015_500	Critical
Known WS = 5678.85			
Jimmy Camp Creek	Lorson Ranch	DBPS_EX_100	Critical
Known WS = 5676.81			
Jimmy Camp Creek	Lorson Ranch	DBPS_EX_500	Critical
Known WS = 5677.43			

Observed Water Surface Marks

River	Reach	RS	FEMA 100-Year	FEMA 10-Year	FEMA
50-YearFEMA 100-Year_FW		FEMA 500-Year	DBPS-2015_10	DBPS-2015_100	
DBPS-2015_500					
Jimmy Camp Creek	Lorson Ranch	160	5762.42	5760.95	

lomr.rep

Jimmy Camp Creek	Lorson Ranch	156	5753.93	
Jimmy Camp Creek	Lorson Ranch	152	5741.68	5739.8

River	Reach	RS	DBPS_EX_100	DBPS_EX_500
Jimmy Camp Creek	Lorson Ranch	160		
Jimmy Camp Creek	Lorson Ranch	156		
Jimmy Camp Creek	Lorson Ranch	152		

GEOMETRY DATA

Geometry Title: Lorson Bridge - From LOMR (Existing)
Geometry File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson
Bridge-Final\lomr.g03

CROSS SECTION

RIVER: Jimmy Camp Creek
REACH: Lorson Ranch RS: 160

INPUT

Description: FEMA cross section AP

Station Elevation Data		num=		36					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5773	23	5771	74	5769.7	116	5769	126	5768
143	5772	163	5767	185	5763.7	227	5763	343	5764.2
401	5765.2	460	5763.7	499	5762.5	600	5760	625	5760.7
641	5767	893	5768.2	996	5769.2	1078	5768.7	1148	5765
1215	5764.2	1316	5764.7	1349	5759.5	1394	5757.7	1523	5757.7
1560	5756.7	1618	5757.2	1659	5758.7	1673	5764	1680	5762.5
1691	5765.2	1731	5765.5	1752	5765.5	1774	5768.2	1812	5770.2
1985	5769.2								

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	1523	.04	1691	.06

lomr.rep

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1523	1691		1119.96	1140 1160.04		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 156

INPUT

Description: FEMA cross section A0

Station Elevation Data		num=		33					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
551	5761.2	751	5760.5	817	5759.2	920	5760.2	957	5759.2
981	5761.2	1002	5757.7	1043	5757	1139	5758	1214	5756.5
1236	5758	1269	5759.7	1300	5758	1404	5756	1450	5758.2
1580	5759.7	1630	5751.7	1696	5750.2	1765	5750.5	1792	5752
1828	5750.7	1863	5750	1945	5749	1988	5748.7	2031	5749.7
2067	5750.4	2079	5754.7	2218	5753.7	2264	5755.4	2285	5759.4
2297	5758.2	2344	5758.2	2355	5760.4				

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
551	.06	1792	.04	2079	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1792	2079		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 155.2*

INPUT

Description:

Station Elevation Data		num=		44					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
840.8	5757.16	1007.09	5756.53	1061.96	5755.46	1147.6	5756.22	1178.36	5755.41
1198.31	5757	1215.77	5754.19	1249.86	5753.62	1290.56	5754.01	1329.68	5754.28
1392.04	5752.88	1410.33	5754.02	1437.76	5755.3	1463.54	5753.85	1481.05	5753.48
1550.01	5752.39	1588.25	5754.25	1696.34	5755.74	1719.15	5752.29	1737.91	5749.35
1792.78	5747.99	1850.15	5748.06	1872.6	5749.2	1903.38	5748.05	1933.31	5747.38
2003.43	5746.33	2040.2	5745.96	2058.6	5745.96	2062.6	5745.96	2098.7	5747.61
2128.93	5748.88	2139	5752.56	2161.29	5753.44	2185.29	5753.3	2205	5753.8
2284.04	5756.23	2293.29	5756.82	2306.14	5757.99	2332.04	5759.56	2353.96	5763.48
2366.48	5762.92	2379.86	5763.36	2415.52	5763.97	2427	5765.92		

lomr.rep

Manning's n Values		num= 4					
Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
840.8	.06	1850.15	.04	1872.6	.04	2139	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1872.6	2098.7		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 154.4*

INPUT

Description:

Station Elevation Data		num= 44					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1130.6	5753.12	1263.17	5752.55	1306.92	5751.72	1375.19	5752.25
1415.63	5752.8	1429.55	5750.69	1456.72	5750.24	1489.17	5750.51
1570.07	5749.26	1584.65	5750.05	1606.53	5750.89	1627.08	5749.71
1696.01	5748.77	1726.5	5750.3	1812.68	5751.78	1830.86	5749.27
1889.57	5745.78	1935.3	5745.63	1953.2	5746.4	1978.77	5745.4
2061.86	5743.66	2092.4	5743.22	2129.2	5743.22	2137.2	5743.22
2190.85	5747.37	2199	5750.42	2222.21	5752.33	2247.21	5752.23
2350.09	5758.75	2359.71	5759.62	2373.11	5761.49	2400.09	5763.73
2435.96	5767.65	2449.89	5768.52	2487.04	5769.73	2499	5771.44

Manning's n Values		num= 3					
Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
1130.6	.06	1953.2	.04	2199	.06		

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1953.2	2199		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 153.6*

INPUT

Description:

Station Elevation Data		num= 44					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1420.4	5749.08	1519.26	5748.58	1551.88	5747.98	1602.79	5748.27
1632.94	5748.6	1643.32	5747.18	1663.59	5746.85	1687.78	5747
1748.11	5745.64	1758.98	5746.07	1775.29	5746.49	1790.61	5745.57
1842.02	5745.16	1864.76	5746.34	1929.01	5747.82	1942.58	5746.24

lomr.rep

1986.35	5743.57	2020.45	5743.19	2033.8	5743.6	2054.15	5742.75	2073.94	5742.15
2120.29	5741	2144.6	5740.48	2199.8	5740.48	2211.8	5740.48	2234.1	5743.43
2252.78	5745.85	2259	5748.28	2283.14	5751.22	2309.14	5751.15	2330.5	5752.9
2416.13	5761.28	2426.14	5762.41	2440.07	5764.99	2468.13	5767.89	2491.87	5771.63
2505.43	5772.37	2519.93	5773.68	2558.57	5775.5	2571	5776.96		

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
1420.4	.06	2033.8	.04
		2259	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	2033.8	2259		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 152.8*

INPUT

Description:

Station Elevation Data				num= 44			
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1710.2	5745.04	1775.34	5744.6	1796.84	5744.25	1830.39	5744.29
1850.25	5744.4	1857.09	5743.67	1870.45	5743.47	1886.39	5743.5
1926.14	5742.02	1933.31	5742.09	1944.06	5742.09	1954.15	5741.42
1988.03	5741.54	2003.01	5742.39	2045.35	5743.85	2054.29	5743.22
2083.13	5741.36	2105.61	5740.76	2114.4	5740.8	2129.53	5740.1
2178.72	5738.33	2196.8	5737.74	2270.4	5737.74	2286.4	5737.74
2314.7	5744.33	2319	5746.14	2344.07	5750.11	2371.07	5750.08
2482.17	5763.8	2492.57	5765.21	2507.04	5768.5	2536.17	5772.05
2574.91	5777.1	2589.96	5778.84	2630.09	5781.26	2643	5782.48

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
1710.2	.06	2114.4	.04
		2319	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	2114.4	2319		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 152

INPUT

Description: FEMA cross section AN

lomr.rep

Station Elevation Data				num=	16				
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
2000	5741	2085	5740	2121	5737	2166	5740.2	2195	5738
2249	5735	2341	5735	2361	5735	2379	5744	2405	5749
2433	5749	2456	5752	2559	5768	2574	5772	2660	5784
2715	5788								

Manning's n Values				num=	3		
Sta	n Val	Sta	n Val	Sta	n Val		
2000	.06	2195	.04	2379	.06		

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	2195	2379		358.33	344.96		306.81	.1
								.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 151.333*

INPUT

Description:

Station Elevation Data				num=	32				
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1666.67	5739	1698.16	5738.97	1739.67	5738.71	1795.13	5738.36	1799.25	5738.33
1855.41	5735.83	1900.7	5737.55	1925.6	5738.5	1970.83	5736.67	2029.83	5733.17
2076.12	5733.17	2122.52	5733.17	2142.67	5733.17	2161.33	5741	2178.43	5742.25
2194.37	5743.1	2222.1	5744.51	2239.09	5745.48	2245.67	5745.5	2316.83	5745.83
2322.82	5746.07	2363.27	5749.14	2370.9	5749.41	2373.21	5749.66	2377.13	5750.14
2391.61	5751.4	2403.47	5752.51	2443.21	5755.9	2699.64	5767.12	2744.5	5770.47
3001.69	5780.59	3166.17	5784						

Manning's n Values				num=	3		
Sta	n Val	Sta	n Val	Sta	n Val		
1666.67	.06	1925.6	.03	2161.33	.06		

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1925.6	2161.33		358.33	344.96		306.81	.1
								.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 150.666*

INPUT

Description:

Station Elevation Data				num=	32				
------------------------	--	--	--	------	----	--	--	--	--

lomr.rep

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1333.33	5737	1376.13	5737.18	1432.53	5736.97	1507.91	5736.69	1513.5	5736.67
1589.81	5734.67	1651.36	5736.04	1685.2	5736.8	1746.67	5735.33	1810.67	5731.33
1857.3	5731.33	1904.04	5731.33	1924.33	5731.33	1943.67	5738	1972.14	5739.4
1998.7	5740.08	2044.88	5741.1	2073.18	5741.95	2084.13	5742	2202.66	5742.67
2212.65	5743.14	2280.02	5747.51	2292.72	5747.73	2296.56	5748.13	2303.11	5748.91
2327.22	5750.8	2346.98	5752.41	2413.17	5757.12	2840.27	5766.24	2914.99	5768.94
3343.37	5777.18	3617.33	5780						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
1333.33	.06	1746.67	.03	1943.67	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1746.67	1943.67		358.33	344.96		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 150.*

INPUT

Description:

Station	Elevation	Data	num=	32					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1000	5735	1054.09	5735.38	1125.4	5735.22	1220.68	5735.02	1227.76	5735
1324.22	5733.5	1402.02	5734.53	1444.79	5735.1	1522.5	5734	1591.5	5729.5
1638.47	5729.5	1685.55	5729.5	1706	5729.5	1726	5735	1765.86	5736.55
1803.02	5737.06	1867.66	5737.7	1907.26	5738.43	1922.6	5738.5	2088.5	5739.5
2102.47	5740.21	2196.76	5745.88	2214.54	5746.05	2219.92	5746.6	2229.08	5747.68
2262.82	5750.2	2290.48	5752.31	2383.13	5758.34	2980.91	5765.35	3085.49	5767.42
3685.06	5773.77	4068.5	5776						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
1000	.06	1522.5	.03	1726	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1522.5	1726		358.33	344.96		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 149.333*

INPUT

lomr.rep

Description:

Station Elevation Data									
num= 32									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
666.67	5733	732.06	5733.59	818.27	5733.48	933.45	5733.34	942.01	5733.33
1058.62	5732.33	1152.68	5733.02	1204.39	5733.4	1298.33	5732.67	1372.33	5727.67
1419.65	5727.67	1467.07	5727.67	1487.67	5727.67	1508.33	5732	1559.57	5733.7
1607.35	5734.04	1690.44	5734.3	1741.35	5734.91	1761.07	5735	1974.33	5736.33
1992.3	5737.28	2113.51	5744.25	2136.36	5744.37	2143.28	5745.07	2155.05	5746.46
2198.43	5749.6	2233.99	5752.21	2353.09	5759.56	3121.55	5764.47	3255.98	5765.89
4026.74	5770.36	4519.67	5772						

Manning's n Values					
num= 3					
Sta	n Val	Sta	n Val	Sta	n Val
666.67	.06	1298.33	.03	1508.33	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1298.33	1508.33		358.33	344.96	306.81	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 148.666*

INPUT

Description:

Station Elevation Data									
num= 32									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
333.33	5731	410.03	5731.79	511.13	5731.74	646.23	5731.67	656.26	5731.67
793.03	5731.17	903.34	5731.51	963.99	5731.7	1074.17	5731.33	1153.17	5725.83
1200.82	5725.83	1248.59	5725.83	1269.33	5725.83	1290.67	5729	1353.29	5730.85
1411.67	5731.02	1513.22	5730.9	1575.44	5731.38	1599.53	5731.5	1860.17	5733.17
1882.12	5734.35	2030.25	5742.63	2058.18	5742.68	2066.64	5743.53	2081.03	5745.23
2134.04	5749	2177.49	5752.1	2323.04	5760.78	3262.18	5763.59	3426.48	5764.36
4368.43	5766.95	4970.83	5768						

Manning's n Values					
num= 3					
Sta	n Val	Sta	n Val	Sta	n Val
333.33	.06	1074.17	.03	1290.67	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1074.17	1290.67		358.33	344.96	306.81	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 148

lomr.rep

INPUT

Description: FEMA Cross Section AM

Station Elevation Data		num= 22							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729	88	5730	204	5730	359	5730	654	5730
850	5730	934	5724	982	5724	1051	5724	1073	5726
1147	5728	1216	5728	1336	5727.5	1438	5728	1746	5730
1947	5741	1980	5741	1990	5742	2007	5744	2121	5752
2293	5762	5422	5764						

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	850	.167	1073	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	850	1073		6.5 9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.992*

INPUT

Description:

Station Elevation Data		num= 40							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.06	82.42	5729.82	156.51	5729.68	191.07	5729.67	256.88	5729.66
336.24	5729.53	366.07	5729.48	612.54	5729.42	796.11	5729.38	802.96	5728.74
845.68	5726.01	882.61	5723.54	927.18	5723.54	991.25	5723.54	1012.67	5725.67
1082.33	5727.55	1147.28	5727.58	1260.24	5727.16	1326.49	5727.5	1356.25	5727.67
1523	5728.9	1646.17	5729.71	1835.37	5739.95	1866.44	5739.95	1875.85	5740.88
1883.86	5741.81	1891.85	5742.74	1999.16	5750.25	2117.27	5757.11	2161.07	5759.62
2411.92	5759.77	2726.37	5759.94	3024.67	5760.12	3322.76	5760.35	3616.51	5760.55
3927.9	5760.78	4228.58	5760.98	4534.16	5761.26	4832.19	5761.56	5106.41	5761.83

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	796.11	.167	1012.67	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	796.11	1012.67		6.5 9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch

RS: 147.985*

INPUT

Description:

Station Elevation Data		num= 40									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.12	76.84	5729.65	145.91	5729.35	178.13	5729.34	239.49	5729.32		
313.48	5729.06	341.29	5728.97	571.08	5728.84	742.23	5728.75	749.27	5727.96		
793.23	5725.45	831.22	5723.08	872.36	5723.08	931.5	5723.08	952.34	5725.33		
1017.66	5727.1	1078.56	5727.15	1184.47	5726.81	1246.6	5727.16	1274.5	5727.35		
1430.85	5728.65	1546.34	5729.41	1723.75	5738.89	1752.87	5738.9	1761.7	5739.76		
1769.21	5740.62	1776.7	5741.49	1877.32	5748.5	1988.07	5754.92	2029.13	5757.24		
2264.35	5757.37	2559.19	5757.49	2838.89	5757.66	3118.39	5757.92	3393.83	5758.11		
3685.8	5758.36	3967.73	5758.55	4254.26	5758.91	4533.71	5759.3	4790.83	5759.66		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	742.23	.167	952.34	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	742.23	952.34		6.5	9.85		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch

RS: 147.978*

INPUT

Description:

Station Elevation Data		num= 40									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.18	71.26	5729.47	135.32	5729.03	165.2	5729.01	222.1	5728.98		
290.72	5728.59	316.51	5728.45	529.62	5728.26	688.34	5728.12	695.58	5727.18		
740.77	5724.89	779.83	5722.62	817.54	5722.62	871.76	5722.62	892.02	5725		
952.99	5726.65	1009.84	5726.73	1108.71	5726.47	1166.7	5726.82	1192.75	5727.02		
1338.7	5728.4	1446.51	5729.12	1612.12	5737.84	1639.31	5737.85	1647.55	5738.64		
1654.56	5739.43	1661.56	5740.23	1755.48	5746.75	1858.86	5752.74	1897.2	5754.86		
2116.77	5754.98	2392.01	5755.04	2653.11	5755.2	2914.02	5755.48	3171.14	5755.67		
3443.7	5755.93	3706.88	5756.12	3974.35	5756.55	4235.22	5757.04	4475.24	5757.49		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	688.34	.167	892.02	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	688.34	892.02		6.5	9.85		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.971*

INPUT

Description:

Station Elevation Data		num= 40							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.24	65.68	5729.3	124.73	5728.71	152.27	5728.68	204.71	5728.64
267.96	5728.13	291.74	5727.93	488.15	5727.69	634.45	5727.5	641.89	5726.4
688.31	5724.34	728.44	5722.16	762.72	5722.16	812.01	5722.16	831.69	5724.66
888.32	5726.2	941.12	5726.3	1032.94	5726.12	1086.8	5726.48	1111	5726.7
1246.55	5728.15	1346.69	5728.82	1500.5	5736.78	1525.75	5736.8	1533.4	5737.52
1539.91	5738.24	1546.41	5738.98	1633.65	5745	1729.66	5750.55	1765.26	5752.48
1969.2	5752.58	2224.83	5752.6	2467.32	5752.73	2709.65	5753.04	2948.46	5753.23
3201.6	5753.51	3446.03	5753.69	3694.45	5754.2	3936.73	5754.79	4159.66	5755.31

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	634.45	.167	831.69	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	634.45	831.69		6.5 9.85	13.43	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.964*

INPUT

Description:

Station Elevation Data		num= 40							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.3	60.11	5729.12	114.13	5728.38	139.34	5728.35	187.33	5728.3
245.2	5727.66	266.96	5727.42	446.69	5727.11	580.56	5726.88	588.2	5725.62
635.86	5723.78	677.05	5721.7	707.9	5721.7	752.26	5721.7	771.36	5724.33
823.64	5725.75	872.39	5725.88	957.18	5725.78	1006.91	5726.13	1029.25	5726.37
1154.4	5727.9	1246.86	5728.53	1388.87	5735.73	1412.19	5735.75	1419.25	5736.4
1425.26	5737.05	1431.26	5737.72	1511.81	5743.25	1600.46	5748.36	1633.33	5750.1
1821.62	5750.18	2057.64	5750.15	2281.54	5750.27	2505.28	5750.61	2725.77	5750.79
2959.5	5751.09	3185.18	5751.27	3414.54	5751.85	3638.24	5752.53	3844.07	5753.14

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	580.56	.167	771.36	.06

lomr.rep

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
580.56	771.36	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.957*

INPUT

Description:

Station Elevation Data	num=	40
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev		
0 5729.36 54.53 5728.95 103.54 5728.06 126.4 5728.02 169.94 5727.96		
222.44 5727.19 242.18 5726.9 405.23 5726.53 526.68 5726.25 534.51 5724.83		
583.4 5723.23 625.66 5721.24 653.08 5721.24 692.51 5721.24 711.03 5723.99		
758.97 5725.3 803.67 5725.45 881.41 5725.44 927.01 5725.79 947.49 5726.05		
1062.26 5727.65 1147.03 5728.24 1277.24 5734.68 1298.62 5734.7 1305.1 5735.28		
1310.61 5735.86 1316.11 5736.47 1389.97 5741.5 1471.25 5746.18 1501.4 5747.72		
1674.04 5747.78 1890.46 5747.7 2095.76 5747.81 2300.91 5748.17 2503.09 5748.35		
2717.39 5748.67 2924.33 5748.84 3134.64 5749.49 3339.76 5750.27 3528.49 5750.97		

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
0 .06 526.68 .167 711.03 .06		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
526.68	711.03	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.95*

INPUT

Description:

Station Elevation Data	num=	40
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev		
0 5729.42 48.95 5728.77 92.95 5727.74 113.47 5727.69 152.55 5727.62		
199.68 5726.72 217.4 5726.38 363.77 5725.95 472.79 5725.62 480.82 5724.05		
530.95 5722.67 574.27 5720.78 598.27 5720.78 632.77 5720.78 650.71 5723.66		
694.3 5724.85 734.95 5725.03 805.65 5725.09 847.12 5725.45 865.74 5725.72		
970.11 5727.4 1047.2 5727.94 1165.62 5733.62 1185.06 5733.65 1190.95 5734.16		
1195.96 5734.67 1200.97 5735.21 1268.13 5739.75 1342.05 5743.99 1369.46 5745.34		
1526.47 5745.39 1723.28 5745.26 1909.98 5745.34 2096.54 5745.73 2280.4 5745.91		
2475.29 5746.25 2663.48 5746.41 2854.74 5747.14 3041.27 5748.02 3212.9 5748.8		

lomr.rep

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .06 472.79 .167 650.71 .06

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 472.79 650.71 6.5 9.85 13.43 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.942*

INPUT

Description:

Station Elevation Data num= 40
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5729.49 43.37 5728.6 82.35 5727.41 100.54 5727.36 135.16 5727.27
 176.92 5726.25 192.62 5725.87 322.31 5725.37 418.9 5725 427.13 5723.27
 478.49 5722.11 522.87 5720.32 543.45 5720.32 573.02 5720.32 590.38 5723.32
 629.63 5724.4 666.23 5724.6 729.89 5724.75 767.22 5725.1 783.99 5725.4
 877.96 5727.15 947.37 5727.65 1053.99 5732.57 1071.5 5732.6 1076.8 5733.04
 1081.31 5733.48 1085.82 5733.95 1146.29 5738 1212.85 5741.81 1237.53 5742.96
 1378.89 5742.99 1556.1 5742.81 1724.19 5742.88 1892.17 5743.3 2057.71 5743.47
 2233.19 5743.82 2402.63 5743.98 2574.83 5744.79 2742.78 5745.76 2897.31 5746.63

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .06 418.9 .167 590.38 .06

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 418.9 590.38 6.5 9.85 13.43 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.935*

INPUT

Description:

Station Elevation Data num= 40
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5729.55 37.79 5728.42 71.76 5727.09 87.6 5727.04 117.78 5726.93
 154.17 5725.78 167.84 5725.35 280.85 5724.79 365.02 5724.38 373.44 5722.49
 426.03 5721.56 471.48 5719.86 488.63 5719.86 513.27 5719.86 530.05 5722.98
 564.96 5723.95 597.51 5724.18 654.12 5724.4 687.33 5724.76 702.24 5725.07

lomr.rep

785.81	5726.9	847.54	5727.35	942.37	5731.52	957.93	5731.55	962.65	5731.92
966.67	5732.29	970.67	5732.7	1024.45	5736.25	1083.64	5739.62	1105.6	5740.58
1231.32	5740.59	1388.91	5740.36	1538.41	5740.42	1687.81	5740.86	1835.03	5741.03
1991.09	5741.4	2141.78	5741.56	2294.93	5742.43	2444.3	5743.5	2581.73	5744.46

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	365.02	.167	530.05	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.	
	365.02	530.05		6.5	9.85		13.43	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.928*

INPUT

Description:

Station Elevation Data num= 40

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.61	32.21	5728.25	61.16	5726.76	74.67	5726.71	100.39	5726.59
131.41	5725.32	143.06	5724.84	239.39	5724.21	311.13	5723.75	319.75	5721.71
373.58	5721	420.09	5719.4	433.81	5719.4	453.52	5719.4	469.72	5722.65
500.29	5723.5	528.79	5723.75	578.36	5724.06	607.43	5724.42	620.49	5724.75
693.66	5726.65	747.71	5727.06	830.74	5730.46	844.37	5730.5	848.5	5730.8
852.02	5731.1	855.52	5731.44	902.61	5734.5	954.44	5737.43	973.66	5738.2
1083.74	5738.19	1221.73	5737.92	1352.63	5737.95	1483.44	5738.43	1612.34	5738.59
1748.99	5738.98	1880.93	5739.13	2015.03	5740.08	2145.81	5741.25	2266.14	5742.29

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	311.13	.167	469.72	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.	
	311.13	469.72		6.5	9.85		13.43	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.921*

INPUT

Description:

Station Elevation Data num= 40

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-----	------	-----	------	-----	------	-----	------	-----	------

lomr.rep

0	5729.67	26.63	5728.07	50.57	5726.44	61.74	5726.38	83	5726.25
108.65	5724.85	118.29	5724.32	197.92	5723.63	257.24	5723.12	266.06	5720.93
321.12	5720.45	368.7	5718.94	378.99	5718.94	393.77	5718.94	409.39	5722.31
435.62	5723.05	460.07	5723.33	502.59	5723.71	527.54	5724.08	538.74	5724.42
601.51	5726.4	647.89	5726.77	719.11	5729.41	730.81	5729.46	734.35	5729.68
737.37	5729.91	740.38	5730.19	780.78	5732.75	825.24	5735.25	841.73	5735.82
936.17	5735.79	1054.55	5735.47	1166.85	5735.49	1279.07	5735.99	1389.66	5736.15
1506.89	5736.56	1620.08	5736.7	1735.12	5737.73	1847.32	5738.99	1950.56	5740.11

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
0 .06 257.24 .167 409.39 .06		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
257.24	409.39	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.914*

INPUT

Description:

Station Elevation Data	num=	40
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev		
0 5729.73 21.05 5727.89 39.98 5726.12 48.81 5726.05 65.61 5725.91		
85.89 5724.38 93.51 5723.8 156.46 5723.06 203.35 5722.5 212.37 5720.14		
268.66 5719.89 317.31 5718.48 324.17 5718.48 334.03 5718.48 349.07 5721.98		
370.95 5722.6 391.35 5722.91 426.83 5723.37 447.64 5723.73 456.99 5724.09		
509.37 5726.15 548.06 5726.47 607.49 5728.35 617.25 5728.41 620.2 5728.56		
622.72 5728.72 625.23 5728.93 658.94 5731 696.04 5733.06 709.79 5733.44		
788.59 5733.4 887.37 5733.02 981.06 5733.03 1074.7 5733.55 1166.97 5733.71		
1264.78 5734.13 1359.23 5734.27 1455.22 5735.38 1548.83 5736.73 1634.97 5737.94		

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
0 .06 203.35 .167 349.07 .06		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
203.35	349.07	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.907*

lomr.rep

INPUT

Description:

Station Elevation Data num= 41

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.79	15.47	5727.72	29.38	5725.79	35.87	5725.72	48.23	5725.57
63.13	5723.91	68.73	5723.29	115	5722.48	149.47	5721.88	149.67	5721.825
158.68	5719.36	216.21	5719.34	265.92	5718.02	269.35	5718.02	274.28	5718.02
288.74	5721.65	306.27	5722.15	322.63	5722.48	351.06	5723.03	367.75	5723.39
375.24	5723.77	417.22	5725.9	448.23	5726.18	495.86	5727.3	503.68	5727.36
506.05	5727.44	508.07	5727.53	510.08	5727.68	537.1	5729.25	566.83	5730.88
577.86	5731.06	641.02	5731	720.18	5730.58	795.28	5730.56	870.33	5731.12
944.29	5731.27	1022.68	5731.71	1098.38	5731.85	1175.31	5733.02	1250.35	5734.48
1319.39	5735.77								

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	149.47	.167	288.74	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	149.47	288.74		6.5 9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.9

INPUT

Description: Top of 7th Drop Structure and Bottom of Berm. Cross section at upper most part of newly constructed channel at river station 95+56.08

Station Elevation Data num= 23

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.85	18.79	5725.47	30.84	5725.23	43.95	5722.77	95.58	5721.25
104.99	5718.58	163.75	5718.78	214.53	5717.56	228.41	5721.31	287.85	5723.05
325.07	5725.65	393.42	5726.34	437.63	5728.69	493.44	5728.6	553	5728.13
609.5	5728.1	665.96	5728.68	721.6	5728.83	780.58	5729.29	837.53	5729.42
895.41	5730.67	951.86	5732.22	1003.8	5733.6				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	95.58	.167	228.41	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	437.63		44.6 56.43	10.77		.1	.3

CROSS SECTION

lomr.rep

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.8

INPUT

Description: Bottom of 7th Drop Structure and Top of Berm. Cross section at
 river station 95+14.03

Station Elevation Data		num=		25					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.42	16.94	5724.89	33.65	5724.12	46.35	5722.15	93.18	5720.64
111.9	5715.7	214.97	5715.88	231.42	5721.28	277.5	5721.82	291.81	5724.13
305.72	5724.87	319.71	5726.01	329.2	5727.82	381.88	5729.2	437.63	5728.69
493.44	5728.6	553	5728.13	609.5	5728.1	665.96	5728.68	721.6	5728.83
780.58	5729.29	837.53	5729.42	895.41	5730.67	951.86	5732.22	1003.8	5733.6

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	93.18	.1	231.42	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	381.88		51.82	39.16	664.1	.1	.3	

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.7

INPUT

Description: 50' Downstream of 7th Drop Structure. Added X-Sec from As Built
 8/21/06

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.35	18.48	5724.73	29.39	5724.45	44.98	5721.08	87.77	5719.35
105.63	5715.61	203.7	5715.6	225.46	5718.68	274.6	5719.55	290.14	5722.45
301.55	5723.03	324.29	5728.3						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	87.77	.1	225.46	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	324.29		103.99	99.4	95.42	.1	.3	

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.6

INPUT

Description: cross section at river station 93+55

Station Elevation Data		num= 29							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5726	2.76	5725	6	5724	9.48	5723	22.22	5722
32.57	5721	39.82	5720	47.67	5719	87.75	5718	93.7	5717
98.61	5716	102.64	5715	162.58	5715	210.64	5716	216.64	5717
232.04	5718	264.94	5719	270.81	5720	276.55	5721	281.68	5722
283.65	5722	291.46	5722	299.16	5723	303.72	5724	308.14	5725
312.29	5726	316.42	5727	325.34	5728	464.22	5728.54		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	87.75	.1	232.04	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	325.34		173.91	186.52	199.66	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.2

INPUT

Description: Top of 6th Drop Structure. Cross section at river station 91+69

Station Elevation Data		num= 12							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5723.75	20.14	5720.51	22.1	5719.65	35.95	5717.04	84.49	5716.7
96.26	5713.34	201.62	5713.78	216.75	5717.14	265.99	5717.76	278.35	5719.97
293.53	5720.96	316.12	5726.62						

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	84.49	.1	216.75	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	316.12		50.74	63.56	56.41	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 146.3

INPUT

lomr.rep

Description: Bottom of 6th Drop Structure

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5724.71	17.48	5720.46	36.6	5719.79	48.92	5717.33	98.86	5716.54
114.07	5712.9	216.97	5712.29	231.25	5716.45	278.82	5717.49	294.46	5719.52
313.21	5720.28	330.57	5725.49						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	98.86	.06	231.25	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	330.57		47.58	47.58		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 146.1

INPUT

Description: 50' Downstream of 6th Drop Structure

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5723.32	19.57	5718.52	33.63	5718.19	49.46	5715.46	93.7	5714.97
114.11	5711.71	210.32	5711.74	229.41	5714.94	279.25	5715.6	294.35	5718.75
305.76	5719.45	325.54	5724.68						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	93.7	.04	229.41	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	325.54		90.06	120.53		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 145.6

INPUT

Description: Top of 5th Drop Structure. Cross section at river station 89+48

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5722.65	17.01	5718.69	35.76	5717.07	47.05	5714.82	95.08	5714.1
111.15	5710.99	217.5	5711.14	230.16	5713.87	280.45	5715.13	291.43	5716.86
306.75	5718.42	323.21	5722.37						

lomr.rep

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .04 95.08 .06 230.16 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 0 323.21 55.82 58.14 60.59 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144.7

INPUT

Description: Bottom of 5th Drop Structure. DCBO Jimmy Camp Creek River Station 88+90

Station Elevation Data num= 12
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5721.66 16.1 5717.5 33.78 5715.97 45.78 5713.57 75 5712.29
 109.26 5709.3 213 5708.87 228.22 5712.53 277.2 5712.81 292.62 5716.45
 306.79 5716.86 325.43 5721.68

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .04 75 .06 228.22 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 0 325.43 70.87 70.87 70.87 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144.6

INPUT

Description: 50' Downstream of 5th Drop Structure. DCBO Jimmy Camp Creek River Station 88+21

Station Elevation Data num= 12
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5721.97 29.4 5716.05 44.44 5714.92 56.89 5712.57 108.47 5711.68
 124.18 5709.58 222.63 5709.16 238.48 5711.98 292.05 5712.93 303.99 5715.39
 319.58 5715.69 338.15 5721.47

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .04 108.47 .06 238.48 .04

lomr.rep

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	338.15		138.02 138.02	138.02		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144.4

INPUT

Description: cross section at river station 86+85

Station Elevation Data		num=		29					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5720.77	7.74	5720.79	7.89	5720.75	8.74	5720.75	10.87	5720.16
28.9	5715.44	43.83	5714.9	45.6	5714.87	46.89	5714.55	57.38	5712.02
102.45	5711.01	108.95	5710.93	120.93	5708.9	122.51	5708.59	210.79	5707.4
225.66	5707.2	228.13	5707.72	241.38	5711.48	248.52	5711.62	288.16	5711.82
291.82	5712.46	305.29	5714.91	307.59	5715.05	316.82	5715.61	320.36	5716.46
334.28	5719.89	335.58	5719.91	344.73	5719.91	348.72	5719.91		

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	108.95	.04	241.38	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	7.74	335.58		174.49 178.55	183.34		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144

INPUT

Description: Top of 4th Drop Structure. Cross section at river station 85+12

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5718.59	18.13	5714.39	35.51	5712.82	46.68	5710.97	97.69	5710.11
110	5708.24	214.33	5706.95	230.63	5709.81	279.68	5710.31	291.31	5712.54
306.09	5713.31	325.93	5718.19						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.045	97.69	.04	230.63	.045

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	325.93		46.66 45.83	45.03		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 143.2

INPUT

Description: Bottom of 4th Drop Structure. Cross section at river station 84+71

Station Elevation Data num= 12

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5717.86	17.92	5713.18	33.62	5712.22	45.7	5710.12	96.03	5709.26
113.89	5704.54	210.75	5704.58	226.65	5709.07	276.73	5708.79	291.09	5712.54
305.41	5712.62	323.55	5717.13						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	96.03	.1	226.65	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	323.55		415.26	415.73	416.34	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 142.4

INPUT

Description: cross section at river station 80+45

Station Elevation Data num= 29

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5714	9.75	5713	14.21	5712	17.98	5711	21.74	5710
38.75	5709	43.05	5708	47.24	5707	79.27	5706	101.96	5705
105.75	5704	110.16	5703	148.06	5703	216.15	5704	220.3	5705
227.08	5706	281.52	5707	285.91	5708	290.22	5709	306.09	5710
311.12	5711	315.38	5712	319.26	5713	323.1	5714	327.01	5715
330.16	5716	334.17	5717	335.92	5717	337.17	5716		

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	79.27	.04	227.08	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	9.75	319.26		400.94	540.66	774.84	.1	.3

CROSS SECTION

lomr.rep

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 141.6

INPUT

Description: cross section at river station 75+58

Station Elevation Data				num= 28					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5711	3.38	5710	6.78	5709	10.17	5708	26.43	5707
30.71	5706	34.87	5705	53.33	5704	90.54	5703	94.71	5702
99.22	5701	207.92	5701	211.66	5702	215.33	5703	239.27	5704
267.72	5705	272.93	5706	278.2	5707	293.62	5708	300.33	5709
304.25	5710	308.57	5711	313.38	5712	318.09	5713	322.86	5714
327.6	5715	335.03	5716	335.39	5716				

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	90.54	.04	215.33	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	308.57		569.21	474	372.73		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 140.8

INPUT

Description: Top of 3rd Drop Structure. Cross section at river station 70+87

Station Elevation Data				num= 12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5709.71	15.74	5706.13	33.76	5704.68	45.12	5702.07	94.59	5700.81
106.86	5698.38	214.96	5698.74	227.98	5701.17	277.07	5701.71	289.78	5704.27
304.79	5705.01	323.04	5709.96						

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	94.59	.1	227.98	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	323.04		37.27	37.5	38.21		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 140

lomr.rep

INPUT

Description: Bottom of 3rd Drop Structure. Cross section at river station 70+47

Station Elevation Data num= 12

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5709.67	19.68	5705.11	35.76	5704.62	48.07	5701.53	98.94	5700.59
112.45	5696.02	215.55	5696.15	227.77	5700.59	281.25	5701.46	291.45	5703.26
307.69	5704.53	329.15	5708.85						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	98.94	.1	227.77	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	329.15		34.13 42.09	62.78		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 139.7

INPUT

Description: Added X-Sec from As-built 8/21/06 50' Downstream of 3rd Drop Structure at JCC river station 70+02

Station Elevation Data num= 13

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5707.35	31.19	5705.41	49.24	5700.69	63.5	5700.6	101.94	5698.97
115.74	5695.16	219.18	5695.3	233.57	5699.21	282.8	5700.03	296.27	5702.85
316.11	5705.51	336.37	5708.32	367.23	5716.45				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	101.94	.1	233.57	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	336.37		114.06 102	90.9		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 139.3

INPUT

Description: cross section upstream of bridge at river station 69+00

Station Elevation Data num= 33

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-----	------	-----	------	-----	------	-----	------	-----	------

lomr.rep									
0	5706	3.93	5705	8.51	5704	14.8	5703	24.27	5702
30.09	5701	35.61	5700	44.14	5699	45.74	5698	81.98	5697
89.02	5696	170.69	5695	193.31	5695	199.85	5696	204.31	5697
214.16	5698	230.52	5699	244.39	5700	255.68	5701	263.36	5702
274.05	5703	289.2	5704	298.65	5705	306.61	5706	310.46	5707
314.36	5708	318.18	5709	322.03	5710	325.96	5711	329.81	5712
333.69	5713	337.57	5714	342.66	5715				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	81.98	.04	204.31	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	3.93	298.65		181.15	181.15		.1	.3

BRIDGE

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 138.8

INPUT

Description: DBCO Proposed Bridge
 Distance from Upstream XS = 1
 Deck/Roadway Width = 94
 Weir Coefficient = 2.6
 Upstream Deck/Roadway Coordinates

num=	2								
Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord
0	5719.15	5708.33	400	5719.09	5708.3				

Upstream Bridge Cross Section Data

Station	Elevation	Data	num=	33					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5706	3.93	5705	8.51	5704	14.8	5703	24.27	5702
30.09	5701	35.61	5700	44.14	5699	45.74	5698	81.98	5697
89.02	5696	170.69	5695	193.31	5695	199.85	5696	204.31	5697
214.16	5698	230.52	5699	244.39	5700	255.68	5701	263.36	5702
274.05	5703	289.2	5704	298.65	5705	306.61	5706	310.46	5707
314.36	5708	318.18	5709	322.03	5710	325.96	5711	329.81	5712
333.69	5713	337.57	5714	342.66	5715				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	81.98	.04	204.31	.04

Bank Sta:	Left	Right	Coeff	Contr.	Expan.
	3.93	298.65		.1	.3

lomr.rep

Downstream Deck/Roadway Coordinates

num= 2
 Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord
 0 5718.03 5708.55 400 5717.93 5708.4

Downstream Bridge Cross Section Data

Station Elevation Data num= 37

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5706	3.71	5705	7.44	5704	11.15	5703	15.15	5702
23.39	5701	32.85	5700	41.83	5699	51.22	5698	73.28	5697
92.72	5696	98.08	5695	101.37	5694	207.42	5694	211.31	5695
215.26	5696	231.22	5697	257.69	5698	266.41	5699	275.19	5700
284.89	5701	294.93	5702	304.62	5703	309.18	5704	313.02	5705
316.92	5706	320.76	5707	324.64	5708	328.5	5709	332.33	5710
336.22	5711	340.07	5712	343.92	5713	347.81	5714	351.68	5715
363.53	5716	368.34	5716						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	92.72	.04	215.26	.04

Bank Sta: Left Right Coeff Contr. Expan.
 3.71 313.02 .1 .3

Upstream Embankment side slope = 0 horiz. to 1.0 vertical
 Downstream Embankment side slope = 0 horiz. to 1.0 vertical
 Maximum allowable submergence for weir flow = .95
 Elevation at which weir flow begins = 5713.6
 Energy head used in spillway design =
 Spillway height used in design =
 Weir crest shape = Broad Crested

Number of Piers = 1

Pier Data

Pier Station Upstream= 152 Downstream= 152

Upstream	num= 2	Width	Elev	Width	Elev
3	5690	3	5711.8		

Downstream	num= 2	Width	Elev	Width	Elev
3	5690	3	5711.8		

Number of Bridge Coefficient Sets = 1

Low Flow Methods and Data
 Energy

Selected Low Flow Methods = Highest Energy Answer

High Flow Method
Energy Only

Additional Bridge Parameters

Add Friction component to Momentum

Do not add Weight component to Momentum

Class B flow critical depth computations use critical depth
inside the bridge at the upstream end

Criteria to check for pressure flow = Upstream energy grade line

BRIDGE OUTPUT Profile #FEMA 100-Year

E.G. US. (ft)	5704.22	Element	Inside BR US
Inside BR DS			
W.S. US. (ft)	5702.81	E.G. Elev (ft)	5704.20
5703.49			
Q Total (cfs)	12900.00	W.S. Elev (ft)	5702.64
5702.53			
Q Bridge (cfs)	12900.00	Crit W.S. (ft)	5701.73
5700.44			
Q Weir (cfs)		Max Chl Dpth (ft)	7.63
8.53			
Weir Sta Lft (ft)		Vel Total (ft/s)	10.02
7.83			
Weir Sta Rgt (ft)		Flow Area (sq ft)	1286.80
1646.49			
Weir Submerg		Froude # Chl	0.78
0.57			
Weir Max Depth (ft)		Specif Force (cu ft)	7986.08
8896.81			
Min El Weir Flow (ft)	5719.11	Hydr Depth (ft)	5.17
5.80			
Min El Prs (ft)	5708.33	W.P. Total (ft)	264.79
302.24			
Delta EG (ft)	1.14	Conv. Total (cfs)	144597.6
199580.1			
Delta WS (ft)	0.87	Top Width (ft)	248.89
284.05			
BR Open Area (sq ft)	2942.56	Frctn Loss (ft)	0.53
0.39			
BR Open Vel (ft/s)	10.02	C & E Loss (ft)	0.18
0.02			
BR Sluice Coef		Shear Total (lb/sq ft)	2.41
1.42			
BR Sel Method	Energy only	Power Total (lb/ft s)	24.21

11.13

Warning: Pier drag coefficient of 2.0 assumed for Class B flow.
 Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

BRIDGE OUTPUT Profile #DBPS-2015_100

E.G. US. (ft)	5708.19	Element	Inside BR US
Inside BR DS			
W.S. US. (ft)	5706.03	E.G. Elev (ft)	5708.16
5707.37			
Q Total (cfs)	26734.00	W.S. Elev (ft)	5705.78
5705.73			
Q Bridge (cfs)	26734.00	Crit W.S. (ft)	5704.79
5703.33			
Q Weir (cfs)		Max Chl Dpth (ft)	10.78
11.73			
Weir Sta Lft (ft)		Vel Total (ft/s)	12.37
10.26			
Weir Sta Rgt (ft)		Flow Area (sq ft)	2160.50
2604.81			
Weir Submerg		Froude # Chl	0.80
0.62			
Weir Max Depth (ft)		Specif Force (cu ft)	19631.43
21071.77			
Min El Weir Flow (ft)	5719.11	Hydr Depth (ft)	7.18
8.35			
Min El Prs (ft)	5708.33	W.P. Total (ft)	323.57
337.25			
Delta EG (ft)	1.27	Conv. Total (cfs)	299456.4
390523.5			
Delta WS (ft)	1.00	Top Width (ft)	300.94
311.89			
BR Open Area (sq ft)	2942.56	Frctn Loss (ft)	0.56
0.42			
BR Open Vel (ft/s)	12.37	C & E Loss (ft)	0.22
0.03			
BR Sluice Coef		Shear Total (lb/sq ft)	3.32
2.26			
BR Sel Method	Energy only	Power Total (lb/ft s)	41.11
23.19			

Warning: Pier drag coefficient of 2.0 assumed for Class B flow.

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 138.3

INPUT

Description: cross section downstream of bridge at river station 67+19

Station Elevation Data		num=		37					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5706	3.71	5705	7.44	5704	11.15	5703	15.15	5702
23.39	5701	32.85	5700	41.83	5699	51.22	5698	73.28	5697
92.72	5696	98.08	5695	101.37	5694	207.42	5694	211.31	5695
215.26	5696	231.22	5697	257.69	5698	266.41	5699	275.19	5700
284.89	5701	294.93	5702	304.62	5703	309.18	5704	313.02	5705
316.92	5706	320.76	5707	324.64	5708	328.5	5709	332.33	5710
336.22	5711	340.07	5712	343.92	5713	347.81	5714	351.68	5715
363.53	5716	368.34	5716						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	92.72	.04	215.26	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	3.71	313.02		298.68 310.69	324.82		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 138

INPUT

Description: cross section after full expansion at river station 64+80

Station Elevation Data		num=		31					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
34.98	5704.99	36.27	5704.99	38.94	5705.08	46.64	5704.4	52.78	5702.77
62.12	5700.09	72.51	5699.38	76.19	5699.35	80.17	5698.49	88.15	5696.62
121.84	5696.16	139.35	5695.71	147.94	5693.81	153.46	5692.55	218.45	5692.18
257.21	5692.34	263.25	5694.21	268.24	5695.52	298.9	5696.55	320.61	5696.93
326.55	5698.35	331.82	5699.36	338.71	5699.58	348.43	5699.78	367.96	5705.27
377.33	5707.9	404.67	5714.84	408.93	5715.12	416.88	5714.99	420.28	5714.76

lomr.rep

432.53 5715.84

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
34.98 .04 139.35 .04 268.24 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 36.27 367.96 341.96 348.12 366.74 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
REACH: Lorson Ranch RS: 137.6

INPUT

Description: Top of 2nd Drop Structure. Cross section at river station 60+65

Station Elevation Data num= 13
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5699.77 22.71 5697.1 45.39 5694.52 96.1 5693.4 112.46 5690.52
118.47 5688.97 160.79 5689.4 174.84 5690.55 219.38 5690.87 232.43 5693.37
275.82 5694.34 308.89 5697.97 332.35 5703.45

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
 0 .04 96.1 .04 232.43 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 0 332.35 45.37 48.07 45.37 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
REACH: Lorson Ranch RS: 136.8

INPUT

Description: Bottom of 2nd Drop Structure. Cross section at river station 60+27

Station Elevation Data num= 12
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5699.52 33.87 5694.74 52.23 5693.64 99.58 5693.44 116.16 5688.25
162.53 5687.6 173 5688.07 215.57 5688.59 234.22 5693.3 284.58 5694.24
315.47 5698.34 330.99 5701.34

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
 0 .04 99.58 .1 234.22 .04

lomr.rep

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	330.99		365.58 322.7	292.78		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 136

INPUT

Description: cross section at river station 56+89

Station Elevation Data				num= 47					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5703	4.1	5702	8.19	5701	12.3	5700	16.32	5699
20.45	5698	24.48	5697	29.02	5696	33.79	5695	50.42	5694
54.9	5693	59.67	5692	78.36	5691	112.72	5690	117.01	5689
121.25	5688	215.23	5687	230.97	5687	235.28	5688	239.65	5689
246.22	5690	291.75	5691	298.68	5692	302.61	5693	321.48	5694
325.35	5695	329.15	5696	332.89	5697	336.73	5698	340.5	5699
344.29	5700	348.13	5701	351.87	5702	355.68	5703	359.48	5704
363.21	5705	367.1	5706	370.87	5707	374.67	5708	378.43	5709
382.2	5710	386.02	5711	389.82	5712	393.61	5713	397.4	5714
473.92	5715	478.23	5715						

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	112.72	.04	246.22	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	20.45	336.73		332.63 332.63	332.63		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.6

INPUT

Description: cross section at river station 53+55

Station Elevation Data				num= 30					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5699.97	4.73	5699.9	7.76	5700.17	21.72	5696.79	37.46	5692.89
45.77	5692.66	55.52	5690.98	61.6	5690.98	67.16	5689.69	89.58	5689.23
114.62	5688.67	121.56	5687.02	127.94	5685.38	174.27	5685.57	232.68	5685.66
238.04	5686.99	244.64	5688.74	273.26	5689.28	293.72	5689.49	299.28	5690.79
306.82	5692.35	315.62	5692.55	320.43	5692.84	348.73	5700.21	373.68	5706.7
404.92	5714.31	408.47	5714.38	416.37	5714.69	417.55	5714.73	420.14	5714.71

lomr.rep

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	114.62	.04	244.64	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	21.72	348.73		62.7	55.42		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.55

INPUT

Description: Cross Section: Sta. 53+00.00

Station Elevation Data		num=		219	
Sta	Elev	Sta	Elev	Sta	Elev
0	5702.14	5899658	5702.13	10.40002	5702.05
26.40002	5701.98	37.76001	5701.96	38.32996	5701.96
83.58997	5701.93	83.81995	5701.93	84.69	5701.92
108.12	5701.93	109.14	5701.92	119.39	5701.95
129.72	5702	134.89	5701.86	138.8199	5701.76
160.45	5701.94	163.22	5701.94	165.09	5701.93
179.52	5702.4	179.98	5702.39	180.47	5702.37
201.69	5702	229.03	5701.85	238.3	5701.66
246.12	5701.14	249.09	5701.12	252.97	5701.06
254.2	5701	260.8	5700.65	266.34	5700.29
275.14	5700.02	277.2	5700	277.8	5700.28
294.7599	5699.14	306.15	5699.16	317.75	5698.98
377.77	5698.96	378.38	5698.96	379.12	5698.95
396.28	5698.93	405.56	5698.93	406.86	5698.92
418.77	5698.75	459.58	5698.03	468.37	5698.03
485.02	5698.01	487.77	5698.01	490.65	5698
503.03	5697.78	524.5099	5697.27	527.44	5697.22
532.02	5697	534.17	5696.46	536.02	5696
543.83	5694.05	544.02	5694	544.33	5693.92
565.8199	5692	567.35	5691.62	569.8199	5691
583.54	5689.56	596.4299	5689	608.63	5688.62
633.3199	5687	635.23	5686.52	637.3199	5686
668.74	5685.04	670.04	5685	679.24	5684.92
692.35	5685	692.36	5685	727.64	5685.63
751.33	5687	752.23	5687.22	755.33	5688
788.37	5689.01	788.71	5689.02	810.84	5690
815.36	5691.13	818.83	5692.82	829.8099	5692.62
838.9399	5693.58	840.63	5694	842.33	5694.42
848.63	5696	851.47	5696.75	851.97	5696.88
852.41	5697	852.63	5697	855.71	5697.79
856.51	5698	856.59	5698.02	860.51	5699

lomr.rep

868.27	5700.94	868.52	5701	868.58	5701.02	872.52	5702	872.58	5702.02
876.52	5703.87	876.56	99	5703.01	880.52	5704.88	0.56	99	5704.01
887.67	5705.79	891.11	5706.65	893.23	5707.18	896.52	5708.89	99.68	99
900.52	5709	903.09	5709.64	904.52	5710	906.11	5710.4	908.52	5711
911.85	5711.83	912.53	5712	915.91	5712.85	916.53	5713	920.04	5713.88
920.53	5714	936.91	5714.37	964.97	5715	975.5	5715	977.54	5714.5
979.54	5714	980.28	5713.81	983.54	5713	986.18	5712.34	987.54	5712
991.01	5711.13	991.54	5711.99	995.31	5710.06	995.54	5710	997.04	5709.63
999.55	5709	999.83	5708.93	1003.55	5708	1003.99	5707.89	1007.55	5707
1010.68	5706.22	1011.55	5706	1011.75	5705.95	1015.55	5705	1015.77	5704.94
1019.55	5704	1019.9	5703.91	1023.55	5703	1024	5702.89	1027.55	5702
1028.07	5701.87	1031.55	5701	1035.11	5700.11	1035.55	5700	1036.02	5699.88
1039.55	5699	1041.02	5698.63	1043.56	5698	1092.35	5697.63		

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	531.4	.04	848.63	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	531.4	848.63		29.38	29.37		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 135.50

INPUT

Description: Cross Section: Sta. 52+70.63

Station Elevation Data		num= 212							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5702.74	51.02	991	5702.66	54.07	996	5702.63	71.78	992
119.55	5702.53	125.65	5702.55	131.2	5702.58	135.77	5702.62	139.50	99
139.53	5702.04	139.86	99	5702.04	144.8	5702.26	159.14	5702.91	59
159.6	5702.92	163.17	99	5703	166.29	5703.05	166.75	99	5703.06
182.24	5703.49	189.11	99	5703.58	194.53	5703.65	194.80	99	5703.64
212.3	5703.01	213.16	5703.01	213.27	5703.21	4.05	99	5702.94	214.46
216.28	5702.83	232.11	99	5702.01	232.79	5702.01	232.92	99	5702
237.15	5701.84	237.73	5701.81	245.2	5701.29	248.53	5701.04	249.1	5701
249.3	5701	250.16	5700.95	259.24	99	5700.48	266.53	5700.1	267.36
268.1	5700.01	268.74	5700	268.79	5700	269.9	5699.94	281.18	99
288.6	5699.46	320.91	5698.93	326.04	5698.93	326.92	99	5698.92	379.08
380.46	5698.91	382.15	5698.89	383.99	99	5698.88	385.17	99	5698.88
400.2	5698.86	404.45	5698.85	408.7	5698.86	411.52	5698.83	415.53	5698.79
419.81	99	5698.74	437.2	5698.47	461.06	99	5698.05	467.05	5698.06
470.89	5698.05	472.05	5698.05	482.73	5698.02	487.39	5698.49	0.56	99
508.59	5697.53	533.11	99	5697.02	533.89	5697	536.95	5696.25	537.99
541.55	5695.14	542.11	5695	544.78	5694.35	546.22	5694	546.49	5693.93

lomr.rep

550.33	5693	563.34	5692.29	568.61	5692	569.35	5691.82	572.72	5691
576.1899	5690.15	576.83	5690.583	583.6199	5689.6	594.46	5689.602	572.599	5688.79
615.13	5688.47	633.36	5688	635.98	5687.34	637.36	5687	641.13	5686.06
641.36	5686	642.71	5685.946	51.2999	5685.62	667.74	5685	677.75	5684.91
680.47	5684.896	86.2999	5684.94	692.97	5685	696.96	5685.07	717.75	5685.42
752.52	56867	53.7999	5686.32	756.52	5687	759.47	5687.74	760.52	5688
786.86	5688.68	800.03	5689	811.38	5689.68	816.02	5690.817	2.2999	5690.32
820.02	5691	822.52	5691.63	824.02	5692	836.11	5692.688	39.1699	5692.85
841.8199	5693	844.35	5693.638	45.8199	5694	847.1	5694.328	49.8199	5695
852.2	5695.685	3.8199	5696.854	5.599	5696.2	857.61	5697.857	8.199	5697
859.21	5697.368	61.7499	5698	863.22	5698.378	65.7499	5699	868.9	5699.79
869.7499	5700	870.6	5700.218	73.7499	5701	875.23	5701.378	77.7599	5702
879.24	5702.378	81.7599	5703	883.24	5703.378	85.7599	5704.888	1.299	5704.59
889.7599	5705.892	4.999	5705.68	892.97	5705.889	3.7599	5706.894	5.499	5706.2
897.77	5707.901	0.699	5707.839	01.7599	5708	902.09	5708.089	05.7599	5709
906.5099	5709.19	906.89	5709.289	09.7599	5710	912.4	5710.66	912.83	5710.77
913.7599	5711.914	3.199	5711.149	17.7599	5712	918.4	5712.16	921.77	5713
922.5099	5713.19	925.77	5714	962.33	5714.829	70.5099	5715.980	6.799	5715
983.6899	5714.26	984.78	5714	988.39	5713.1	988.78	5713	992.78	5712
994.45	5711.58	996.78	5711	998.72	5710.52	1000.78	5710	1003.33	5709.36
1004.7	5709	1007.47	5708.31	1008.74	5708	1011.77	5707.24	1012.78	5707
1013.89	5706.72	1016.79	5706	1018.58	5705.55	1020.79	5705	1022.69	5704.52
1024.79	5704	1026.85	5703.48	1028.79	5703	1030.96	5702.46	1032.79	5702
1035.04	5701.44	1036.79	5701	1038.58	5700.55	1040.79	5700	1043.14	5699.41
1044.79	5699	1047.75	5698.26	1048.79	5698	1049.33	5697.87	1052.43	5697.85
1065.35	5697.79	1096.96	5697.62						

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
0	.04	533.89	.04853.8199

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	533.89	53.8199		55.38	35.02	20.44	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.47

INPUT

Description: Cross Section: Sta. 52+35.61

Station Elevation Data		num= 205	
Sta	Elev	Sta	Elev
0	5702.065	10034	5702.11
20.91	5702.478	7.32	5702.9
139.18	5702.9	139.75	5702.89
169.38	5702.56	171.57	5702.5

lomr.rep

205.91	5701.71	207.48	5701.67	208.13	5701.67	210.62	5701.6	216.36	5701.42
231.41	5700.82	237.55	5700.58	242.55	5700.38	244.83	5700.22	249.03	5700
262.71	5699.9	329.93	5698.8	333.59	5698.8	336.12	5698.79	338.61	5698.78
382.82	5698.77	386.42	5698.75	390.8	5698.73	395.6	5698.68	396.52	5698.68
401.72	5698.64	417.7	5698.64	424.83	5698.56	434.97	5698.46	445.86	5698.35
465.34	5698.05	476.95	5698.01	477.89	5698	479.08	5698	489.89	5697.81
538.62	5697	539.8	5696.71	541.37	5696.33	542.73	5696	544.45	5695.58
546.84	5695	548.5	5694.6	550.95	5694	553.96	5693.27	555.06	5693
566.3	5692.39	573.35	5692	576.05	5691.34	577.46	5691	577.72	5690.94
581.56	5690	585.72	5689.72	594.7	5689	609.14	5688.66	638.6	5688
639.49	5687.78	642.71	5687	645.52	5686.31	646.6	5686.05	646.79	5686
649.72	5685.86668.6801	668.6801	5685681.8101	5684.87	682.76	5684.86	687.84	5684.91	
696.4	5684.94	696.97	5685	703.47	5685.02	706.04	5685.03	725.17	5685.11
734.02	5685.08	754.63	5685.21756.4301	5685.46	758.13	5685.44	760.42	5686	
764.37	5686.97	764.47	5687	764.61	5687.03	768.52	5688	776.74	5688.17
792.2	5688.47	807.05	5688.75	820.23	5689	821.79	5689.27	824.73	5690
826.92	5690.54	828.78	5691	830.49	5691.42	834.21	5692	837.92	5692.2
847.45	5692.79	848.89	5692.88	850.11	5692.95	850.85	5693	852.67	5693.45
854.9	5694	858.89	5694.98	858.95	5695	859	5695.01	859.97	5695.25
862.84	5695.96	863	5696	864.93	5696.5	865.58	5696.67	865.92	5696.75
866.89	5697	867.05	5697	868.98	5697.47	869.67	5697.64	871.16	5698
871.59	5698.11	875.21	5699	875.67	5699.11	879.27	5700	879.75	5700.12
883.32	5701	883.83	5701.13	887.37	5702	887.91	5702.13	891.43	5703
894.89	5703.85	895.48	5704	897.1	5704.4	899.55	5705	901.59	5705.5
903.61	5706	905.6	5706.49	907.66	5707	909.68	5707.51	911.67	5708
914.78	5708.77	915.72	5709	917.65	5709.47	919.78	5710	922.29	5710.62
923.83	5711	927.38	5711.88	927.88	5712	931.58	5712.91	931.93	5713
935.96	5713.99	935.99	5714	936.34	5714.01	937.33	5714.03	948.27	5714.21
986	5714.43	988.53	5714.37	991.64	5714.3	994.56	5714.28	994.67	5714.25
995.11	5714.15	995.76	5714	996.09	5713.92	999.81	5713	1000.63	5712.8
1003.86	5712	1004.97	5711.73	1007.92	5711	1010.07	5710.47	1011.97	5710
1013.34	5709.62	1015.67	5709	1017.78	5708.49	1019.83	5708	1022.21	5707.43
1024.08	5707	1025.92	5706.55	1028.18	5706	1030.63	5705.4	1032.23	5705
1034.07	5704.55	1036.28	5704	1039	5703.33	1040.34	5703	1043.27	5702.28
1044.39	5702	1047.51	5701.23	1048.44	5701	1049.75	5700.68	1052.49	5700
1055.7	5699.21	1056.55	5699	1060.27	5698.08	1060.6	5698	1061.27	5697.83
1061.28	5697.83	1064.65	5697	1064.9	5697	1067.23	5697.01	1103.89	5697.08

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
0	.04	538.62	.04
		866.89	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	538.62	866.89		32.05	14.97		.1	.3

CROSS SECTION

lomr.rep

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch

RS: 135.34

INPUT

Description: Cross Section: Sta. 52+20.64 US Lorson Bridge

Station Elevation Data num= 163

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5701.373.630005	5701.4712.30005	5701.7218.90002	5701.8825.40002	5701.93				
77.28003	5702.2781.33008	5702.32 86.1001	5702.38 87.8501	5702.4188.65002	5702.41				
91.93005	5702.4593.05005	5702.4594.34009	5702.44134.9501	5702.42 138.25	5702.36				
140.9401	5702.3141.4701	5702.3145.2101	5702.22 166.78	5701.98171.8101	5701.85				
178.14	5701.69 193.61	5701.53199.9401	5701.34 203.72	5701.1208.6301	5700.97				
209.0001	5700.97216.8201	5700.75234.8301	5700.19236.8801	5700.11 237.71	5700.08				
239.65	5700245.6401	5699.97 245.91	5699.96 247.03	5699.96270.5601	5699.78				
333.54	5698.75 336.96	5698.75 340.15	5698.74 343.28	5698.73384.3201	5698.72				
388.8	5698.69394.2501	5698.66400.2401	5698.61 401.05	5698.61 407.53	5698.55				
421.29	5698.55 430.15	5698.46442.7501	5698.33456.2601	5698.19 467.04	5698.03				
474.6901	5698508.0101	5697.54 540.52	5697 541.34	5696.8 543.98	5696.16				
544.6301	5696 547.46	5695.31548.7401	5695 550.46	5694.58 552.85	5694				
555.04	5693.47 556.96	5693 573.73	5692.08575.2401	5692 575.54	5691.93				
579.35	5691 581.34	5690.52 583.46	5690 591.55	5689.33 594.79	5689				
616.3	5688.51640.4901	5688643.4501	5687.28 644.6	5687 646.59	5686.51				
648.71	5686651.5701	5685.87662.6401	5685.22 669.84	5685676.0701	5684.38				
684.29	5684.28 688.66	5684.19 691.52	5684.19697.3101	5684.75698.4401	5684.86				
699.29	5684.94 699.48	5684.96706.8401	5684.94716.0901	5684.92732.3201	5684.86				
734.77	5684.86 760.78	5684.99 761.36	5685762.5701	5685.29 765.51	5686				
769.13	5686.87 769.66	5687770.3301	5687.1774.2401	5687.52777.8101	5687.93				
778.6801	5688 798.8	5688.39 814.35	5688.72 821.11	5688.86 827.27	5689				
829.89	5689.63 831.42	5690833.2201	5690.43835.5701	5691844.1901	5691.64				
848.64	5692850.0001	5692.11 851.77	5692.3 857.42	5692.92858.1901	5693				
860.28	5693.5862.3401	5694 866.36	5694.97866.4901	5695 866.67	5695.04				
870.64	5696 871.05	5696.1874.7101	5697 874.79	5697 875.9	5697.24				
879.1201	5698 881.1	5698.48 883.28	5699885.3101	5699.49887.4301	5700				
889.51	5700.5891.5901	5701893.7201	5701.51895.7401	5702 897.92	5702.52				
899.9	5703901.8301	5703.46904.0601	5704 907.03	5704.72908.2101	5705				
909.2101	5705.24912.3701	5706913.1801	5706.2 916.52	5707 919.77	5707.79				
962.9401	5707.83 1010.17	5707.87 1018.81	5707.97 1023.15	5707.94 1030.18	5707.88				
1032.18	5707.75 1044.11	5707 1104.56	5707 1109.4	5706.89 1118.84	5706.7				
1153.1	5706 1154.53	5706 1166.8	5705.67 1182.84	5705.29 1194.54	5705				
1196.21	5705 1197.26	5704.98 1211.05	5704.62						

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	541.34	.04	871.05	.04

Bank	Sta: Left	Right	Lengths: Left	Channel	Right	Coeff Contr.	Expan.
	541.34	871.05	82.01	82.61	81.81	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 135.29

INPUT

Description: Cross Section: Sta. 51+38.03 - DS Lorson Bridge

Station Elevation Data num= 153

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5699.571.630005	5699.58	15.12	5699.6130.30005	5699.6242.43005	5699.64			
59.78003	5699.6767.31006	5699.6888.30005	5699.6890.76001	5699.67	105.02	5699.7			
110.1901	5699.7	112.79	5699.69118.4501	5699.69	121.3	5699.68136.8101	5699.65		
143.17	5699.65146.1801	5699.64149.3101	5699.63160.4401	5699.61	164.55	5699.6			
174.6101	5699.54188.1201	5699.46200.9901	5699.42207.9401	5699.36220.6401	5699.32				
232.3701	5699.29	242.4	5699.26250.9901	5699.19	258.52	5699.17	266.98	5699.14	
276.3201	5699.07286.5101	5699.03294.8201	5698.98299.0801	5698.95307.4901	5698.9				
314.7601	5698.85329.3801	5698.73	341.36	5698.64	349.05	5698.58369.6301	5698.25		
370.7501	5698.25380.4501	5698.2	389.97	5698.16	399.28	5698.16	412.61	5698.09	
425.8	5698	426.61	5698	438.92	5697.92	444.65	5697.88	464.27	5697.73
529.7501	5697.25	558.29	5697.01	559.46	5697	561.77	5696.44563.5701	5696	
566.0701	5695.39567.6801	5695568.8701	5694.71	571.79	5694574.3101	5693.38			
575.9	5693	582.47	5692.03	582.77	5692	583.03	5691.98	583.86	5691.93
598.29	5691602.1201	5690.07	602.4	5690602.7401	5689.92606.5001	5689			
621.9501	5688.61	644.42	5688650.2601	5687.66	663.54	5687	664.61	5686.74	
667.65	5686	670.54	5685.3671.7601	5685	684.17	5684.37	691.54	5684	
693.46	5683.99	700.41	5683.95	702.35	5683.96	709.38	5684721.1901	5684.16	
727.4401	5684.24727.9901	5684.25749.5701	5684.54	783.63	5685	784.38	5685.18		
787.4701	5685.92	787.79	5686	788.26	5686.11791.9401	5687803.7001	5687.43		
821.5801	5688822.8701	5688.04	824.48	5688.1839.8101	5688.62	849.55	5689		
851.3701	5689.44853.6901	5690	856.15	5690.59857.8401	5691859.9701	5691.12			
863.6901	5691.32	871.55	5691.74	874.38	5691.9876.3101	5692	878.86	5692.61	
880.4701	5693884.3101	5693.93884.6201	5694	885.28	5694.16	888.77	5695		
891.61	5695.68	892.92	5696	893.65	5696.17	897.16	5697	899.48	5697.52
901.67	5698	903.14	5698.35905.8201	5699907.3401	5699.37	909.98	5700		
911.55	5700.38	914.13	5701	915.76	5701.39	918.29	5702919.9601	5702.4	
922.4501	5703924.8701	5703.58	926.6	5704929.8301	5704.78	930.76	5705		
931.9501	5705.29	934.91	5706936.7001	5706.43939.0701	5707	942.89	5707.48		
944.4901	5707.49949.5801	5707.48	983.23	5707.89	1013.55	5707.88	1031.59	5707.71	
1067.65	5707.39	1081.5	5707	1096.42	5706.69	1130.1	5706	1138.7	5705.79
1172	5705	1175.8	5704.91	1211.05	5704.09				

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	561.77	.04	893.65	.04

Bank	Sta: Left	Right	Lengths: Left	Channel	Right	Coeff Contr.	Expan.
	561.77	893.65	10.4	25.15	44.27	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 135.25

INPUT

Description: Cross Section: Sta. 5112.888

Station Elevation Data num= 125

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5698.334.279968	5698.36.029968	5698.298.029968	5698.2925.29999	5698.18				
26.88995	5698.1741.46997	5698.0941.83997	5698.0956.03998	5698.0158.18994	5698				
74.46997	5697.9175.38995	5697.976.68994	5697.8979.56995	5697.86	120.08	5697.58			
126.79	5697.51	149.28	5697.35	166.86	5697.23	179.16	5697.15	196.83	5696.93
210.17	5696.84225.1899	5696.64	242.81	5696.4	267.97	5696.47	270.3	5696.47	
272.21	5696	273.04	5695.79	276.24	5695	280.12	5694.04280.2599	5694	
280.4399	5693.96	284.29	5693	287.91	5692.1288.3199	5692	303.97	5691.13	
306.24	5691	308.81	5690.36	310.27	5690	311.67	5689.65	314.29	5689
335.39	5688.3343.8799	5688	351.87	5687.71370.1899	5687	370.92	5686.82		
374.22	5686	375.85	5685.6	378.25	5685390.9399	5684.25394.8799	5684		
398.28	5683.98	405.04	5683.93	411.57	5683.98	415.15	5684	417.47	5684.03
419.99	5684.07	433.32	5684.25	459.9	5684.61	485.63	5684.96	486.89	5684.98
488.65	5685	489	5685.09	492.7	5686	496.56	5686.95	496.75	5687
497.2	5687.02	498.29	5687.05	518.2	5687.68	529.1	5688	541.89	5688.49
552.96	5689554.8099	5689.46	557.01	5690	561.04	5691561.0699	5691		
561.15	5691.01	561.38	5691.02	574.2	5691.71	577.87	5691.91	579.52	5692
583.15	5692.87	583.67	5693	586.34	5693.64587.8199	5694	588.14	5694.08	
591.97	5695	592.85	5695.21	596.13	5696	597.12	5696.23	597.9	5696.41
600.39	5697	602.03	5697.37	604.9	5698	606.84	5698.47609.0599	5699	
611.04	5699.48	613.22	5700	615.25	5700.49	617.37	5701	619.46	5701.5
621.53	5702	623.66	5702.51625.6799	5703	627.66	5703.48	629.84	5704	
632.45	5704.63	633.99	5705	635.98	5705.48	638.15	5706	640.59	5706.59
642.3099	5707	647.46	5707.65	649.62	5707.66	656.49	5707.65	679.2	5707.92
720.13	5707.91733.0699	5707.8	758.91	5707.56	779.02	5707	800.68	5706.54	
827.41	5706	841.8	5705.66	869.3	5705	878.79	5704.78	911.47	5704.01

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	272.21	.04	592.85	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	272.21	592.85		10.4	27.38	51.05	.1
							.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch

RS: 135.14

INPUT

Description: Cross Section: Sta. 50+85.05

Station Elevation Data num= 109

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5697.8338	38.39996	5697.6481	1.22998	5697.45	112.1	5697.27	174.61	5696.88
184.56	5696.78	190.67	5696.76200	0.8799	5696.66214	4.399	5696.53	241.79	5696.26
246	5696.24	266.27	5696.02	266.93	5696.02268	5.699	5696	269.03	5695.88
269.23	5695.83272	272.5699	5695.273	7.599	5694.7276	5.699	5694	278.09	5693.62
280.5699	5693	283.42	5692.29284	5.699	5692	300	5691.13	302.37	5691
305.8799	5690.12	306.37	5690	306.98	5689.85	310.37	5689	319.02	5688.6
330.67	5688	359.31	5687.19	365.87	5687.369	3.199	5686.14	369.87	5686
370.36	5685.88	373.87	5685	387.12	5684.18	389.84	5684	394.58	5683.96
401.5	5683.91	405.62	5683.94	413.38	5684	429.1	5684.22	441.59	5684.39
484.29	5685	485.38	5685.27	488.29	5686	492.12	5686.96	492.29	5687
493.22	5687.03	527.49	5688	543.66	5688.81	547.79	5689	548.87	5689.27
551.79	5690	554.65	5690.71	555.77	5690.99	555.83	5691	569.65	5691.75
570.09	5691.77574	2.999	5692	577.12	5692.68	578.45	5693	579.08	5693.15
582.61	5694	584	5694.34	586.76	5695	587.95	5695.29	590.91	5696
592.42	5696.35	593.27	5696.55	593.73	5696.65	595.2	5697	596.16	5697.22
599.72	5698	602.12	5698.58	603.88	5699	606.33	5699.59	608.03	5700
610.53	5700.6612	1.1899	5701	614.74	5701.61	616.35	5702.618	9.399	5702.62
620.5	5703	622.02	5703.37	624.66	5704	626.66	5704.48628	8.099	5705
631.59	5705.67	632.97	5706.636	0.599	5706.74	637.12	5707	643.61	5707.82
646.33	5707.83	654.98	5707.82	666.75	5707.96	718.3	5707.95	726.12	5707.88
741.7599	5707.73	768.12	5707	796.53	5706.4	816.3	5706	836.49	5705.52
858.1899	5705	873.35	5704.64	900.78	5704	903.47	5703.92		

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04272	5699	.04	584	.04

Bank	Sta: Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	272.5699	584	65.5	70.05	70.3	.1	.3	

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch

RS: 134.89

INPUT

Description: Cross Section: Sta. 50+15.00

Station Elevation Data num= 134

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5697.383	1.09985	5697.3611	1.16998	5697.2837	5.2002	5697.2775	2.7002	5697.08
103.58	5696.96	161.74	5696.62	260.63	5696	267.21	5696	267.69	5695.88

lomr.rep									
271.21	5695	274.7	5694.13	275.21	5694	276.25	5693.74	276.3	5693.73
279.21	5693	281.24	5692.49	283.21	5692	296.45	5691.2	300.14	5691
301.17	5690.72	305.01	5690	307.18	5689.46	309	5689	312.18	5688.21
313.51	5688	337.19	5687.53	363.64	5687	366.39	5686.53	368.51	5686
371.81	5685.18	372.51	5685	373.44	5684.77	376.51	5684	381.94	5683.94
391.87	5683.94	399.8	5683.74	407.27	5683	417.41	5683	424.81	5683.75
425.93	5683.87	429.11	5683.9	435.77	5683.97	441.22	5683.95	454.45	5683.92
469.03	5683.96	481.66	5684	483.48	5684.45	485.66	5685	489.19	5685.88
489.66	5686	490.59	5686.23	494.53	5687	521.74	5687.54	544.66	5688
548.41	5688.88	549.17	5689	549.63	5689.12	553.16	5690	554.09	5690.23
558.03	5691	565.3	5691.43572.9301	5691.87	574.2	5691.95	574.96	5692	
575.17	5692.05	578.96	5693	581.86	5693.73	582.96	5694.583.4301	5694.12	
586.96	5695	587.64	5695.17	590.96	5696	591.55	5696.14	595.22	5697
598.15	5697.67	599.61	5698	600.95	5698.34	603.61	5699.606.4301	5699.7	
607.61	5700	608.79	5700.29	611.61	5701	612.98	5701.34	615.61	5702
616.99	5702.34	619.62	5703	620.99	5703.34	623.62	5704	625.97	5704.58
625.99	5704.59	627.71	5705	628.14	5705.1	631.86	5706	633.98	5706.51
636.02	5707	638.23	5707.53	640.21	5708	642.32	5708.51	644.37	5709
648.29	5709.94	648.52	5710	648.77	5710.06	652.68	5711	655.28	5711.62
656.84	5712	659.69	5712.69	660.99	5713	664.19	5713.77	665.15	5714
730.92	5714	741.88	5713.2	744.17	5713	744.39	5712.98	755.28	5712
767.4	5711.15	769.22	5711	772.4	5710.73	779.83	5710	786.64	5709.48
791.99	5709	796.68	5708.64	803.92	5708	807.11	5707.8	818.84	5707
822.88	5706.68	833.9	5706	842.6	5705.48	847.62	5705	869.49	5704.21
871.03	5704	872.41	5703.98	877.65	5703.77	888.26	5703.46		

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
0	.04	276.25	.04572.9301

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	276.25	572.9301		139.22 155.06	171.54		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 134.8

INPUT
 Description: cross section at river station 48+60
 Station Elevation Data num= 26

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
14.23	5694.36	16.34	5694.3	19.99	5694.16	27.07	5692.41	38.81	5690.46
42.1	5689.1	46.56	5688.84	57.83	5687.47	68.56	5686.56	94.05	5686.09
109.58	5685.69	117.25	5684.06	125.03	5683.03	189.73	5683.42	227.03	5683.66
240.5	5685.63	249.25	5686	250.63	5686.23	279.1	5687.16	303.64	5689.69
306.83	5689.94	309.41	5690.32	322.07	5691.1	328.47	5691.8	344.19	5694.5

lomr.rep

364.83 5698

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
14.23 .04 109.58 .04 240.5 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
14.23 344.19 293.5 293.5 293.5 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
REACH: Lorson Ranch RS: 134.4

INPUT

Description: cross section at river station 45+66

Station Elevation Data num= 26
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
0 5693 3.79 5692 7.73 5691 11.95 5690 24.2 5689
32.15 5688 36.95 5687 41.69 5686 73.46 5685 95.45 5684
100.01 5683 104.28 5682 211.8 5682 216.04 5683 219.98 5684
223.96 5685 274.24 5686 277.81 5687 281.45 5688 285.28 5689
301.94 5690 306.63 5691 311.47 5692 316.12 5693 321.08 5694
325.51 5694

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
0 .04 73.46 .04 223.96 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
0 325.51 355.07 354.08 353.89 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
REACH: Lorson Ranch RS: 133.6

INPUT

Description: Top of 1st Drop structure. Cross section at river station 42+23

Station Elevation Data num= 11
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
0 5691.5 11.64 5688.01 26.63 5687.04 38.33 5683.84 87.05 5683.82
104.97 5680.06 214.45 5680.55 227.02 5682.94 273.26 5683.65 287.07 5686.42
302.1 5691.5

Manning's n Values num= 3

				lomr.rep	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	87.05	.04	227.02	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	302.1		26.2 33.79	40.65		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 132.8

INPUT

Description: Bottom of 1st Drop Structure

Station Elevation Data				num= 10					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5691.5	29.68	5687.37	44.6	5684.28	96.87	5682.41	107.54	5678.12
211.01	5677.64	230.76	5683.01	271.29	5683.46	287.43	5685.45	304.33	5691.5

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	96.87	.1	230.76	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	304.33		62.43 46.96	42.48		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 132.2

INPUT

Description: 50' Downstream of 1st Drop Structure

Station Elevation Data				num= 9					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5691.5	86.2	5686.17	147.01	5684.19	167.37	5677.39	226.83	5675.48
250.88	5681.85	295.86	5683.09	324.1	5686.54	344.03	5690		

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	147.01	.1	250.88	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	344.03		116.68 93.22	58.58		.1	.3

CROSS SECTION

lomr.rep

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 132

INPUT

Description: FEMA cross section AI

Station Elevation Data		num= 21							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5691.4	35	5692.2	99	5686.8	141	5684.4	158	5682
178	5679.4	225	5679.4	247	5679.4	281	5680.4	365	5683.6
508	5682.8	527	5684.2	616	5686.2	728	5687.8	850	5691
910	5691.8	919	5690.8	934	5692.2	1169	5691.8	1312	5692.4
1446	5692.6								

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	141	.04	281	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	141	281		1660 1780	1850		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 128

INPUT

Description: FEMA cross section AH

Station Elevation Data		num= 13							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5683	156	5681	213	5680.2	340	5679.2	354	5678.2
520	5675	549	5672	599	5670.6	643	5672.6	671	5676.6
708	5675.2	758	5679.8	816	5681.4				

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	549	.04	643	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	549	643		1041 1030	1010		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 124

lomr.rep

INPUT

Description: FEMA cross section AG

Station Elevation Data		num= 16							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1000	5676	1058	5670.7	1145	5673.4	1183	5671.9	1283	5670.6
1408	5670	1503	5669.5	1581	5671.4	1673	5671.3	1748	5664.1
1833	5664.2	1923	5671.6	1973	5674.6	2121	5674.8	2229	5675.5
2281	5680.1								

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
1000	.045	1673	.045	1923	.045

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1673	1923		90	90		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 120.4

INPUT

Description: Intermediate station downstream of FEMA cross section AG

Station Elevation Data		num= 16							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1000	5676	1058	5670.7	1145	5673.4	1183	5671.9	1283	5670.6
1408	5670	1503	5669.5	1581	5671.4	1673	5671.3	1748	5664.1
1833	5664.2	1923	5671.6	1973	5674.6	2121	5674.8	2229	5675.5
2281	5680.1								

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
1000	.045	1673	.045	1923	.045

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1673	1923		0	0		.1	.3

SUMMARY OF MANNING'S N VALUES

River: Jimmy Camp Creek

Reach	River Sta.	n1	n2	n3	n4
Lorson Ranch	160	.06	.04	.06	
Lorson Ranch	156	.06	.04	.06	

		lomr.rep			
Lorson Ranch	155.2*	.06	.04	.04	.06
Lorson Ranch	154.4*	.06	.04	.06	
Lorson Ranch	153.6*	.06	.04	.06	
Lorson Ranch	152.8*	.06	.04	.06	
Lorson Ranch	152	.06	.04	.06	
Lorson Ranch	151.333*	.06	.03	.06	
Lorson Ranch	150.666*	.06	.03	.06	
Lorson Ranch	150.*	.06	.03	.06	
Lorson Ranch	149.333*	.06	.03	.06	
Lorson Ranch	148.666*	.06	.03	.06	
Lorson Ranch	148	.06	.167	.06	
Lorson Ranch	147.992*	.06	.167	.06	
Lorson Ranch	147.985*	.06	.167	.06	
Lorson Ranch	147.978*	.06	.167	.06	
Lorson Ranch	147.971*	.06	.167	.06	
Lorson Ranch	147.964*	.06	.167	.06	
Lorson Ranch	147.957*	.06	.167	.06	
Lorson Ranch	147.95*	.06	.167	.06	
Lorson Ranch	147.942*	.06	.167	.06	
Lorson Ranch	147.935*	.06	.167	.06	
Lorson Ranch	147.928*	.06	.167	.06	
Lorson Ranch	147.921*	.06	.167	.06	
Lorson Ranch	147.914*	.06	.167	.06	
Lorson Ranch	147.907*	.06	.167	.06	
Lorson Ranch	147.9	.06	.167	.06	
Lorson Ranch	147.8	.04	.1	.04	
Lorson Ranch	147.7	.04	.1	.04	
Lorson Ranch	147.6	.04	.1	.04	
Lorson Ranch	147.2	.04	.1	.04	
Lorson Ranch	146.3	.04	.06	.04	
Lorson Ranch	146.1	.04	.04	.04	
Lorson Ranch	145.6	.04	.06	.04	
Lorson Ranch	144.7	.04	.06	.04	
Lorson Ranch	144.6	.04	.06	.04	
Lorson Ranch	144.4	.04	.04	.04	
Lorson Ranch	144	.045	.04	.045	
Lorson Ranch	143.2	.04	.1	.04	
Lorson Ranch	142.4	.04	.04	.04	
Lorson Ranch	141.6	.04	.04	.04	
Lorson Ranch	140.8	.04	.1	.04	
Lorson Ranch	140	.04	.1	.04	
Lorson Ranch	139.7	.04	.1	.04	
Lorson Ranch	139.3	.04	.04	.04	
Lorson Ranch	138.8	Bridge			
Lorson Ranch	138.3	.04	.04	.04	
Lorson Ranch	138	.04	.04	.04	
Lorson Ranch	137.6	.04	.04	.04	
Lorson Ranch	136.8	.04	.1	.04	

		lomr.rep		
Lorson Ranch	136	.04	.04	.04
Lorson Ranch	135.6	.04	.04	.04
Lorson Ranch	135.55	.04	.04	.04
Lorson Ranch	135.50	.04	.04	.04
Lorson Ranch	135.47	.04	.04	.04
Lorson Ranch	135.34	.04	.04	.04
Lorson Ranch	135.29	.04	.04	.04
Lorson Ranch	135.25	.04	.04	.04
Lorson Ranch	135.14	.04	.04	.04
Lorson Ranch	134.89	.04	.04	.04
Lorson Ranch	134.8	.04	.04	.04
Lorson Ranch	134.4	.04	.04	.04
Lorson Ranch	133.6	.04	.04	.04
Lorson Ranch	132.8	.04	.1	.04
Lorson Ranch	132.2	.04	.1	.04
Lorson Ranch	132	.06	.04	.06
Lorson Ranch	128	.06	.04	.06
Lorson Ranch	124	.045	.045	.045
Lorson Ranch	120.4	.045	.045	.045

SUMMARY OF REACH LENGTHS

River: Jimmy Camp Creek

Reach	River Sta.	Left	Channel	Right
Lorson Ranch	160	1119.96	1140	1160.04
Lorson Ranch	156	275.98	331.97	360
Lorson Ranch	155.2*	275.98	331.97	360
Lorson Ranch	154.4*	275.98	331.97	360
Lorson Ranch	153.6*	275.98	331.97	360
Lorson Ranch	152.8*	275.98	331.97	360
Lorson Ranch	152	358.33	344.96	306.81
Lorson Ranch	151.333*	358.33	344.96	306.81
Lorson Ranch	150.666*	358.33	344.96	306.81
Lorson Ranch	150.*	358.33	344.96	306.81
Lorson Ranch	149.333*	358.33	344.96	306.81
Lorson Ranch	148.666*	358.33	344.96	306.81
Lorson Ranch	148	6.5	9.85	13.43
Lorson Ranch	147.992*	6.5	9.85	13.43
Lorson Ranch	147.985*	6.5	9.85	13.43
Lorson Ranch	147.978*	6.5	9.85	13.43
Lorson Ranch	147.971*	6.5	9.85	13.43
Lorson Ranch	147.964*	6.5	9.85	13.43
Lorson Ranch	147.957*	6.5	9.85	13.43

		lomr.rep		
Lorson Ranch	147.95*	6.5	9.85	13.43
Lorson Ranch	147.942*	6.5	9.85	13.43
Lorson Ranch	147.935*	6.5	9.85	13.43
Lorson Ranch	147.928*	6.5	9.85	13.43
Lorson Ranch	147.921*	6.5	9.85	13.43
Lorson Ranch	147.914*	6.5	9.85	13.43
Lorson Ranch	147.907*	6.5	9.85	13.43
Lorson Ranch	147.9	44.6	56.43	10.77
Lorson Ranch	147.8	51.82	39.16	664.1
Lorson Ranch	147.7	103.99	99.4	95.42
Lorson Ranch	147.6	173.91	186.52	199.66
Lorson Ranch	147.2	50.74	63.56	56.41
Lorson Ranch	146.3	47.58	47.58	47.58
Lorson Ranch	146.1	90.06	120.53	150.87
Lorson Ranch	145.6	55.82	58.14	60.59
Lorson Ranch	144.7	70.87	70.87	70.87
Lorson Ranch	144.6	138.02	138.02	138.02
Lorson Ranch	144.4	174.49	178.55	183.34
Lorson Ranch	144	46.66	45.83	45.03
Lorson Ranch	143.2	415.26	415.73	416.34
Lorson Ranch	142.4	400.94	540.66	774.84
Lorson Ranch	141.6	569.21	474	372.73
Lorson Ranch	140.8	37.27	37.5	38.21
Lorson Ranch	140	34.13	42.09	62.78
Lorson Ranch	139.7	114.06	102	90.9
Lorson Ranch	139.3	181.15	181.15	181.15
Lorson Ranch	138.8	Bridge		
Lorson Ranch	138.3	298.68	310.69	324.82
Lorson Ranch	138	341.96	348.12	366.74
Lorson Ranch	137.6	45.37	48.07	45.37
Lorson Ranch	136.8	365.58	322.7	292.78
Lorson Ranch	136	332.63	332.63	332.63
Lorson Ranch	135.6	62.7	55.42	47.48
Lorson Ranch	135.55	29.38	29.37	9.53
Lorson Ranch	135.50	55.38	35.02	20.44
Lorson Ranch	135.47	32.05	14.97	8.17
Lorson Ranch	135.34	82.01	82.61	81.81
Lorson Ranch	135.29	10.4	25.15	44.27
Lorson Ranch	135.25	10.4	27.38	51.05
Lorson Ranch	135.14	65.5	70.05	70.3
Lorson Ranch	134.89	139.22	155.06	171.54
Lorson Ranch	134.8	293.5	293.5	293.5
Lorson Ranch	134.4	355.07	354.08	353.89
Lorson Ranch	133.6	26.2	33.79	40.65
Lorson Ranch	132.8	62.43	46.96	42.48
Lorson Ranch	132.2	116.68	93.22	58.58
Lorson Ranch	132	1660	1780	1850
Lorson Ranch	128	1041	1030	1010

		lomr.rep		
Lorson Ranch	124	90	90	90
Lorson Ranch	120.4	0	0	0

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS
River: Jimmy Camp Creek

Reach	River Sta.	Contr.	Expan.
Lorson Ranch	160	.1	.3
Lorson Ranch	156	.1	.3
Lorson Ranch	155.2*	.1	.3
Lorson Ranch	154.4*	.1	.3
Lorson Ranch	153.6*	.1	.3
Lorson Ranch	152.8*	.1	.3
Lorson Ranch	152	.1	.3
Lorson Ranch	151.333*	.1	.3
Lorson Ranch	150.666*	.1	.3
Lorson Ranch	150.*	.1	.3
Lorson Ranch	149.333*	.1	.3
Lorson Ranch	148.666*	.1	.3
Lorson Ranch	148	.1	.3
Lorson Ranch	147.992*	.1	.3
Lorson Ranch	147.985*	.1	.3
Lorson Ranch	147.978*	.1	.3
Lorson Ranch	147.971*	.1	.3
Lorson Ranch	147.964*	.1	.3
Lorson Ranch	147.957*	.1	.3
Lorson Ranch	147.95*	.1	.3
Lorson Ranch	147.942*	.1	.3
Lorson Ranch	147.935*	.1	.3
Lorson Ranch	147.928*	.1	.3
Lorson Ranch	147.921*	.1	.3
Lorson Ranch	147.914*	.1	.3
Lorson Ranch	147.907*	.1	.3
Lorson Ranch	147.9	.1	.3
Lorson Ranch	147.8	.1	.3
Lorson Ranch	147.7	.1	.3
Lorson Ranch	147.6	.1	.3
Lorson Ranch	147.2	.1	.3
Lorson Ranch	146.3	.1	.3
Lorson Ranch	146.1	.1	.3
Lorson Ranch	145.6	.1	.3
Lorson Ranch	144.7	.1	.3
Lorson Ranch	144.6	.1	.3

			lomr.rep	
Lorson Ranch	144.4		.1	.3
Lorson Ranch	144		.1	.3
Lorson Ranch	143.2		.1	.3
Lorson Ranch	142.4		.1	.3
Lorson Ranch	141.6		.1	.3
Lorson Ranch	140.8		.1	.3
Lorson Ranch	140		.1	.3
Lorson Ranch	139.7		.1	.3
Lorson Ranch	139.3		.1	.3
Lorson Ranch	138.8	Bridge		
Lorson Ranch	138.3		.1	.3
Lorson Ranch	138		.1	.3
Lorson Ranch	137.6		.1	.3
Lorson Ranch	136.8		.1	.3
Lorson Ranch	136		.1	.3
Lorson Ranch	135.6		.1	.3
Lorson Ranch	135.55		.1	.3
Lorson Ranch	135.50		.1	.3
Lorson Ranch	135.47		.1	.3
Lorson Ranch	135.34		.1	.3
Lorson Ranch	135.29		.1	.3
Lorson Ranch	135.25		.1	.3
Lorson Ranch	135.14		.1	.3
Lorson Ranch	134.89		.1	.3
Lorson Ranch	134.8		.1	.3
Lorson Ranch	134.4		.1	.3
Lorson Ranch	133.6		.1	.3
Lorson Ranch	132.8		.1	.3
Lorson Ranch	132.2		.1	.3
Lorson Ranch	132		.1	.3
Lorson Ranch	128		.1	.3
Lorson Ranch	124		.1	.3
Lorson Ranch	120.4		.1	.3

Profile Output Table - Bridge Only

Reach	River Sta	Profile	E.G. US.	Min El Prs	BR Open Area
Prs O WS	Q Total	Min El Weir Flow	Q Weir	Delta EG	BR Sluice Coef
(ft)	(cfs)	(ft)	(cfs)	(ft)	(sq ft)
Lorson Ranch	138.8	FEMA 100-Year	5704.22	5708.33	2942.56
	12900.00	5719.11	1.14		
Lorson Ranch	138.8	DBPS-2015_100	5708.19	5708.33	2942.56
	26734.00	5719.11	1.27		

lomr.rep

lomr.rep

HEC-RAS HEC-RAS 5.0.3 September 2016
U.S. Army Corps of Engineers
Hydrologic Engineering Center
609 Second Street
Davis, California

X	X	XXXXXX	XXXX	XXXX	XX	XXXX
X	X	X	X	X	X	X
X	X	X	X	X	X	X
XXXXXXX	XXXX	X	XXX	XXXX	XXXXXX	XXXX
X	X	X	X	X	X	X
X	X	X	X	X	X	X
X	X	XXXXXX	XXXX	X	X	XXXXX

PROJECT DATA

Project Title: LOMR w/ Lorson Bridge

Project File : lomr.prj

Run Date and Time: 9/24/2017 1:17:16 PM

Project in English units

Project Description:

8/21/06 JCB: Pentacor Engineering added a new geometry file based on as-built information on drop structures given by RMLS.

8/2/06 JCB: Pentacor

Engineering added a new geometry file based on as-built information on drop structures.

7/12/06 ALB: Pentacor Engineering added a new geometry file based on as-built information (received from Rocky Mountain Land Services). This file will be used to support the LOMR application for the main channel of Jimmy Camp Creek

6/16/06 ALB: Pentacor Engineering added a new geometry file to simulate the proposed Lorson Boulevard Bridge. Results of the analysis with the bridge were used to perform scour and stable particle size analysis for the channel in the vicinity of the bridge.

02/13/06 JDH: Revisions to account for moving of northernmost drop structure and regrading of northern channel taper by PentaCorp. Correct problem with starting water surface elevation boundary condition and reinsert floodway profile (but not

lomr.rep

encroachment information). Main solution was to adjust Manning's n upward to 0.167 to force WSEL at Station 148 to increase to a point where effects of hydraulic jump in channel transition does not carry upstream and provide erroneous water surface elevations.

11/10/05 JDH: Cross-section data from original CLOMR submittal was revised to include an additional bench and low flow channel based on USACE comments regarding balancing of sediment transport. Once project is constructed a LOMR will need to be submitted which will require modifications to this model to include Floodway modeling for comparison with Duplicate Effective Floodway model results.

08/02/05 JDH: Base model copied from CLOMR submittal's proposed conditions model. Modified to include wing wall configuration at bridge for purpose of modeling abutment scour.

04/12/17 CJB: Added Flows to LOMR Steady Flow Data from DBPS 2015 for freeboard and scour computation of Lorson Bridge

04/12/17 CJB: LOMR model copied for inclusion of Lorson Bridge. Modified to include additional sections for bridge hydraulics analysis channel grading for freeboard and scour calculations.

09/25/17 CJB: Final Model revised for Final Report. Manning's n revised at Lorson Bridge for armament limits and n values for depth of flow.

PLAN DATA

Plan Title: Lorson Bridge (Proposed)

Plan File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson Bridge-Final\lomr.p04

Geometry Title: Lorson Bridge - From LOMR (Final)

Geometry File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson Bridge-Final\lomr.g06

Flow Title : FIS Flows for LOMR

Flow File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson Bridge-Final\lomr.f01

Plan Description:

Lorson Bridge Analysis (Proposed) (09/25/17) - Final

lomr.rep

Spill thru abutments w/
bike trail shifted around bridge abutment

Plan Summary Information:

Number of:	Cross Sections =	68	Multiple Openings =	0
	Culverts =	0	Inline Structures =	0
	Bridges =	2	Lateral Structures =	0

Computational Information

Water surface calculation tolerance	=	0.01
Critical depth calculation tolerance	=	0.01
Maximum number of iterations	=	20
Maximum difference tolerance	=	0.3
Flow tolerance factor	=	0.001

Computation Options

Critical depth computed at all cross sections
Conveyance Calculation Method: Between every coordinate point (HEC2 Style)
Friction Slope Method: Average Conveyance
Computational Flow Regime: Subcritical Flow

FLOW DATA

Flow Title: FIS Flows for LOMR

Flow File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson
Bridge-Final\lomr.f01

Flow Data (cfs)

River	Reach	RS	FEMA 100-Year	FEMA 10-Year	FEMA
50-YearFEMA 100-Year_FW	FEMA 500-Year	DBPS-2015_10	DBPS-2015_100		
DBPS-2015_500					
Jimmy Camp CreekLorson Ranch	160	11800	6100		
9800	11800	15000	13402	26734	
32081					
Jimmy Camp CreekLorson Ranch	152	12600	6600		
10500	12600	16100	13402	26734	
32081					
Jimmy Camp CreekLorson Ranch	141.6	12900	6800		
10700	12900	16400	13402	26734	
32081					

River	Reach	RS	DBPS_EX_100	DBPS_EX_500
Jimmy Camp Creek	Lorson Ranch	160	17709	21251
Jimmy Camp Creek	Lorson Ranch	152	17709	21251
Jimmy Camp Creek	Lorson Ranch	141.6	17709	21251

Boundary Conditions

River Downstream	Reach	Profile	Upstream
Jimmy Camp Creek	Lorson Ranch	FEMA 100-Year	Critical
Known WS = 5675.33			
Jimmy Camp Creek	Lorson Ranch	FEMA 10-Year	Critical
Known WS = 5673.5			
Jimmy Camp Creek	Lorson Ranch	FEMA 50-Year	Critical
Known WS = 5674.91			
Jimmy Camp Creek	Lorson Ranch	FEMA 100-Year_FW	Critical
Known WS = 5675.7			
Jimmy Camp Creek	Lorson Ranch	FEMA 500-Year	Critical
Known WS = 5676.21			
Jimmy Camp Creek	Lorson Ranch	DBPS-2015_10	Critical
Known WS = 5675.85			
Jimmy Camp Creek	Lorson Ranch	DBPS-2015_100	Critical
Known WS = 5678.22			
Jimmy Camp Creek	Lorson Ranch	DBPS-2015_500	Critical
Known WS = 5678.85			
Jimmy Camp Creek	Lorson Ranch	DBPS_EX_100	Critical
Known WS = 5676.81			
Jimmy Camp Creek	Lorson Ranch	DBPS_EX_500	Critical
Known WS = 5677.43			

Observed Water Surface Marks

River	Reach	RS	FEMA 100-Year	FEMA 10-Year	FEMA
50-YearFEMA 100-Year_FW		FEMA 500-Year	DBPS-2015_10	DBPS-2015_100	
DBPS-2015_500					
Jimmy Camp Creek	Lorson Ranch	160	5762.42	5760.95	

lomr.rep

Jimmy Camp Creek	Lorson Ranch	156	5753.93	
Jimmy Camp Creek	Lorson Ranch	152	5741.68	5739.8

River	Reach	RS	DBPS_EX_100	DBPS_EX_500
Jimmy Camp Creek	Lorson Ranch	160		
Jimmy Camp Creek	Lorson Ranch	156		
Jimmy Camp Creek	Lorson Ranch	152		

GEOMETRY DATA

Geometry Title: Lorson Bridge - From LOMR (Final)
 Geometry File : g:\Engineering\Projects\JimmyCamp\20.6 Models\Lorson Bridge-Final\lomr.g06

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 160

INPUT

Description: FEMA cross section AP

Station Elevation Data		num=		36					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5773	23	5771	74	5769.7	116	5769	126	5768
143	5772	163	5767	185	5763.7	227	5763	343	5764.2
401	5765.2	460	5763.7	499	5762.5	600	5760	625	5760.7
641	5767	893	5768.2	996	5769.2	1078	5768.7	1148	5765
1215	5764.2	1316	5764.7	1349	5759.5	1394	5757.7	1523	5757.7
1560	5756.7	1618	5757.2	1659	5758.7	1673	5764	1680	5762.5
1691	5765.2	1731	5765.5	1752	5765.5	1774	5768.2	1812	5770.2
1985	5769.2								

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	1523	.04	1691	.06

lomr.rep

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1523	1691		1119.96 1140	1160.04		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 156

INPUT

Description: FEMA cross section A0

Station Elevation Data		num=		33					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
551	5761.2	751	5760.5	817	5759.2	920	5760.2	957	5759.2
981	5761.2	1002	5757.7	1043	5757	1139	5758	1214	5756.5
1236	5758	1269	5759.7	1300	5758	1404	5756	1450	5758.2
1580	5759.7	1630	5751.7	1696	5750.2	1765	5750.5	1792	5752
1828	5750.7	1863	5750	1945	5749	1988	5748.7	2031	5749.7
2067	5750.4	2079	5754.7	2218	5753.7	2264	5755.4	2285	5759.4
2297	5758.2	2344	5758.2	2355	5760.4				

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
551	.06	1792	.04	2079	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1792	2079		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 155.2*

INPUT

Description:

Station Elevation Data		num=		44					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
840.8	5757.16	1007.09	5756.53	1061.96	5755.46	1147.6	5756.22	1178.36	5755.41
1198.31	5757	1215.77	5754.19	1249.86	5753.62	1290.56	5754.01	1329.68	5754.28
1392.04	5752.88	1410.33	5754.02	1437.76	5755.3	1463.54	5753.85	1481.05	5753.48
1550.01	5752.39	1588.25	5754.25	1696.34	5755.74	1719.15	5752.29	1737.91	5749.35
1792.78	5747.99	1850.15	5748.06	1872.6	5749.2	1903.38	5748.05	1933.31	5747.38
2003.43	5746.33	2040.2	5745.96	2058.6	5745.96	2062.6	5745.96	2098.7	5747.61
2128.93	5748.88	2139	5752.56	2161.29	5753.44	2185.29	5753.3	2205	5753.8
2284.04	5756.23	2293.29	5756.82	2306.14	5757.99	2332.04	5759.56	2353.96	5763.48
2366.48	5762.92	2379.86	5763.36	2415.52	5763.97	2427	5765.92		

lomr.rep

Manning's n Values		num= 4					
Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
840.8	.06	1850.15	.04	1872.6	.04	2139	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1872.6	2098.7		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 154.4*

INPUT

Description:

Station Elevation Data		num= 44					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1130.6	5753.12	1263.17	5752.55	1306.92	5751.72	1375.19	5752.25
1415.63	5752.8	1429.55	5750.69	1456.72	5750.24	1489.17	5750.51
1570.07	5749.26	1584.65	5750.05	1606.53	5750.89	1627.08	5749.71
1696.01	5748.77	1726.5	5750.3	1812.68	5751.78	1830.86	5749.27
1889.57	5745.78	1935.3	5745.63	1953.2	5746.4	1978.77	5745.4
2061.86	5743.66	2092.4	5743.22	2129.2	5743.22	2137.2	5743.22
2190.85	5747.37	2199	5750.42	2222.21	5752.33	2247.21	5752.23
2350.09	5758.75	2359.71	5759.62	2373.11	5761.49	2400.09	5763.73
2435.96	5767.65	2449.89	5768.52	2487.04	5769.73	2499	5771.44

Manning's n Values		num= 3					
Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
1130.6	.06	1953.2	.04	2199	.06		

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1953.2	2199		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 153.6*

INPUT

Description:

Station Elevation Data		num= 44					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1420.4	5749.08	1519.26	5748.58	1551.88	5747.98	1602.79	5748.27
1632.94	5748.6	1643.32	5747.18	1663.59	5746.85	1687.78	5747
1748.11	5745.64	1758.98	5746.07	1775.29	5746.49	1790.61	5745.57
1842.02	5745.16	1864.76	5746.34	1929.01	5747.82	1942.58	5746.24
						1953.73	5744.64

lomr.rep

1986.35	5743.57	2020.45	5743.19	2033.8	5743.6	2054.15	5742.75	2073.94	5742.15
2120.29	5741	2144.6	5740.48	2199.8	5740.48	2211.8	5740.48	2234.1	5743.43
2252.78	5745.85	2259	5748.28	2283.14	5751.22	2309.14	5751.15	2330.5	5752.9
2416.13	5761.28	2426.14	5762.41	2440.07	5764.99	2468.13	5767.89	2491.87	5771.63
2505.43	5772.37	2519.93	5773.68	2558.57	5775.5	2571	5776.96		

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
1420.4	.06	2033.8	.04
		2259	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	2033.8	2259		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 152.8*

INPUT

Description:

Station Elevation Data				num= 44			
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1710.2	5745.04	1775.34	5744.6	1796.84	5744.25	1830.39	5744.29
1850.25	5744.4	1857.09	5743.67	1870.45	5743.47	1886.39	5743.5
1926.14	5742.02	1933.31	5742.09	1944.06	5742.09	1954.15	5741.42
1988.03	5741.54	2003.01	5742.39	2045.35	5743.85	2054.29	5743.22
2083.13	5741.36	2105.61	5740.76	2114.4	5740.8	2129.53	5740.1
2178.72	5738.33	2196.8	5737.74	2270.4	5737.74	2286.4	5737.74
2314.7	5744.33	2319	5746.14	2344.07	5750.11	2371.07	5750.08
2482.17	5763.8	2492.57	5765.21	2507.04	5768.5	2536.17	5772.05
2574.91	5777.1	2589.96	5778.84	2630.09	5781.26	2643	5782.48

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
1710.2	.06	2114.4	.04
		2319	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	2114.4	2319		275.98 331.97	360		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 152

INPUT

Description: FEMA cross section AN

lomr.rep

Station Elevation Data				num=	16				
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
2000	5741	2085	5740	2121	5737	2166	5740.2	2195	5738
2249	5735	2341	5735	2361	5735	2379	5744	2405	5749
2433	5749	2456	5752	2559	5768	2574	5772	2660	5784
2715	5788								

Manning's n Values				num=	3
Sta	n Val	Sta	n Val	Sta	n Val
2000	.06	2195	.04	2379	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	2195	2379		358.33	344.96		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 151.333*

INPUT

Description:

Station Elevation Data				num=	32				
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1666.67	5739	1698.16	5738.97	1739.67	5738.71	1795.13	5738.36	1799.25	5738.33
1855.41	5735.83	1900.7	5737.55	1925.6	5738.5	1970.83	5736.67	2029.83	5733.17
2076.12	5733.17	2122.52	5733.17	2142.67	5733.17	2161.33	5741	2178.43	5742.25
2194.37	5743.1	2222.1	5744.51	2239.09	5745.48	2245.67	5745.5	2316.83	5745.83
2322.82	5746.07	2363.27	5749.14	2370.9	5749.41	2373.21	5749.66	2377.13	5750.14
2391.61	5751.4	2403.47	5752.51	2443.21	5755.9	2699.64	5767.12	2744.5	5770.47
3001.69	5780.59	3166.17	5784						

Manning's n Values				num=	3
Sta	n Val	Sta	n Val	Sta	n Val
1666.67	.06	1925.6	.03	2161.33	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1925.6	2161.33		358.33	344.96		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 150.666*

INPUT

Description:

Station Elevation Data				num=	32
------------------------	--	--	--	------	----

lomr.rep

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1333.33	5737	1376.13	5737.18	1432.53	5736.97	1507.91	5736.69	1513.5	5736.67
1589.81	5734.67	1651.36	5736.04	1685.2	5736.8	1746.67	5735.33	1810.67	5731.33
1857.3	5731.33	1904.04	5731.33	1924.33	5731.33	1943.67	5738	1972.14	5739.4
1998.7	5740.08	2044.88	5741.1	2073.18	5741.95	2084.13	5742	2202.66	5742.67
2212.65	5743.14	2280.02	5747.51	2292.72	5747.73	2296.56	5748.13	2303.11	5748.91
2327.22	5750.8	2346.98	5752.41	2413.17	5757.12	2840.27	5766.24	2914.99	5768.94
3343.37	5777.18	3617.33	5780						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
1333.33	.06	1746.67	.03	1943.67	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1746.67	1943.67		358.33	344.96		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 150.*

INPUT

Description:

Station	Elevation	Data	num=	32					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1000	5735	1054.09	5735.38	1125.4	5735.22	1220.68	5735.02	1227.76	5735
1324.22	5733.5	1402.02	5734.53	1444.79	5735.1	1522.5	5734	1591.5	5729.5
1638.47	5729.5	1685.55	5729.5	1706	5729.5	1726	5735	1765.86	5736.55
1803.02	5737.06	1867.66	5737.7	1907.26	5738.43	1922.6	5738.5	2088.5	5739.5
2102.47	5740.21	2196.76	5745.88	2214.54	5746.05	2219.92	5746.6	2229.08	5747.68
2262.82	5750.2	2290.48	5752.31	2383.13	5758.34	2980.91	5765.35	3085.49	5767.42
3685.06	5773.77	4068.5	5776						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
1000	.06	1522.5	.03	1726	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1522.5	1726		358.33	344.96		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 149.333*

INPUT

lomr.rep

Description:

Station Elevation Data									
num= 32									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
666.67	5733	732.06	5733.59	818.27	5733.48	933.45	5733.34	942.01	5733.33
1058.62	5732.33	1152.68	5733.02	1204.39	5733.4	1298.33	5732.67	1372.33	5727.67
1419.65	5727.67	1467.07	5727.67	1487.67	5727.67	1508.33	5732	1559.57	5733.7
1607.35	5734.04	1690.44	5734.3	1741.35	5734.91	1761.07	5735	1974.33	5736.33
1992.3	5737.28	2113.51	5744.25	2136.36	5744.37	2143.28	5745.07	2155.05	5746.46
2198.43	5749.6	2233.99	5752.21	2353.09	5759.56	3121.55	5764.47	3255.98	5765.89
4026.74	5770.36	4519.67	5772						

Manning's n Values					
num= 3					
Sta	n Val	Sta	n Val	Sta	n Val
666.67	.06	1298.33	.03	1508.33	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1298.33	1508.33		358.33	344.96	306.81	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 148.666*

INPUT

Description:

Station Elevation Data									
num= 32									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
333.33	5731	410.03	5731.79	511.13	5731.74	646.23	5731.67	656.26	5731.67
793.03	5731.17	903.34	5731.51	963.99	5731.7	1074.17	5731.33	1153.17	5725.83
1200.82	5725.83	1248.59	5725.83	1269.33	5725.83	1290.67	5729	1353.29	5730.85
1411.67	5731.02	1513.22	5730.9	1575.44	5731.38	1599.53	5731.5	1860.17	5733.17
1882.12	5734.35	2030.25	5742.63	2058.18	5742.68	2066.64	5743.53	2081.03	5745.23
2134.04	5749	2177.49	5752.1	2323.04	5760.78	3262.18	5763.59	3426.48	5764.36
4368.43	5766.95	4970.83	5768						

Manning's n Values					
num= 3					
Sta	n Val	Sta	n Val	Sta	n Val
333.33	.06	1074.17	.03	1290.67	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1074.17	1290.67		358.33	344.96	306.81	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 148

lomr.rep

INPUT

Description: FEMA Cross Section AM

Station Elevation Data		num= 22							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729	88	5730	204	5730	359	5730	654	5730
850	5730	934	5724	982	5724	1051	5724	1073	5726
1147	5728	1216	5728	1336	5727.5	1438	5728	1746	5730
1947	5741	1980	5741	1990	5742	2007	5744	2121	5752
2293	5762	5422	5764						

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	850	.167	1073	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	850	1073		6.5 9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.992*

INPUT

Description:

Station Elevation Data		num= 40							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.06	82.42	5729.82	156.51	5729.68	191.07	5729.67	256.88	5729.66
336.24	5729.53	366.07	5729.48	612.54	5729.42	796.11	5729.38	802.96	5728.74
845.68	5726.01	882.61	5723.54	927.18	5723.54	991.25	5723.54	1012.67	5725.67
1082.33	5727.55	1147.28	5727.58	1260.24	5727.16	1326.49	5727.5	1356.25	5727.67
1523	5728.9	1646.17	5729.71	1835.37	5739.95	1866.44	5739.95	1875.85	5740.88
1883.86	5741.81	1891.85	5742.74	1999.16	5750.25	2117.27	5757.11	2161.07	5759.62
2411.92	5759.77	2726.37	5759.94	3024.67	5760.12	3322.76	5760.35	3616.51	5760.55
3927.9	5760.78	4228.58	5760.98	4534.16	5761.26	4832.19	5761.56	5106.41	5761.83

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	796.11	.167	1012.67	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	796.11	1012.67		6.5 9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch

RS: 147.985*

INPUT

Description:

Station Elevation Data		num= 40									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.12	76.84	5729.65	145.91	5729.35	178.13	5729.34	239.49	5729.32		
313.48	5729.06	341.29	5728.97	571.08	5728.84	742.23	5728.75	749.27	5727.96		
793.23	5725.45	831.22	5723.08	872.36	5723.08	931.5	5723.08	952.34	5725.33		
1017.66	5727.1	1078.56	5727.15	1184.47	5726.81	1246.6	5727.16	1274.5	5727.35		
1430.85	5728.65	1546.34	5729.41	1723.75	5738.89	1752.87	5738.9	1761.7	5739.76		
1769.21	5740.62	1776.7	5741.49	1877.32	5748.5	1988.07	5754.92	2029.13	5757.24		
2264.35	5757.37	2559.19	5757.49	2838.89	5757.66	3118.39	5757.92	3393.83	5758.11		
3685.8	5758.36	3967.73	5758.55	4254.26	5758.91	4533.71	5759.3	4790.83	5759.66		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	742.23	.167	952.34	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	742.23	952.34		6.5	9.85		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch

RS: 147.978*

INPUT

Description:

Station Elevation Data		num= 40									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.18	71.26	5729.47	135.32	5729.03	165.2	5729.01	222.1	5728.98		
290.72	5728.59	316.51	5728.45	529.62	5728.26	688.34	5728.12	695.58	5727.18		
740.77	5724.89	779.83	5722.62	817.54	5722.62	871.76	5722.62	892.02	5725		
952.99	5726.65	1009.84	5726.73	1108.71	5726.47	1166.7	5726.82	1192.75	5727.02		
1338.7	5728.4	1446.51	5729.12	1612.12	5737.84	1639.31	5737.85	1647.55	5738.64		
1654.56	5739.43	1661.56	5740.23	1755.48	5746.75	1858.86	5752.74	1897.2	5754.86		
2116.77	5754.98	2392.01	5755.04	2653.11	5755.2	2914.02	5755.48	3171.14	5755.67		
3443.7	5755.93	3706.88	5756.12	3974.35	5756.55	4235.22	5757.04	4475.24	5757.49		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.06	688.34	.167	892.02	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	688.34	892.02		6.5	9.85		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.971*

INPUT

Description:

Station Elevation Data		num= 40		Sta Elev		Sta Elev		Sta Elev		Sta Elev	
0	5729.24	65.68	5729.3	124.73	5728.71	152.27	5728.68	204.71	5728.64		
267.96	5728.13	291.74	5727.93	488.15	5727.69	634.45	5727.5	641.89	5726.4		
688.31	5724.34	728.44	5722.16	762.72	5722.16	812.01	5722.16	831.69	5724.66		
888.32	5726.2	941.12	5726.3	1032.94	5726.12	1086.8	5726.48	1111	5726.7		
1246.55	5728.15	1346.69	5728.82	1500.5	5736.78	1525.75	5736.8	1533.4	5737.52		
1539.91	5738.24	1546.41	5738.98	1633.65	5745	1729.66	5750.55	1765.26	5752.48		
1969.2	5752.58	2224.83	5752.6	2467.32	5752.73	2709.65	5753.04	2948.46	5753.23		
3201.6	5753.51	3446.03	5753.69	3694.45	5754.2	3936.73	5754.79	4159.66	5755.31		

Manning's n Values		num= 3		Sta n Val		Sta n Val	
0	.06	634.45	.167	831.69	.06		

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	634.45	831.69		6.5 9.85	13.43	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.964*

INPUT

Description:

Station Elevation Data		num= 40		Sta Elev		Sta Elev		Sta Elev		Sta Elev	
0	5729.3	60.11	5729.12	114.13	5728.38	139.34	5728.35	187.33	5728.3		
245.2	5727.66	266.96	5727.42	446.69	5727.11	580.56	5726.88	588.2	5725.62		
635.86	5723.78	677.05	5721.7	707.9	5721.7	752.26	5721.7	771.36	5724.33		
823.64	5725.75	872.39	5725.88	957.18	5725.78	1006.91	5726.13	1029.25	5726.37		
1154.4	5727.9	1246.86	5728.53	1388.87	5735.73	1412.19	5735.75	1419.25	5736.4		
1425.26	5737.05	1431.26	5737.72	1511.81	5743.25	1600.46	5748.36	1633.33	5750.1		
1821.62	5750.18	2057.64	5750.15	2281.54	5750.27	2505.28	5750.61	2725.77	5750.79		
2959.5	5751.09	3185.18	5751.27	3414.54	5751.85	3638.24	5752.53	3844.07	5753.14		

Manning's n Values		num= 3		Sta n Val		Sta n Val	
0	.06	580.56	.167	771.36	.06		

lomr.rep

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
580.56	771.36	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.957*

INPUT

Description:

Station Elevation Data	num=	40
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev		
0 5729.36 54.53 5728.95 103.54 5728.06 126.4 5728.02 169.94 5727.96		
222.44 5727.19 242.18 5726.9 405.23 5726.53 526.68 5726.25 534.51 5724.83		
583.4 5723.23 625.66 5721.24 653.08 5721.24 692.51 5721.24 711.03 5723.99		
758.97 5725.3 803.67 5725.45 881.41 5725.44 927.01 5725.79 947.49 5726.05		
1062.26 5727.65 1147.03 5728.24 1277.24 5734.68 1298.62 5734.7 1305.1 5735.28		
1310.61 5735.86 1316.11 5736.47 1389.97 5741.5 1471.25 5746.18 1501.4 5747.72		
1674.04 5747.78 1890.46 5747.7 2095.76 5747.81 2300.91 5748.17 2503.09 5748.35		
2717.39 5748.67 2924.33 5748.84 3134.64 5749.49 3339.76 5750.27 3528.49 5750.97		

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
0 .06 526.68 .167 711.03 .06		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
526.68	711.03	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.95*

INPUT

Description:

Station Elevation Data	num=	40
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev		
0 5729.42 48.95 5728.77 92.95 5727.74 113.47 5727.69 152.55 5727.62		
199.68 5726.72 217.4 5726.38 363.77 5725.95 472.79 5725.62 480.82 5724.05		
530.95 5722.67 574.27 5720.78 598.27 5720.78 632.77 5720.78 650.71 5723.66		
694.3 5724.85 734.95 5725.03 805.65 5725.09 847.12 5725.45 865.74 5725.72		
970.11 5727.4 1047.2 5727.94 1165.62 5733.62 1185.06 5733.65 1190.95 5734.16		
1195.96 5734.67 1200.97 5735.21 1268.13 5739.75 1342.05 5743.99 1369.46 5745.34		
1526.47 5745.39 1723.28 5745.26 1909.98 5745.34 2096.54 5745.73 2280.4 5745.91		
2475.29 5746.25 2663.48 5746.41 2854.74 5747.14 3041.27 5748.02 3212.9 5748.8		

lomr.rep

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .06 472.79 .167 650.71 .06

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 472.79 650.71 6.5 9.85 13.43 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.942*

INPUT

Description:

Station Elevation Data num= 40
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5729.49 43.37 5728.6 82.35 5727.41 100.54 5727.36 135.16 5727.27
 176.92 5726.25 192.62 5725.87 322.31 5725.37 418.9 5725 427.13 5723.27
 478.49 5722.11 522.87 5720.32 543.45 5720.32 573.02 5720.32 590.38 5723.32
 629.63 5724.4 666.23 5724.6 729.89 5724.75 767.22 5725.1 783.99 5725.4
 877.96 5727.15 947.37 5727.65 1053.99 5732.57 1071.5 5732.6 1076.8 5733.04
 1081.31 5733.48 1085.82 5733.95 1146.29 5738 1212.85 5741.81 1237.53 5742.96
 1378.89 5742.99 1556.1 5742.81 1724.19 5742.88 1892.17 5743.3 2057.71 5743.47
 2233.19 5743.82 2402.63 5743.98 2574.83 5744.79 2742.78 5745.76 2897.31 5746.63

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .06 418.9 .167 590.38 .06

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 418.9 590.38 6.5 9.85 13.43 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.935*

INPUT

Description:

Station Elevation Data num= 40
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5729.55 37.79 5728.42 71.76 5727.09 87.6 5727.04 117.78 5726.93
 154.17 5725.78 167.84 5725.35 280.85 5724.79 365.02 5724.38 373.44 5722.49
 426.03 5721.56 471.48 5719.86 488.63 5719.86 513.27 5719.86 530.05 5722.98
 564.96 5723.95 597.51 5724.18 654.12 5724.4 687.33 5724.76 702.24 5725.07

lomr.rep

785.81	5726.9	847.54	5727.35	942.37	5731.52	957.93	5731.55	962.65	5731.92
966.67	5732.29	970.67	5732.7	1024.45	5736.25	1083.64	5739.62	1105.6	5740.58
1231.32	5740.59	1388.91	5740.36	1538.41	5740.42	1687.81	5740.86	1835.03	5741.03
1991.09	5741.4	2141.78	5741.56	2294.93	5742.43	2444.3	5743.5	2581.73	5744.46

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	365.02	.167	530.05	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	365.02	530.05		6.5	9.85		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.928*

INPUT

Description:

Station Elevation Data num= 40

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.61	32.21	5728.25	61.16	5726.76	74.67	5726.71	100.39	5726.59
131.41	5725.32	143.06	5724.84	239.39	5724.21	311.13	5723.75	319.75	5721.71
373.58	5721	420.09	5719.4	433.81	5719.4	453.52	5719.4	469.72	5722.65
500.29	5723.5	528.79	5723.75	578.36	5724.06	607.43	5724.42	620.49	5724.75
693.66	5726.65	747.71	5727.06	830.74	5730.46	844.37	5730.5	848.5	5730.8
852.02	5731.1	855.52	5731.44	902.61	5734.5	954.44	5737.43	973.66	5738.2
1083.74	5738.19	1221.73	5737.92	1352.63	5737.95	1483.44	5738.43	1612.34	5738.59
1748.99	5738.98	1880.93	5739.13	2015.03	5740.08	2145.81	5741.25	2266.14	5742.29

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	311.13	.167	469.72	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	311.13	469.72		6.5	9.85		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.921*

INPUT

Description:

Station Elevation Data num= 40

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-----	------	-----	------	-----	------	-----	------	-----	------

lomr.rep

0	5729.67	26.63	5728.07	50.57	5726.44	61.74	5726.38	83	5726.25
108.65	5724.85	118.29	5724.32	197.92	5723.63	257.24	5723.12	266.06	5720.93
321.12	5720.45	368.7	5718.94	378.99	5718.94	393.77	5718.94	409.39	5722.31
435.62	5723.05	460.07	5723.33	502.59	5723.71	527.54	5724.08	538.74	5724.42
601.51	5726.4	647.89	5726.77	719.11	5729.41	730.81	5729.46	734.35	5729.68
737.37	5729.91	740.38	5730.19	780.78	5732.75	825.24	5735.25	841.73	5735.82
936.17	5735.79	1054.55	5735.47	1166.85	5735.49	1279.07	5735.99	1389.66	5736.15
1506.89	5736.56	1620.08	5736.7	1735.12	5737.73	1847.32	5738.99	1950.56	5740.11

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
0 .06 257.24 .167 409.39 .06		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
257.24	409.39	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.914*

INPUT

Description:

Station Elevation Data	num=	40
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev		
0 5729.73 21.05 5727.89 39.98 5726.12 48.81 5726.05 65.61 5725.91		
85.89 5724.38 93.51 5723.8 156.46 5723.06 203.35 5722.5 212.37 5720.14		
268.66 5719.89 317.31 5718.48 324.17 5718.48 334.03 5718.48 349.07 5721.98		
370.95 5722.6 391.35 5722.91 426.83 5723.37 447.64 5723.73 456.99 5724.09		
509.37 5726.15 548.06 5726.47 607.49 5728.35 617.25 5728.41 620.2 5728.56		
622.72 5728.72 625.23 5728.93 658.94 5731 696.04 5733.06 709.79 5733.44		
788.59 5733.4 887.37 5733.02 981.06 5733.03 1074.7 5733.55 1166.97 5733.71		
1264.78 5734.13 1359.23 5734.27 1455.22 5735.38 1548.83 5736.73 1634.97 5737.94		

Manning's n Values	num=	3
Sta n Val Sta n Val Sta n Val		
0 .06 203.35 .167 349.07 .06		

Bank Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
203.35	349.07	6.5	9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.907*

lomr.rep

INPUT

Description:

Station Elevation Data num= 41

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.79	15.47	5727.72	29.38	5725.79	35.87	5725.72	48.23	5725.57
63.13	5723.91	68.73	5723.29	115	5722.48	149.47	5721.88	149.67	5721.825
158.68	5719.36	216.21	5719.34	265.92	5718.02	269.35	5718.02	274.28	5718.02
288.74	5721.65	306.27	5722.15	322.63	5722.48	351.06	5723.03	367.75	5723.39
375.24	5723.77	417.22	5725.9	448.23	5726.18	495.86	5727.3	503.68	5727.36
506.05	5727.44	508.07	5727.53	510.08	5727.68	537.1	5729.25	566.83	5730.88
577.86	5731.06	641.02	5731	720.18	5730.58	795.28	5730.56	870.33	5731.12
944.29	5731.27	1022.68	5731.71	1098.38	5731.85	1175.31	5733.02	1250.35	5734.48
1319.39	5735.77								

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	149.47	.167	288.74	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	149.47	288.74		6.5 9.85	13.43		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.9

INPUT

Description: Top of 7th Drop Structure and Bottom of Berm. Cross section at upper most part of newly constructed channel at river station 95+56.08

Station Elevation Data num= 23

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.85	18.79	5725.47	30.84	5725.23	43.95	5722.77	95.58	5721.25
104.99	5718.58	163.75	5718.78	214.53	5717.56	228.41	5721.31	287.85	5723.05
325.07	5725.65	393.42	5726.34	437.63	5728.69	493.44	5728.6	553	5728.13
609.5	5728.1	665.96	5728.68	721.6	5728.83	780.58	5729.29	837.53	5729.42
895.41	5730.67	951.86	5732.22	1003.8	5733.6				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.06	95.58	.167	228.41	.06

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	437.63		44.6 56.43	10.77		.1	.3

CROSS SECTION

lomr.rep

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.8

INPUT

Description: Bottom of 7th Drop Structure and Top of Berm. Cross section at
 river station 95+14.03

Station Elevation Data		num=		25					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.42	16.94	5724.89	33.65	5724.12	46.35	5722.15	93.18	5720.64
111.9	5715.7	214.97	5715.88	231.42	5721.28	277.5	5721.82	291.81	5724.13
305.72	5724.87	319.71	5726.01	329.2	5727.82	381.88	5729.2	437.63	5728.69
493.44	5728.6	553	5728.13	609.5	5728.1	665.96	5728.68	721.6	5728.83
780.58	5729.29	837.53	5729.42	895.41	5730.67	951.86	5732.22	1003.8	5733.6

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	93.18	.1	231.42	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	381.88		51.82	39.16	664.1	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 147.7

INPUT

Description: 50' Downstream of 7th Drop Structure. Added X-Sec from As Built
 8/21/06

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5729.35	18.48	5724.73	29.39	5724.45	44.98	5721.08	87.77	5719.35
105.63	5715.61	203.7	5715.6	225.46	5718.68	274.6	5719.55	290.14	5722.45
301.55	5723.03	324.29	5728.3						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	87.77	.1	225.46	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	324.29		103.99	99.4	95.42	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.6

INPUT

Description: cross section at river station 93+55

Station Elevation Data		num= 29							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5726	2.76	5725	6	5724	9.48	5723	22.22	5722
32.57	5721	39.82	5720	47.67	5719	87.75	5718	93.7	5717
98.61	5716	102.64	5715	162.58	5715	210.64	5716	216.64	5717
232.04	5718	264.94	5719	270.81	5720	276.55	5721	281.68	5722
283.65	5722	291.46	5722	299.16	5723	303.72	5724	308.14	5725
312.29	5726	316.42	5727	325.34	5728	464.22	5728.54		

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	87.75	.1	232.04	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	325.34		173.91	186.52	199.66	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 147.2

INPUT

Description: Top of 6th Drop Structure. Cross section at river station 91+69

Station Elevation Data		num= 12							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5723.75	20.14	5720.51	22.1	5719.65	35.95	5717.04	84.49	5716.7
96.26	5713.34	201.62	5713.78	216.75	5717.14	265.99	5717.76	278.35	5719.97
293.53	5720.96	316.12	5726.62						

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	84.49	.1	216.75	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	316.12		50.74	63.56	56.41	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 146.3

INPUT

lomr.rep

Description: Bottom of 6th Drop Structure

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5724.71	17.48	5720.46	36.6	5719.79	48.92	5717.33	98.86	5716.54
114.07	5712.9	216.97	5712.29	231.25	5716.45	278.82	5717.49	294.46	5719.52
313.21	5720.28	330.57	5725.49						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	98.86	.06	231.25	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	330.57		47.58	47.58		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 146.1

INPUT

Description: 50' Downstream of 6th Drop Structure

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5723.32	19.57	5718.52	33.63	5718.19	49.46	5715.46	93.7	5714.97
114.11	5711.71	210.32	5711.74	229.41	5714.94	279.25	5715.6	294.35	5718.75
305.76	5719.45	325.54	5724.68						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	93.7	.04	229.41	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	325.54		90.06	120.53		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 145.6

INPUT

Description: Top of 5th Drop Structure. Cross section at river station 89+48

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5722.65	17.01	5718.69	35.76	5717.07	47.05	5714.82	95.08	5714.1
111.15	5710.99	217.5	5711.14	230.16	5713.87	280.45	5715.13	291.43	5716.86
306.75	5718.42	323.21	5722.37						

lomr.rep

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .04 95.08 .06 230.16 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 0 323.21 55.82 58.14 60.59 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144.7

INPUT

Description: Bottom of 5th Drop Structure. DCBO Jimmy Camp Creek River Station 88+90

Station Elevation Data num= 12
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5721.66 16.1 5717.5 33.78 5715.97 45.78 5713.57 75 5712.29
 109.26 5709.3 213 5708.87 228.22 5712.53 277.2 5712.81 292.62 5716.45
 306.79 5716.86 325.43 5721.68

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .04 75 .06 228.22 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
 0 325.43 70.87 70.87 70.87 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144.6

INPUT

Description: 50' Downstream of 5th Drop Structure. DCBO Jimmy Camp Creek River Station 88+21

Station Elevation Data num= 12
 Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
 0 5721.97 29.4 5716.05 44.44 5714.92 56.89 5712.57 108.47 5711.68
 124.18 5709.58 222.63 5709.16 238.48 5711.98 292.05 5712.93 303.99 5715.39
 319.58 5715.69 338.15 5721.47

Manning's n Values num= 3
 Sta n Val Sta n Val Sta n Val
 0 .04 108.47 .06 238.48 .04

lomr.rep

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	338.15		138.02 138.02	138.02		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144.4

INPUT

Description: cross section at river station 86+85

Station Elevation Data		num=		29					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5720.77	7.74	5720.79	7.89	5720.75	8.74	5720.75	10.87	5720.16
28.9	5715.44	43.83	5714.9	45.6	5714.87	46.89	5714.55	57.38	5712.02
102.45	5711.01	108.95	5710.93	120.93	5708.9	122.51	5708.59	210.79	5707.4
225.66	5707.2	228.13	5707.72	241.38	5711.48	248.52	5711.62	288.16	5711.82
291.82	5712.46	305.29	5714.91	307.59	5715.05	316.82	5715.61	320.36	5716.46
334.28	5719.89	335.58	5719.91	344.73	5719.91	348.72	5719.91		

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	108.95	.04	241.38	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	7.74	335.58		174.49 178.55	183.34		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 144

INPUT

Description: Top of 4th Drop Structure. Cross section at river station 85+12

Station Elevation Data		num=		12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5718.59	18.13	5714.39	35.51	5712.82	46.68	5710.97	97.69	5710.11
110	5708.24	214.33	5706.95	230.63	5709.81	279.68	5710.31	291.31	5712.54
306.09	5713.31	325.93	5718.19						

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.045	97.69	.04	230.63	.045

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	325.93		46.66 45.83	45.03		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 143.2

INPUT

Description: Bottom of 4th Drop Structure. Cross section at river station 84+71

Station Elevation Data num= 12

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5717.86	17.92	5713.18	33.62	5712.22	45.7	5710.12	96.03	5709.26
113.89	5704.54	210.75	5704.58	226.65	5709.07	276.73	5708.79	291.09	5712.54
305.41	5712.62	323.55	5717.13						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	96.03	.1	226.65	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	323.55		415.26	415.73	416.34	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 142.4

INPUT

Description: cross section at river station 80+45

Station Elevation Data num= 29

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5714	9.75	5713	14.21	5712	17.98	5711	21.74	5710
38.75	5709	43.05	5708	47.24	5707	79.27	5706	101.96	5705
105.75	5704	110.16	5703	148.06	5703	216.15	5704	220.3	5705
227.08	5706	281.52	5707	285.91	5708	290.22	5709	306.09	5710
311.12	5711	315.38	5712	319.26	5713	323.1	5714	327.01	5715
330.16	5716	334.17	5717	335.92	5717	337.17	5716		

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	79.27	.04	227.08	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	9.75	319.26		400.94	540.66	774.84	.1	.3

CROSS SECTION

lomr.rep

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 141.6

INPUT

Description: cross section at river station 75+58

Station Elevation Data				num= 28					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5711	3.38	5710	6.78	5709	10.17	5708	26.43	5707
30.71	5706	34.87	5705	53.33	5704	90.54	5703	94.71	5702
99.22	5701	207.92	5701	211.66	5702	215.33	5703	239.27	5704
267.72	5705	272.93	5706	278.2	5707	293.62	5708	300.33	5709
304.25	5710	308.57	5711	313.38	5712	318.09	5713	322.86	5714
327.6	5715	335.03	5716	335.39	5716				

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	90.54	.04	215.33	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	308.57		569.21	474	372.73		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 140.8

INPUT

Description: Top of 3rd Drop Structure. Cross section at river station 70+87

Station Elevation Data				num= 12					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5709.71	15.74	5706.13	33.76	5704.68	45.12	5702.07	94.59	5700.81
106.86	5698.38	214.96	5698.74	227.98	5701.17	277.07	5701.71	289.78	5704.27
304.79	5705.01	323.04	5709.96						

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	94.59	.1	227.98	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	323.04		37.27	37.5	38.21		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 140

lomr.rep

INPUT

Description: Bottom of 3rd Drop Structure. Cross section at river station 70+47

Station Elevation Data num= 12

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5709.67	19.68	5705.11	35.76	5704.62	48.07	5701.53	98.94	5700.59
112.45	5696.02	215.55	5696.15	227.77	5700.59	281.25	5701.46	291.45	5703.26
307.69	5704.53	329.15	5708.85						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	98.94	.1	227.77	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	329.15		34.13 42.09	62.78		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 139.7

INPUT

Description: Added X-Sec from As-built 8/21/06 50' Downstream of 3rd Drop Structure at JCC river station 70+02

Station Elevation Data num= 13

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5707.35	31.19	5705.41	49.24	5700.69	63.5	5700.6	101.94	5698.97
115.74	5695.16	219.18	5695.3	233.57	5699.21	282.8	5700.03	296.27	5702.85
316.11	5705.51	336.37	5708.32	367.23	5716.45				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	101.94	.1	233.57	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	336.37		114.06 102	90.9		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 139.3

INPUT

Description: cross section upstream of bridge at river station 69+00

Station Elevation Data num= 33

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
-----	------	-----	------	-----	------	-----	------	-----	------

lomr.rep									
0	5706	3.93	5705	8.51	5704	14.8	5703	24.27	5702
30.09	5701	35.61	5700	44.14	5699	45.74	5698	81.98	5697
89.02	5696	170.69	5695	193.31	5695	199.85	5696	204.31	5697
214.16	5698	230.52	5699	244.39	5700	255.68	5701	263.36	5702
274.05	5703	289.2	5704	298.65	5705	306.61	5706	310.46	5707
314.36	5708	318.18	5709	322.03	5710	325.96	5711	329.81	5712
333.69	5713	337.57	5714	342.66	5715				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	81.98	.04	204.31	.04

Bank Sta:	Left	Right	Lengths:	Left	Channel	Right	Coeff	Contr.	Expan.
	3.93	298.65		181.15	181.15	181.15		.1	.3

BRIDGE

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 138.8

INPUT

Description: DBCO Proposed Bridge
 Distance from Upstream XS = 1
 Deck/Roadway Width = 94
 Weir Coefficient = 2.6
 Upstream Deck/Roadway Coordinates

num=	2								
Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord
0	5719.15	5708.33	400	5719.09	5708.3				

Upstream Bridge Cross Section Data

Station	Elevation	Data	num=	33					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5706	3.93	5705	8.51	5704	14.8	5703	24.27	5702
30.09	5701	35.61	5700	44.14	5699	45.74	5698	81.98	5697
89.02	5696	170.69	5695	193.31	5695	199.85	5696	204.31	5697
214.16	5698	230.52	5699	244.39	5700	255.68	5701	263.36	5702
274.05	5703	289.2	5704	298.65	5705	306.61	5706	310.46	5707
314.36	5708	318.18	5709	322.03	5710	325.96	5711	329.81	5712
333.69	5713	337.57	5714	342.66	5715				

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	81.98	.04	204.31	.04

Bank Sta:	Left	Right	Coeff	Contr.	Expan.
	3.93	298.65		.1	.3

lomr.rep

Downstream Deck/Roadway Coordinates

num= 2
 Sta Hi Cord Lo Cord Sta Hi Cord Lo Cord
 0 5718.03 5708.55 400 5717.93 5708.4

Downstream Bridge Cross Section Data

Station Elevation Data num= 37

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5706	3.71	5705	7.44	5704	11.15	5703	15.15	5702
23.39	5701	32.85	5700	41.83	5699	51.22	5698	73.28	5697
92.72	5696	98.08	5695	101.37	5694	207.42	5694	211.31	5695
215.26	5696	231.22	5697	257.69	5698	266.41	5699	275.19	5700
284.89	5701	294.93	5702	304.62	5703	309.18	5704	313.02	5705
316.92	5706	320.76	5707	324.64	5708	328.5	5709	332.33	5710
336.22	5711	340.07	5712	343.92	5713	347.81	5714	351.68	5715
363.53	5716	368.34	5716						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	92.72	.04	215.26	.04

Bank Sta: Left Right Coeff Contr. Expan.
 3.71 313.02 .1 .3

Upstream Embankment side slope = 0 horiz. to 1.0 vertical
 Downstream Embankment side slope = 0 horiz. to 1.0 vertical
 Maximum allowable submergence for weir flow = .95
 Elevation at which weir flow begins = 5713.6
 Energy head used in spillway design =
 Spillway height used in design =
 Weir crest shape = Broad Crested

Number of Piers = 1

Pier Data

Pier Station Upstream= 152 Downstream= 152

Upstream	num= 2	Width	Elev	Width	Elev
3	5690	3	5711.8		

Downstream	num= 2	Width	Elev	Width	Elev
3	5690	3	5711.8		

Number of Bridge Coefficient Sets = 1

Low Flow Methods and Data
 Energy

Selected Low Flow Methods = Highest Energy Answer

High Flow Method
Energy Only

Additional Bridge Parameters

Add Friction component to Momentum

Do not add Weight component to Momentum

Class B flow critical depth computations use critical depth
inside the bridge at the upstream end

Criteria to check for pressure flow = Upstream energy grade line

BRIDGE OUTPUT Profile #FEMA 100-Year

E.G. US. (ft)	5704.22	Element	Inside BR US
Inside BR DS			
W.S. US. (ft)	5702.81	E.G. Elev (ft)	5704.20
5703.49			
Q Total (cfs)	12900.00	W.S. Elev (ft)	5702.64
5702.53			
Q Bridge (cfs)	12900.00	Crit W.S. (ft)	5701.73
5700.44			
Q Weir (cfs)		Max Chl Dpth (ft)	7.63
8.53			
Weir Sta Lft (ft)		Vel Total (ft/s)	10.02
7.83			
Weir Sta Rgt (ft)		Flow Area (sq ft)	1286.80
1646.63			
Weir Submerg		Froude # Chl	0.78
0.57			
Weir Max Depth (ft)		Specif Force (cu ft)	7986.08
8897.35			
Min El Weir Flow (ft)	5719.11	Hydr Depth (ft)	5.17
5.80			
Min El Prs (ft)	5708.33	W.P. Total (ft)	264.79
302.24			
Delta EG (ft)	1.14	Conv. Total (cfs)	144597.6
199603.7			
Delta WS (ft)	0.87	Top Width (ft)	248.89
284.06			
BR Open Area (sq ft)	2942.56	Frctn Loss (ft)	0.53
0.39			
BR Open Vel (ft/s)	10.02	C & E Loss (ft)	0.18
0.02			
BR Sluice Coef		Shear Total (lb/sq ft)	2.41
1.42			
BR Sel Method	Energy only	Power Total (lb/ft s)	24.21

11.13

Warning: Pier drag coefficient of 2.0 assumed for Class B flow.
 Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

BRIDGE OUTPUT Profile #DBPS-2015_100

E.G. US. (ft)	5708.19	Element	Inside BR US
Inside BR DS			
W.S. US. (ft)	5706.03	E.G. Elev (ft)	5708.16
5707.37			
Q Total (cfs)	26734.00	W.S. Elev (ft)	5705.77
5705.73			
Q Bridge (cfs)	26734.00	Crit W.S. (ft)	5704.79
5703.33			
Q Weir (cfs)		Max Chl Dpth (ft)	10.77
11.73			
Weir Sta Lft (ft)		Vel Total (ft/s)	12.38
10.27			
Weir Sta Rgt (ft)		Flow Area (sq ft)	2159.76
2604.05			
Weir Submerg		Froude # Chl	0.80
0.62			
Weir Max Depth (ft)		Specif Force (cu ft)	19629.59
21067.88			
Min El Weir Flow (ft)	5719.11	Hydr Depth (ft)	7.18
8.35			
Min El Prs (ft)	5708.33	W.P. Total (ft)	323.54
337.22			
Delta EG (ft)	1.27	Conv. Total (cfs)	299304.2
390348.4			
Delta WS (ft)	1.01	Top Width (ft)	300.91
311.87			
BR Open Area (sq ft)	2942.56	Frctn Loss (ft)	0.57
0.42			
BR Open Vel (ft/s)	12.38	C & E Loss (ft)	0.22
0.03			
BR Sluice Coef		Shear Total (lb/sq ft)	3.32
2.26			
BR Sel Method	Energy only	Power Total (lb/ft s)	41.16
23.21			

Warning: Pier drag coefficient of 2.0 assumed for Class B flow.

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 138.3

INPUT

Description: cross section downstream of bridge at river station 67+19

Station Elevation Data num= 37

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5706	3.71	5705	7.44	5704	11.15	5703	15.15	5702
23.39	5701	32.85	5700	41.83	5699	51.22	5698	73.28	5697
92.72	5696	98.08	5695	101.37	5694	207.42	5694	211.31	5695
215.26	5696	231.22	5697	257.69	5698	266.41	5699	275.19	5700
284.89	5701	294.93	5702	304.62	5703	309.18	5704	313.02	5705
316.92	5706	320.76	5707	324.64	5708	328.5	5709	332.33	5710
336.22	5711	340.07	5712	343.92	5713	347.81	5714	351.68	5715
363.53	5716	368.34	5716						

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	92.72	.04	215.26	.04

Bank	Sta: Left	Right	Lengths: Left	Channel	Right	Coeff	Contr.	Expan.
	3.71	313.02	298.68	310.69	324.82		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 138

INPUT

Description: cross section after full expansion at river station 64+80

Station Elevation Data num= 31

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
34.98	5704.99	36.27	5704.99	38.94	5705.08	46.64	5704.4	52.78	5702.77
62.12	5700.09	72.51	5699.38	76.19	5699.35	80.17	5698.49	88.15	5696.62
121.84	5696.16	139.35	5695.71	147.94	5693.81	153.46	5692.55	218.45	5692.18
257.21	5692.34	263.25	5694.21	268.24	5695.52	298.9	5696.55	320.61	5696.93
326.55	5698.35	331.82	5699.36	338.71	5699.58	348.43	5699.78	367.96	5705.27
377.33	5707.9	404.67	5714.84	408.93	5715.12	416.88	5714.99	420.28	5714.76

lomr.rep

432.53 5715.84

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
34.98 .04 139.35 .04 268.24 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
36.27 367.96 341.96 348.12 366.74 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
REACH: Lorson Ranch RS: 137.6

INPUT

Description: Top of 2nd Drop Structure. Cross section at river station 60+65

Station Elevation Data num= 13
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
0 5699.77 22.71 5697.1 45.39 5694.52 96.1 5693.4 112.46 5690.52
118.47 5688.97 160.79 5689.4 174.84 5690.55 219.38 5690.87 232.43 5693.37
275.82 5694.34 308.89 5697.97 332.35 5703.45

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
0 .04 96.1 .04 232.43 .04

Bank Sta: Left Right Lengths: Left Channel Right Coeff Contr. Expan.
0 332.35 45.37 48.07 45.37 .1 .3

CROSS SECTION

RIVER: Jimmy Camp Creek
REACH: Lorson Ranch RS: 136.8

INPUT

Description: Bottom of 2nd Drop Structure. Cross section at river station 60+27

Station Elevation Data num= 12
Sta Elev Sta Elev Sta Elev Sta Elev Sta Elev
0 5699.52 33.87 5694.74 52.23 5693.64 99.58 5693.44 116.16 5688.25
162.53 5687.6 173 5688.07 215.57 5688.59 234.22 5693.3 284.58 5694.24
315.47 5698.34 330.99 5701.34

Manning's n Values num= 3
Sta n Val Sta n Val Sta n Val
0 .04 99.58 .1 234.22 .04

lomr.rep

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	0	330.99		365.58 322.7	292.78		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 136

INPUT

Description: cross section at river station 56+89

Station Elevation Data				num= 47					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5703	4.1	5702	8.19	5701	12.3	5700	16.32	5699
20.45	5698	24.48	5697	29.02	5696	33.79	5695	50.42	5694
54.9	5693	59.67	5692	78.36	5691	112.72	5690	117.01	5689
121.25	5688	215.23	5687	230.97	5687	235.28	5688	239.65	5689
246.22	5690	291.75	5691	298.68	5692	302.61	5693	321.48	5694
325.35	5695	329.15	5696	332.89	5697	336.73	5698	340.5	5699
344.29	5700	348.13	5701	351.87	5702	355.68	5703	359.48	5704
363.21	5705	367.1	5706	370.87	5707	374.67	5708	378.43	5709
382.2	5710	386.02	5711	389.82	5712	393.61	5713	397.4	5714
473.92	5715	478.23	5715						

Manning's n Values				num= 3	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	112.72	.04	246.22	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	20.45	336.73		332.63 332.63	332.63		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.6

INPUT

Description: Cross Section: Sta. 53+55

Station Elevation Data				num= 30					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5699.97	4.73	5699.9	7.76	5700.17	21.72	5696.79	37.46	5692.89
45.77	5692.66	55.52	5690.98	61.6	5690.98	67.16	5689.69	89.58	5689.23
114.62	5688.67	121.56	5687.02	127.94	5685.38	174.27	5685.57	232.68	5685.66
238.04	5686.99	244.64	5688.74	273.26	5689.28	293.72	5689.49	299.28	5690.79
306.82	5692.35	315.62	5692.55	320.43	5692.84	348.73	5700.21	373.68	5706.7
404.92	5714.31	408.47	5714.38	416.37	5714.69	417.55	5714.73	420.14	5714.71

Manning's n Values		num=		lomr.rep	
Sta	n Val	Sta	n Val	Sta	n Val
0	.04	114.62	.04	244.64	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	21.72	348.73		62.7	55.42		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 135.55

INPUT

Description: Cross Section: Sta. 53+00.00

Station Elevation Data		num=		279	
Sta	Elev	Sta	Elev	Sta	Elev
0	5702.14	5899658	5702.13	10.40002	5702.05
26.40002	5701.98	37.76001	5701.96	38.32996	5701.96
83.58997	5701.93	83.81995	5701.93	84.69	5701.92
108.12	5701.93	109.14	5701.92	119.39	5701.95
129.72	5702	134.89	5701.86	138.8199	5701.76
160.45	5701.94	163.22	5701.94	165.09	5701.93
179.52	5702.4	179.98	5702.39	180.47	5702.37
201.69	5702	229.03	5701.85	238.3	5701.66
246.12	5701.14	249.09	5701.12	252.97	5701.06
254.2	5701	260.8	5700.65	266.34	5700.29
275.14	5700.02	277.2	5700	277.8	5700.28
294.7599	5699.14	306.15	5699.16	317.75	5698.98
377.77	5698.96	378.38	5698.96	379.12	5698.95
396.28	5698.93	405.56	5698.93	406.86	5698.92
418.77	5698.75	459.58	5698.03	468.37	5698.03
485.02	5698.01	487.77	5698.01	490.65	5698
500.95	5698.51	509.46	5699.91	510.19	5699.88
510.47	5699.87	510.58	5699.86	510.7	5699.85
511.15	5699.83	511.93	5699.79	512.15	5699.78
513.83	5699.69	514.15	5699.67	514.78	5699.63
516.17	5699.56	516.7	5699.53	517.19	5699.5
518.83	5699.37	519.2	5699.35	519.95	5699.24
521.73	5699	522.34	5698.96	522.4	5698.95
524.5099	5698.78	525.25	5698.7	525.96	5698.6
528.83	5698.22	529.79	5698.07	530.19	5698
534.06	5697.2	535.03	5697	537.53	5696.36
542.68	5695	546.27	5694.05	546.45	5694
551.18	5692.85	551.58	5692.81	555.37	5692.48
561.95	5691.9	563.84	5691.73	567.22	5691.42
572.33	5690.87	575.37	5690	576.86	5689.92
580.62	5689.71	581.52	5689.66	582.29	5689.61

lomr.rep

584.11	5689.51	584.59	5689.48	585.02	5689.46	585.41	5689.44	592.11	5689.17
596.4299	5689	608.63	5688.62629.3199	5688	632.14	5687.3633.3199	5687		
635.23	5686.52637.3199	5686	641.72	5685.85	662.62	5685.22	668.74	5685.04	
670.04	5685	679.24	5684.92	681.48	5684.91	685.92	5684.95	692.35	5685
692.36	5685	727.64	5685.63	747.33	5686750.6899	5686.84	751.33	5687	
752.23	5687.22	755.33	5688	787.22	5688.97	788.22	5689	788.37	5689.01
788.71	5689.02	810.84	5690	814.16	5690.83	814.84	5691	815.36	5691.13
818.83	5692829.8099	5692.62	833.46	5692.82	836.63	5693838.9399	5693.58		
840.63	5694	842.33	5694.42	844.63	5695	846.16	5695.38	848.63	5696
851.47	5696.75	851.97	5696.88	852.14	5696.93	852.23	5696.95	852.41	5697
852.63	5697	855.71	5697.79	856.29	5697.94	856.36	5697.96	856.51	5698
856.59	5698.02	860.51	5699	860.79	5699.07864.1899	5699.92	864.51	5700	
868.27	5700.94	868.52	5701	868.58	5701.02	872.52	5702	872.58	5702.02
876.52	5703876.5699	5703.01	880.52	5704880.5699	5704.01	884.52	5705		
887.77	5705.81	891.11	5706.65	893.23	5707.18	896.52	5708899.6899	5708.79	
900.52	5709	903.09	5709.64	904.52	5710	906.11	5710.4	908.52	5711
911.85	5711.83	912.53	5712	915.91	5712.85	916.53	5713	920.04	5713.88
920.53	5714	936.91	5714.37	964.97	5715	975.5	5715	977.54	5714.5
979.54	5714	980.28	5713.81	983.54	5713	986.18	5712.34	987.54	5712
991.01	5711.13	991.54	5711995.3199	5710.06	995.54	5710	997.04	5709.63	
999.55	5709	999.83	5708.93	1003.55	5708	1003.99	5707.89	1007.55	5707
1010.68	5706.22	1011.55	5706	1011.75	5705.95	1015.55	5705	1015.77	5704.94
1019.55	5704	1019.9	5703.91	1023.55	5703	1024	5702.89	1027.55	5702
1028.07	5701.87	1031.55	5701	1035.11	5700.11	1035.55	5700	1036.02	5699.88
1039.55	5699	1041.02	5698.63	1043.56	5698	1092.35	5697.63		

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	538.92	.04	848.63	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	538.92	848.63		29.38 29.37	9.53	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.50

INPUT

Description: Cross Section: Sta. 52+70.63

Station Elevation Data		num=		390	
Sta	Elev	Sta	Elev	Sta	Elev
0	5702.7451.02991	5702.6654.07996	5702.6371.78992	5702.676.99994	5702.6
119.55	5702.53	125.65	5702.55	131.2	5702.58
139.53	5702.04139.8699	5702.04	144.8	5702.26	159.14
159.6	5702.92163.1799	5703	166.29	5703.05166.7599	5703.06175.8699
182.24	5703.49189.1199	5703.58	194.53	5703.65194.8099	5703.64 207.99

lomr.rep

212.3	5703.01	213.16	5703.01	213.27	5703.214.0599	5702.94	214.46	5702.92
216.28	5702.83232.1199	5702.01	232.79	5702.01232.9299	5702	233.05	5702	
237.15	5701.84	237.73	5701.81	245.2	5701.29	248.53	5701.04	249.1
249.3	5701	250.16	5700.95259.2499	5700.48	266.53	5700.1	267.36	5700.05
268.1	5700.01	268.74	5700	268.79	5700	269.9	5699.94281.1899	5699.44
288.6	5699.46	320.91	5698.93	326.04	5698.93326.9299	5698.92	379.08	5698.91
380.46	5698.91	382.15	5698.89383.9999	5698.88385.1799	5698.88387.1799	5698.88387.1799	5698.86	
400.2	5698.86	404.45	5698.85	408.7	5698.86	411.52	5698.83	415.53
419.8199	5698.74	437.2	5698.47461.0699	5698.05	467.05	5698.06	467.59	5698.06
470.89	5698.05	472.05	5698.05	482.73	5698.02	487.39	5698.490.5699	5697.98
496.65	5698.87496.6799	5698.88	496.71	5698.88496.7499	5698.89	496.83	5698.89	
496.8799	5698.9496.9299	5698.91	496.98	5698.91	497.04	5698.92	515.29	5700.83
515.4399	5700.82515.5699	5700.82	515.72	5700.81515.8799	5700.8	516.05	5700.8	
516.23	5700.79516.4299	5700.78	516.64	5700.77516.8699	5700.76	517.53	5700.73	
517.8	5700.72518.1199	5700.69	518.74	5700.67519.1299	5700.63	519.7	5700.6	
520.23	5700.58520.6899	5700.53	521.15	5700.51	521.7	5700.45522.0099	5700.44	
522.67	5700.36	523.04	5700.33	523.83	5700.23	524.08	5700.21524.9999	5700.1
525.1	5700.09525.8699	5700	526.16	5699.95	526.23	5699.94527.3199	5699.77	
527.65	5699.71	528.47	5699.58	529.08	5699.47529.6299	5699.38	530.53	5699.22
530.78	5699.18	531.73	5699	531.95	5698.96532.0099	5698.95533.1199	5698.75	
533.1799	5698.74	533.58	5698.66	534.39	5698.51	535.17	5698.34	535.59
536.7499	5698.536.7599	5698	537.8	5697.76538.1299	5697.69	538.85	5697.53	
539.52	5697.38	539.91	5697.29	540.92	5697.06	540.99	5697.05	541.21
542.11	5696.84	542.33	5696.81	543.24	5696.65	543.73	5696.56	544.36
545.1299	5696.32	545.49	5696.26	546.54	5696.07546.6199	5696.06	546.97	5696
547.6899	5695.82	547.95	5695.75	548.74	5695.56549.3699	5695.4	549.79	5695.29
550.79	5695.04	550.84	5695.03	550.97	5695	551.89	5694.77	552.21
552.9399	5694.51	553.64	5694.33	553.99	5694.25	554.97	5694	555.05
555.08	5693.98	556.29	5693.69	556.83	5693.57	557.54	5693.41558.5699	5693.18
558.79	5693.13559.3699	5693	560.08	5692.95560.1199	5692.95	561.41	5692.87	
561.5099	5692.86	562.74	5692.78	562.9	5692.77564.0699	5692.69	564.29	5692.67
565.4	5692.6565.6799	5692.58571.9399	5691.68572.2599	5691.67572.6199	5691.65			
573.0099	5691.63	573.45	5691.61573.9399	5691.59	574.49	5691.56	575.11	5691.54
575.8199	5691.5	576.64	5691.46	577.34	5691.43	578.28	5691.39	578.86
579.9299	5691.31	580.39	5691.28	580.78	5691.27581.1299	5691.25	582.21	5691.2
582.47	5691.19	582.71	5691.18	583.83	5691.13583.9999	5691.12	585.2	5691.07
585.2899	5691.07	586.58	5691.01	586.59	5691.01	586.78	5691	587.88
588.63	5690.41	589.15	5690.24	589.88	5690	590.61	5689.93	590.77
592.34	5689.75	592.88	5689.68594.0599	5689.56595.0499	5689.42	595.77	5689.34	
597.2599	5689.12	597.46	5689.09598.0599	5689	598.66	5689	606.96	5688.77
613.0499	5688.59	615.13	5688.54	633.36	5688	635.98	5687.34	637.36
641.13	5686.06	641.36	5686	642.71	5685.94651.2999	5685.62	667.74	5685
677.75	5684.91	680.47	5684.89686.2999	5684.94	692.97	5685	696.96	5685.07
717.75	5685.42	752.52	5686753.7999	5686.32	756.52	5687	759.47	5687.74
760.52	5688	786.86	5688.68	800.03	5689	811.38	5689.68	815.99
816.02	5690.01	816.09	5690.02	816.1	5690.02	816.12	5690.03	816.15
816.9399	5690.23818.7599	5690.68	820.02	5691	821.09	5691.27	821.33	5691.33
821.5	5691.37	821.58	5691.39	822.46	5691.61822.8199	5691.7823.2899	5691.82	

lomr.rep

823.96	5691.99	824.02	5692.82	5692.01	826.46	5692.14	828.22	5692.24
829.62	5692.31	830.75	5692.38	833.45	5692.82	839.16	5693.12	841.81
843.92	5693.79	845.59	5693.94	845.78	5694.84	845.81	5694.01	846.05
846.23	5694.12	846.95	5694.3	847.61	5694.47	849.71	5695.84	849.81
850.48	5695.19	852.02	5695.58	852.35	5695.66	853.67	5696	853.71
853.73	5696.01	853.81	5696.04	854.06	5696.11	855.23	5696.41	856.03
857.55	5697	857.61	5697.01	857.62	5697.01	857.80	5697.06	857.81
857.99	5697.11	858.24	5697.17	858.27	5697.18	858.61	5697.27	860.49
861.2	5698	863.84	5698.62	865.45	5699	867.17	5699.48	869.06
870.49	5700.39	872.7	5701.87	5701.31	876.31	5702.87	5702.77	5703.09
880.50	5703.88	5703.99	5703.16	883.55	5704	883.71	5704.04	883.86
887.99	5705	888.04	5705.01	891.35	5706	891.95	5706.13	893.7
895.29	5706.88	895.81	5707	898.42	5707.68	899.66	5708	901.79
901.84	5708.02	901.87	5708.03	901.92	5708.04	901.96	5708.05	901.99
902.04	5708.07	902.08	5708.08	905.75	5709.90	5709.6	5709.19	906.89
909.75	5710	912.4	5710.66	912.83	5710.77	913.75	5711.91	914.31
917.75	5712	918.4	5712.16	921.77	5713.92	5713.5	5713.19	925.77
962.33	5714.82	970.50	5715.98	980.67	5715.98	983.68	5714.26	984.78
988.39	5713.1	988.78	5713	992.78	5712	994.45	5711.58	996.78
998.72	5710.52	1000.78	5710	1003.33	5709.36	1004.7	5709	1007.47
1008.74	5708	1011.77	5707.24	1012.78	5707	1013.89	5706.72	1016.79
1018.58	5705.55	1020.79	5705	1022.69	5704.52	1024.79	5704	1026.85
1028.79	5703	1030.96	5702.46	1032.79	5702	1035.04	5701.44	1036.79
1038.58	5700.55	1040.79	5700	1043.14	5699.41	1044.79	5699	1047.75
1048.79	5698	1049.33	5697.87	1052.43	5697.85	1065.35	5697.79	1096.96

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	546.54	.04	553.81	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	546.54	553.81		55.38	35.02	20.44	.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.47

INPUT

Description: Cross Section: Sta. 52+35.61

Station Elevation Data		num= 467							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5702.06	5.16	5702.11	10.12	5702.24	14.41	5702.36	17.69	5702.45
20.91	5702.47	27.32	5702.9	34.87	5702.91	41.88	5702.92	49.52	5702.92
139.18	5702.9	139.75	5702.89	140.22	5702.88	140.89	5702.88	141.56	5702.86
169.38	5702.56	171.57	5702.5	174.33	5702.43	196.57	5702.2	200.01	5702.1
205.91	5701.71	207.48	5701.67	208.13	5701.67	210.62	5701.6	216.36	5701.42

lomr.rep

231.41	5700.82	237.55	5700.58	242.55	5700.38	244.83	5700.22	249.03	5700
262.71	5699.9	329.93	5698.8	333.59	5698.8	336.12	5698.79	338.61	5698.78
382.82	5698.77	386.42	5698.75	390.8	5698.73	395.6	5698.68	396.52	5698.68
401.72	5698.64	417.7	5698.64	424.83	5698.56	434.97	5698.46	445.86	5698.35
465.34	5698.05	476.95	5698.01	477.89	5698	479.08	5698	480.22	5698.42
498.3	5705.37	499.04	5705.37	499.4	5705.38	500.38	5705.38	500.97	5705.39
501.35	5705.39	501.94	5705.4	502.91	5705.4	503.48	5705.41	504.44	5705.41
504.85	5705.42	505.82	5705.42	506.37	5705.43	506.79	5705.43	507.33	5705.44
508.29	5705.44	508.73	5705.45	509.7	5705.45	510.22	5705.46	510.67	5705.46
511.18	5705.47	512.14	5705.47	512.61	5705.48	513.58	5705.48	514.09	5705.47
514.54	5705.47	515.07	5705.46	515.51	5705.46	516.05	5705.44	516.48	5705.45
517.03	5705.43	517.45	5705.43	518.01	5705.42	518.41	5705.42	518.99	5705.4
519.38	5705.4	519.97	5705.38	520.34	5705.39	520.95	5705.36	521.31	5705.37
521.94	5705.34	522.27	5705.33	522.93	5705.3	523.22	5705.29	523.93	5705.26
524.18	5705.25	524.93	5705.22	525.14	5705.21	525.92	5705.18	526.1	5705.18
526.92	5705.14	527.05	5705.14	527.91	5705.1	528.01	5705.1	528.91	5705.06
528.97	5705.06	529.9	5705.02	529.92	5705.02	530.5	5705	530.9	5704.97
530.93	5704.97	531.88	5704.9	532	5704.88	532.83	5704.74	533.14	5704.69
533.8	5704.59	534.29	5704.5	534.77	5704.43	535.45	5704.31	535.76	5704.26
536.64	5704.12	536.75	5704.1	537.35	5704	537.72	5703.94	537.79	5703.93
538.63	5703.79	538.85	5703.75	539.53	5703.64	539.8	5703.6	539.9	5703.58
540.42	5703.5	540.95	5703.41	541.31	5703.35	541.98	5703.24	542.2	5703.2
543.02	5703.07	543.34	5703	544.02	5702.86	544.22	5702.81	545.05	5702.64
545.54	5702.53	546.09	5702.42	546.89	5702.25	547.15	5702.19	548.07	5702
548.21	5701.98	548.24	5701.97	549.17	5701.81	549.37	5701.77	550.1	5701.64
550.49	5701.55	551.01	5701.46	551.61	5701.32	551.9	5701.26	552.71	5701.07
552.99	5701	553.64	5700.84	553.82	5700.79	554.51	5700.61	554.94	5700.5
555.38	5700.39	556.07	5700.22	556.26	5700.17	556.93	5700	557.13	5699.95
557.19	5699.93	558	5699.73	558.31	5699.65	558.88	5699.5	559.43	5699.36
559.75	5699.28	560.56	5699.08	560.62	5699.06	560.86	5699	561.5	5698.84
561.68	5698.79	562.37	5698.62	562.8	5698.51	563.24	5698.4	563.92	5698.22
564.11	5698.17	564.79	5698	564.99	5697.95	565.04	5697.94	565.15	5697.9
566.1	5697.61	566.8	5697.39	567.23	5697.26	568.06	5697	568.4	5696.94
568.48	5696.93	569.54	5696.76	569.9	5696.69	570.7	5696.56	571.34	5696.45
571.86	5696.37	572.8	5696.21	573.04	5696.17	574.01	5696	574.18	5695.95
574.24	5695.92	574.4	5695.87	575.49	5695.51	576.41	5695.21	576.66	5695.12
577.03	5695	577.79	5694.75	578.25	5694.59	579.63	5694	579.98	5693.85
580.32	5693.7	581.09	5693.37	581.93	5693	582.45	5692.77	584.22	5692
584.43	5691.99	584.45	5691.99	586.37	5691.88	586.64	5691.86	588.32	5691.77
588.83	5691.74	590.27	5691.66	591.03	5691.61	592.23	5691.55	593.24	5691.49
594.2	5691.43	595.46	5691.36	596.17	5691.32	597.68	5691.23	598.14	5691.21
599.92	5691.1	600.12	5691.09	601.72	5691	601.96	5690.89	602.28	5690.75
603.21	5690.33	603.93	5690.01	604.56	5689.74	605.53	5689.34	606.02	5689.13
606.34	5689	609.03	5688.92	611.9	5688.84	638.6	5688	639.49	5687.78
642.71	5687	645.52	5686.31	646.6	5686.05	646.79	5686	649.72	5685.86
668.68	5685	681.81	5684.87	682.76	5684.86	687.84	5684.91	696.4	5684.94
696.97	5685	703.47	5685.02	706.04	5685.03	725.17	5685.11	734.02	5685.08
754.63	5685.21	756.43	5685.46	758.13	5685.44	760.42	5686	764.37	5686.97

lomr.rep

764.47	5687	764.61	5687.03	768.52	5688	776.17	5688.29	800.05	5689
802.94	5689	804.11	5689.53	805.15	5690	805.66	5690.23	806.9	5690.8
807.22	5690.94	807.35	5691	808.77	5691.65	809.55	5692	809.61	5692
810.94	5692.07	813.2	5692.19	813.74	5692.22	815.64	5692.32	816.54	5692.37
818.07	5692.45	819.35	5692.52	820.51	5692.59	821.4	5692.63	822.11	5692.67
823.51	5692.74	824.01	5692.77	825.61	5692.86	825.89	5692.87	827.7	5692.97
827.76	5692.97	828.34	5693	829.45	5693.48	830.64	5694	831.07	5694.19
832.11	5694.64	832.69	5694.89	832.93	5695.83	834.31	5695.6	835.23	5696
835.87	5696.28	836.98	5696.76	837.33	5696.91	837.53	5697	838.91	5697.6
839.83	5698	840.49	5698.15	840.84	5698.22	842.06	5698.49	843.24	5698.75
843.63	5698.84	844.37	5699	845.23	5699.37	846.67	5700	846.85	5700.08
847.29	5700.27	848.48	5700.78	848.89	5700.97	848.97	5701	850.1	5701.49
851.27	5702	851.68	5702.18	852.38	5702.48	853.13	5702.81	853.57	5703
854.7	5703.49	855.87	5704	856.32	5704.2	857.4	5704.66	857.94	5704.9
858.17	5705	859.75	5705.7	860.45	5706	861.34	5706.38	862.7	5706.94
862.78	5706.98	862.84	5707	864.08	5707.51	865.33	5708	911.76	5708
911.86	5708.03	912.03	5708.07	912.18	5708.11	912.32	5708.14	912.45	5708.17
912.56	5708.21	912.67	5708.23	912.78	5708.26	912.87	5708.28	912.96	5708.31
913.05	5708.33	913.13	5708.35	913.2	5708.37	913.27	5708.38	913.34	5708.4
913.4	5708.42	913.46	5708.43	913.52	5708.45	913.57	5708.46	913.62	5708.47
913.67	5708.49	913.77	5708.51	913.81	5708.52	913.85	5708.53	913.89	5708.54
913.92	5708.55	913.96	5708.56	914	5708.57	914.03	5708.58	914.06	5708.58
914.09	5708.59	914.12	5708.6	914.15	5708.61	914.18	5708.61	914.2	5708.62
914.23	5708.63	914.25	5708.63	914.28	5708.64	914.3	5708.65	914.32	5708.65
914.34	5708.66	914.37	5708.66	914.39	5708.67	914.41	5708.67	914.43	5708.68
914.44	5708.68	914.46	5708.69	914.5	5708.69	914.51	5708.7	914.53	5708.7
914.55	5708.71	914.58	5708.71	914.59	5708.72	914.6	5708.72	914.62	5708.73
914.64	5708.73	914.66	5708.74	914.68	5708.74	914.69	5708.75	914.73	5708.75
914.74	5708.76	914.77	5708.76	914.78	5708.77	915.72	5709	917.65	5709.47
919.78	5710	922.29	5710.62	923.83	5711	927.38	5711.88	927.88	5712
931.58	5712.91	931.93	5713	935.96	5713.99	935.99	5714	936.34	5714.01
937.33	5714.03	948.27	5714.21	986	5714.43	988.53	5714.37	991.64	5714.3
994.56	5714.28	994.67	5714.25	995.11	5714.15	995.76	5714	996.09	5713.92
999.81	5713	1000.63	5712.8	1003.86	5712	1004.97	5711.73	1007.92	5711
1010.07	5710.47	1011.97	5710	1013.34	5709.62	1015.67	5709	1017.78	5708.49
1019.83	5708	1022.21	5707.43	1024.08	5707	1025.92	5706.55	1028.18	5706
1030.63	5705.4	1032.23	5705	1034.07	5704.55	1036.28	5704	1039	5703.33
1040.34	5703	1043.27	5702.28	1044.39	5702	1047.51	5701.23	1048.44	5701
1049.75	5700.68	1052.49	5700	1055.7	5699.21	1056.55	5699	1060.27	5698.08
1060.6	5698	1061.27	5697.83	1061.28	5697.83	1064.65	5697	1064.9	5697
1067.23	5697.01	1103.89	5697.08						

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
0	.04	574.24	.04

Bank	Sta: Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	574.24	835.23		32.05 14.97	8.17		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.34

INPUT

Description: Cross Section: Sta. 52+20.64 US Lorson Bridge

Manning's n for
 section based on Riprap and Depth
 computed from
 Blodgett/Limerinos

24" Riprap at 3.5' depth at Abutment Slope:
 0.090

24" Riprap at 9' depth at Abutment Toe: 0.067

30" Riprap
 at 13' depth at Pier: 0.067

24" Grouted Riprap at Bikepath at 6'
 depth: 0.056

Station Elevation Data num= 252

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5701.373	630005	5701.4712	290004	5701.7218	900002	5701.8825	400002	5701.93
77.28003	5702.2781	330008	5702.32	86.1001	5702.38	87.8501	5702.4188	650002	5702.41
91.93005	5702.4593	050005	5702.4594	340009	5702.44134	9501	5702.42	138.25	5702.36
140.9401	5702.3141	4701	5702.3145	2101	5702.22	166.78	5701.98171	8101	5701.85
178.14	5701.69	193.61	5701.53199	9401	5701.34	203.72	5701.1208	6201	5700.97
209.0001	5700.97216	8201	5700.75234	8301	5700.19236	8801	5700.11	237.71	5700.08
239.65	5700245	6401	5699.97	245.91	5699.96	247.03	5699.96270	5601	5699.78
333.54	5698.75	336.96	5698.75	340.15	5698.74	343.27	5698.73384	3201	5698.72
388.8	5698.69394	2501	5698.66400	2401	5698.61	401.05	5698.61	407.53	5698.55
421.29	5698.55	430.15	5698.46442	7501	5698.33456	2601	5698.19	467.04	5698.03
474.6901	5698	488.23	5701.46	488.77	5701.68489	3901	5701.94	490.11	5702.24
490.9401	5702.59	491.92	5702.99	493.09	5703.48	494.52	5704.08	496.29	5704.81
498.55	5705.75499	1401	5706	541.34	5706	546.4	5706546	9501	5705.88
547.0801	5705.85547	8101	5705.7548	1401	5705.63548	6901	5705.52	549.23	5705.4
550.15	5705.17	550.34	5705.12550	8101	5705551	4501	5704.84551	7001	5704.77
552.55	5704.56553	2401	5704.38	553.66	5704.27554	7401	5704	554.77	5703.99
554.78	5703.99555	8801	5703.71556	3301	5703.6556	9901	5703.43557	8701	5703.2
558.1	5703.15	558.67	5703	559.21	5702.86	559.42	5702.81560	3101	5702.58
560.3901	5702.56561	2601	5702.22561	5101	5702.13561	8301	5702	562.79	5701.68
563.5601	5701.41	564.1	5701.23	564.73	5701565	4501	5700.74	566.29	5700.43
566.9	5700.2567	4301	5700	568.3	5699.67	569.59	5699.16569	9901	5699
571.02	5698.59	572.46	5698572	5601	5697.96572	6801	5697.91	573.86	5697.42
574.86	5697	575.16	5696.93	575.3	5696.9	576.6	5696.61577	4401	5696.42
578.05	5696.28	579.29	5696	579.46	5695.93	579.65	5695.84	580.66	5695.4

lomr.rep

581.5601	5695	582.02	5694.8583.2501	5694.25	583.67	5694.07583.8201	5694
584.9301	5693.5586.0601		5693586.2401	5692.92586.6801	5692.72	587.85	5692.2
588.3	5692589.7001	5691.92589.8801	5691.91	591.67	5691.81	592.11	5691.78
593.65	5691.69	594.34	5691.65595.6301	5691.58	596.59	5691.52597.6201	5691.46
598.84	5691.39	599.61	5691.35	601.1	5691.26	601.61	5691.23603.3701
605.48	5691605.5801	5690.95605.7501	5690.87606.9401	5690.33	607.65		5690
608.3301	5689.69609.5101	5689.15	609.73	5689.05	609.85	5689	613.46
616.6201	5688.78619.1201	5688.7621.1401	5688.64622.8201	5688.58640.4901			5688
643.4501	5687.28	644.6	5687	646.59	5686.51	648.71	5686651.5701
662.6401	5685.22	669.84	5685676.0701	5684.38	684.29	5684.28	688.66
691.52	5684.19697.3101	5684.75698.4401	5684.86	699.29	5684.94	699.48	5684.96
706.8401	5684.94716.0901	5684.92732.3201	5684.86	734.77	5684.86	760.78	5684.99
761.36	5685762.5701	5685.29	765.51	5686	769.13	5686.87	769.66
770.3301	5687.1774.2401	5687.52777.8101	5687.93778.6801	5688	797.23	5688.88	
799.03	5688.99	799.27	5689800.7401	5689.7	801.36	5690	801.48
803.4401	5691	803.98	5691.26	805.57	5692.01	807.98	5692.14809.4701
814.4601	5692.52	819.89	5692.84820.9401	5692.9	822.67	5693824.5001	5693.88
824.76	5694826.0601	5694.62	826.85	5695827.0001	5695.07828.9301		5696
829.5001	5696.27	831.02	5697832.0001	5697.47	833.11	5698	836.51
837.23	5699838.7201	5699.72839.3101	5700839.4301	5700.06	841.4	5701	
841.9301	5701.25843.4901	5702844.4601	5702.36846.1801	5703846.9701	5703.54		
847.66	5704849.3301	5704.61850.3701	5705	851.3	5705.61	851.91	5706
853.4301	5706.61	854.42	5707	854.98	5707.3856.3101	5708	857.42
1010.61	5708	1018.81	5707.97	1023.15	5707.94	1030.18	5707.88
1044.11	5707	1104.56	5707	1109.4	5706.89	1118.84	5706.7
1154.53	5706	1166.8	5705.67	1182.84	5705.29	1194.54	5705
1197.26	5704.98	1211.05	5704.62				

Manning's n Values			num= 11								
Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
0	.04	569.59	.09	588.3	.056	599.61	.067	613.46	.04		
697.3101	.067716.0901		.04778.6801		.067800.7401		.056814.4601		.09		
837.23	.04										

Bank Sta:	Left	Right	Lengths:	Left	Channel	Right	Coeff	Contr.	Expan.
	580.66827.0001			82	82.61	81.81		.3	.5

BRIDGE

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.3135

INPUT

Description:
 Distance from Upstream XS = 8.5
 Deck/Roadway Width = 63
 Weir Coefficient = 2.6

lomr.rep

Upstream Deck/Roadway Coordinates

num= 413

Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord	Sta	Hi	Cord	Lo	Cord
0	5702.44		0		1.31	5702.46		0		4.31	5702.48		0	
7.31	5702.51		0		10.31	5702.53		0		13.31	5702.56		0	
16.31	5702.58		0		19.31	5702.61		0		22.31	5702.63		0	
25.31	5702.66		0		28.31	5702.68		0		31.31	5702.71		0	
34.31	5702.73		0		37.31	5702.76		0		40.31	5702.79		0	
43.31	5702.81		0		46.31	5702.84		0		49.31	5702.86		0	
52.31	5702.89		0		55.31	5702.91		0		58.31	5702.94		0	
61.31	5702.96		0		64.31	5702.99		0		67.31	5703.01		0	
70.31	5703.04		0		73.31	5703.06		0		76.31	5703.09		0	
79.31	5703.11		0		82.31	5703.14		0		85.31	5703.17		0	
88.31	5703.19		0		91.31	5703.22		0		94.31	5703.24		0	
97.31	5703.27		0		100.31	5703.29		0		103.31	5703.32		0	
106.31	5703.34		0		109.31	5703.37		0		112.31	5703.39		0	
115.31	5703.42		0		118.31	5703.44		0		121.31	5703.47		0	
124.31	5703.49		0		127.31	5703.52		0		130.31	5703.55		0	
133.31	5703.57		0		136.31	5703.6		0		139.31	5703.62		0	
142.31	5703.65		0		145.31	5703.67		0		148.31	5703.7		0	
151.31	5703.72		0		154.31	5703.75		0		157.31	5703.77		0	
160.31	5703.8		0		163.31	5703.82		0		166.31	5703.85		0	
169.31	5703.87		0		172.31	5703.9		0		175.31	5703.93		0	
178.31	5703.95		0		181.31	5703.98		0		184.16	5704		0	
184.31	5704		0		187.31	5704.03		0		190.31	5704.05		0	
193.31	5704.08		0		196.31	5704.1		0		199.31	5704.13		0	
202.31	5704.15		0		205.31	5704.18		0		208.31	5704.2		0	
211.31	5704.23		0		214.31	5704.25		0		217.31	5704.28		0	
220.31	5704.31		0		223.31	5704.33		0		226.31	5704.36		0	
229.31	5704.38		0		232.31	5704.41		0		235.31	5704.43		0	
238.31	5704.46		0		241.31	5704.48		0		244.31	5704.51		0	
247.31	5704.53		0		250.31	5704.56		0		253.31	5704.58		0	
256.31	5704.61		0		259.31	5704.63		0		262.31	5704.66		0	
265.31	5704.69		0		268.31	5704.71		0		271.31	5704.74		0	
274.31	5704.76		0		277.31	5704.79		0		280.31	5704.81		0	
283.31	5704.84		0		286.31	5704.86		0		289.31	5704.89		0	
292.31	5704.91		0		295.31	5704.94		0		298.31	5704.96		0	
301.31	5704.99		0		302.6	5705		0		304.31	5705.01		0	
307.31	5705.04		0		310.31	5705.07		0		313.31	5705.09		0	
316.31	5705.12		0		319.31	5705.14		0		322.31	5705.16		0	
325.31	5705.19		0		328.31	5705.21		0		331.31	5705.23		0	
334.31	5705.25		0		337.31	5705.28		0		340.31	5705.3		0	
343.31	5705.32		0		346.31	5705.35		0		349.31	5705.37		0	
352.31	5705.39		0		355.31	5705.41		0		358.31	5705.44		0	
361.31	5705.46		0		364.31	5705.48		0		367.31	5705.5		0	
370.31	5705.53		0		373.31	5705.55		0		376.31	5705.57		0	
379.31	5705.59		0		382.31	5705.62		0		385.31	5705.64		0	
388.31	5705.66		0		391.31	5705.68		0		394.31	5705.71		0	

lomr.rep

397.31	5705.73	0	400.31	5705.75	0	403.31	5705.77	0
406.31	5705.8	0	409.31	5705.82	0	412.31	5705.84	0
415.31	5705.86	0	418.31	5705.89	0	421.31	5705.91	0
424.31	5705.93	0	427.31	5705.96	0	430.31	5705.98	0
433.28	5706	0	433.31	5706	0	436.31	5706.02	0
439.31	5706.05	0	442.31	5706.07	0	445.31	5706.09	0
448.31	5706.11	0	451.31	5706.14	0	454.31	5706.16	0
457.31	5706.18	0	460.31	5706.2	0	463.31	5706.23	0
466.31	5706.25	0	469.31	5706.27	0	472.31	5706.29	0
475.31	5706.32	0	478.31	5706.34	0	481.31	5706.36	0
484.31	5706.38	0	487.31	5706.41	0	490.31	5706.43	0
493.31	5706.45	0	496.31	5706.47	0	499.31	5706.5	0
502.31	5706.52	0	505.31	5706.54	0	508.31	5706.56	0
511.31	5706.59	0	514.31	5706.61	0	517.31	5706.63	0
520.31	5706.66	0	523.31	5706.68	0	526.31	5706.7	0
529.31	5706.72	0	532.31	5706.75	0	535.31	5706.77	0
538.31	5706.79	0	541.31	5706.81	0	544.31	5706.84	0
547.31	5706.86	0	550.31	5706.88	0	553.31	5706.9	0
556.31	5706.93	0	559.31	5706.95	0	562.31	5706.97	0
565.31	5706.99	0	568.31	5707.02	0	571.31	5707.04	0
574.31	5707.06	0	577.31	5707.08	0	580.31	5707.11	0
581.99	5707.12	0	582	5707.12	5699.57	583.31	5707.13	5699.58
586.31	5707.15	5699.6	589.31	5707.17	5699.62	592.31	5707.2	5699.65
595.31	5707.22	5699.67	598.31	5707.24	5699.69	601.31	5707.26	5699.71
604.31	5707.29	5699.74	607.31	5707.31	5699.76	610.31	5707.33	5699.78
613.31	5707.36	5699.81	616.31	5707.38	5699.83	619.31	5707.4	5699.85
622.31	5707.42	5699.87	625.31	5707.45	5699.9	628.31	5707.47	5699.92
631.31	5707.49	5699.94	634.31	5707.51	5699.96	637.31	5707.54	5699.99
640.31	5707.56	5700.01	643.31	5707.58	5700.03	646.31	5707.6	5700.05
649.31	5707.63	5700.08	652.31	5707.65	5700.1	655.31	5707.67	5700.12
658.31	5707.69	5700.14	661.31	5707.72	5700.17	664.31	5707.74	5700.19
667.31	5707.76	5700.21	670.31	5707.78	5700.23	673.31	5707.81	5700.26
676.31	5707.83	5700.28	679.31	5707.85	5700.3	682.31	5707.87	5700.32
685.31	5707.9	5700.35	688.31	5707.92	5700.37	691.31	5707.94	5700.39
694.31	5707.97	5700.42	697.31	5707.99	5700.44	700.31	5708.01	5700.46
703.31	5708.03	5700.48	706.31	5708.06	5700.51	709.31	5708.08	5700.53
712.31	5708.1	5700.55	715.31	5708.12	5700.57	718.31	5708.15	5700.6
721.31	5708.17	5700.62	724.31	5708.19	5700.64	727.31	5708.21	5700.66
730.31	5708.24	5700.69	733.31	5708.26	5700.71	736.31	5708.28	5700.73
739.31	5708.3	5700.75	742.31	5708.33	5700.78	745.31	5708.35	5700.8
748.31	5708.37	5700.82	751.31	5708.39	5700.84	754.31	5708.42	5700.87
757.31	5708.44	5700.89	760.31	5708.46	5700.91	763.31	5708.48	5700.93
766.31	5708.51	5700.96	769.31	5708.53	5700.98	772.31	5708.55	5701
775.31	5708.57	5701.02	778.31	5708.6	5701.05	781.31	5708.62	5701.07
784.31	5708.64	5701.09	787.31	5708.67	5701.12	790.31	5708.69	5701.14
793.31	5708.71	5701.16	796.31	5708.73	5701.18	799.31	5708.76	5701.21
802.31	5708.78	5701.23	805.31	5708.8	5701.25	808.31	5708.82	5701.27
811.31	5708.85	5701.3	814.31	5708.87	5701.32	817.31	5708.89	5701.34

lomr.rep

820.31	5708.91	5701.36	823.31	5708.94	5701.39	826.31	5708.96	5701.41
829.31	5708.98	5701.43	832.31	5709	5701.45	835.31	5709.03	5701.48
836.01	5709.03	5701.49	836.02	5709.03	0	838.31	5709.05	0
841.31	5709.07	0	844.31	5709.09	0	847.31	5709.12	0
850.31	5709.14	0	853.31	5709.16	0	856.31	5709.18	0
859.31	5709.21	0	862.31	5709.23	0	865.31	5709.25	0
868.31	5709.27	0	871.31	5709.3	0	874.31	5709.32	0
877.31	5709.34	0	880.31	5709.36	0	883.31	5709.37	0
886.31	5709.39	0	889.31	5709.4	0	892.31	5709.42	0
895.31	5709.43	0	898.31	5709.44	0	901.31	5709.45	0
904.31	5709.45	0	907.31	5709.46	0	910.31	5709.46	0
913.31	5709.46	0	916.31	5709.46	0	919.31	5709.46	0
922.31	5709.46	0	925.31	5709.46	0	928.31	5709.45	0
931.31	5709.45	0	934.31	5709.44	0	937.31	5709.43	0
940.31	5709.42	0	943.31	5709.41	0	946.31	5709.39	0
949.31	5709.38	0	952.31	5709.36	0	955.31	5709.34	0
958.31	5709.32	0	961.31	5709.3	0	964.31	5709.28	0
967.31	5709.26	0	970.31	5709.23	0	973.31	5709.21	0
976.31	5709.18	0	979.31	5709.15	0	982.31	5709.12	0
985.31	5709.08	0	988.31	5709.05	0	991.31	5709.01	0
994.31	5708.98	0	997.31	5708.94	0	1000.31	5708.9	0
1003.31	5708.86	0	1006.31	5708.81	0	1009.31	5708.77	0
1012.31	5708.72	0	1015.31	5708.68	0	1018.31	5708.63	0
1021.31	5708.58	0	1024.31	5708.53	0	1027.31	5708.47	0
1030.31	5708.42	0	1033.31	5708.36	0	1036.31	5708.31	0
1039.31	5708.25	0	1042.31	5708.19	0	1045.31	5708.13	0
1048.31	5708.06	0	1051.31	5708	0	1054.31	5707.93	0
1057.31	5707.86	0	1060.31	5707.79	0	1063.31	5707.72	0
1066.31	5707.65	0	1069.31	5707.58	0	1072.31	5707.5	0
1075.31	5707.43	0	1078.31	5707.35	0	1081.31	5707.27	0
1084.31	5707.19	0	1087.31	5707.11	0	1090.31	5707.02	0
1093.31	5706.94	0	1096.31	5706.85	0	1099.31	5706.76	0
1102.31	5706.67	0	1105.31	5706.58	0	1108.31	5706.49	0
1111.31	5706.4	0	1114.31	5706.3	0	1117.31	5706.2	0
1120.31	5706.11	0	1123.31	5706.01	0	1126.31	5705.91	0
1129.31	5705.8	0	1132.31	5705.7	0	1135.31	5705.59	0
1138.31	5705.49	0	1141.31	5705.38	0	1144.31	5705.27	0
1147.31	5705.16	0	1150.31	5705.04	0	1153.31	5704.93	0
1156.31	5704.81	0	1159.31	5704.7	0	1162.31	5704.58	0
1165.31	5704.46	0	1168.31	5704.34	0	1171.31	5704.21	0
1174.31	5704.09	0	1177.31	5703.97	0	1180.31	5703.84	0
1183.31	5703.72	0	1186.31	5703.6	0	1189.31	5703.47	0
1192.31	5703.35	0	1195.31	5703.23	0	1198.31	5703.1	0
1201.31	5702.98	0	1204.31	5702.86	0	1207.31	5702.73	0
1210.31	5702.61	0	1211.05	5702.58	0			

Upstream Bridge Cross Section Data

Station Elevation Data num= 252

lomr.rep

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5701.373.630005	5701.4712.29004	5701.7218.90002	5701.8825.40002	5701.93				
77.28003	5702.2781.33008	5702.32 86.1001	5702.38 87.8501	5702.4188.65002	5702.41				
91.93005	5702.4593.05005	5702.4594.34009	5702.44134.9501	5702.42 138.25	5702.36				
140.9401	5702.3141.4701	5702.3145.2101	5702.22 166.78	5701.98171.8101	5701.85				
178.14	5701.69 193.61	5701.53199.9401	5701.34 203.72	5701.1208.6201	5700.97				
209.0001	5700.97216.8201	5700.75234.8301	5700.19236.8801	5700.11 237.71	5700.08				
239.65	5700245.6401	5699.97 245.91	5699.96 247.03	5699.96270.5601	5699.78				
333.54	5698.75 336.96	5698.75 340.15	5698.74 343.27	5698.73384.3201	5698.72				
388.8	5698.69394.2501	5698.66400.2401	5698.61 401.05	5698.61 407.53	5698.55				
421.29	5698.55 430.15	5698.46442.7501	5698.33456.2601	5698.19 467.04	5698.03				
474.6901	5698 488.23	5701.46 488.77	5701.68489.3901	5701.94 490.11	5702.24				
490.9401	5702.59 491.92	5702.99 493.09	5703.48 494.52	5704.08 496.29	5704.81				
498.55	5705.75499.1401	5706 541.34	5706 546.4	5706546.9501	5705.88				
547.0801	5705.85547.8101	5705.7548.1401	5705.63548.6901	5705.52 549.23	5705.4				
550.15	5705.17 550.34	5705.12550.8101	5705551.4501	5704.84551.7001	5704.77				
552.55	5704.56553.2401	5704.38 553.66	5704.27554.7401	5704 554.77	5703.99				
554.78	5703.99555.8801	5703.71556.3301	5703.6556.9901	5703.43557.8701	5703.2				
558.1	5703.15 558.67	5703 559.21	5702.86 559.42	5702.81560.3101	5702.58				
560.3901	5702.56561.2601	5702.22561.5101	5702.13561.8301	5702 562.79	5701.68				
563.5601	5701.41 564.1	5701.23 564.73	5701565.4501	5700.74 566.29	5700.43				
566.9	5700.2567.4301	5700 568.3	5699.67 569.59	5699.16569.9901	5699				
571.02	5698.59 572.46	5698572.5601	5697.96572.6801	5697.91 573.86	5697.42				
574.86	5697 575.16	5696.93 575.3	5696.9 576.6	5696.61577.4401	5696.42				
578.05	5696.28 579.29	5696 579.46	5695.93 579.65	5695.84 580.66	5695.4				
581.5601	5695 582.02	5694.8583.2501	5694.25 583.67	5694.07583.8201	5694				
584.9301	5693.5586.0601	5693586.2401	5692.92586.6801	5692.72 587.85	5692.2				
588.3	5692589.7001	5691.92589.8801	5691.91 591.67	5691.81 592.11	5691.78				
593.65	5691.69 594.34	5691.65595.6301	5691.58 596.59	5691.52597.6201	5691.46				
598.84	5691.39 599.61	5691.35 601.1	5691.26 601.61	5691.23603.3701	5691.12				
605.48	5691605.5801	5690.95605.7501	5690.87606.9401	5690.33 607.65	5690				
608.3301	5689.69609.5101	5689.15 609.73	5689.05 609.85	5689 613.46	5688.89				
616.6201	5688.78619.1201	5688.7621.1401	5688.64622.8201	5688.58640.4901	5688				
643.4501	5687.28 644.6	5687 646.59	5686.51 648.71	5686651.5701	5685.87				
662.6401	5685.22 669.84	5685676.0701	5684.38 684.29	5684.28 688.66	5684.19				
691.52	5684.19697.3101	5684.75698.4401	5684.86 699.29	5684.94 699.48	5684.96				
706.8401	5684.94716.0901	5684.92732.3201	5684.86 734.77	5684.86 760.78	5684.99				
761.36	5685762.5701	5685.29 765.51	5686 769.13	5686.87 769.66	5687				
770.3301	5687.1774.2401	5687.52777.8101	5687.93778.6801	5688 797.23	5688.88				
799.03	5688.99 799.27	5689800.7401	5689.7 801.36	5690 801.48	5690.06				
803.4401	5691 803.98	5691.26 805.57	5692.01 807.98	5692.14809.4701	5692.23				
814.4601	5692.52 819.89	5692.84820.9401	5692.9 822.67	5693824.5001	5693.88				
824.76	5694826.0601	5694.62 826.85	5695827.0001	5695.07828.9301	5696				
829.5001	5696.27 831.02	5697832.0001	5697.47 833.11	5698 836.51	5698.83				
837.23	5699838.7201	5699.72839.3101	5700839.4301	5700.06 841.4	5701				
841.9301	5701.25843.4901	5702844.4601	5702.36846.1801	5703846.9701	5703.54				
847.66	5704849.3301	5704.61850.3701	5705 851.3	5705.61 851.91	5706				
853.4301	5706.61 854.42	5707 854.98	5707.3856.3101	5708 857.42	5708				

lomr.rep

1010.61	5708	1018.81	5707.97	1023.15	5707.94	1030.18	5707.88	1032.18	5707.75
1044.11	5707	1104.56	5707	1109.4	5706.89	1118.84	5706.7	1153.1	5706
1154.53	5706	1166.8	5705.67	1182.84	5705.29	1194.54	5705	1196.21	5705
1197.26	5704.98	1211.05	5704.62						

Manning's n Values num= 11

Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
0	.04	569.59	.09	588.3	.056	599.61	.067	613.46	.04
697.3101	.067716.0901	.04778.6801	.067800.7401	.056814.4601	.09				
837.23	.04								

Bank Sta:	Left	Right	Coeff	Contr.	Expan.
	580.66827.0001		.3	.5	

Downstream Deck/Roadway Coordinates

num= 413

Sta	Hi Cord	Lo Cord	Sta	Hi Cord	Lo Cord	Sta	Hi Cord	Lo Cord
0	5702.44	0	1.31	5702.46	0	4.31	5702.48	0
7.31	5702.51	0	10.31	5702.53	0	13.31	5702.56	0
16.31	5702.58	0	19.31	5702.61	0	22.31	5702.63	0
25.31	5702.66	0	28.31	5702.68	0	31.31	5702.71	0
34.31	5702.73	0	37.31	5702.76	0	40.31	5702.79	0
43.31	5702.81	0	46.31	5702.84	0	49.31	5702.86	0
52.31	5702.89	0	55.31	5702.91	0	58.31	5702.94	0
61.31	5702.96	0	64.31	5702.99	0	67.31	5703.01	0
70.31	5703.04	0	73.31	5703.06	0	76.31	5703.09	0
79.31	5703.11	0	82.31	5703.14	0	85.31	5703.17	0
88.31	5703.19	0	91.31	5703.22	0	94.31	5703.24	0
97.31	5703.27	0	100.31	5703.29	0	103.31	5703.32	0
106.31	5703.34	0	109.31	5703.37	0	112.31	5703.39	0
115.31	5703.42	0	118.31	5703.44	0	121.31	5703.47	0
124.31	5703.49	0	127.31	5703.52	0	130.31	5703.55	0
133.31	5703.57	0	136.31	5703.6	0	139.31	5703.62	0
142.31	5703.65	0	145.31	5703.67	0	148.31	5703.7	0
151.31	5703.72	0	154.31	5703.75	0	157.31	5703.77	0
160.31	5703.8	0	163.31	5703.82	0	166.31	5703.85	0
169.31	5703.87	0	172.31	5703.9	0	175.31	5703.93	0
178.31	5703.95	0	181.31	5703.98	0	184.16	5704	0
184.31	5704	0	187.31	5704.03	0	190.31	5704.05	0
193.31	5704.08	0	196.31	5704.1	0	199.31	5704.13	0
202.31	5704.15	0	205.31	5704.18	0	208.31	5704.2	0
211.31	5704.23	0	214.31	5704.25	0	217.31	5704.28	0
220.31	5704.31	0	223.31	5704.33	0	226.31	5704.36	0
229.31	5704.38	0	232.31	5704.41	0	235.31	5704.43	0
238.31	5704.46	0	241.31	5704.48	0	244.31	5704.51	0
247.31	5704.53	0	250.31	5704.56	0	253.31	5704.58	0
256.31	5704.61	0	259.31	5704.63	0	262.31	5704.66	0
265.31	5704.69	0	268.31	5704.71	0	271.31	5704.74	0

lomr.rep

274.31	5704.76	0	277.31	5704.79	0	280.31	5704.81	0
283.31	5704.84	0	286.31	5704.86	0	289.31	5704.89	0
292.31	5704.91	0	295.31	5704.94	0	298.31	5704.96	0
301.31	5704.99	0	302.6	5705	0	304.31	5705.01	0
307.31	5705.04	0	310.31	5705.07	0	313.31	5705.09	0
316.31	5705.12	0	319.31	5705.14	0	322.31	5705.16	0
325.31	5705.19	0	328.31	5705.21	0	331.31	5705.23	0
334.31	5705.25	0	337.31	5705.28	0	340.31	5705.3	0
343.31	5705.32	0	346.31	5705.35	0	349.31	5705.37	0
352.31	5705.39	0	355.31	5705.41	0	358.31	5705.44	0
361.31	5705.46	0	364.31	5705.48	0	367.31	5705.5	0
370.31	5705.53	0	373.31	5705.55	0	376.31	5705.57	0
379.31	5705.59	0	382.31	5705.62	0	385.31	5705.64	0
388.31	5705.66	0	391.31	5705.68	0	394.31	5705.71	0
397.31	5705.73	0	400.31	5705.75	0	403.31	5705.77	0
406.31	5705.8	0	409.31	5705.82	0	412.31	5705.84	0
415.31	5705.86	0	418.31	5705.89	0	421.31	5705.91	0
424.31	5705.93	0	427.31	5705.96	0	430.31	5705.98	0
433.28	5706	0	433.31	5706	0	436.31	5706.02	0
439.31	5706.05	0	442.31	5706.07	0	445.31	5706.09	0
448.31	5706.11	0	451.31	5706.14	0	454.31	5706.16	0
457.31	5706.18	0	460.31	5706.2	0	463.31	5706.23	0
466.31	5706.25	0	469.31	5706.27	0	472.31	5706.29	0
475.31	5706.32	0	478.31	5706.34	0	481.31	5706.36	0
484.31	5706.38	0	487.31	5706.41	0	490.31	5706.43	0
493.31	5706.45	0	496.31	5706.47	0	499.31	5706.5	0
502.31	5706.52	0	505.31	5706.54	0	508.31	5706.56	0
511.31	5706.59	0	514.31	5706.61	0	517.31	5706.63	0
520.31	5706.66	0	523.31	5706.68	0	526.31	5706.7	0
529.31	5706.72	0	532.31	5706.75	0	535.31	5706.77	0
538.31	5706.79	0	541.31	5706.81	0	544.31	5706.84	0
547.31	5706.86	0	550.31	5706.88	0	553.31	5706.9	0
556.31	5706.93	0	559.31	5706.95	0	562.31	5706.97	0
565.31	5706.99	0	568.31	5707.02	0	571.31	5707.04	0
574.31	5707.06	0	577.31	5707.08	0	580.31	5707.11	0
583.31	5707.13	0	586.31	5707.15	0	589.31	5707.17	0
592.31	5707.2	0	595.31	5707.22	0	598.21	5707.24	0
598.22	5707.24	5699.69	598.31	5707.24	5699.69	601.31	5707.26	5699.71
604.31	5707.29	5699.74	607.31	5707.31	5699.76	610.31	5707.33	5699.78
613.31	5707.36	5699.81	616.31	5707.38	5699.83	619.31	5707.4	5699.85
622.31	5707.42	5699.87	625.31	5707.45	5699.9	628.31	5707.47	5699.92
631.31	5707.49	5699.94	634.31	5707.51	5699.96	637.31	5707.54	5699.99
640.31	5707.56	5700.01	643.31	5707.58	5700.03	646.31	5707.6	5700.05
649.31	5707.63	5700.08	652.31	5707.65	5700.1	655.31	5707.67	5700.12
658.31	5707.69	5700.14	661.31	5707.72	5700.17	664.31	5707.74	5700.19
667.31	5707.76	5700.21	670.31	5707.78	5700.23	673.31	5707.81	5700.26
676.31	5707.83	5700.28	679.31	5707.85	5700.3	682.31	5707.87	5700.32
685.31	5707.9	5700.35	688.31	5707.92	5700.37	691.31	5707.94	5700.39

lomr.rep

694.31	5707.97	5700.42	697.31	5707.99	5700.44	700.31	5708.01	5700.46
703.31	5708.03	5700.48	706.31	5708.06	5700.51	709.31	5708.08	5700.53
712.31	5708.1	5700.55	715.31	5708.12	5700.57	718.31	5708.15	5700.6
721.31	5708.17	5700.62	724.31	5708.19	5700.64	727.31	5708.21	5700.66
730.31	5708.24	5700.69	733.31	5708.26	5700.71	736.31	5708.28	5700.73
739.31	5708.3	5700.75	742.31	5708.33	5700.78	745.31	5708.35	5700.8
748.31	5708.37	5700.82	751.31	5708.39	5700.84	754.31	5708.42	5700.87
757.31	5708.44	5700.89	760.31	5708.46	5700.91	763.31	5708.48	5700.93
766.31	5708.51	5700.96	769.31	5708.53	5700.98	772.31	5708.55	5701
775.31	5708.57	5701.02	778.31	5708.6	5701.05	781.31	5708.62	5701.07
784.31	5708.64	5701.09	787.31	5708.67	5701.12	790.31	5708.69	5701.14
793.31	5708.71	5701.16	796.31	5708.73	5701.18	799.31	5708.76	5701.21
802.31	5708.78	5701.23	805.31	5708.8	5701.25	808.31	5708.82	5701.27
811.31	5708.85	5701.3	814.31	5708.87	5701.32	817.31	5708.89	5701.34
820.31	5708.91	5701.36	823.31	5708.94	5701.39	826.31	5708.96	5701.41
829.31	5708.98	5701.43	832.31	5709	5701.45	835.31	5709.03	5701.48
838.31	5709.05	5701.5	841.31	5709.07	5701.52	844.31	5709.09	5701.54
847.31	5709.12	5701.57	850.31	5709.14	5701.59	852.23	5709.15	5701.6
852.24	5709.15	0	853.31	5709.16	0	856.31	5709.18	0
859.31	5709.21	0	862.31	5709.23	0	865.31	5709.25	0
868.31	5709.27	0	871.31	5709.3	0	874.31	5709.32	0
877.31	5709.34	0	880.31	5709.36	0	883.31	5709.37	0
886.31	5709.39	0	889.31	5709.4	0	892.31	5709.42	0
895.31	5709.43	0	898.31	5709.44	0	901.31	5709.45	0
904.31	5709.45	0	907.31	5709.46	0	910.31	5709.46	0
913.31	5709.46	0	916.31	5709.46	0	919.31	5709.46	0
922.31	5709.46	0	925.31	5709.46	0	928.31	5709.45	0
931.31	5709.45	0	934.31	5709.44	0	937.31	5709.43	0
940.31	5709.42	0	943.31	5709.41	0	946.31	5709.39	0
949.31	5709.38	0	952.31	5709.36	0	955.31	5709.34	0
958.31	5709.32	0	961.31	5709.3	0	964.31	5709.28	0
967.31	5709.26	0	970.31	5709.23	0	973.31	5709.21	0
976.31	5709.18	0	979.31	5709.15	0	982.31	5709.12	0
985.31	5709.08	0	988.31	5709.05	0	991.31	5709.01	0
994.31	5708.98	0	997.31	5708.94	0	1000.31	5708.9	0
1003.31	5708.86	0	1006.31	5708.81	0	1009.31	5708.77	0
1012.31	5708.72	0	1015.31	5708.68	0	1018.31	5708.63	0
1021.31	5708.58	0	1024.31	5708.53	0	1027.31	5708.47	0
1030.31	5708.42	0	1033.31	5708.36	0	1036.31	5708.31	0
1039.31	5708.25	0	1042.31	5708.19	0	1045.31	5708.13	0
1048.31	5708.06	0	1051.31	5708	0	1054.31	5707.93	0
1057.31	5707.86	0	1060.31	5707.79	0	1063.31	5707.72	0
1066.31	5707.65	0	1069.31	5707.58	0	1072.31	5707.5	0
1075.31	5707.43	0	1078.31	5707.35	0	1081.31	5707.27	0
1084.31	5707.19	0	1087.31	5707.11	0	1090.31	5707.02	0
1093.31	5706.94	0	1096.31	5706.85	0	1099.31	5706.76	0
1102.31	5706.67	0	1105.31	5706.58	0	1108.31	5706.49	0
1111.31	5706.4	0	1114.31	5706.3	0	1117.31	5706.2	0

lomr.rep

1120.31	5706.11	0	1123.31	5706.01	0	1126.31	5705.91	0
1129.31	5705.8	0	1132.31	5705.7	0	1135.31	5705.59	0
1138.31	5705.49	0	1141.31	5705.38	0	1144.31	5705.27	0
1147.31	5705.16	0	1150.31	5705.04	0	1153.31	5704.93	0
1156.31	5704.81	0	1159.31	5704.7	0	1162.31	5704.58	0
1165.31	5704.46	0	1168.31	5704.34	0	1171.31	5704.21	0
1174.31	5704.09	0	1177.31	5703.97	0	1180.31	5703.84	0
1183.31	5703.72	0	1186.31	5703.6	0	1189.31	5703.47	0
1192.31	5703.35	0	1195.31	5703.23	0	1198.31	5703.1	0
1201.31	5702.98	0	1204.31	5702.86	0	1207.31	5702.73	0
1210.31	5702.61	0	1211.05	5702.58	0			

Downstream Bridge Cross Section Data

Station Elevation Data num= 277

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5699.571.630005	5699.58	15.12	5699.6130.30005	5699.6242.43005	5699.64			
59.78003	5699.6767.31006	5699.6888.30005	5699.6890.76001	5699.67	105.02	5699.7			
110.1901	5699.7	112.79	5699.69118.4501	5699.69	121.3	5699.68136.8101	5699.65		
143.17	5699.65146.1801	5699.64149.3101	5699.63160.4401	5699.61	164.55	5699.6			
174.6101	5699.54188.1201	5699.46200.9901	5699.42207.9401	5699.36220.6401	5699.32				
232.3701	5699.29	242.4	5699.26250.9901	5699.19	258.52	5699.17	266.98	5699.14	
276.3201	5699.07286.5101	5699.03294.8201	5698.98299.0801	5698.95307.4901	5698.9				
314.7601	5698.85329.3801	5698.73	341.36	5698.64	349.05	5698.58369.6301	5698.25		
370.7501	5698.25380.4501	5698.2	389.97	5698.16	399.28	5698.16	412.61	5698.09	
425.8	5698	426.61	5698	438.96	5698.18	439.85	5698.31441.0101	5698.47	
442.5801	5698.7	444.84	5699.02	448.36	5699.52454.5801	5700.41458.6201	5700.77		
464.11	5701.28	472.05	5702.01507.2401	5705.11	510.73	5705.48	514.6	5705.89	
515.65	5706	558.29	5706568.8201	5706	569.17	5705.99569.1801	5705.99		
570.16	5705.95	570.21	5705.94	571.05	5705.84	571.22	5705.81571.9301	5705.72	
572.23	5705.66572.8201	5705.58	573.27	5705.5	573.72	5705.44574.3201	5705.33		
575.2401	5705.16	575.65	5705576.5601	5704.6	577.61	5704.13	577.78	5704.06	
577.91	5704	579.35	5703.49	580.72	5703581.1401	5702.85	582.05	5702.56	
583.22	5702.18	583.8	5702	585.03	5701.74585.6801	5701.58	587.92	5701	
587.9401	5701	588.48	5700.81	590.73	5700	592.41	5699.39593.5101	5699	
595.09	5698.38	596.04	5698	596.23	5697.91596.6201	5697.72597.6301	5697.23		
598.11	5697600.2601	5696.46602.0801	5696	603.73	5695.2604.1201	5695			
604.5801	5694.77	606.11	5694	607.46	5693.31608.0801	5693	608.72	5692.68	
610.05	5692	612.84	5691.82616.1301	5691.61	621.28	5691.28625.6401	5691		
627.2601	5690.22	627.71	5690628.8201	5689.46	629.78	5689629.9901	5688.99		
631.5101	5688.88632.7401	5688.8633.7501	5688.73	634.6	5688.67635.3301	5688.62			
644.42	5688650.2601	5687.66	663.54	5687	664.61	5686.74	667.65	5686	
670.54	5685.3671.7601	5685	684.17	5684.37	691.54	5684	693.46	5683.99	
700.41	5683.95	702.35	5683.96	709.38	5684	718.15	5684721.1901	5684.16	
727.4401	5684.24727.9901	5684.25	736.73	5684.35749.5701	5684.54	783.63	5685		
784.38	5685.18787.4701	5685.92	787.79	5686	788.26	5686.11791.9401	5687		
799	5687.2	803.48	5687.45	804.28	5687.49805.2001	5687.52	806.28	5687.56	
807.54	5687.62809.0601	5687.68	810.9	5687.75813.1901	5687.84	816.11	5687.96		
817.2101	5688819.2001	5688.96	819.28	5689	820.78	5689.73821.3401	5690		

lomr.rep

823.2001	5690.9	823.41	5691	824.9	5691.72825.4701	5692827.0901	5692.1
827.3701	5692.11	829.65	5692.24	830.39	5692.28832.2401	5692.39	833.63
834.7201	5692.52	835.91	5692.59836.7501	5692.63838.1901	5692.71	838.78	5692.74
840.4501	5692.83	840.79	5692.85842.7101	5692.96	842.8	5692.96843.4901	5693
844.63	5693.53845.6201	5694846.2501	5694.25846.9701	5694.52847.6201	5694.78		
848.23	5695848.9301	5695.42849.8401	5696	850.17	5696.16850.7001	5696.41	
851.4701	5696.77851.9401	5697852.7401	5697.38	853.98	5697.98	854.01	5697.99
854.02	5698	855.27	5698.3	856.03	5698.44	856.61	5698.54857.1201
857.9601	5698.77858.2001	5698.82859.2401	5699	859.28	5699.02	859.3	5699.02
860.23	5699.35860.7401	5699.53861.1901	5699.69862.0701	5700	862.17	5700.04	
862.23	5700.06	863.16	5700.39	863.79	5700.62	864.17	5700.76864.8401
865.2101	5701.14865.4401	5701.24866.2201	5701.55867.1201	5701.98	867.14	5701.99	
867.17	5702	868.38	5702.42869.3101	5702.72	869.67	5702.84870.2001	5703
870.86	5703.26	871.35	5703.45871.9501	5703.69872.7501	5704	873.03	5704.11
873.2001	5704.15874.1801	5704.4	874.38	5704.45874.8301	5704.57875.3301	5704.69	
876.4601	5704.98	876.48	5704.99	876.53	5705	877.63	5705.28878.0701
878.77	5705.57879.6801	5705.8	879.91	5705.86880.4701	5706880.9301	5706.12	
881.0701	5706.15881.8301	5706.35882.2501	5706.45882.7401	5706.58883.4301	5706.75		
883.66	5706.81	884.4	5707884.6201	5707.06884.7101	5707.08	885.77	5707.35
886.3301	5707.49	886.91	5707.64887.9401	5707.9	888.05	5707.93888.3301	5708
949.6901	5708	983.23	5707.89	1013.55	5707.88	1031.59	5707.71
1081.5	5707	1096.42	5706.69	1130.1	5706	1138.7	5705.79
1175.8	5704.91	1211.05	5704.09			1172	5705

Manning's n Values		num= 11	
Sta	n Val	Sta	n Val
0	.04593.5101	.09	610.05
718.15	.067	736.73	.04813.1901
859.3	.04		

Bank Sta:	Left	Right	Coeff	Contr.	Expan.
602.0801849.8401			.3		.5

Upstream Embankment side slope	=	2 horiz. to 1.0 vertical
Downstream Embankment side slope	=	2 horiz. to 1.0 vertical
Maximum allowable submergence for weir flow	=	.98
Elevation at which weir flow begins	=	
Energy head used in spillway design	=	
Spillway height used in design	=	
Weir crest shape	=	Broad Crested

Number of Abutments = 2

Abutment Data

Upstream	num= 2
Sta	Elev
581.56	5695.25
588.3	5692.25
Downstream	num= 3

Sta	Elev	Sta	Elev	lomr.rep	Sta	Elev
598.11	5697.25	602.08	5696.25		610.05	5692.25

Abutment Data

Upstream	num=	3			
Sta	Elev	Sta	Elev	Sta	Elev
822.67	5693.25	833.11	5698.25	836.51	5699.08
Downstream	num=	2			
Sta	Elev	Sta	Elev		
843.49	5693.25	852.74	5697.63		

Number of Piers = 1

Pier Data

Pier Station	Upstream=	709.03	Downstream=	725.22
Upstream	num=	2		
Width	Elev	Width	Elev	
3	5680	3	5705	
Downstream	num=	2		
Width	Elev	Width	Elev	
3	5680	3	5705	

Number of Bridge Coefficient Sets = 1

Low Flow Methods and Data

Energy		
Momentum	Cd =	1.2
Yarnell	KVal =	.95

Selected Low Flow Methods = Highest Energy Answer

High Flow Method

Energy Only

Additional Bridge Parameters

Add Friction component to Momentum
 Do not add Weight component to Momentum
 Class B flow critical depth computations use critical depth
 inside the bridge at the upstream end
 Criteria to check for pressure flow = Upstream energy grade line

BRIDGE OUTPUT Profile #FEMA 100-Year

E.G. US. (ft)	5695.12	Element	Inside BR US
Inside BR DS			
W.S. US. (ft)	5694.17	E.G. Elev (ft)	5695.05
5694.04			
Q Total (cfs)	12900.00	W.S. Elev (ft)	5694.01

lomr.rep

5692.59			
Q Bridge (cfs)	12900.00	Crit W.S. (ft)	5691.56
5690.99			
Q Weir (cfs)		Max Chl Dpth (ft)	9.82
8.64			
Weir Sta Lft (ft)		Vel Total (ft/s)	8.18
9.64			
Weir Sta Rgt (ft)		Flow Area (sq ft)	1577.19
1338.68			
Weir Submerg		Froude # Chl	0.56
0.69			
Weir Max Depth (ft)		Specif Force (cu ft)	9440.16
8637.34			
Min El Weir Flow (ft)	5702.45	Hydr Depth (ft)	6.66
5.99			
Min El Prs (ft)	5701.49	W.P. Total (ft)	257.95
242.72			
Delta EG (ft)	1.19	Conv. Total (cfs)	148267.5
127561.8			
Delta WS (ft)	1.67	Top Width (ft)	236.91
223.60			
BR Open Area (sq ft)	3179.66	Frctn Loss (ft)	
BR Open Vel (ft/s)	9.64	C & E Loss (ft)	
BR Sluice Coef		Shear Total (lb/sq ft)	2.89
3.52			
BR Sel Method	Momentum	Power Total (lb/ft s)	23.63
33.93			

Note: Manning's n values were composited to a single value in the main channel.

Note: Manning's n values were composited to a single value in the main channel.

BRIDGE OUTPUT Profile #DBPS-2015_100

E.G. US. (ft)	5699.46	Element	Inside BR US
Inside BR DS			
W.S. US. (ft)	5697.71	E.G. Elev (ft)	5699.37
5698.23			
Q Total (cfs)	26734.00	W.S. Elev (ft)	5697.45
5695.55			
Q Bridge (cfs)	26734.00	Crit W.S. (ft)	5694.77
5694.36			
Q Weir (cfs)		Max Chl Dpth (ft)	13.26
11.60			

		lomr.rep	
Weir Sta Lft (ft)		Vel Total (ft/s)	11.09
13.14			
Weir Sta Rgt (ft)		Flow Area (sq ft)	2411.22
2034.20			
Weir Submerg		Froude # Ch1	0.62
0.80			
Weir Max Depth (ft)		Specif Force (cu ft)	22237.14
20665.52			
Min El Weir Flow (ft)	5702.45	Hydr Depth (ft)	9.78
8.41			
Min El Prs (ft)	5701.49	W.P. Total (ft)	275.36
268.36			
Delta EG (ft)	1.38	Conv. Total (cfs)	283790.0
221533.3			
Delta WS (ft)	2.30	Top Width (ft)	246.44
241.86			
BR Open Area (sq ft)	3179.66	Frctn Loss (ft)	
BR Open Vel (ft/s)	13.14	C & E Loss (ft)	
BR Sluice Coef		Shear Total (lb/sq ft)	4.85
6.89			
BR Sel Method	Momentum	Power Total (lb/ft s)	53.79
90.57			

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

Note: Manning's n values were composited to a single value in the main channel.

Note: Manning's n values were composited to a single value in the main channel.

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 135.29

INPUT

Description: Cross Section: Sta. 51+38.03 - DS Lorson Bridge

Manning's n for
section based on Riprap and Depth
computed from
Blodgett/Limerinos

24" Riprap at 3.5' depth at Abutment Slope:

0.090

24" Riprap at 9' depth at Abutment Toe: 0.067

30" Riprap

at 13' depth at Pier: 0.067

24" Grouted Riprap at Bikepath at 6'

depth: 0.056

Station Elevation Data		num= 277							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5699.571	630005	5699.58	15.12	5699.6130	30005	5699.6242	43005	5699.64
59.78003	5699.6767	31006	5699.6888	30005	5699.6890	76001	5699.67	105.02	5699.7
110.1901	5699.7	112.79	5699.69118	4501	5699.69	121.3	5699.68136	8101	5699.65
143.17	5699.65146	1801	5699.64149	3101	5699.63160	4401	5699.61	164.55	5699.6
174.6101	5699.54188	1201	5699.46200	9901	5699.42207	9401	5699.36220	6401	5699.32
232.3701	5699.29	242.4	5699.26250	9901	5699.19	258.52	5699.17	266.98	5699.14
276.3201	5699.07286	5101	5699.03294	8201	5698.98299	0801	5698.95307	4901	5698.9
314.7601	5698.85329	3801	5698.73	341.36	5698.64	349.05	5698.58369	6301	5698.25
370.7501	5698.25380	4501	5698.2	389.97	5698.16	399.28	5698.16	412.61	5698.09
425.8	5698	426.61	5698	438.96	5698.18	439.85	5698.31441	0101	5698.47
442.5801	5698.7	444.84	5699.02	448.36	5699.52454	5801	5700.41458	6201	5700.77
464.11	5701.28	472.05	5702.01507	2401	5705.11	510.73	5705.48	514.6	5705.89
515.65	5706	558.29	5706568	8201	5706	569.17	5705.99569	1801	5705.99
570.16	5705.95	570.21	5705.94	571.05	5705.84	571.22	5705.81571	9301	5705.72
572.23	5705.66572	8201	5705.58	573.27	5705.5	573.72	5705.44574	3201	5705.33
575.2401	5705.16	575.65	5705576	5601	5704.6	577.61	5704.13	577.78	5704.06
577.91	5704	579.35	5703.49	580.72	5703581	1401	5702.85	582.05	5702.56
583.22	5702.18	583.8	5702	585.03	5701.74585	6801	5701.58	587.92	5701
587.9401	5701	588.48	5700.81	590.73	5700	592.41	5699.39593	5101	5699
595.09	5698.38	596.04	5698	596.23	5697.91596	6201	5697.72597	6301	5697.23
598.11	5697600	2601	5696.46602	0801	5696	603.73	5695.2604	1201	5695
604.5801	5694.77	606.11	5694	607.46	5693.31608	0801	5693	608.72	5692.68
610.05	5692	612.84	5691.82616	1301	5691.61	621.28	5691.28625	6401	5691
627.2601	5690.22	627.71	5690628	8201	5689.46	629.78	5689629	9901	5688.99
631.5101	5688.88632	7401	5688.8633	7501	5688.73	634.6	5688.67635	3301	5688.62
644.42	5688650	2601	5687.66	663.54	5687	664.61	5686.74	667.65	5686
670.54	5685.3671	7601	5685	684.17	5684.37	691.54	5684	693.46	5683.99
700.41	5683.95	702.35	5683.96	709.38	5684	718.15	5684721	1901	5684.16
727.4401	5684.24727	9901	5684.25	736.73	5684.35749	5701	5684.54	783.63	5685
784.38	5685.18787	4701	5685.92	787.79	5686	788.26	5686.11791	9401	5687
799	5687.2	803.48	5687.45	804.28	5687.49805	2001	5687.52	806.28	5687.56
807.54	5687.62809	0601	5687.68	810.9	5687.75813	1901	5687.84	816.11	5687.96
817.2101	5688819	2001	5688.96	819.28	5689	820.78	5689.73821	3401	5690
823.2001	5690.9	823.41	5691	824.9	5691.72825	4701	5692827	0901	5692.1
827.3701	5692.11	829.65	5692.24	830.39	5692.28832	2401	5692.39	833.63	5692.47
834.7201	5692.52	835.91	5692.59836	7501	5692.63838	1901	5692.71	838.78	5692.74
840.4501	5692.83	840.79	5692.85842	7101	5692.96	842.8	5692.96843	4901	5693
844.63	5693.53845	6201	5694846	2501	5694.25846	9701	5694.52847	6201	5694.78
848.23	5695848	9301	5695.42849	8401	5696	850.17	5696.16850	7001	5696.41
851.4701	5696.77851	9401	5697852	7401	5697.38	853.98	5697.98	854.01	5697.99

lomr.rep

854.02	5698	855.27	5698.3	856.03	5698.44	856.61	5698.54	857.12	5698.63
857.96	01	5698.77	858.20	01	5698.82	859.24	01	5699	859.28
860.23	5699.35	860.74	01	5699.53	861.19	01	5699.69	862.07	01
862.23	5700.06	863.16	5700.39	863.79	5700.62	864.17	5700.76	864.84	01
865.21	01	5701.14	865.44	01	5701.24	866.22	01	5701.55	867.12
867.17	5702	868.38	5702.42	869.31	01	5702.72	869.67	5702.84	870.20
870.86	5703.26	871.35	5703.45	871.95	01	5703.69	872.75	01	5704
873.20	01	5704.15	874.18	01	5704.4	874.38	5704.45	874.83	01
876.46	01	5704.98	876.48	5704.99	876.53	5705	877.63	5705.28	878.07
878.77	5705.57	879.68	01	5705.8	879.91	5705.86	880.47	01	5706
881.07	01	5706.15	881.83	01	5706.35	882.25	01	5706.45	882.74
883.66	5706.81	884.4	5707	884.62	01	5707.06	884.71	01	5707.08
886.33	01	5707.49	886.91	5707.64	887.94	01	5707.9	888.05	5707.93
949.69	01	5708	983.23	5707.89	1013.55	5707.88	1031.59	5707.71	1067.65
1081.5	5707	1096.42	5706.69	1130.1	5706	1138.7	5705.79	1172	5705
1175.8	5704.91	1211.05	5704.09						

Manning's n Values		num= 11							
Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val	Sta	n Val
0	.04593	5101	.09	610.05	.05662	5.6401	.06763	5.3301	.04
718.15	.067	736.73	.04813	1901	.067	823.41	.056	835.91	.09
859.3	.04								

Bank Sta:	Left	Right	Lengths:	Left	Channel	Right	Coeff	Contr.	Expan.
602.08	01849.84	01	10.4	25.15	44.27		.3	.5	

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 135.25

INPUT

Description: Cross Section: Sta. 51+12.888

Station Elevation Data		num= 305							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5698.33	4.279968	5698.36	0.29968	5698.29	8.029968	5698.29	25.28998	5698.18
26.88	995	5698.17	41.46	997	5698.09	41.83	997	5698.09	56.03
74.46	997	5697.91	75.38	995	5697.97	6.68	994	5697.89	79.56
126.79	5697.51	149.28	5697.35	166.86	5697.23	179.16	5697.15	190.21	5697.01
192.23	5697.02	194.29	5697.04	196.41	5697.05	198.56	999	5697.06	211.66
213.6	5697	214.72	5697	216.91	5697.01	219.12	5697.03	221.36	5697.05
223.64	5697.06	225.93	999	5697.08	228.27	5697.1	232.53	5697.08	235.17
237.83	5697.11	240.5	5697.12	243.18	999	5697.14	267.4	5697.36	267.55
267.7	5697.34	267.97	5697.28	268.54	5697.16	268.77	5697.13	269.00	999
269.18	5697.09	269.25	999	5697.08	271.39	5696.62	271.68	999	5696.59
272.36	5696.57	272.73	5696.55	273.11	5696.54	273.52	5696.52	273.96	5696.51
274.43	5696.49	274.89	5696.49	275.37	999	5696.47	275.81	999	5696.47

lomr.rep

276.75	5696.45	277.27	5696.43	277.68	5696.43	278.22	5696.41	278.6	5696.41
279.17	5696.39	279.53	5696.39	280.12	5696.36	280.45	5696.36	281.06	5696.33
281.37	5696.33	282.02	5696.3	282.3	5696.3	282.98	5696.26	283.22	5696.26
283.93	5696.22	284.14	5696.22	284.89	5696.18	285.4	5696.18	286.2	5696.13
286.31	5696.13	287.17	5696.08	287.25	5696.08	288.15	5696.03	288.62	5696
289.37	5695.7	290.4	5695.29	290.81	5695.12	291.12	5695	292.31	5694.6
293.61	5694.09	293.74	5694.04	293.83	5694	295.23	5693.52	296.68	5693.03
296.74	5693.02	296.78	5693	298.24	5692.5	299.73	5692	299.75	5692
301.75	5691.89	302.02	5691.87	303.78	5691.78	304.29	5691.75	305.81	5691.66
306.58	5691.62	307.84	5691.55	308.84	5691.5	309.66	5691.46	310.68	5691.4
311.33	5691.37	312.52	5691.3	313.02	5691.28	314.37	5691.2	314.71	5691.19
316.25	5691.1	316.42	5691.09	317.4	5691.04	318.02	5691	318.43	5690.81
319.6	5690.28	320.06	5690.07	320.22	5690	321.6	5689.38	322.43	5689
323.17	5689	330.78	5688.68	343.87	5688	351.87	5687.71	370.18	5687
370.92	5686.82	374.22	5686	375.85	5685.6	378.25	5685	390.93	5684.25
394.87	5684	398.28	5683.98	405.04	5683.93	411.57	5683.98	415.15	5684
417.47	5684.03	419.99	5684.07	433.32	5684.25	459.9	5684.61	485.63	5684.96
486.89	5684.98	488.65	5685	489	5685.09	492.7	5686	496.56	5686.95
496.75	5687	497.17	5687.02	497.34	5687.02	497.41	5687.03	497.62	5687.03
497.78	5687.04	498	5687.05	498.35	5687.06	498.94	5687.08	517.29	5687.79
519.26	5687.86	521.6	5687.95	523.03	5688	524	5688.46	525.15	5689
525.79	5689.3	526.99	5689.87	527.17	5689.96	527.27	5690	529.25	5690.93
529.39	5691	530.64	5691.58	531.54	5692	532.42	5692.05	532.61	5692.06
535.41	5692.22	536.17	5692.26	538.36	5692.39	539.91	5692.48	541.06	5692.54
541.97	5692.59	543.31	5692.67	544.27	5692.71	545.39	5692.76	545.74	5692.78
546.96	5692.83	547.21	5692.84	548.52	5692.9	548.67	5692.91	550.08	5692.97
550.13	5692.97	550.77	5693	551.33	5693.21	551.67	5693.34	552.35	5693.59
553.37	5693.98	553.39	5693.99	553.42	5694	554.63	5694.68	555.22	5695
555.99	5695.21	556.5	5695.37	557.42	5695.63	558.66	5696	558.77	5696.04
558.86	5696.08	559.84	5696.46	560.71	5696.79	560.92	5696.88	561.23	5697
561.38	5697.06	562.09	5697.31	562.67	5697.52	563.24	5697.72	564.03	5698
564.42	5698.07	564.54	5698.09	565.75	5698.31	566.29	5698.42	567.06	5698.56
567.54	5698.65	568.4	5698.76	568.67	5698.79	569.74	5698.93	569.81	5698.94
570.29	5699	570.96	5699.17	571.23	5699.24	572.09	5699.46	572.80	5699.64
573.22	5699.75	574.22	5700	574.31	5700.02	574.35	5700.03	575.22	5700.25
575.52	5700.33	576.13	5700.49	576.71	5700.63	577.04	5700.72	577.87	5700.93
577.92	5700.94	577.97	5700.95	578.15	5701	579.06	5701.23	579.42	5701.32
580.2	5701.52	581.01	5701.73	581.31	5701.81	582.09	5702	582.45	5702.09
582.59	5702.13	583.56	5702.38	584.16	5702.53	584.68	5702.66	585.72	5702.92
585.80	5702.95	586.02	5703	586.78	5703.19	587.01	5703.25	587.71	5703.43
588.25	5703.57	588.65	5703.67	589.49	5703.88	589.6	5703.91	589.95	5704
590.67	5704.18	590.95	5704.25	591.79	5704.47	592.52	5704.65	592.91	5704.75
593.89	5705	594.03	5705.04	594.08	5705.05	595.14	5705.32	595.64	5705.45
596.26	5705.65	597.18	5705.84	597.37	5705.89	597.81	5706	598.39	5706.14
598.56	5706.19	599.34	5706.39	599.83	5706.51	600.29	5706.63	601.11	5706.84
601.27	5706.88	601.75	5707	602.30	5707.14	602.54	5707.26	603.43	5707.43
604.1	5707.66	604.55	5707.71	605.67	5708	656.55	5708	679.2	5707.92
720.13	5707.91	733.06	5707.8	758.91	5707.56	779.02	5707	800.68	5706.54

										lomr.rep	
827.41	5706	841.8	5705.66	869.3	5705	878.79	5704.78	911.47	5704.01		
Manning's n Values			num=		3						
Sta	n Val	Sta	n Val	Sta	n Val						
0	.04	288.15	.04	556.5	.04						
Bank Sta:	Left	Right	Lengths:		Left Channel	Right	Coeff	Contr.	Expan.		
	288.15	556.5			10.4	27.38	51.05	.1	.3		

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 135.14

INPUT

Description: Cross Section: Sta. 50+85.05

Station Elevation Data		num=		225							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5697.8338	38.39996	5697.6481	22998	5697.45	112.1	5697.27	174.61	5696.88		
184.56	5696.78	190.67	5696.76200	8799	5696.66214	4399	5696.53	241.79	5696.26		
246	5696.24	266.27	5696.02	266.93	5696.02268	5699	5696	269.03	5695.88		
269.23	5695.83272	5699	5695273	7599	5694.7276	5699	5694	278.09	5693.62		
280.5699	5693	283.42	5692.29284	5699	5692	300	5691.13	302.37	5691		
305.8799	5690.12	306.37	5690	306.98	5689.85	310.37	5689	319.02	5688.6		
330.67	5688	359.31	5687.19	365.87	5687369	3199	5686.14	369.87	5686		
370.36	5685.88	373.87	5685	387.12	5684.18	389.84	5684	394.58	5683.96		
401.5	5683.91	405.62	5683.94	413.38	5684	429.1	5684.22	441.59	5684.39		
484.29	5685	485.38	5685.27	488.29	5686	492.12	5686.96	492.29	5687		
493.14	5687.03	493.34	5687.04	493.65	5687.05	494.19	5687.07	495.4	5687.11		
500.45	5687.27	522.27	5688	523.17	5688.35	524.87	5689	524.88	5689		
526.53	5689.71	527.22	5690	528.04	5690.34529	0699	5690.77	529.38	5690.9		
529.62	5691531	0499	5691.5	531.6	5691.69	532.54	5692	532.88	5692.02		
532.91	5692.02	534.65	5692.1	534.85	5692.11	536.41	5692.19	536.77	5692.21		
538.16	5692.28538	6799	5692.3	539.91	5692.36	540.59	5692.4	541.65	5692.45		
542.48	5692.49	543.38	5692.53	544.37	5692.58	545.1	5692.62	546.25	5692.68		
546.8099	5692.7	548.12	5692.77	548.52	5692.79	549.98	5692.86	550.21	5692.87		
551.83	5692.95	551.9	5692.96	552.01	5692.96	552.74	5693	553.42	5693.29		
554.16	5693.55	554.65	5693.73	554.74	5693.75	555.73	5694555	8199	5694.02		
555.85	5694.03	556.7	5694.25	556.99	5694.32	557.59	5694.47	558.16	5694.62		
558.5	5694.7	559.35	5694.92	559.42	5694.94	559.66	5695	560.5	5695.21		
560.83	5695.3	561.62	5695.5	562.4	5695.7	562.74	5695.78	563.59	5696		
563.7999	5696.05	563.86	5696.07564	6799	5696.28	565	5696.36565	5699	5696.5		
566.15	5696.65	566.46	5696.73567	2999	5696.94	567.35	5696.96	567.53	5697		
568.26	5697.19	568.48	5697.24	569.17	5697.42	569.67	5697.54	570.08	5697.65		
570.87	5697.85	571	5697.88	571.46	5698	572.03	5698.07	572.13	5698.09		
573.16	5698.22573	4399	5698.25	574.28	5698.36	574.75	5698.42	575.4	5698.51		
576.0599	5698.59	576.51	5698.65	577.36	5698.76	577.63	5698.79	578.66	5698.93		

lomr.rep									
578.74	5698.94	579.22	5699	579.84	5699.16	580.08	5699.22	580.93	5699.44
581.59	5699.6	582.03	5699.71	583.1	5699.99	583.12	5699.99	583.16	5700
584.1	5700.24	584.42	5700.32	585.09	5700.49	585.76	5700.66	586.09	5700.75
587.09	5701	587.11	5701	588.2	5701.28	588.62	5701.39	589.29	5701.56
590.14	5701.77	590.38	5701.84	591.02	5702	591.47	5702.11	591.64	5702.16
592.55	5702.39	593.15	5702.54	593.65	5702.67	594.66	5702.92	594.74	5702.94
594.96	5703	595.75	5703.2	596.03	5703.27	596.76	5703.46	597.38	5703.62
597.77	5703.71	598.74	5703.96	598.78	5703.97	598.89	5704	599.87	5704.25
600.25	5704.34	600.96	5704.53	601.76	5704.73	602.04	5704.86	602.81	5705
603.14	5705.08	603.27	5705.11	604.23	5705.36	604.77	5705.56	605.31	5705.64
606.27	5705.88	606.41	5705.91	606.76	5706.60	607.43	5706.17	607.67	5706.23
608.45	5706.43	609.04	5706.58	609.46	5706.69	610.42	5706.93	610.49	5706.95
610.68	5707.61	611.56	5707.22	611.92	5707.31	612.67	5707.56	613.43	5707.7
613.77	5707.78	614.62	5708	655.02	5708	666.75	5707.96	718.3	5707.95
726.12	5707.88	741.75	5707.73	768.12	5707	796.53	5706.4	816.3	5706
836.49	5705.52	858.18	5705	873.35	5704.64	900.78	5704	903.47	5703.92

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
0	.04272	559.35	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	272.5699	559.35		65.5 70.05	70.3		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 134.89

INPUT

Description: Cross Section: Sta. 50+15.00

Station Elevation Data num= 144									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5697.38	31.09	5697.36	11.16	5697.28	37.52	5697.27	75.27	5697.08
103.58	5696.96	161.74	5696.62	260.63	5696	267.21	5696	267.69	5695.88
271.21	5695	274.7	5694.13	275.21	5694	276.25	5693.74	276.3	5693.73
279.21	5693	281.24	5692.49	283.21	5692	296.45	5691.2	300.14	5691
301.17	5690.72	305.01	5690	307.18	5689.46	309	5689	312.18	5688.21
313.51	5688	337.19	5687.53	363.64	5687	366.39	5686.53	368.51	5686
371.81	5685.18	372.51	5685	373.44	5684.77	376.51	5684	381.94	5683.94
391.87	5683.94	399.8	5683.74	407.27	5683	417.41	5683	424.81	5683.75
425.93	5683.87	429.11	5683.9	435.77	5683.97	441.22	5683.95	454.45	5683.92
469.03	5683.96	481.66	5684	483.48	5684.45	485.66	5685	489.19	5685.88
489.66	5686	490.59	5686.23	494.53	5687	521.74	5687.54	544.66	5688
548.41	5688.88	549.17	5689	549.81	5689.16	553.16	5690	554.09	5690.23
558.03	5691	565.3	5691.43	572.93	5691.87	574.2	5691.95	574.96	5692
575.17	5692.05	578.96	5693	581.86	5693.73	582.96	5694	583.43	5694.12

lomr.rep									
586.96	5695	587.64	5695.17	590.96	5696	591.55	5696.14	595.16	5697
595.22	5697.01	595.7	5697.13	598.15	5697.67	599.61	5698	600.95	5698.34
603.04	5698.86	603.61	5699	606.41	5699.7	606.74	5699.78	607.44	5699.96
607.61	5700	608.92	5700.33	611.61	5701	612.84	5701.31	613.87	5701.57
615.61	5702.01	616.79	5702.3	617.98	5702.6	619.62	5703.01	620.74	5703.29
622.16	5703.64	623.62	5704	625.59	5704.49	625.99	5704.59	627.71	5705
628.14	5705.1	630.84	5705.76	631.86	5706	633	5706.28	635.44	5706.86
636.02	5707	637.2	5707.28	640.21	5708	642.32	5708.51	644.37	5709
648.29	5709.94	648.52	5710	648.77	5710.06	652.68	5711	655.28	5711.62
656.84	5712	659.69	5712.69	660.99	5713	664.19	5713.77	665.15	5714
730.92	5714	741.88	5713.2	744.17	5713	744.39	5712.98	755.28	5712
767.4	5711.15	769.22	5711	772.4	5710.73	779.83	5710	786.64	5709.48
791.99	5709	796.68	5708.64	803.92	5708	807.11	5707.8	818.84	5707
822.88	5706.68	833.9	5706	842.6	5705.48	847.62	5705	869.49	5704.21
871.03	5704	872.41	5703.98	877.65	5703.77	888.26	5703.46		

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	276.25	.04	572.93	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	276.25	572.93		139.22	155.06		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 134.8

INPUT

Description: cross section at river station 48+60

Station Elevation Data num= 26									
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
14.23	5694.36	16.34	5694.3	19.99	5694.16	27.07	5692.41	38.81	5690.46
42.1	5689.1	46.56	5688.84	57.83	5687.47	68.56	5686.56	94.05	5686.09
109.58	5685.69	117.25	5684.06	125.03	5683.03	189.73	5683.42	227.03	5683.66
240.5	5685.63	249.25	5686	250.63	5686.23	279.1	5687.16	303.64	5689.69
306.83	5689.94	309.41	5690.32	322.07	5691.1	328.47	5691.8	344.19	5694.5
364.83	5698								

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
14.23	.04	109.58	.04	240.5	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	14.23	344.19		293.5	293.5		.1	.3

CROSS SECTION

lomr.rep

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 134.4

INPUT

Description: cross section at river station 45+66

Station Elevation Data		num= 26	
Sta	Elev	Sta	Elev
0	5693	3.79	5692
32.15	5688	36.95	5687
100.01	5683	104.28	5682
223.96	5685	274.24	5686
301.94	5690	306.63	5691
325.51	5694		

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
0	.04	73.46	.04
		223.96	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	325.51		355.07	354.08	353.89	.1	.3	

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 133.6

INPUT

Description: Top of 1st Drop structure. Cross section at river station 42+23

Station Elevation Data		num= 11	
Sta	Elev	Sta	Elev
0	5691.5	11.64	5688.01
104.97	5680.06	214.45	5680.55
302.1	5691.5		

Manning's n Values		num= 3	
Sta	n Val	Sta	n Val
0	.04	87.05	.04
		227.02	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	302.1		26.2	33.79	40.65	.1	.3	

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 132.8

INPUT

Description: Bottom of 1st Drop Structure

Station Elevation Data num= 10

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5691.5	29.68	5687.37	44.6	5684.28	96.87	5682.41	107.54	5678.12
211.01	5677.64	230.76	5683.01	271.29	5683.46	287.43	5685.45	304.33	5691.5

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	96.87	.1	230.76	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	304.33		62.43	46.96	42.48		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 132.2

INPUT

Description: 50' Downstream of 1st Drop Structure

Station Elevation Data num= 9

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5691.5	86.2	5686.17	147.01	5684.19	167.37	5677.39	226.83	5675.48
250.88	5681.85	295.86	5683.09	324.1	5686.54	344.03	5690		

Manning's n Values num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.04	147.01	.1	250.88	.04

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
0	344.03		116.68	93.22	58.58		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek

REACH: Lorson Ranch RS: 132

INPUT

Description: FEMA cross section AI

Station Elevation Data num= 21

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5691.4	35	5692.2	99	5686.8	141	5684.4	158	5682
178	5679.4	225	5679.4	247	5679.4	281	5680.4	365	5683.6

				lomr.rep					
508	5682.8	527	5684.2	616	5686.2	728	5687.8	850	5691
910	5691.8	919	5690.8	934	5692.2	1169	5691.8	1312	5692.4
1446	5692.6								

Manning's n Values		num=	3
Sta n Val	Sta n Val	Sta n Val	
0 .06	141 .04	281 .06	

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	141	281		1660 1780	1850		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 128

INPUT

Description: FEMA cross section AH

Station Elevation Data	num=	13							
Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev
0 5683	156 5681	213 5680.2	340 5679.2	354 5678.2					
520 5675	549 5672	599 5670.6	643 5672.6	671 5676.6					
708 5675.2	758 5679.8	816 5681.4							

Manning's n Values		num=	3
Sta n Val	Sta n Val	Sta n Val	
0 .06	549 .04	643 .06	

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	549	643		1041 1030	1010		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 124

INPUT

Description: FEMA cross section AG

Station Elevation Data	num=	16							
Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev	Sta Elev
1000 5676	1058 5670.7	1145 5673.4	1183 5671.9	1283 5670.6					
1408 5670	1503 5669.5	1581 5671.4	1673 5671.3	1748 5664.1					
1833 5664.2	1923 5671.6	1973 5674.6	2121 5674.8	2229 5675.5					
2281 5680.1									

Manning's n Values		num=	3
--------------------	--	------	---

				lomr.rep	
Sta	n Val	Sta	n Val	Sta	n Val
1000	.045	1673	.045	1923	.045

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1673	1923		90	90		.1	.3

CROSS SECTION

RIVER: Jimmy Camp Creek
 REACH: Lorson Ranch RS: 120.4

INPUT

Description: Intermediate station downstream of FEMA cross section AG

Station Elevation Data		num=		16					
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
1000	5676	1058	5670.7	1145	5673.4	1183	5671.9	1283	5670.6
1408	5670	1503	5669.5	1581	5671.4	1673	5671.3	1748	5664.1
1833	5664.2	1923	5671.6	1973	5674.6	2121	5674.8	2229	5675.5
2281	5680.1								

Manning's n Values		num=		3	
Sta	n Val	Sta	n Val	Sta	n Val
1000	.045	1673	.045	1923	.045

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff	Contr.	Expan.
	1673	1923		0	0		.1	.3

SUMMARY OF MANNING'S N VALUES

River:Jimmy Camp Creek

Reach	River Sta.	n1	n2	n3	n4	n5
n6	n7	n8	n9	n10	n11	
Lorson Ranch	160	.06	.04	.06		
Lorson Ranch	156	.06	.04	.06		
Lorson Ranch	155.2*	.06	.04	.04	.06	
Lorson Ranch	154.4*	.06	.04	.06		
Lorson Ranch	153.6*	.06	.04	.06		

		lomr.rep		
Lorson Ranch	152.8*	.06	.04	.06
Lorson Ranch	152	.06	.04	.06
Lorson Ranch	151.333*	.06	.03	.06
Lorson Ranch	150.666*	.06	.03	.06
Lorson Ranch	150.*	.06	.03	.06
Lorson Ranch	149.333*	.06	.03	.06
Lorson Ranch	148.666*	.06	.03	.06
Lorson Ranch	148	.06	.167	.06
Lorson Ranch	147.992*	.06	.167	.06
Lorson Ranch	147.985*	.06	.167	.06
Lorson Ranch	147.978*	.06	.167	.06
Lorson Ranch	147.971*	.06	.167	.06
Lorson Ranch	147.964*	.06	.167	.06
Lorson Ranch	147.957*	.06	.167	.06
Lorson Ranch	147.95*	.06	.167	.06
Lorson Ranch	147.942*	.06	.167	.06
Lorson Ranch	147.935*	.06	.167	.06
Lorson Ranch	147.928*	.06	.167	.06
Lorson Ranch	147.921*	.06	.167	.06
Lorson Ranch	147.914*	.06	.167	.06
Lorson Ranch	147.907*	.06	.167	.06
Lorson Ranch	147.9	.06	.167	.06
Lorson Ranch	147.8	.04	.1	.04
Lorson Ranch	147.7	.04	.1	.04

		lomr.rep		
Lorson Ranch	147.6	.04	.1	.04
Lorson Ranch	147.2	.04	.1	.04
Lorson Ranch	146.3	.04	.06	.04
Lorson Ranch	146.1	.04	.04	.04
Lorson Ranch	145.6	.04	.06	.04
Lorson Ranch	144.7	.04	.06	.04
Lorson Ranch	144.6	.04	.06	.04
Lorson Ranch	144.4	.04	.04	.04
Lorson Ranch	144	.045	.04	.045
Lorson Ranch	143.2	.04	.1	.04
Lorson Ranch	142.4	.04	.04	.04
Lorson Ranch	141.6	.04	.04	.04
Lorson Ranch	140.8	.04	.1	.04
Lorson Ranch	140	.04	.1	.04
Lorson Ranch	139.7	.04	.1	.04
Lorson Ranch	139.3	.04	.04	.04
Lorson Ranch	138.8	Bridge		
Lorson Ranch	138.3	.04	.04	.04
Lorson Ranch	138	.04	.04	.04
Lorson Ranch	137.6	.04	.04	.04
Lorson Ranch	136.8	.04	.1	.04
Lorson Ranch	136	.04	.04	.04
Lorson Ranch	135.6	.04	.04	.04
Lorson Ranch	135.55	.04	.04	.04

lomr.rep								
Lorson Ranch		135.50		.04		.04		.04
Lorson Ranch		135.47		.04		.04		.04
Lorson Ranch		135.34		.04		.09		.056
.067	.04	.067		.056		.09		.04
Lorson Ranch		135.3135		Bridge				
Lorson Ranch		135.29		.04		.09		.056
.067	.04	.067		.056		.09		.04
Lorson Ranch		135.25		.04		.04		.04
Lorson Ranch		135.14		.04		.04		.04
Lorson Ranch		134.89		.04		.04		.04
Lorson Ranch		134.8		.04		.04		.04
Lorson Ranch		134.4		.04		.04		.04
Lorson Ranch		133.6		.04		.04		.04
Lorson Ranch		132.8		.04		.1		.04
Lorson Ranch		132.2		.04		.1		.04
Lorson Ranch		132		.06		.04		.06
Lorson Ranch		128		.06		.04		.06
Lorson Ranch		124		.045		.045		.045
Lorson Ranch		120.4		.045		.045		.045

SUMMARY OF REACH LENGTHS

River: Jimmy Camp Creek

Reach	River Sta.	Left	Channel	Right
Lorson Ranch	160	1119.96	1140	1160.04
Lorson Ranch	156	275.98	331.97	360

		lomr.rep		
Lorson Ranch	155.2*	275.98	331.97	360
Lorson Ranch	154.4*	275.98	331.97	360
Lorson Ranch	153.6*	275.98	331.97	360
Lorson Ranch	152.8*	275.98	331.97	360
Lorson Ranch	152	358.33	344.96	306.81
Lorson Ranch	151.333*	358.33	344.96	306.81
Lorson Ranch	150.666*	358.33	344.96	306.81
Lorson Ranch	150.*	358.33	344.96	306.81
Lorson Ranch	149.333*	358.33	344.96	306.81
Lorson Ranch	148.666*	358.33	344.96	306.81
Lorson Ranch	148	6.5	9.85	13.43
Lorson Ranch	147.992*	6.5	9.85	13.43
Lorson Ranch	147.985*	6.5	9.85	13.43
Lorson Ranch	147.978*	6.5	9.85	13.43
Lorson Ranch	147.971*	6.5	9.85	13.43
Lorson Ranch	147.964*	6.5	9.85	13.43
Lorson Ranch	147.957*	6.5	9.85	13.43
Lorson Ranch	147.95*	6.5	9.85	13.43
Lorson Ranch	147.942*	6.5	9.85	13.43
Lorson Ranch	147.935*	6.5	9.85	13.43
Lorson Ranch	147.928*	6.5	9.85	13.43
Lorson Ranch	147.921*	6.5	9.85	13.43
Lorson Ranch	147.914*	6.5	9.85	13.43
Lorson Ranch	147.907*	6.5	9.85	13.43
Lorson Ranch	147.9	44.6	56.43	10.77
Lorson Ranch	147.8	51.82	39.16	664.1
Lorson Ranch	147.7	103.99	99.4	95.42
Lorson Ranch	147.6	173.91	186.52	199.66
Lorson Ranch	147.2	50.74	63.56	56.41
Lorson Ranch	146.3	47.58	47.58	47.58
Lorson Ranch	146.1	90.06	120.53	150.87
Lorson Ranch	145.6	55.82	58.14	60.59
Lorson Ranch	144.7	70.87	70.87	70.87
Lorson Ranch	144.6	138.02	138.02	138.02
Lorson Ranch	144.4	174.49	178.55	183.34
Lorson Ranch	144	46.66	45.83	45.03
Lorson Ranch	143.2	415.26	415.73	416.34
Lorson Ranch	142.4	400.94	540.66	774.84
Lorson Ranch	141.6	569.21	474	372.73
Lorson Ranch	140.8	37.27	37.5	38.21
Lorson Ranch	140	34.13	42.09	62.78
Lorson Ranch	139.7	114.06	102	90.9
Lorson Ranch	139.3	181.15	181.15	181.15
Lorson Ranch	138.8	Bridge		
Lorson Ranch	138.3	298.68	310.69	324.82
Lorson Ranch	138	341.96	348.12	366.74
Lorson Ranch	137.6	45.37	48.07	45.37
Lorson Ranch	136.8	365.58	322.7	292.78

		lomr.rep		
Lorson Ranch	136	332.63	332.63	332.63
Lorson Ranch	135.6	62.7	55.42	47.48
Lorson Ranch	135.55	29.38	29.37	9.53
Lorson Ranch	135.50	55.38	35.02	20.44
Lorson Ranch	135.47	32.05	14.97	8.17
Lorson Ranch	135.34	82	82.61	81.81
Lorson Ranch	135.3135	Bridge		
Lorson Ranch	135.29	10.4	25.15	44.27
Lorson Ranch	135.25	10.4	27.38	51.05
Lorson Ranch	135.14	65.5	70.05	70.3
Lorson Ranch	134.89	139.22	155.06	171.54
Lorson Ranch	134.8	293.5	293.5	293.5
Lorson Ranch	134.4	355.07	354.08	353.89
Lorson Ranch	133.6	26.2	33.79	40.65
Lorson Ranch	132.8	62.43	46.96	42.48
Lorson Ranch	132.2	116.68	93.22	58.58
Lorson Ranch	132	1660	1780	1850
Lorson Ranch	128	1041	1030	1010
Lorson Ranch	124	90	90	90
Lorson Ranch	120.4	0	0	0

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS

River: Jimmy Camp Creek

Reach	River Sta.	Contr.	Expan.
Lorson Ranch	160	.1	.3
Lorson Ranch	156	.1	.3
Lorson Ranch	155.2*	.1	.3
Lorson Ranch	154.4*	.1	.3
Lorson Ranch	153.6*	.1	.3
Lorson Ranch	152.8*	.1	.3
Lorson Ranch	152	.1	.3
Lorson Ranch	151.333*	.1	.3
Lorson Ranch	150.666*	.1	.3
Lorson Ranch	150.*	.1	.3
Lorson Ranch	149.333*	.1	.3
Lorson Ranch	148.666*	.1	.3
Lorson Ranch	148	.1	.3
Lorson Ranch	147.992*	.1	.3
Lorson Ranch	147.985*	.1	.3
Lorson Ranch	147.978*	.1	.3
Lorson Ranch	147.971*	.1	.3
Lorson Ranch	147.964*	.1	.3

		lomr.rep	
Lorson Ranch	147.957*	.1	.3
Lorson Ranch	147.95*	.1	.3
Lorson Ranch	147.942*	.1	.3
Lorson Ranch	147.935*	.1	.3
Lorson Ranch	147.928*	.1	.3
Lorson Ranch	147.921*	.1	.3
Lorson Ranch	147.914*	.1	.3
Lorson Ranch	147.907*	.1	.3
Lorson Ranch	147.9	.1	.3
Lorson Ranch	147.8	.1	.3
Lorson Ranch	147.7	.1	.3
Lorson Ranch	147.6	.1	.3
Lorson Ranch	147.2	.1	.3
Lorson Ranch	146.3	.1	.3
Lorson Ranch	146.1	.1	.3
Lorson Ranch	145.6	.1	.3
Lorson Ranch	144.7	.1	.3
Lorson Ranch	144.6	.1	.3
Lorson Ranch	144.4	.1	.3
Lorson Ranch	144	.1	.3
Lorson Ranch	143.2	.1	.3
Lorson Ranch	142.4	.1	.3
Lorson Ranch	141.6	.1	.3
Lorson Ranch	140.8	.1	.3
Lorson Ranch	140	.1	.3
Lorson Ranch	139.7	.1	.3
Lorson Ranch	139.3	.1	.3
Lorson Ranch	138.8	Bridge	
Lorson Ranch	138.3	.1	.3
Lorson Ranch	138	.1	.3
Lorson Ranch	137.6	.1	.3
Lorson Ranch	136.8	.1	.3
Lorson Ranch	136	.1	.3
Lorson Ranch	135.6	.1	.3
Lorson Ranch	135.55	.1	.3
Lorson Ranch	135.50	.1	.3
Lorson Ranch	135.47	.1	.3
Lorson Ranch	135.34	.3	.5
Lorson Ranch	135.3135	Bridge	
Lorson Ranch	135.29	.3	.5
Lorson Ranch	135.25	.1	.3
Lorson Ranch	135.14	.1	.3
Lorson Ranch	134.89	.1	.3
Lorson Ranch	134.8	.1	.3
Lorson Ranch	134.4	.1	.3
Lorson Ranch	133.6	.1	.3
Lorson Ranch	132.8	.1	.3
Lorson Ranch	132.2	.1	.3

			lomr.rep
Lorson Ranch	132	.1	.3
Lorson Ranch	128	.1	.3
Lorson Ranch	124	.1	.3
Lorson Ranch	120.4	.1	.3

Profile Output Table - Bridge Only

Reach	River Sta	Profile	E.G. US.	Min El	Prs	BR Open Area
Prs O WS	Q Total	Min El Weir Flow	Q Weir	Delta EG	BR Sluice Coef	
(ft)	(cfs)	(ft)	(cfs)	(ft)	(ft)	(sq ft)
Lorson Ranch	138.8	FEMA 100-Year	5704.22		5708.33	2942.56
	12900.00	5719.11	1.14			
Lorson Ranch	138.8	DBPS-2015_100	5708.19		5708.33	2942.56
	26734.00	5719.11	1.27			
Lorson Ranch	135.3135	FEMA 100-Year	5695.12		5701.49	3179.66
	12900.00	5702.45	1.19			
Lorson Ranch	135.3135	DBPS-2015_100	5699.46		5701.49	3179.66
	26734.00	5702.45	1.38			