

FINAL DRAINAGE REPORT FOR WESTVIEW AT WOODMOOR FILING 1A 1384 BUCKWOOD LANE

MONUMENT, COLORADO

January 18, 2023

Prepared For: Murphy's Custom Homes, Inc. 13710 Struthers Road Colorado Springs, Co 80921 Sarah Martin (719) 233-2883

Prepared By:

TERRA NOVA ENGINEERING, INC. 721 S. 23rd Street Colorado Springs, CO 80904 L Ducett, P.E. (719) 635-6422

PDC File #: VR-22-13

Job No. 2282.00

Drainage Report Statement

Design Engineer's Statement:

The attached drainage plan and report were prepared under my direction and supervision and are correct to the best of my knowledge and belief. Said drainage report has been prepared according to the criteria established by the County for drainage reports and said report is in conformity with the applicable master plan of the drainage basin. I accept responsibility for any liability caused by any negligent acts, errors or omissions on my part in preparing this report.

32339 mulut L Ducett, P.E. 32339 SIONAL

2127/23 Date

2/27/23 Date

Owner/Developer's Statement:

I, the owner/developer have read and will comply with all of the requirements specified in this drainage report and plan.

Sarah Martin

Murphy's Custom Homes, Inc. 13710/Struthers Road, Colorado Springs, CO 80921

El Paso County:

Filed in accordance with the requirements of the Drainage Criteria Manual, Volumes 1 and 2, El Paso County Engineering Criteria Manual and Land Development Code as amended.

County Engineer / ECM Administrator



Conditions:

TABLE OF CONTENTS

Table of Contents

4
4
5
7
10
10
10
10
10
10
11
12
13

PRELIMINARY DRAINAGE REPORT WESTVIEW AT WOODMOOR FILING 1A 1384 BUCKWOOD LANE MONUMENT, COLORADO

PURPOSE AND JUSTIFICATION

The purpose of this Drainage Report is to verify that the final plat and development plan for the construction of this residential site as four platted lots will not significantly increase or change drainage patterns and existing infrastructure can manage the flows per the El Paso County Drainage Criteria Manual.

This site has no previous drainage report on file.

GENERAL DESCRIPTION

This Drainage Report is an analysis of "WESTVIEW AT WOODMOOR FILING 1A". The site is currently undeveloped with an existing single family home on Lot 1.

This site was previously platted as reception no. 210713052. The site is located at 1384 Buckwood Lane in Monument, CO, within section 11, township 11 south, range 67 west on the 6th principal meridian. It is bounded to the south by Doewood Drive and Lot 3 Nicholas H. Nance Sub (residential single family lot), to the north by Woodmoor Ridge lots 56, 57, & 58 (residential single family lots), to the east by Woodmoor Filing No. 1 Lots 10, 13, & 16 (residential single family lots), and to the west by Wildwood Way and Lot 6A Woodmoor Filing No. 1B (residential single family lot). The project is in the northeast quarter of Section 11 Township 11 south, Range 67 west of the 6th prime meridian in the City of Monument, El Paso County, Colorado.

Existing vegetation consists of native prairie grasses and shrubs with good to excellent coverage of 75% to 90%, including moderate to heavy ground cover of ponderosa pine.

Drainage from the site is tributary to the Crystal Creek Drainage Basin according to the Dirty Woman Creek and Crystal Creek El Paso County, Colorado Drainage Basin Planning Study dated September, 1993. The Crystal Creek Drainage Basin covers roughly 6.6 square miles and trends generally east to west. Crystal Creek enters Monument Creek at Monument Lake. Basin development was approximately 85-90% complete in 1993.

The site is not in the FEMA 100 year Floodplain Map 08041C0276G dated December 7, 2018.

The soils onsite are classified as 100% Kettle gravelly loamy sand, 8 to 40 percent slopes by the Soil Survey of El Paso County, Colorado prepared by the Soil Conservation Service. The soils are in Hydrologic Soil Group B.

A copy of the existing and proposed drainage maps are included in the appendix. There are eight basins for the existing and proposed site. No changes to ground cover are proposed in this filing.

The study area consists of an existing single family home with a gravel driveway and a wooden shed. The study area is 3.1% impervious. The site currently drains toward the northwest, west, southwest, south, and southeast with slopes ranging from 2% to 30%.

EXISTING DRAINAGE CONDITIONS

The site consists of six existing on-site basins and two existing off-site basins. See the existing conditions map in the appendix.

Basin EX1/ Design Point E1

Basin EX1 which flows to Design Point E1 consists of 0.32 acres of mostly forested area on the northwest corner of the site. The existing flows from this area are Q5=0.1 cfs and Q100=0.8 cfs. These overland flows are directed offsite northwest toward Blueberry Hills Drive.

Basin EX2/ Design Point E2

Basin EX2 which flows to Design Point E2 consists of 1.28 acres of mostly forested area with some areas of gravel and part of the existing house on the northeast side of the site.

The existing flows from this area are Q5=0.5 cfs and Q100=3.3 cfs. These flows are drain offsite to the north toward Blueberry Hills Road.

Basin EX3/ Design Point E3

Basin EX3 which flows to Design Point E3 consists of 0.78 acres of mostly forested area with some areas of the existing house and wooden walkway at the east and southeast sides of the site. The existing flows from this area are Q5=0.3 cfs and Q100=2.1 cfs. These flows are directed offsite to the south toward Doewood Drive.

Basin EX4/ Design Point E4

Basin EX4 which flows to Design Point E4 consists of 0.50 acres of mostly forested area with some areas of the existing house and deck at the central and west sides of the site. The existing flows from this area are Q5=0.2 cfs and Q100=1.4 cfs. These flows are directed to the existing cul-de-sac at Wildwood Way.

Basin EX5/Design Point E5

Basin EX5 which flows to Design Point E5 consists of 0.37 acres of mostly forested area with a small part of the existing home and deck at the central and west sides of the site. The existing flows from this area are Q5=0.1 cfs and Q100=0.9 cfs. These flows are directed offsite to the west toward the existing cul-de-sac at Wildwood Way.

Basin EX6/Design Point E6

Basin EX6 which flows to Design Point E6 consists of 0.55 acres of mostly forested area with part of the existing house and deck at the central and southwest sides of the site. The existing flows from this area are Q5=0.3 cfs and Q100=1.4 cfs. These flows are directed offsite to the south toward Doewood Drive.

Offsite Basin EOS1/Design Point EOSA

Basin EOS1 which flows to Design Point EOSA consists of 0.10 acres of a mix of forested land, gravel, and asphalt pavement and includes part of the existing cul-de-sac at Buckwood Lane at the east side of the site. The existing flows from this area are Q5=0.2

cfs and Q100=0.5 cfs. These flows are directed onto the site from the east side. This offsite basin has minimal impact on the drainage pattern on the property.

Offsite Basin EOS2/Design Point EOSB

Basin EOS2 which flows to Design Point EOSB consists of 0.05 acres of a mix of forested land, gravel, and asphalt pavement and includes part of the existing cul-de-sac at Buckwood Lane at the east side of the site. The existing flows from this area are Q5=0.0 cfs and Q100=0.1 cfs. These flows are directed onto the site from the east side. This offsite basin has minimal impact on the drainage pattern on the property.

PROPOSED DRAINAGE CONDITIONS

In the proposed condition (see proposed conditions map in the appendix) the overall drainage pattern for the site remains the same as the existing pattern. In order to predict future conditions as the result of future developments on adjacent lots, runoff coefficients were assumed to be that of 1 acre residential for proposed basins P1 & P2, and ½ acre residential for proposed basins P3, P4, P5, and P6. There are eight proposed basins:

Basin P1/ Design Point 1

Basin P1 which flows to Design Point 1 consists of 0.32 acres of mostly forested area on the northwest corner of the site. The proposed flows from this area are Q5=0.3 cfs and Q100=1.1 cfs, using the runoff coefficient of 1 acre residential in anticipation of future development. These overland flows are directed offsite northwest toward Blueberry Hills Drive.

Basin P2/ Design Point 2

Basin P2 which flows to Design Point 2 consists of 1.28 acres of mostly forested area on the central and north sides of the site. The proposed flows from this area are Q5=1.1 cfs and Q100=4.2 cfs, using the runoff coefficient of 1 acre residential in anticipation of future development. These flows are drain offsite to the north toward Blueberry Hills Road.

Basin P3/ Design Point 3

Basin P3 which flows to Design Point 3 consists of 0.78 acres of mostly forested area at the central and south sides of the site. The proposed flows from this area are Q5=0.7 cfs and Q100=2.7 cfs, using the runoff coefficient of $\frac{1}{2}$ acre residential in anticipation of future development. These flows are directed offsite to the south toward Doewood Drive.

Basin P4/ Design Point 4

Basin P4 which flows to Design Point 4 consists of 0.50 acres of mostly forested area at the central and west sides of the site. The proposed flows from this area are Q5=0.5 cfs and Q100=1.7 cfs, using the runoff coefficient of $\frac{1}{2}$ acre in anticipation of future development.. These flows are directed to the existing cul-de-sac at Wildwood Way.

Basin P5/Design Point 5

Basin P5 which flows to Design Point 5 consists of 0.37 acres of mostly forested area at the central and west sides of the site. The proposed flows from this area are Q5=0.3 cfs and Q100=1.3 cfs, using the runoff coefficient of $\frac{1}{2}$ acre residential in anticipation of future development. These flows are directed offsite to the west toward the existing culde-sac at Wildwood Way.

Basin P6/Design Point 6

Basin P6 which flows to Design Point 6 consists of 0.55 acresof mostly forested area at the central and west sides of the site. The proposed flows from this area are Q5=0.5 cfs and Q100=1.7 cfs, using the runoff coefficient of $\frac{1}{2}$ acre residential in anticipation of future development. These flows are directed offsite to the south toward Doewood Drive.

Offsite Basin POS1/Design Point OS3

Basin EOS1 which flows to Design Point EOSA consists of 0.10 acres of a mix of forested land, gravel, and asphalt pavement and includes part of the existing cul-de-sac at Buckwood Lane at the east side of the site. The proposed flows from this area are Q5=0.2 cfs and Q100=0.5 cfs. These flows are directed onto the site from the east side.

Offsite Basin POS2/Design Point OS4

Basin EOS2 which flows to Design Point EOSB consists of 0.05 acres of a mix of forested land, gravel, and asphalt pavement and includes part of the existing cul-de-sac at Buckwood Lane at the east side of the site. The proposed flows from this area are Q5=0.0 cfs and Q100=0.1 cfs. These flows are directed onto the site from the east side.

In an effort to protect receiving water and as part of the "four step process to minimize adverse impacts of urbanization" this site was analyzed in the following manner:

- Reduce Runoff Portions of the site route runoff over landscaping areas before it reaches curbs or storm inlets. These above-mentioned items will reduce the volume of runoff using ponding and infiltration.
- Treat Slowly Release WQCV Not included. The steep slopes on all sides of the property severely limit the opportunity to include WQCV system(s).
- 3. Stabilize Stream Channel There are no channels on or adjacent to the site.
- 4. Source Controls As no materials storage or industrial operations are proposed for the site, no source controls have been proposed.

Please see detailed calculations in the appendix.

HYDROLOGIC CALCULATIONS

Hydrologic calculations were performed using the City of Colorado Springs Storm Drainage Design Criteria Manual Volumes 1 & 2 May 2014. The Rational Method was used to estimate storm water runoff anticipated from design storms with 5-year and 100year recurrence intervals. The Rational Method was used because it is the simplest method, that is applicable to the site, and allowed by the Drainage Criteria Manual.

WATER QUALITY

Water quality for this development is not required due to the absence of any proposed grading on the site.

EROSION CONTROL

No erosion control plan is anticipated due to the absence of any proposed grading on the site.

CONSTRUCTION COST OPINION

No construction of facilities is planned.

MAINTENANCE

As no facilities are proposed, there will be no maintenance.

DRAINAGE FEES

Drainage fees were previously paid under VR94023 and BOCC Resolution 94-412 while bridge fees were not. 2022 fee is used below.

Crystal Creek Drainage Basin

Lots 1, 2 & 3 are assessed as 0.5 acre lots with 25% imperviousness—2.4 acres total Lot 4 is assessed as a 1.0 acre lot with 20% imperviousness—1.4 acres total (2.4*25%+1.4*20%)/3.8= 23.16% average imperviousness Drainage Fee: **\$0** Bridge Fee: 3.8 acres * 23.16% average imperviousness *\$1,156 assesses rate = **\$1,017.28** Total Due: **\$1,017.28** at time of final plat.

The fees listed above are in accordance with the El Paso County Drainage Basin Fees, Resolution No. 21-468.

SUMMARY

This development (Westview at Woodmoor Filing 1A) will not adversely affect the downstream and surrounding developments. Proposed onsite flows from the new lots will be safely conveyed offsite similar to the existing flows via overland flow. Water quality and detention will not be required as there is no area to be graded. This site does not have an existing drainage report on file.

PREPARED BY: TERRA NOVA ENGINEERING, INC.

This Drainage Letter is in conformance with the El Paso County Drainage Criteria Manual, Volumes 1 & 2, October 2018.

Luanne Ducett, P.E. President Jobs/2282.00 FDR

BIBLIOGRAPHY

"Dirty Woman Creek and Crystal Creek El Paso County, Colorado Drainage Basin Planning Study, September 1993."

"El Paso County Drainage Criteria Manual, Volumes 1 & 2, October 2018."

VICINITY MAP



USGS SOIL MAP



National Cooperative Soil Survey

Conservation Service

Page 1 of 3





Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI		
41	Kettle gravelly loamy sand, 8 to 40 percent slopes	3.6	100.0%		
Totals for Area of Interest		3.6	100.0%		

El Paso County Area, Colorado

41—Kettle gravelly loamy sand, 8 to 40 percent slopes

Map Unit Setting

National map unit symbol: 368h Elevation: 7,000 to 7,700 feet Farmland classification: Not prime farmland

Map Unit Composition

Kettle and similar soils: 85 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Kettle

Setting

Landform: Hills Landform position (three-dimensional): Side slope Down-slope shape: Linear Across-slope shape: Linear Parent material: Sandy alluvium derived from arkose

Typical profile

E - 0 to 16 inches: gravelly loamy sand

- Bt 16 to 40 inches: gravelly sandy loam
- C 40 to 60 inches: extremely gravelly loamy sand

Properties and qualities

Slope: 8 to 40 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Somewhat excessively drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water supply, 0 to 60 inches: Low (about 3.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 7e Hydrologic Soil Group: B Ecological site: F048AY908CO - Mixed Conifer Hydric soil rating: No

Minor Components

Pleasant

Percent of map unit: Landform: Depressions Hydric soil rating: Yes

USDA

Other soils

Percent of map unit: Hydric soil rating: No

Data Source Information

Soil Survey Area: El Paso County Area, Colorado Survey Area Data: Version 19, Aug 31, 2021 FEMA MAP

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The projection used in the preparation of this map was Universal Transverse Mercator (UTM) zone 13. The horizontal datum was NAD83, GRS80 spheroid. Differences in datum, spheroid, projection or UTM zones zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the North American Vertical Datum of 1988 (NAVD88). These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website a http://www.ngs.noaa.gov/ or contact the National Geodetic Survey at the following address:

NGS Information Services NOAA, N/NGS12

National Geodetic Survey SSMC-3, #9202

1315 East-West Highway Silver Spring, MD 20910-3282

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at http://www.ngs.noaa.gov/.

Base Map information shown on this FIRM was provided in digital format by EI Paso County, Colorado Springs Utilities, City of Fountain, Bureau of Land Management, National Oceanic and Atmospheric Administration, United States Geological Survey, and Anderson Consulting Engineers, Inc. These data are current as of 2006.

This map reflects more detailed and up-to-date stream channel configurations and floodplain delineations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study Report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map. The profile baselines depicted on this map represent the hydraulic modeling baselines that match the flood profiles and Floodway Data Tables if applicable, in the FIS report. As a result, the profile paselines may deviate significantly from the new base map channel representation and may appear outside of the floodplain.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed Map Index for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact FEMA Map Service Center (MSC) via the FEMA Map Information eXchange (FMIX) 1-877-336-2627 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. The MSC may also be reached by Fax at 1-800-358-9620 and its website a http://www.msc.fema.gov/.

If you have **questions about this map** or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA MAP (1-877-336-2627) or visit the FEMA website at http://www.fema.gov/business/nfip.

El Paso County Vertical Datum Offset Table Vertical Datum Flooding Source Offset (ft)

REFER TO SECTION 3.3 OF THE EL PASO COUNTY FLOOD INSURANCE STUDY FOR STREAM BY STREAM VERTICAL DATUM CONVERSION INFORMATION

Panel Location Map



This Digital Flood Insurance Rate Map (DFIRM) was produced through a Cooperating Technical Partner (CTP) agreement between the State of Colorado Water Conservation Board (CWCB) and the Federal Emergency Management Agency (FEMA).



Additional Flood Hazard information and resources are available from local communities and the Colorado Water Conservation Board.



		LEGEND							
	SPECIAL FL INUNDATIO	OOD HAZARD AREAS (SFHAS) SUBJECT TO N BY THE 1% ANNUAL CHANCE FLOOD							
The 1% annu that has a 1%	al chance flood	(100-year flood), also known as the base flood, is the flood g equaled or exceeded in any given year. The Special Flood							
Hazard Area i Special Flood Elevation is th ZONF A	s the area subj Hazard include a water-surface	ect to flooding by the 1% annual chance flood. Areas of Zones A, AE, AH, AO, AR, A99, V, and VE. The Base Flood elevation of the 1% annual chance flood. Elevations determined							
ZONE AE ZONE AH	Base Flood Elev Flood depths	vations determined. vations determined. of 1 to 3 feet (usually areas of ponding); Base Flood							
ZONE AO	Elevations deter Flood depths o depths_determ	Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also							
ZONE AR	determined. Special Flood H flood by a floo AR indicates t	determined. Special Flood Hazard Area Formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to							
ZONE A99	Area to be protect protection sy:	ion from the 1% annual chance or greater flood. otected from 1% annual chance flood by a Federal flood stem under construction; no Base Flood Elevations							
ZONE V	determined. Coastal flood	zone with velocity hazard (wave action); no Base Flood							
ZONE VE	Coastal flood Elevations dete	zone with velocity hazard (wave action); Base Flood rmined.							
	FLOODWAY	AREAS IN ZONE AE							
The floodway kept free of e substantial inc	is the channel of encroachment so creases in flood h	of a stream plus any adjacent floodplain areas that must be that the 1% annual chance flood can be carried without neights.							
	OTHER FLO	OD AREAS							
ZONEA	average depth square mile; ar	s of less than 1 foot or with drainage areas less than 1 and areas protected by levees from 1% annual chance flood.							
	OTHER ARE	AS							
ZONE X ZONE D	Areas determin Areas in which	ed to be outside the 0.2% annual chance floodplain. flood hazards are undetermined, but possible.							
$\langle \rangle$	COASTAL BA	ARRIER RESOURCES SYSTEM (CBRS) AREAS							
	OTHERWISE	PROTECTED AREAS (OPAs)							
CBRS areas a	nd OPAs are non	nally located within or adjacent to Special Flood Hazard Areas. oodplain boundary							
· ·	— — Fl	oodway boundary one D Boundary							
•••••	CE	3RS and OPA boundary							
~ 513		Sundary dividing Special Flood Hazard Areas of different Base ood Elevations, flood depths or flood velocities. ase Elood Elevation line and value: elevation in feet*							
(EL 987) Ba el	ase Flood Elevation alle where uniform within zone; evation in feet*							
* Referenced	to the North Am	erican Vertical Datum of 1988 (NAVD 88)							
(A) (23)	- A G	oss section line							
97° 07' 30.	00" G	eographic coordinates referenced to the North American							
⁴² 75 ^{000m}	N 1(atum or 1983 (NAD 83))00-meter Universal Transverse Mercator grid ticks,							
6000000	FT 50 sy	900-foot grid ticks: Colorado State Plane coordinate ystem, central zone (FIPSZONE 0502),							
DX5510	La Be X th	ench mark (see explanation in Notes to Users section of is FIRM panel)							
M1.5	Ri	ver Mile							
•		MAP REPOSITORIES							
	Refe E	FFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP							
DECEME	EFFECTIV SER 7, 2018 - to	E DATE(S) OF REVISION(S) TO THIS PANEL update corporate limits, to change Base Flood Elevations and							
Special Fl	ood Hazard Area incorpora	is, to update map format, to add roads and road names, and to ite previously issued Letters of Map Revision.							
For communit Map History T	y map revision h able located in tl	istory prior to countywide mapping, refer to the Community ne Flood Insurance Study report for this jurisdiction.							
To determine agent or call t	if flood insurar he National Floo	ice is available in this community, contact your insurance d Insurance Program at 1-800-638-6620.							
		MAP SCALE 1" = 500' 500 1000							
1!		FEET							
		PANEL 0276G							
	Ð	FLOOD INSURANCE RATE MAP							
		EL PASO COUNTY,							
		AND INCORPORATED AREAS							
	35 Par	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300							
	ANGE PR	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT)							
	RANGE PR	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: COMMUNITY NUMBER PANEL SUFFIX							
	SURVANCE PRO	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: COMMUNITY NUMBER PANEL SUFFIX EL PASO COUNTY 080059 0276 MONUMENT, TOWN OF 080064 0276 G							
	INSURVERSE PRO	COLORADO AND INCORPORATED AREASPANEL 276 OF 1300(SEE MAP INDEX FOR FIRM PANEL LAYOUT)CONTAINS:COMMUNITYNUMBERPANELSUFFIXEL PASO COUNTY0800590276GMONUMENT, TOWN OF0800640276GPALMER LAKE, TOWN OF0800650276G							
	ID INSURANGE PRO	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: COMMUNITY NUMBER PANEL SUFFIX EL PASO COUNTY 080059 0276 G MONUMENT, TOWN OF 080064 0276 G NOTICE: This map was reissued on 05/15/2020 to make a correction. This version replaces any previous versions. See the Notice: This map revisions. See the Notice: This map revisions. See the							
	JOD INSURANGE PRO	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: COMMUNITY NUMBER PANEL SUFFIX EL PASO COUNTY 080059 0276 G MONUMENT, TOWN OF 080064 0276 G PALMER LAKE, TOWN OF 080065 0276 G Notice: This map was reissued on 05/15/2020 to make a correction. This version replaces any previous versions. See the Notice-to-User Letter that accompanied this correction for details.							
	THOM IN SURVINGE PRO	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: <u>COMMUNITY</u> <u>NUMBER</u> PANEL <u>SUFFIX</u> EL PASO COUNTY 080059 0276 MONUMENT, TOWN OF 080065 0276 G PALMER LAKE, TOWN OF 080065 0276 G Notice: This map was reissued on 05/15/2020 to make a correction. This version replaces any previous versions. See the Notice-to-User Letter that accompanied this correction for details.							
	LEECOOD INSURANCE PRO	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: COMMUNITY NUMBER PANEL SUFFIX EL PASO COUNTY 080059 0276 MONUMENT, TOWN OF 080064 0276 G PALMER LAKE, TOWN OF 080065 0276 G Notice: This map was reissued on 05/15/2020 to make a correction. This version replaces any previous versions. See the Notice-to-User Letter that accompanied this correction for details. Notice to User: The Map Number shown below should be used when placing map orders: the Community Number shown above should be used on insurance applications for the subject community.							
	NAL FLOOD INSURANCE PRO	COLORADO AND INCORPORATED AREASPANEL 276 OF 1300(SEE MAP INDEX FOR FIRM PANEL LAYOUT)CONTAINS:							
	KONAAL FLOXOD INSURAANGE PAKC	COLORADO AND INCORPORATED AREAS PANEL 276 OF 1300 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: <u>MOMUNITY</u> <u>NUMBER</u> <u>NANEL</u> <u>SUFFIX</u> <u>COMMUNITY</u> <u>080059</u> <u>0276</u> <u>G</u> <u>MONUMENT</u> <u>TOWN OF</u> <u>080065</u> <u>0276</u> <u>G</u> <u>ALMER LAKE, TOWN OF</u> <u>080065</u> <u>0276</u> <u>G</u> <u>MONUMENT</u> <u>TOWN OF</u> <u>080065</u> <u>0276</u> <u>G</u> <u>COMECTIONED</u> <u>NUMER LAKE, TOWN OF</u> <u>080065</u> <u>0276</u> <u>G</u> <u>COMECTIONED</u> <u>NUMER LAKE, TOWN OF</u> <u>080065</u> <u>0276</u> <u>G</u> <u>COMECTIONED</u> <u>NUMER LAKE, TOWN OF</u> <u>080065</u> <u>0276</u> <u>G</u> <u>COMECTIONED</u> <u>DEDEEUCOP <u>COMECTIONED</u> <u>COMECTIONED</u> <u>DEDEEUCOP <u>COMECTIONED</u> </u></u>							
	VITONAAL FLOOD INSURAANGE PRO	COLORADO AND INCORPORATED AREASPANEL 276 OF 1300(SE MAP INDEX FOR FIRM PANEL LAYOUT)CONTAINS							

HYDROLOGIC CALCULATIONS

HEMBRE ESTATES FILING NO. 1 AREA RUNOFF COEFFICIENT (C) SUMMARY

DEVELOPED / IMPERVIOUS UI		UNDEVELO	UNDEVELOPED / NON-IMPERVIOUS			WEIGHTED		WEIGHTED CA			
BASIN	TOTAL AREA (Acres)	AREA (Acres)	C5	C100	AREA (Acres)	C5	C100	C5	C100	CA5	CA100
EX1	0.32	0.00	0.08	0.35	0.32	0.08	0.35	0.08	0.35	0.03	0.11
EX2	1.28	0.02	0.68	0.78	1.26	0.08	0.35	0.09	0.36	0.11	0.46
EX3	0.78	0.02	0.66	0.76	0.76	0.08	0.35	0.09	0.36	0.07	0.28
EX4	0.50	0.02	0.81	0.88	0.48	0.08	0.35	0.11	0.37	0.05	0.19
EX5	0.37	0.00	0.90	0.96	0.37	0.08	0.35	0.08	0.35	0.03	0.13
EX6	0.55	0.04	0.81	0.88	0.51	0.08	0.35	0.13	0.39	0.07	0.21
EOSI	0.10	0.03	0.83	0.90	0.07	0.08	0.35	0.30	0.51	0.03	0.05
EOS2	0.05	0.00	0.67	0.77	0.05	0.08	0.35	0.08	0.35	0.00	0.02
										G 1 1 1 11	10

EXISTING

Total

3.95 0.13 Calculated by: JS 9/6/2022 Date:

Checked by: LD

DEVELOPED

		DEVELOPED / IMPERVIOUS			UNDEVELOPED / NON-IMPERVIOUS			WEIGHTED		WEIGHTED CA	
BASIN	TOTAL AREA	AREA	C5	C100	AREA	C5	C100	C5	C100	CA5	CA100
	(Acres)	(Acres)			(Acres)						
P1	0.32	0.32	0.20	0.44	0.00	0.08	0.35	0.20	0.44	0.06	0.14
P2	1.28	1.28	0.20	0.44	0.00	0.08	0.35	0.20	0.44	0.26	0.56
P3	0.78	0.78	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.17	0.36
<i>P4</i>	0.50	0.50	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.11	0.23
P5	0.37	0.37	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.08	0.17
<i>P6</i>	0.55	0.55	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.12	0.25
POS1	0.10	0.03	0.83	0.90	0.07	0.08	0.35	0.30	0.51	0.03	0.05
POS2	0.05	0.00	0.67	0.77	0.05	0.08	0.35	0.08	0.35	0.00	0.02
										Calculated by:	JS
Total	3.95	3.83								Date:	9/6/2022

Date: 9/6/2022 Checked by: LD

HEMBRE ESTATES FILING NO. 1 AREA RUNOFF COEFFICIENT (C) SUMMARY

	DEVELOPED / IMPERVIOUS UNDEVELOPED / NON-IMPERVIOUS		WEIGHTED		WEIGHTED CA						
BASIN	TOTAL AREA (Acres)	AREA (Acres)	C5	C100	AREA (Acres)	C5	C100	C5	C100	CA5	CA100
EX1	0.32	0.00	0.08	0.35	0.32	0.08	0.35	0.08	0.35	0.03	0.11
EX2	1.28	0.02	0.68	0.78	1.26	0.08	0.35	0.09	0.36	0.11	0.46
EX3	0.78	0.02	0.66	0.76	0.76	0.08	0.35	0.09	0.36	0.07	0.28
EX4	0.50	0.02	0.81	0.88	0.48	0.08	0.35	0.11	0.37	0.05	0.19
EX5	0.37	0.00	0.90	0.96	0.37	0.08	0.35	0.08	0.35	0.03	0.13
EX6	0.55	0.04	0.81	0.88	0.51	0.08	0.35	0.13	0.39	0.07	0.21
EOSI	0.10	0.03	0.83	0.90	0.07	0.08	0.35	0.30	0.51	0.03	0.05
EOS2	0.05	0.00	0.67	0.77	0.05	0.08	0.35	0.08	0.35	0.00	0.02

EXISTING

Total

3.95 0.13 Calculated by: JS 9/6/2022 Date:

LD

Checked by:

DEVELOPED

		DEVELOPED / IMPERVIOUS			UNDEVELOPED / NON-IMPERVIOUS			WEIGHTED		WEIGHTED CA	
BASIN	TOTAL AREA	AREA	C5	C100	AREA	C5	C100	C5	C100	CA5	CA100
	(Acres)	(Acres)			(Acres)						
P1	0.32	0.32	0.20	0.44	0.00	0.08	0.35	0.20	0.44	0.06	0.14
P2	1.28	1.28	0.20	0.44	0.00	0.08	0.35	0.20	0.44	0.26	0.56
P3	0.78	0.78	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.17	0.36
<i>P4</i>	0.50	0.50	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.11	0.23
P5	0.37	0.37	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.08	0.17
P6	0.55	0.55	0.22	0.46	0.00	0.08	0.35	0.22	0.46	0.12	0.25
POS1	0.10	0.03	0.83	0.90	0.07	0.08	0.35	0.30	0.51	0.03	0.05
POS2	0.05	0.00	0.67	0.77	0.05	0.08	0.35	0.08	0.35	0.00	0.02
										Calculated by:	JS
Total	3.95	3.83								Date:	9/6/2022

Date: 9/6/2022 Checked by: LD

EXISTING CONDITION DRAINAGE MAP

EXISTING DRAINAGE SUMMARY							
RASIN NAME	AREA	FLOW					
	(ACRES)	5 YR (cfs)	100 YR (cfs)				
EX1	0.32	0.1	0.8				
EX2	1.28	0.5	3.3				
EX3	0.78	0.3	2.1				
EX4	0.50	0.2	1.4				
EX5	0.37	0.1	0.9				
EX6	0.55	0.3	1.4				
EOS1	0.10	0.2	0.5				
EOS2	0.05	0.00	0.1				



NOTES:

1. EXISTING VEGETATION CONSISTS OF NATIVE PRAIRIE GRASSES AND SHRUBS WITH GOOD TO EXCELLENT COVERAGE OF 75% TO 90%, INCLUDING MODERATE TO HEAVY GROUND COVER OF PONDEROSA PINE

2. AT THE TIME OF FINAL CONSTRUCTION EROSION CONTROL BLANKETS WILL NEED TO BE INSTALLED ON ALL 3:1 SLOPES



S. S.

◄

-

FILING

WOODMOOR

AT

WESTVIEW

ESIGNED BY JS RAWN BY JS HECKED BY LD

-SCALE 1"=40' -SCALE N/A

OB NO. 2282.00

DATE ISSUED 9/6/22 SHEET NO. 1 OF 2

721 COL OFFI FAX: www

_ _ _

PROPOSED CONDITION DRAINAGE MAP

EXISTING DRAINAGE SUMMARY							
RASIN NAME	AREA	FLOW					
	(ACRES)	5 YR (cfs)	100 YR (cfs)				
P1	0.32	0.3	1.1				
P2	1.28	1.1	4.2				
P3	0.78	0.7	2.7				
P4	0.50	0.5	1.7				
P5	0.37	0.3	1.3				
P6	0.55	0.5	1.7				
POS1	0.10	0.2	0.5				
POS2	0.05	0.00	0.1				



NOTES:

1. EXISTING VEGETATION CONSISTS OF NATIVE PRAIRIE GRASSES AND SHRUBS WITH GOOD TO EXCELLENT COVERAGE OF 75% TO 90%, INCLUDING MODERATE TO HEAVY GROUND COVER OF PONDEROSA PINE

2. AT THE TIME OF FINAL CONSTRUCTION EROSION CONTROL BLANKETS WILL NEED TO BE INSTALLED ON ALL 3:1 SLOPES



_ _ _

