## WATERSIDE AT LAKE WOODMOOR SW $\frac{1}{4}$ OF THE SE $\frac{1}{4}$ OF SECTION 11 TOWNSHIP 11 SOUTH, RANGE 67 WEST, 6TH PRINCIPAL MERIDIAN EL PASO COUNTY, COLORADO PUD DEVELOPMENT PLAN/PRELIMINARY PLAN

### **GENERAL PROVISIONS:**

Authority. This PUD is authorized by Chapter 4 of the El Paso County Land Development Code, adopted pursuant to the Colorado Α. Planned Unit Development Act of 1972, as amended.

Applicability. The provisions of this PUD shall run with the land. The landowners, their successors, heirs, or assigns shall be bound В. by this Development Plan, as amended and approved by the Planning and Community Development Department Director or Board of County Commissioners.

C. Adoption. The adoption of this development plan shall evidence the findings and decisions of the El Paso County Board of County Commissioners that this Development Plan for Waterside at Lake Woodmoor is in general conformity with the El Paso County Master Plan, El Paso County Policy Plan and applicable Small Area Plan; is authorized under the provision of the El Paso County Land Development Code; and that the El Paso County Land Development Code and this development plan complies with the Colorado Planned Unit Development Act of 1972, as amended.

Relationship to County Regulations. The provisions of this Development Plan shall prevail and govern the development of Waterside D. at Lake Woodmoor, provided, however, that where the provisions of this Development Plan do not address a particular subject, the relevant provisions of the El Paso County Land Development Code in effect at the time of the PUD plan approval (or owner acknowledge the PUD changes with the Code), or any other applicable resolutions or regulations of El Paso County, shall be applicable.

Enforcement. To further the mutual interest of the residents, occupants, and owners of the PUD and of the public in the Ε. preservation of the integrity of this development plan, the provisions of this plan relating to the use of land and the location of common open space shall run in favor of El Paso County and shall be enforceable at law or in equity by the County without limitation on any power or regulation otherwise granted by law.

Conflict. Where there is more than one provision within the development plan that covers the same subject matter, the provision which is most restrictive or imposes higher standards or requirements shall govern.

Maximum Level of Development. The total number of dwellings is the maximum development requested for platting or construction (plus any approved density transfers). The actual number of dwellings or level of development may be less due to subdivision or Site Development Plan requirements, land carrying capacity, or other requirements of the Board of County Commissioners.

H. Project Tracking. At the time of any final plat application, the applicant shall provide a summary of the development, to date, to Planning and Community Development Department, in order to assure maximum development limits are not exceeded.

Overall Project Standards. The standard zoning requirements of El Paso County Land Development Code, as amended, including off-street parking, landscaping, site development, accessory and temporary uses, and use by special review and variance processes shall apply to this PUD, except as modified below.

### **PURPOSE AND INTENT:**

The necessity for this development to be zoned as a PUD instead of a straight zone lies in the challenges associated with natural features and ecologies on the site. The deviations outlined in the PUD Modification Table seek to create a more favorable development for both the residents and the natural areas present on the site. This development meaningfully contributes to the existing housing spectrum in the area and seeks to provide another housing option at a different price point and maintenance level from those in the vicinity. This development aligns with multiple Core Principles and subsequent Goals outlined in the El Paso County Master Plan. These items are discussed in depth in the Letter of Intent associated with this submittal.

### **DEVELOPMENT GUIDELINES:**

A. Project Description: Waterside at Lake Woodmoor is a planned residential community on 7.53 acres of land located north of Lake Woodmoor and south of Deer Creek Road. The project is planned as a townhome community.

Permitted Uses: Permitted uses within the Waterside at Lake Woodmoor subdivision include townhomes, attached single-family homes, open space, and trails. The uses of any property within the subdivision as a Child Care Center, Family Care Home or Group Home shall be subject to the regulations of Chapter 5 of the El Paso County Land Development Code, as may be amended in the future. Marijuana Clubs and Marijuana Grow Facilities are not permitted within this subdivision.

C. Temporary Uses: Temporary uses are limited to model home/subdivision sales office, yard sales, and seasonal produce sales, and are subject to the regulations of Chapter 5 of the El Paso County Land Development Code, as may be amended in the future.

D. Accessory Uses: Accessory uses within this subdivision are limited to the following:

Animal keeping of up to 4 pets (excludes chicken, pigeon or bee keeping) as defined by the El Paso County LDC 5.2.7.C. Residential home occupation that does not require clients to visit the premises.

E. Accessory Structures. Accessory structures must comply with the Development Standards in item (G) of these guidelines, and shall be subject to the regulations relating to accessory structures in Chapter 5 of the El Paso County Land Development Code. Residential accessory structures in this subdivision are restricted to the following:

Storage shed Gazebo Deck (attached or detached, covered or uncovered) Hot tub Private greenhouse Fence, wall and hedged Antennas, radio facilities, and satellite dishes Solar energy systems

Signs. One entry sign is proposed to identify the Waterside at Lake Woodmoor community. The maximum size of the Community Entryway Sign shall be 100 square feet. Sign size shall be measured by drawing the smallest rectangle around the text of the sign. For double sided signs, only one sign face shall contribute to the maximum size.

- G. Development Standards.
  - Maximum building height: thirty (30) feet.
    - Setback minimums: a. Front: 11 feet minimum
    - 5 feet minimum b. Side:
    - (Exception: 0' at property line of common wall for building and covered porch)
    - 10 feet minimum c. Rear: 5 feet minimum to porch
  - No projections into setbacks or the tracts owned and maintained by the Waterside at Lake Woodmoor will be permitted. Retaining walls greater than 7 feet are not permitted within lot setbacks.

H. Lot Sizes. The PUD Development Plan and the Final Plat establish the lot sizes. No subdivision of any lot will be permitted if such subdivision results in the creation of additional building lots.

Streets. Streets within Waterside at Lake Woodmoor subdivision provide general vehicular circulation throughout the development. All streets shall be privately owned and maintained by the Waterside at Lake Woodmoor Home Owner's Association. All Streets shall be paved unless otherwise indicated on the Development Plan. Sidewalks and parking spaces will be provided as illustrated on this plan.

Architectural Control Committee Review/Covenants. Waterside at Lake Woodmoor is subject to the covenants and design criteria established by the Woodmoor Improvement Association and Architectural Control Committee.

#### LEGAL DESCRIPTION

ALL OF THE WATERSIDE CONDOMINIUMS SUBDIVISION, RECORDED IN PLAT BOOK 2, AT PAGE 47 RECORDS OF EL PASO COUNTY, COLORADO.

### **PUD MODIFICATIONS**

The Waterside PUD includes the following modifications to the El Paso County Land Development Code (LDC) and

Ξr	ngineering Criterial Manua	al (ECM):				
_[	DC/ECM Section	Category	Standard	Modification	Justification	
1.	LDC Chapter 8.4.4(E)(2)	Private Roads Require Waiver	Use of private roads shall be limited.	Private roads proposed to serve only portions of this community.	Private roads provide more flexibility for the development to accommodate the unique community proposed on the site. The private roads will be owned and maintained by the HOA.	
2.	LDC Chapter 8.4.4(E)(3)	Private Roads to meet County standards.	Private roads shall be constructed and maintained to ECM standards.	Road width and roadway terminations (see 3 an 4 below)	, ,	
3.	ECM Section 2.2.4.B.7, Figure 2-17, ECM Table 2-7, and ECM 2.3.3.F.3 and standard detail SD_2-2	Typical Urban Local and Typical Urban Local (Low Volume) Cross Section	<ul> <li>50' public right of way with 30' asphalt mat (Local and Local Low Volume).</li> <li>Urban Local roadway asphalt width standard drawing (SP_2-2 (30' MAT)</li> <li>200' minimum length of centerline tangent between broken back corners.</li> </ul>	29' private tract with 24' asphalt mat (Local and Local Low Volume) with reduced tangent length between broken back curves.	A smaller private road cross-section tract versus ROW, narrower asphalt width (Urban Local (low volume)) asphalt width, compact road design, and the use of a turnaround will achieve the goal of providing both residents and emergency responder's access. ECM standard does not take into account reduction in speed due to the T-intersections associated with these very small turn-around areas. A standard cul-de-sac width is almost as wide as the parcel is in the location. Reduced tangent lengths between broken back curves are located on a small private looped roadway with only 16 lots utilizing the roadway.	
4.	ECM Section 2.3.8.A	Roadway Terminations	Urban Cul-de-Sac -Permanent hammerhead turnarounds not permitted	Permanent turnaround proposed on Hillingdon Heights using a 24' wide asphalt mat.		

### **GENERAL NOTES**


- 1. See Final Landscape Plan for proposed buffering and screening from surrounding properties.
- 2. Facilities and common area landscape will be maintained by the Waterside Home Owners Association. 3. This site is within a designated F.E.M.A. floodplain as determined by the flood insurance rate map, community panel
- number 08041C0276G, effective December 7, 2018.
- 4. Parking within the boundaries of the property and will only be for the use of the residents of Waterside and their guests.
- 5. Proposed trails on the property will be available for use by the public.
- 6. There will be no direct lot access from Deer Creek Road.
- 7. No site grading will be allowed until all applicable wetland impact permits have been issued by the Army Corps of

Engineers. 8. Soil and Geology Conditions:

Geologic Hazard Note-Final Plat:

Geologic hazards identified on this parcel include expansive or very hard, shallow bedrock, erosion potential, flood potential, and regional issues of seismicity as well as naturally occurring radioactive materials. These conditions can be mitigated with engineering design and construction methods commonly employed in the area. Mitigation measures and a map of the hazard area can be found in the Soil, Geology, and Geologic Hazard Study Prepared by CTL Thompson, Inc. January 27, 2022, in file PUD SP-22-009 available at the El Paso County Planning and Community Development Jpdate land owner certification for PUD Department.

		LAND OWNER CERTIFICATION	
		IN WITNESS WHEREOF:	PROJECT TEA
		HAS EXECUTED THESE PRESENTS THIS DAY OF 20 A.D. , A COLORADO LIMITED LIABILITY COMPANY	OWNER/APPLICANT:
	Lake W		
	Name (	AUTHORIZED AGENT, MANAGER	
board of County Commissioners Certificate his PUD Development Plan and Preliminary Plat for Waterside was pproved for filing by the El Paso County, Colorado Board of County ommissioners on the day of, 20, subject to ny notes specified hereon and any conditions included in the resolution f approval.	I/we insurance ( qualified, in that I/we h hereon anc at the time	STATE OF COLORADO COUNTY OF, 20, 20, SIGNED BEFORE ME ON, 20, 20, 20, BY, NAME(S) OF INDIVIDUAL(S) MAKING STATEMENT).	PLANNING/ LANDSCAPE ARCHITEC CIVIL ENGINEER:
hair, Board of County Commissioners date	Notarized s		SHEET INDEX
irector, Planning & Community Development Department date		(TITLE OF OFFICE) (COMMISSION EXPIRATION)	Sheet 1 of 23: Sheet 2 of 23: Sheet 3 of 23: Sheet 4 of 23: Sheet 5 of 23:
Herk and Recorder Certification         tate of Colorado)       )ss.         Paso County       )         hereby certify that this Plan was filed in my office on this(day) of(month), 20 at o'clock a.m./p.m. and was ecorded per Reception No         Paso County Clerk and Recorder	Surveyor in and correct by me or un shown here and that sa laws in the surveying of Developme	, a duly registered Professional Land a the State of Colorado, do hereby certify that this plat truly cly represents the results of a survey made on(date), nder my direct supervision and that all monuments exist as eon; that mathematical closure errors are less than 1:10,000 ; hid plat has been prepared in full compliance with all applicable State of Colorado dealing with monuments, subdivision, or of land and all applicable provisions of the El Paso County Land	Sheet 5 of 23: Sheet 6 of 23: Sheet 7 of 23: Sheet 9 of 23: Sheet 10 of 23: Sheet 11 of 23: Sheet 12 of 23: Sheet 12 of 23: Sheet 13 of 23: Sheet 14 of 23: Sheet 15 of 23: Sheet 16 of 23: Sheet 17 of 23:
		Name, (Signature) Date	Sheet 18 of 23: Sheet 19 of 23: Sheet 20 of 23: Sheet 21 of 23: Sheet 22 of 23: Sheet 23 of 23:



SITE DATA

Tax ID Number:

Current Zoning:

Area:

Density:


**Building Height:** 


**Required:** 

Provided:


Garage parking


Guests







TRACT	SIZE (AC)	USE	OWNERSHIP	MAINTENANCE
TRACT A	1.51 AC	Public access, public utilities, public improvement, drainage, landscaping, mail kiosk, open space	Waterside HOA	Waterside HOA
TRACT B	Public access, public utilities, public improvement, drainage,		Waterside HOA	Waterside HOA
TRACT C	0.22 AC	Public access, public utilities, public improvement, drainage, landscaping, open space	Waterside HOA	Waterside HOA
TRACT D	0.09 AC	Public access, public improvement, drainage, landscaping, private parking, open space	Waterside HOA	Waterside HOA
TRACT E 0.08 AC		Public access, public improvement, drainage, landscaping, private parking, open space	Waterside HOA	Waterside HOA
TRACT F	1.15 AC	Drainage, landscaping, open space	Woodmoor Improvement Association	Woodmoor Improvement Ass









### LANDSCAPE NOTES


- 1. ALL PRESERVATION AREAS CONTAINING VEGETATION DESIGNATED TO BE PRESERVED, SHALL BE FENCED OFF DURING CONSTRUCTION TO MINIMIZE DISTURBANCE IN THESE AREAS. ALL FENCING SHALL BE INSTALLED AROUND PRESERVED VEGETATION PRIOR TO ANY GRADING ON THE PROPERTY. A 4-FOOT, ORANGE, CONSTRUCTION SAFETY FENCE SHALL BE USED IN THIS APPLICATION.
- 2. SOIL AMENDMENT INCORPORATE 3 CUBIC YARDS/1000 S.F. AREA OF CLASS 2 A1 ORGANICS PREMIUM ORGANIC COMPOST ON TALL FESCUE SOD AREAS. INCORPORATE 2 CUBIC YARDS/1000 S.F. AREA OF CLASS 3 COMPOSTED COW MANURE (AGED 1 YEAR) ORGANIC COMPOST TO ALL SEED AREAS. AMENDMENTS MAY CHANGE TO BE BASED ON SOIL ANALYSIS OF FINAL INFILL.
- 3. FOR GRADES REFER TO CIVIL ENGINEERING DRAWINGS.
- CONTRACTOR TO UTILIZE STOCKPILED TOPSOIL FROM GRADING OPERATION AS AVAILABLE. TILL INTO TOP 6" OF SOIL. CONTRACTOR TO APPLY EROSION CONTROL BLANKET TO ALL AREAS WITH 3:1 SLOPES.
- 6. ALL SOD SHALL BE TALL FESCUE BLEND.
- 7. NO SOD SHALL BE PLANTED ON SLOPES IN EXCESS OF 6:1 GRADIENT.
- 8. FOR ALL SEED AREAS REFER TO SEED MIXES SPECIFIED ON THIS SHEET. 9. ALL NATIVE SEED AREAS SHALL HAVE A TEMPORARY ABOVE-GROUND SPRAY IRRIGATION SYSTEM UTILIZED UNTIL SEED IS ESTABLISHED, AND ALL TREES AND SHRUBS WITHIN NATIVE SEED AREAS SHALL HAVE A PERMANENT DRIP
- IRRIGATION SYSTEM. 10. A FULLY AUTOMATED SPRINKLER IRRIGATION SYSTEM WILL DRIP IRRIGATE ALL TREE, SHRUB, AND GROUND COVER PLANTINGS, AND SPRAY ALL TALL FESCUE SOD AND LOW ALTERNATIVE TURF AREAS. AN IRRIGATION PLAN WILL BE PREPARED AT A LATER DATE AND WILL INCLUDE AN IRRIGATION SCHEDULE THAT NOTES APPLICATION RATES BASED ON TURF TYPE, RATES FOR NEWLY INSTALLED PLANTS VS. ESTABLISHED PLANTS, AND GENERAL RECOMMENDATIONS REGARDING SEASONAL ADJUSTMENTS.
- 11. NO TREES AND NO PLANTS OVER 2 FEET TALL SHALL BE INSTALLED WITHIN 5 FEET OF ANY FIRE HYDRANTS. 12. ALL PLANTS TO RECEIVE 3 INCH DEPTH OF GORILLA HAIR SHREDDED CEDAR WOOD MULCH UNLESS OTHERWISE
- SPECIFIED. FOLLOW PLANTING DETAILS FOR MULCH RING DIMENSIONS WITHIN ROCK, SOD, OR SEED AREAS. 13. COBBLE: 2-3" CRIPPLE CREEK ORE, AT 3-4" DEPTH, AT ALL INTERSECTION CORNERS BETWEEN HANDICAP RAMPS.
- INSTALL GEOTEXTILE FABRIC UNDER ALL COBBLE AREAS. 14. GRAVEL ROCK: 3/4" CIMARRON GRANITE, AT 3-4" DEPTH. INSTALL GEOTEXTILE FABRIC UNDER ALL ROCK AREAS. 15. ALL SHRUB BEDS TO BE ENCLOSED BY SOLID STEEL EDGING, AS A SEPARATOR FROM SOD, SEED, AND ALTERNATIVE
- TURF. SEPARATION BETWEEN SOD AND SEED, AND BETWEEN ALTERNATIVE TURF AND SEED SHALL BE A MOWED STRIP, WITHOUT STEEL EDGING.
- 16. SCHEDULE PLANTS SIZES IN TABLE ARE SUGGESTED. PLANTS TO BE CONSIDERED FOR FULFILLING COUNTY LANDSCAPE REQUIREMENTS SHALL HAVE A MINIMUM CALIPER SIZE (MEASURED SIX INCHES ABOVE GROUND) FOR DECIDUOUS SHADE TREES SHALL BE 1-1/2 INCHES AND FOR DECIDUOUS ORNAMENTAL TREES 1 INCH. EVERGREEN TREES SHALL BE A MINIMUM OF 6 FEET IN HEIGHT ABOVE GROUND. SHRUBS SHALL BE A MINIMUM OF 5 GALLON SIZE.
- 17. ALL PLANTS SHOWN IN PRELIMINARY LANDSCAPE PLAN ARE FULFILLING A COUNTY LANDSCAPE REQUIREMENT. ADDITIONAL AND INTERIOR PLANTING WILL BE SHOWN IN FINAL LANDSCAPE PLAN.
- 18. ANY FIELD CHANGES OR DEVIATIONS TO THESE PLANS WITHOUT PRIOR COUNTY APPROVAL OF AN AMENDED SITE DEVELOPMENT PLAN MAY RESULT IN A DELAY OF FINAL APPROVAL AND ISSUANCE OF A CERTIFICATE OF OCCUPANCY. 19. THESE PLANS ARE FOR COUNTY APPROVALS ONLY AND ARE NOT TO BE UTILIZED FOR CONSTRUCTION.
- 20. ANY OBJECT WITHIN THE SIGHT DISTANCE TRIANGLE OR EASEMENT MORE THAN 30 INCHES ABOVE THE FLOWLINE ELEVATION OF THE ADJACENT ROADWAY SHALL CONSTITUTE A SIGHT OBSTRUCTION, AND SHALL BE REMOVED OR LOWERED. THE OBJECTS MAY INCLUDE BUT ARE NOT LIMITED TO BERMS, BUILDINGS, PARKED VEHICLES ON PRIVATE PROPERTY, CUT SLOPES, HEDGES, TREES, BUSHES, UTILITY CABINETS OR TALL CROPS. TREES MAY BE PERMITTED AT THE DISCRETION OF THE ECM ADMINISTRATOR IF PRUNED TO AT LEAST 8 FEET ABOVE THE FLOWLINE ELEVATION OF THE ADJACENT ROADWAY.

### LANDSCAPE REQUIREMENTS


### Landscape Setbacks See code section 6.2.2.B.1

Street Name	Street	Width	Linear	Tree/Feet	Trees	Setback Abbr.	
	Classification	Required	Footage	Required	Req./Pov.	Denoted on Plan	
Woodmoor Drive	Non-Arterial	15'	834'	1 / 15'	56/57	WD	
Deer Creek Road	Non-Arterial	10'	175'	1 / 30'	8/8	DC	

#### SYMBOL CODE DECIDUOUS TREES







#### **(•**) Rcp

GROUND COVER LEGEND		
EXISTING TREE	2	
NATIVE SEED MIX Arkansas Valley Low Gro Drill Seeded at 25 LBS/A 30% Ephraim Crested W 25% Sheep Fescue 20% Perennial Rye 15% Chewings Fescue	w Mix	133 sf
ROCK MULCH PLAN 3/4" Mountain Granite	ITING BED 15,2	290 sf
COBBLE COBBLE 2 - 4" HORIZON	5,9	007 sf
EL PASO COUNTY CONSERVATION Big Bluestem - 20% Blue Grama - 10% Green Needlegrass - 10% Western Wheatgrass - 2 Sideoats Grama - 10% Switchgrass - 10% Prarie Sandreed - 10% Yellow Indiangrass - 10% Seeding will be in compl Ch. 5 Hydroseed @ 19.3 pls/ac	% 0% % iance with SCM	367 sf



#### **PROJECT TEAM**

OWNER/APPLICANT: Lake Woodmoor Holdings LLC 1755 Telstar Drive, Suite 211 Colorado Springs, CO 80920

PLANNING/ NES Inc. LANDSCAPE ARCHITECTURE: 619 N. Cascade Ave., Suite 200 Colorado Springs, CO 80903

CIVIL ENGINEER:

Classic Engineering 619 N. Cascade Ave., Suite 200 Colorado Springs, CO 80903


## WATERSIDE AT LAKE WOODMOOR EL PASO COUNTY, COLORADO PUD DEVELOPMENT PLAN/PRELIMINARY PLAN


#### PLANT SCHEDULE

	QTY	BOTANICAL / COMMON NAME	HEIGHT	WIDTH	SIZE	COND
9						
	18	Populus tremula 'Erecta' / European Columnar Aspen	35`	10`	1.5" Cal.	B&B
	33	Populus tremuloides / Quaking Aspen	40`	20`	1.5" Cal.	B&B
9	2					
	10	Juniperus chinensis 'Blue Point' / Blue Point Juniper	12`	8`	6`	CONT
	3	Pinus edulis / Pinon Pine	25`	20`	6`	B&B
	31	Pinus nigra 'Arnold Sentinel' / Arnold Sentinel Austrian Pine	20`	5`	6`	B&B
	2	Pinus ponderosa / Ponderosa Pine	80`	40`	6`	B&B
Ē	ĒS					
	13	Malus x `Prairifire` / Prairifire Crab Apple	20`	20`	1.5" Cal.	B&B
	20	Daphne x burkwoodii `Carol Mackie` / Carol Mackie Daphne	5`	5`	5 GAL	CONT
	36	Juniperus communis 'Green Carpet' / Green Carpet Common Juniper	1`	3`	5 GAL	CONT
	3	Juniperus scopulorum `Moonglow` / Moonglow Juniper	15`	8`	6`	CONT
	7	Potentilla fruticosa 'Goldfinger' / Goldfinger Bush Cinquefoil	3`	3.5`	5 GAL	CONT
N	IALS					
	44	Eriophyllum confertiflorum / Golden Yarrow	2`	2`	1 GAL	CONT
	62	Ratibida columnifera pulcherrima / Red Praire Coneflower	2`	2`	1 GAL	CONT


HARDWOOD MULCH 1,604 sf Western Red Cedar

MONUMENT VICINITY MAP \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ 






		Matter       Matter         Matter       Status         Matter       Status         Dud Development plan, Dud Development plan, Dud Development, co
GROUND COVER LEGEND		DATE: 02/17/2023 PROJECT MGR: A. BARLOW PREPARED BY: B. SWENSON
EXISTING TREE	2	
NATIVE SEED MIX Arkansas Valley Low Grow Mix Drill Seeded at 25 LBS/AC 30% Ephraim Crested Wheatgrass 25% Sheep Fescue 20% Perennial Rye 15% Chewings Fescue	51,133 sf	SEAL
ROCK MULCH PLANTING BED 3/4" Mountain Granite	15,290 sf	
COBBLE 2 - 4" HORIZON	5,907 sf	ISSUE INFO
EL PASO COUNTY CONSERVATION Big Bluestem - 20% Blue Grama - 10% Green Needlegrass - 10% Western Wheatgrass - 20% Sideoats Grama - 10% Switchgrass - 10% Prarie Sandreed - 10% Yellow Indiangrass - 10% Seeding will be in compliance with SCM Ch. 5 Hydroseed @ 19.3 pls/acre	<b>■</b> 6,867 sf	NOISTAN A MARKAN A MA
HARDWOOD MULCH Western Red Cedar	1,604 sf	LANDSCAPE PLAN
NORTH $C = 30^{\circ}$	60	7 7 ог 16



	IN ASSOCIATION WITH
	WATERSIDE AT LAKE AT LAKE WOODMOOR PUD DEVELOPMENT PLAN/ PRELIMINARY PLAN WOODMOOR DRIVE MONUMENT, CO
-	DATE: 02/17/2023 PROJECT MGR: A. BARLOW PREPARED BY: B. SWENSON
-	NOISINAR / ANY
-	LANDSCAPE PLAN B B B B B CF 16
-	<u> </u>


### GROUND COVER LEGEND





60


SCALE: 1" = 30'

NORTH









### OPT. WALKOUT (1) REAR ELEVATION - 'A'








## WATERSIDE AT LAKE WOODMOOR


PER COUNTY COMMENTS PER COUNTY COMMENTS REVISED PRODUCT TYPE ARCHITECTURAL ELEVATIONS 10 10 OF 23 PUDSP-22-009

DESCRIPTION:

07/5/2022


A. BARLOW B. SWENSON







SCALE: 1/4" = 1'-0"


3 RIGHT ELEVATION - 'B'




SW  $\frac{1}{4}$  OF THE SE  $\frac{1}{4}$  OF SECTION 11 TOWNSHIP 11 SOUTH, RANGE 67 WEST, 6TH PRINCIPAL MERIDIAN EL PASO COUNTY, COLORADO PUD DEVELOPMENT PLAN/PRELIMINARY PLAN













PUDSP-22-009






PUDSP-22-009










SW  $\frac{1}{4}$  OF THE SE  $\frac{1}{4}$  OF SECTION 11 TOWNSHIP 11 SOUTH, RANGE 67 WEST, 6TH PRINCIPAL MERIDIAN EL PASO COUNTY, COLORADO PUD DEVELOPMENT PLAN/PRELIMINARY PLAN









































SW  $\frac{1}{4}$  OF THE SE  $\frac{1}{4}$  OF SECTION 11 TOWNSHIP 11 SOUTH, RANGE 67 WEST, 6TH PRINCIPAL MERIDIAN EL PASO COUNTY, COLORADO PUD DEVELOPMENT PLAN/PRELIMINARY PLAN








- AVERAGE FINISHED GRADE








SW  $\frac{1}{4}$  OF THE SE  $\frac{1}{4}$  OF SECTION 11 TOWNSHIP 11 SOUTH, RANGE 67 WEST, 6TH PRINCIPAL MERIDIAN EL PASO COUNTY, COLORADO PUD DEVELOPMENT PLAN/PRELIMINARY PLAN








MIDPOINT OF ROOF




























SCALE: 1/4" = 1'-0"

SCALE: 1/4" = 1'-0"










SW  $\frac{1}{4}$  OF THE SE  $\frac{1}{4}$  OF SECTION 11 TOWNSHIP 11 SOUTH, RANGE 67 WEST, 6TH PRINCIPAL MERIDIAN EL PASO COUNTY, COLORADO PUD DEVELOPMENT PLAN/PRELIMINARY PLAN

MAIN LEVE LOWER PLATE WINDOW HEAD B.O. STUCCO TRIM OPT. WALKOUT - 6" STUCCO TRIM LEFT ELEVATION - 'A'

6 x 6 POST

SCALE: 1/4" = 1'-0"


IN ASSOCIATION WITH
WATERSIDE AT LAKE WOODMOOR PUD DEVELOPMENT PLAN/ PRELIMINARY PLAN
WOODMOOR DRIVE MONUMENT, CO DATE: 07/5/2022 PROJECT MGR: A. BARLOW PREPARED BY: B. SWENSON
B. SWENSON
ISSUE INFO
DATE:     BY:     DESCRIPTION:       9/23/2022     JS     PER COUNTY COMMENTS       02/17/2023     JS     PER COUNTY COMMENTS       04/6/2023     JS     PER COUNTY COMMENTS       1/19/2023     JBS     REVISED PRODUCT TYPE
ARCHITECTURAL ELEVATIONS
22 OF 23



SCALE: 1/4" = 1'-0"

SCALE: 1/4" = 1'-0"

## WATERSIDE AT LAKE WOODMOOR PUD DEVELOPMENT PLAN/PRELIMINARY PLAN



C/ECM Section	Category	Standard	Modification	Justification
LDC Chapter 8.4.4(E)(2)	Private Roads Require Waiver	Use of private roads shall be limited.	Private roads proposed to serve only portions of this community.	Private roads provide more flexibility for the development to accommodate the unique community proposed on the site. The private roads will be owned and maintained by the HOA.
LDC Chapter 8.4.4(E)(3)	Private Roads to meet County standards.	Private roads shall be constructed and maintained to ECM standards.	Road width and roadway terminations (see 3 an 4 below)	
ECM Section 2.2.4.B.7, Figure 2-17, ECM Table 2-7, and ECM 2.3.3.F.3 and standard detail SD_2-2	Typical Urban Local and Typical Urban Local (Low Volume) Cross Section	<ul> <li>50' public right of way with 30' asphalt mat (Local and Local Low Volume).</li> <li>Urban Local roadway asphalt width standard drawing (SP_2-2 (30' MAT)</li> <li>200' minimum length of centerline tangent between broken back corners.</li> </ul>	29' private tract with 24' asphalt mat (Local and Local Low Volume) with reduced tangent length between broken back curves.	A smaller private road cross-section tract versus ROW, narrower asphalt width (Urban Local (low volume)) asphalt width, compact road design, and the use of a turnaround will achieve the goal of providing both residents and emergency responder's access. ECM standard does not take into account reduction in speed due to the T-intersections associated with these very small turn-around areas. A standard cul-de-sac width is almost as wide as the parcel is in the location. Reduced tangent lengths between broken back curves are located on a small private looped roadway with only 16 lots utilizing the roadway.
ECM Section 2.3.8.A	Roadway Terminations	Urban Cul-de-Sac -Permanent hammerhead turnarounds not permitted	Permanent turnaround proposed on Hillingdon Heights using a 24' wide asphalt mat.	