

## 2019 Financial Assurance Estimate Form

(with pre-plat construction) Updated: 6/7/2019

		PROJECT I	NFORMATION				0-020		
Security Fire Station No. 4			9/15/2020		XX-XX-XXX				
Project Name		Date				PCD File No.			
								_	
		Unit			(with Pre	e-Plat Construction)			
Description	Quantity	Unite	Cost	Pemaining					

				Unit			· '	-Plat Co	lat Construction)	
Description	Quantity	Units		Cost		Total	% Complete		Remaining	
SECTION 1 - GRADING AND EROSION CONTRO	L (Construction	and Perma	nent			(17)				
* Earthwork				а	idd qua	ntities for				
less than 1,000; \$5,300 min		CY	\$/	8.00	eeding	mulching <sub>9,560.00</sub>		\$	-	
1,000-5,000; \$8,000 min	3,260	CY	<b>/</b> \$		ccuirig/	13 10101111199,560.00		\$	19,560.00	
5,001-20,000; \$30,000 min		CY/	\$	5.00	=	\$ -		\$	-	
20,001-50,000; \$100,000 min		c/	\$	3.50	=	\$ -		\$	-	
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$ -		\$	-	
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$ -		\$	-	
* Permanent Seeding (inc. noxious weed mgmnt.)		) AC	\$	800.00	=	\$ -		\$	-	
* Mulching		AC	\$	750.00	=	\$ -		\$	-	
* Permanent Erosion Control Blanket	V V	SY	\$	6.00	=	\$ -		\$	-	
* Permanent Pond/BMP Construction	203	CY	\$	20.00	=	\$ 4,060.00		\$	4,060.00	
* Permanent Pond/BMP (Spillway)	1	EA	\$	2,350.00	=	\$ 2,350.00		\$	2,350.00	
* Permanent Pond/BMP (Outlet Structure)	1	EA	\$	2,900.00	=	\$ 2,900.00		\$	2,900.00	
Safety Fence		LF	\$	3.00	=	\$ -		\$	-	
Temporary Erosion Control Blanket	242	SY	\$	3.00	=	\$ 726.00		\$	726.00	
Vehicle Tracking Control	1	EA	\$	2,370.00	=	\$ 2,370.00		\$	2,370.00	
Silt Fence	1,003	LF	\$	2.50	=	\$ 2,507.50		\$	2,507.50	
Temporary Seeding		AC	\$	628.00	=	\$ -		\$	-	
Temporary Mulch		AC	\$	750.00	=	\$ -		\$	-	
Erosion Bales	3	EA	\$	25.00	=	\$ 75.00		\$	75.00	
Erosion Logs/Straw Waddle	164		28/		struction	<u> </u>		\$	820.00	
Rock Check Dams		FA -	S	500.00	_ =	-		\$	-	
Inlet Protection	3	EA	bar	rricado	es =	\$ 501.00		\$	501.00	
Sediment Basin	1	EA	\$	1,762.00	=	\$ 1,762.00		\$	1,762.00	
Concrete Washout Basin	1	EA	\$	900.00	_	\$ 900.00		\$	900.00	
Rock Socks	20	LF	\$	20.00	_	\$ 400.00		\$	400.00	
[insert items not listed but part of construction plans]	20		Ψ	20.00	_	\$ -		\$	-	
	INTENANCE (35°	% of Const	ructio	n RMDs)		\$ 3,521.53		\$	3,521.53	
- Subject to defect warranty financial assurance. A minimum of 20% shall	INTENANCE (55	70 OI COIISC	ucuc	נוו טויורט)	_	ş 3,321.33		Ф	3,321.33	
be retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section	on 1	Subtotal	=	\$ 42,453.03		\$	42,453.03	
ALLOWED)										
SECTION 2 - DIIRITO IMBBOVEMENTE *										
ROADWAY IMPROVEMENTS										
ROADWAY IMPROVEMENTS  Construction Traffic Control		LS			=	\$ -		\$	-	
ROADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)		Tons	\$	28.00	= =	\$ -		\$	-	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)		Tons CY	\$	50.00		\$ - \$ -				
ROADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)		Tons	\$			\$ -		\$	-	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)		Tons CY	\$	50.00		\$ - \$ -		\$	-	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)		Tons CY SY	\$	50.00 14.00		\$ - \$ - \$ -		\$ \$ \$	- - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)		Tons CY SY SY	\$ \$ \$	50.00 14.00 19.00		\$ - \$ - \$ - \$ -		\$ \$ \$ \$	- - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)		Tons CY SY SY SY	\$ \$ \$	50.00 14.00 19.00 29.00	=	\$ - \$ - \$ - \$ -		\$ \$ \$ \$	- - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick		Tons CY SY SY SY SY Tons	\$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00	=	\$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$	- - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved		Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00	= = =	\$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$	- - - - - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign		Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00	= = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$	- - - - - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign		Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 8.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$	- - - - - - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking		Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 8.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3		Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I		Tons CY SY SY SY Tons SF EA EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Asgregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)		Tons CY SY SY SY Tons SF EA EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ -   \$   -   \$   \$     \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -	
COADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)		Tons CY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00	= = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		Tons CY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 23.00 20.00 24.00 30.00 30.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	000	Tons CY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 20.00 24.00 30.00 30.00 48.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	98	Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	98	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	98	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00	= = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp	98	Tons CY SY SY Tons SF EA SF EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00	= = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - 5,880.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk Common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	98	Tons CY SY SY Tons SF EA EA SF LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00	= = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - 5,880.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	98	Tons CY SY SY Tons SF EA EA SF EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 23.00 20.00 24.00 30.00 30.00 48.00 60.00 72.00 1,150.00 61.00 92.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - 5,880.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase	98	Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 92.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - 5,880.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)	98	Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase	98	Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 23.00 24.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - 5,880.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)	98	Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	98	Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 23.00 24.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00		\$ - \$ - \$ - \$ - \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - 5,880.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage	98	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 8.00 300.00 13.00 23.00 24.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 72.00 92.00 1,480.00 72.00		\$ - \$ - \$ - \$ - \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - 5,880.00	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	98	Tons CY SY SY SY Tons SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00  13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,48.00 72.00 94.00 3,767.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	98	Tons CY SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 1,150.00 92.00 1,480.00 49.00 72.08 3,767.00 78.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		

PROJECT INFORMATION									
Security Fire Station No. 4	9/15/2020	XX-XXX							
Project Name	Date	PCD File No.							

			Unit				'	e-Plat Construction)		
Description	Quantity	Units	Cost			Total	% Complete	Remaining		
				=	\$	-		\$ -		
[insert items not listed but part of construction plans]				=	\$	-		\$ -		
FORM DRAIN IMPROVEMENTS										
Concrete Box Culvert (M Standard), Size ( W x H )		LF		=	\$	-		\$ -		
18" Reinforced Concrete Pipe		LF	\$ 65.00	=	\$	-		\$ -		
24" Reinforced Concrete Pipe		LF	\$ 78.00	=	\$	-		\$ -		
30" Reinforced Concrete Pipe		LF	\$ 97.00	=	\$	-		\$ -		
36" Reinforced Concrete Pipe		LF	\$ 120.00	=	\$	-		\$ -		
42" Reinforced Concrete Pipe		LF	\$ 160.00	=	\$	-		\$ -		
48" Reinforced Concrete Pipe		LF	\$ 195.00	=	\$	-		\$ -		
54" Reinforced Concrete Pipe		LF	\$ 245.00	=	\$	-		\$ -		
60" Reinforced Concrete Pipe		LF	\$ 288.00	=	\$	-		\$ -		
66" Reinforced Concrete Pipe		LF	\$ 332.00	=	\$	-		\$ -		
72" Reinforced Concrete Pipe		LF	\$ 380.00	=	\$	-		\$ -		
18" Corrugated Steel Pipe		LF	\$ 84.00	=	\$	-		\$ -		
24" Corrugated Steel Pipe		LF	\$ 96.00	=	\$	-		\$ -		
30" Corrugated Steel Pipe		LF	\$ 122.00	=	\$	-		\$ -		
36" Corrugated Steel Pipe		LF	\$ 147.00	=	\$	-		\$ -		
42" Corrugated Steel Pipe		LF	\$ 168.00	=	\$	-		\$ -		
48" Corrugated Steel Pipe		LF	\$ 178.00	=	\$	-		\$ -		
54" Corrugated Steel Pipe		LF	\$ 260.00	=	\$	-		\$ -		
60" Corrugated Steel Pipe		LF	\$ 280.00	=	\$	-		\$ -		
66" Corrugated Steel Pipe		LF	\$ 340.00	=	\$	-		\$ -		
72" Corrugated Steel Pipe		LF	\$ 400.00	=	\$	-		\$ -		
78" Corrugated Steel Pipe		LF	\$ 460.00	=	\$	-		\$ -		
84" Corrugated Steel Pipe		LF	\$ 550.00	=	\$	-		\$ -		
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	\$ 390.00	=	\$	-		\$ -		
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		Ε.		=	\$	-		\$ -		
· · · · · · · · · · · · · · · · · · ·		EA EA		-	\$					
End Treatment- Headwall End Treatment- Wingwall		EA		-	\$			\$ - \$ -		
End Treatment - Cutoff Wall		EA		_	\$			\$ -		
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 5,542.00	=	\$			\$		
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,188.00	=	\$			\$ -		
		EA			\$					
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'			\$ 8,345.00	=	-			Ψ		
Curb Inlet (Type R) L =10', Depth < 5' Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA EA	\$ 7,627.00 \$ 7,861.00	=	\$			\$ - \$ -		
		EA		=	-			\$ -		
					\$					
Curb Inlet (Type R) L =15', Depth < 5' Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA EA	\$ 9,918.00 \$ 10,633.00	=	\$	<u> </u>		Ψ		
					-			Ψ		
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA EA	\$ 11,627.00 \$ 10.570.00	=	\$	-		7		
Curb Inlet (Type R) L =20', Depth < 5' Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 10,570.00 \$ 11,667.00	=	\$	<u> </u>		\$ - \$ -		
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10' Grated Inlet (Type C), Depth < 5'		EA	\$ 4,640.00	=	\$	<u> </u>		\$ -		
		EA		=	\$					
Grated Inlet (Type D), Depth < 5' Storm Sewer Manhole, Box Base		EA	\$ 5,731.00 \$ 11,627.00	=	\$			\$ - \$ -		
		EA			\$			\$ -		
Storm Sewer Manhole, Slab Base Geotextile (Erosion Control)		SY	\$ 6,395.00 \$ 6.00	=	ф ф	<u> </u>		+ +		
				=	\$			\$		
Rip Rap, d50 size from 6" to 24"		Tons Tons	\$ 80.00 \$ 95.00	=	\$	-		\$ - \$ -		
Rip Rap, Grouted  Drainage Channel Construction, Size ( W x H )			φ 95.00	=	\$	-		\$ -		
		LF	¢ 570.00		\$	-				
Drainage Channel Lining, Concrete Drainage Channel Lining, Rip Rap		CY	\$ 570.00	=				\$ - \$ -		
ŭ , , ,		CY	\$ 112.00		\$					
Drainage Channel Lining, Grass		AC	\$ 1,469.00	=	\$	-		Ψ		
Drainage Channel Lining, Other Stabilization				=	\$	-		\$ -		
[insert items not listed but part of construction plans]				=	\$			\$ -		
				=	\$	-		1.5		

PROJECT INFORMATION								
Security Fire Station No. 4	9/15/2020	XX-XXX						
Project Name	Date	PCD File No.						

		Unit				(with Pre	-Plat (	Construction)		
Description	Quantity	Units		Cost			Total	% Complete		Remaining
<b>SECTION 3 - COMMON DEVELOPMENT IMPRO</b>	VEMENTS (Priv	ate or Dis	tric	t and NO	T Mainta	ained b	y EPC)**			
ROADWAY IMPROVEMENTS							<u>, -,                                   </u>			
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Excep	otion: Permanent Por	d/BMP shall	be ite	emized unde	r Section 1	)				
6" HDPE Pipe	106	LF	\$	18.00	=	\$	1,908.00		\$	1,908.00
12" HDPE Pipe	412	LF	\$	24.00	=	\$	9,888.00		\$	9,888.00
18" Sq. Area Inlet	3	EA	\$	2,000.00	=	\$	6,000.00		\$	6,000.00
24" RCP	42	LF	\$	78.00	=	\$	3,276.00		\$	3,276.00
24" RCP F.E.S.	2	EA	\$	468.00		\$	936.00		\$	936.00
18" RCP	37	LF	\$	65.00	=	\$	2,405.00		\$	2,405.00
18" RCP F.E.S.	2	EA	\$	390.00	=	\$	780.00		\$	780.00
WATER SYSTEM IMPROVEMENTS	'									
Water Main Pipe (PVC), Size 8"		LF	\$	64.00	=	\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	75.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$	1,858.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves	1	EA	\$	6,597.00	=	\$	6,597.00		\$	6,597.00
Water Service Line Installation, inc. tap and valves	1	EA	\$	1,324.00	=	\$	1,324.00		\$	1,324.00
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"		LF	\$	64.00	=	\$	-		\$	-
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,386.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete	1	EA	\$	1,402.00	=	\$	1,402.00		\$	1,402.00
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	ecific conditio	n of a	approval, or	PUD)					
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Section	n 3	Subtotal	=	\$	34,516.00		\$	34,516.00

PROJECT INFORMATION									
Security Fire Station No. 4	9/15/2020	XX-XX-XXX							
Project Name	Date	PCD File No.							

				Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent WQ	(CV BMPs)	LS	\$	2,000.00	=	\$	2,000.00		\$	2,000.00
POND/BMP CERTIFICATION (inc. elevations and volume cal	Iculations)	LS	\$	2,000.00	=	\$	2,000.00		\$	2,000.00
					Tota	I Const	ruction Financia	I Assurance	\$	86,849.03
			(8	Sum of all se	ection subto	tals plus a	s-builts and pond/BI	MP certification)		
	Total Rema	ining Cons	truc	tion Fina	ncial Ass	urance	(with Pre-Plat C	onstruction)	\$	86,849.03
	(Sum of	all section tota	ls les	s credit for	items comp	lete plus a	s-builts and pond/BI	MP certification)		-
	`				·	·	•	,		
					Total D	efect Wa	arranty Financia	I Assurance	\$	6,950.00
1		(20% of all ite							ᆂ	.,

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.

Engineer (P.E. Seal Required)

Approved by Owner / Applicant

Date

Approved by El Paso County Engineer / ECM Administrator

Date