Construction fencing shown on plans. Add quantity to this form.

2024 Financial Assurance Estimate Form (with pre-plat construction)

Update pond cost per my comments in the FDR

PPR2412

Updated: 10/2023

4/2/2024 Northcrest Center Date PCD File No. **Project Name** (with Pre-Plat Construction) Unit Description Quantity Total % Complete Remaining SECTION 1 - GRADING AND EROSION CONTROL (Construction and Permanent BMPs) Earthwork less than 1,000; \$5,300 min 1,000-5,000; \$8,000 min CY 6.00 \$ \$ 5.001-20.000: \$30.000 min CY \$ 5.00 20,001-50,000; \$100,000 min 20134. CY 3.50 100,000.00 100,000.00 50,001-200,000; \$175,000 min CY 2.50 \$ greater than 200,000; \$500,000 min CY \$ 2.00 Permanent Erosion Control Blanket SY 9.00 Permanent Seeding (ing. noxious weed mgmnt.) & Mulching AC 2,018.00 1,412.60 1,412.60 .7 \$ \$ Permanent Pond/BMP (provide engineer's estimate) 1. FΑ \$ 73,595.00 \$ 73,595.00 73,595.00 Concrete Washout Basin 2. EΑ 1,172.00 2,344.00 2,344.00 Inlet Protection EΑ 217.00 1,302.00 1,302.00 6. \$ Rock Check Dam FΑ 651.00 Safety Fence LF 3.00 Sediment Basin EΑ \$ 2,294.00 \$ Sediment Tran FΑ 538 00 Silt Fence 4440. LF 3.00 13,320.00 13,320.00 Slope Drain LF 43.00 \$ Straw Bale 18. EΑ 33.00 594.00 594.00 Straw Wattle/Rock Sock 300. LF 8.00 2,400.00 2,400.00 Surface Roughening AC 269.00 269.00 269.00 \$ Temporary Erosion Control Blanket SY 3.00 Temporary Seeding and Mulching .7 AC 1,793.00 1.255.10 1.255.10 Vehicle Tracking Control 2. EΑ 3,085.00 \$ 6,170.00 6,170.00 \$ [insert items not listed but part of construction plans] MAINTENANCE (35% of Construction BMPs) 8,858.54 8,858.54 \$ \$ Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE Section 1 Subtotal \$ 211,520.24 \$ 211,520.24 ECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Add LS Construction Traffic Contro Aggragate Base Course (135 lbs/cf) Tons Aggregate Base Course CY 66.00 \$ SY 18.00 Asphalt Pavement (3" thick) \$ Asphalt Pavement (4" thick) SY Ś 25.00 \$ Asphalt Pavement (6" thick) SY 38.00 " thick Asphalt Pavement (147 lbs/cf) 114.00 Tons Ś \$ Raised Median, Raved SF 11.00 \$ Regulatory Sign/Advisory Sign EΑ Add signs for Guide/Street Name Sign EΑ Epoxy Pavement Marking SF restricted turn for Thermoplastic Palement Marking SF southern access EΑ 25 Barricade - Type 3 \$ Delineator - Type I FΑ Ś **Update SDP** Curb and Gutter, Type A (6" Vertical) LF \$ Curb and Gutter, Type B LF 38.00 (Median) Curb and Gutter, Type C (Ramp) LF Ś 38.00 4" Sidewalk (common areas only) SY 62.00 5" Sidewalk 216.23 SY 77.00 16,649.57 16,649.57 6" Sidewalk SY 94.00 Update PED ramps to 8" Sidewalk SY 125.00 1,496.00 7,480.00 march SDP 8 shown Crost Part local (8" thick & wide to include return) 79.00 9,164.00 Cross Pan, collector (9" thick, 8' wide to include return) ΙF 119.00 Curb Opening with Drainage Chase EΑ 1,926.00 Guardrail Type 3 (W-Beam) LF 65.00 \$ Guardrail Type 7 (Concrete) 1 F Ś 94.00 Guardrail End Anchorage EΑ 2,731.00 \$ Guardrail Impact Attenuator EΑ Ś 4.902.00 \$ Sound Barrier Fence (CMU block, 6' high) 1 F 102.00 Sound Barrier Fence (panels, 6' high) LF 104.00 \$ Electrical Conduit, LF \$ 22.00 \$ \$ Traffic Signal, (provide engineer's estimate) EΑ

PROJECT INFORMATION

PROJECT INFORMATION						
Northcrest Center	4/2/2024	CDR-24				
Project Name	Date	PCD File No.				

			Unit				e-Plat Construction)	
Description	Quantity	Units	Cost		 Total	% Complete		emaining
[insert items not listed but part of construction plans]				=	\$ -		\$	-
STORM DRAIN IMPROVEMENTS					\$ -		Þ	-
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$ 		\$	
18" Reinforced Concrete Pipe	26.	LF	\$ 82.00		\$ 2,132.00		\$	2,132.00
24" Reinforced Concrete Pipe	20.	LF	\$ 98.00		\$ 2,132.00		\$	2,132.00
30" Reinforced Concrete Pipe		LF	\$ 123.00		\$ 		\$	_
36" Reinforced Concrete Pipe		LF	\$ 151.00		\$ 		\$	
42" Reinforced Concrete Pipe		LF	\$ 201.00		\$ 		\$	
48" Reinforced Concrete Pipe		LF	\$ 245.00		\$ 		\$	_
54" Reinforced Concrete Pipe		LF	\$ 320.00		\$ 		\$	
60" Reinforced Concrete Pipe		LF	\$ 374.00		\$ 		\$	
66" Reinforced Concrete Pipe		LF	\$ 433.00		\$ 		\$	
72" Reinforced Concrete Pipe		LF	\$ 495.00		\$ 		\$	
18" Corrugated Steel Pipe		LF	\$ 105.00		\$ 		\$	_
24" Corrugated Steel Pipe		LF	\$ 121.00		\$ 		\$	_
30" Corrugated Steel Pipe		LF	\$ 154.00		\$ 		\$	
36" Corrugated Steel Pipe		LF	\$ 184.00	=	\$ 		\$	_
42" Corrugated Steel Pipe		LF	\$ 212.00		\$ 		\$	
48" Corrugated Steel Pipe		LF	\$ 223.00		\$ 		\$	
54" Corrugated Steel Pipe		LF	\$ 327.00		\$ 		\$	
60" Corrugated Steel Pipe		LF	\$ 353.00		\$ 		\$	
66" Corrugated Steel Pipe		LF	\$ 427.00		\$ 		\$	
72" Corrugated Steel Pipe		LF	\$ 502.00		\$ 		\$	
78" Corrugated Steel Pipe		LF	\$ 578.00		\$ 		\$	
84" Corrugated Steel Pipe		LF	\$ 691.00		\$ 		\$	
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	\$ 051.00	=	\$ -		\$	-
Flared End Section (FES) CSP Size =				=	\$ _		\$	_
(unit cost = 6x pipe unit cost)		EA						
End Treatment- Headwall		EA		=	\$ -		\$	-
End Treatment- Wingwall		EA		=	\$ -		\$	-
End Treatment - Cutoff Wall		EA	ć 7.242.00	=	\$ -		\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 7,212.00	=	\$ -		\$	-
Curb Inlet (Type R) L=5', 5'≤ Depth < 10'		EA EA	\$ 9,377.00	=	\$ -		\$	
Curb Inlet (Type R) L =5', 10'≤ Depth < 15'		EA	\$ 10,859.00	=	\$ -		\$	
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 9,925.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'			\$ 10,230.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 10'≤ Depth < 15'		EA EA	\$ 12,805.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', Depth < 5' Curb Inlet (Type R) L =15', 5'≤ Depth < 10'		EA	\$ 12,907.00 \$ 13,835.00	=	\$ 		\$	
Curb Inlet (Type R) L =15', 5 ≤ Deptit < 10' Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 15,033.00		\$ 		· · · · · · · · · · · · · · · · · · ·	
Curb Inlet (Type R) L = 20', Depth < 5'		EA	\$ 13,755.00	=	\$ 		\$	
Curb Inlet (Type R) L =20', Depth < 10'		EA	\$ 15,733.00		\$ 		\$	
Grated Inlet (Type C), Depth < 5'		EA	\$ 6,037.00		\$ 		\$	
		EA	\$ 7,458.00		 			
Grated Inlet (Type D), Depth < 5' Storm Sewer Manhole, Box Base		EA	\$ 15,130.00	=	\$ 		\$	
·		EA		=	\$		\$	
Storm Sewer Manhole, Slab Base Geotextile (Erosion Control)		SY	\$ 8,322.00	=	\$ -		\$	-
,			\$ 9.00	=	\$ -		\$	-
Rip Rap, d50 size from 6" to 24"		Tons	\$ 104.00	=	\$ -		\$	-
Rip Rap, Grouted		Tons	\$ 124.00	=	\$ 		\$	
Drainage Channel Lining Congrete		LF	¢ 741.00	=	\$ -		\$	-
Drainage Channel Lining, Concrete		CY	\$ 741.00	=	\$		\$	
Drainage Channel Lining, Rip Rap		CY	\$ 145.00 \$ 1,911.00	=	\$ -		\$	-
Drainage Channel Lining, Grass		AC	\$ 1,911.00	=	\$ -		\$	-
Drainage Channel Lining, Other Stabilization				=	\$ -		\$	-
lineart itams not listed but part of construction plans?				=	\$ -		\$	-
[insert items not listed but part of construction plans] * - Subject to defect warranty financial assurance. A minimum of 20% sha				=	\$ -		\$	-
oe retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)		Section	n 2 Subtotal	=	\$ 35,425.60		\$	35,425.57

PROJECT INFORMATION						
Northcrest Center	4/2/2024		CDR-24			
Project Name	Date		PCD File No.			

				Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	vate or D	istri	ct and N	OT Maiı	ntained	by EPC)**			
ROADWAY IMPROVEMENTS										
Levelling Base Course	440.52	CY	\$	66.00	=	\$	29,074.22		\$	29,074.22
Paving (Concrete)	1762.07	CY	\$	325.00	=	\$	572,674.07		\$	572,674.07
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Excep	tion: Permanent Pond	d/BMP shall	be ite	mized und	er Section	1)				
Type 'C' Area Inlet	4.	EA	\$ 1	0,000.00	=	\$	40,000.00		\$	40,000.00
12" HDPE Storm Pipe	50.	LF	\$	41.00	=	\$	2,050.00		\$	2,050.00
18" HDPE Storm Pipe	152.	LF	\$	56.00	=	\$	8,512.00		\$	8,512.00
19x30 HERCP Storm Pipe	31.	LF	\$	112.00	=	\$	3,472.00		\$	3,472.00
Storm Sewer Manhole, Slab Base	2.	EA	\$	8,322.00	=	\$	16,644.00		\$	16,644.00
Permanent Control Measure Grassed Swale	600	LF	\$	10.00		\$	6,000.00		\$	6,000.00
Slotted Curb with Dropped Ledge	110.	LF	\$	55.00	=	\$	6,050.00		\$	6,050.00
WATER SYSTEM IMPROVEMENTS							.,			.,
Water Main Pipe (PVC), Size 8"	623.	LF	\$	84.00	=	\$	52,332.00		\$	52,332.00
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$	-		\$	-
Gate Valves, 8"	2.	EA	\$	2,418.00	=	\$	4,836.00		\$	4,836.00
Fire Hydrant Assembly, w/ all valves	1.	EA	\$	8,584.00	=	\$	8,584.00		\$	8,584.00
Water Service Line Installation, inc. tap and valves	3.	EA	\$	1,723.00	=	\$	5,169.00		\$	5,169.00
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"	62.	LF	Ś	84.00	=	\$	5,208.00		\$	5,208.00
Sanitary Sewer Manhole, Depth < 15 feet	1.	EA	\$	5,708.00	=	\$	5,708.00		\$	5,708.00
Sanitary Service Line Installation, complete	1.	EA	\$	1,825.00	=	\$	1,825.00		\$	1,825.00
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
Sand/Oil Separator	3.	EA	\$ 1	0,000.00	=	\$	30,000.00		\$	30,000.00
[insert items not listed but part of construction plans]				.,	=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spec	cific conditio	n of a	pproval, or	PUD)					
Landscape Improvements	1.	EA		0,463.00	=	\$	100,463.00		\$	100,463.00
Irrigation	1.	EA		8,357.00	=	\$	48,357.00		\$	48,357.00
ŭ		EA	7 .	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	=	\$	-		\$	
		EA			=	\$	_		\$	_
		EA			=	\$	-		\$	_
** - Section 3 is not subject to defect warranty requirements		Saction	n 3 9	Subtotal		\$	946,958,30		\$	946,958.30

PROJECT INFORMATION						
Northcrest Center	4/2/2024		CDR-24			
Project Name	Date	PCD Fi	le No.			

			Unit			(with Pre-Plat Construction)			
Description	Quantity	Units		Cost		Total	% Complete	F	Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent	WQCV BMPs)		\$	5,000.00	=	\$ 5,000.00		\$	5,000.00
POND/BMP CERTIFICATION (inc. elevations and volume	calculations)	LS	\$	3,850.00	=	\$ 3,850.00		\$	3,850.00

Total Construction Financial Assurance \$ 1,202,754.14

(Sum of all section subtotals plus as-builts and pond/BMP certification)

Total Remaining Construction Financial Assurance (with Pre-Plat Construction) \$ 1,202,754.10

(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

42,086.64

Total Defect Warranty Financial Assurance \$ (20% of all items identified as (*). To be collateralized at time of preliminary acceptance)

Approvals		
I hereby certify that this is an accurate and complete estimate of costs for the work as	s shown on the Grading and Erosion Contro	ol Plan and Construction Drawings associated with the Project.
	Signature and stamp needed on final	
Engineer (P.E. Seal Required)		•
Approved by Owner / Applicant	Date	
Approved by El Paso County Engineer / ECM Administrator	Date	