NOTE: ALL EXISTING UNDERGROUND AND ABOVE GROUND UTILITY LOCATIONS, INVERTS AND SIZES ARE APPROXIMATE ONLY AND MUST BE FIELD VERIFIED PRIOR TO CONSTRUCTION. TIE IN POINTS SHALL BE POTHOLED AND LOCATIONS, INVERTS AND SIZES SHALL BE FIELD VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION.

STANDARD NOTES FOR EL PASO COUNTY GRADING AND EROSION CONTROL PLANS

1. STORMWATER DISCHARGES FROM CONSTRUCTION SITES SHALL NOT CAUSE OR THREATEN TO CAUSE POLLUTION, CONTAMINATION, OR DEGRADATION OF STATE WATERS. ALL WORK AND EARTH DISTURBANCE SHALL BE DONE IN A MANNER THAT MINIMIZES POLLUTION OF ANY ON—SITE OR OFF SITE WATERS, INCLUDING WETLANDS.

2. NOTWITHSTANDING ANYTHING DEPICTED IN THESE PLANS IN WORDS OR GRAPHIC REPRESENTATION, ALL DESIGN AND CONSTRUCTION RELATED TO ROADS, STORM DRAINAGE AND EROSION CONTROL SHALL CONFORM TO THE STANDARDS AND REQUIREMENTS OF THE MOST RECENT VERSION OF THE RELEVANT ADOPTED EL PASO COUNTY STANDARDS, INCLUDING THE LAND DEVELOPMENT CODE, THE ENGINEERING CRITERIA MANUAL, THE DRAINAGE CRITERIA MANUAL, AND THE DRAINAGE CRITERIA MANUAL VOLUME 2. ANY DEVIATIONS TO REGULATIONS AND STANDARDS MUST BE REQUESTED, AND APPROVED, IN WRITING.

3. A SEPARATE STORMWATER MANAGEMENT PLAN (SMWP) FOR THIS PROJECT SHALL BE COMPLETED AND AN EROSION AND STORMWATER QUALITY CONTROL PERMIT (ESQCP) ISSUED PRIOR TO COMMENCING CONSTRUCTION. MANAGEMENT OF THE SWMP DURING CONSTRUCTION IS THE RESPONSIBILITY OF THE DESIGNATED QUALIFIED STORMWATER MANAGER OR CERTIFIED EROSION CONTROL INSPECTOR. THE SWMP SHALL BE LOCATED ON SITE AT ALL TIMES DURING CONSTRUCTION AND SHALL BE KEPT UP TO DATE WITH WORK PROGRESS AND CHANGES IN THE

4. ONCE THE ESQCP IS APPROVED AND A "NOTICE TO PROCEED" HAS BEEN ISSUED, THE CONTRACTOR MAY INSTALL THE INITIAL STAGE EROSION AND SEDIMENT CONTROL MEASURES AS INDICATED ON THE APPROVED GEC. A PRECONSTRUCTION MEETING BETWEEN THE CONTRACTOR, ENGINEER, AND EL PASO COUNTY WILL BE HELD PRIOR TO ANY CONSTRUCTION. IT IS THE RESPONSIBILITY OF THE APPLICANT TO COORDINATE THE MEETING TIME AND PLACE WITH COUNTY STAFF.

5. CONTROL MEASURES MUST BE INSTALLED PRIOR TO COMMENCEMENT OF ACTIVITIES THAT COULD CONTRIBUTE POLLUTANTS TO STORMWATER. CONTROL MEASURES FOR ALL SLOPES, CHANNELS, DITCHES, AND DISTURBED LAND AREAS SHALL BE INSTALLED IMMEDIATELY UPON COMPLETION OF THE DISTURBANCE.

6. ALL TEMPORARY SEDIMENT AND EROSION CONTROL MEASURES SHALL BE MAINTAINED AND REMAIN IN EFFECTIVE OPERATING CONDITION UNTIL PERMANENT SOIL EROSION CONTROL MEASURES ARE IMPLEMENTED AND FINAL STABILIZATION IS ESTABLISHED. ALL PERSONS ENGAGED IN LAND DISTURBANCE ACTIVITIES SHALL ASSESS THE ADEQUACY OF CONTROL MEASURES AT THE SITE AND IDENTIFY IF CHANGES TO THOSE CONTROL MEASURES ARE NEEDED TO ENSURE THE CONTINUED EFFECTIVE PERFORMANCE OF THE CONTROL MEASURES. ALL CHANGES TO TEMPORARY SEDIMENT AND EROSION CONTROL MEASURES MUST BE INCORPORATED INTO THE STORMWATER MANAGEMENT PLAN.

7. TEMPORARY STABILIZATION SHALL BE IMPLEMENTED ON DISTURBED AREAS AND STOCKPILES WHERE GROUND DISTURBING CONSTRUCTION ACTIVITY HAS PERMANENTLY CEASED OR TEMPORARILY CEASED FOR LONGER THAN 14 DAYS.

8. FINAL STABILIZATION MUST BE IMPLEMENTED AT ALL APPLICABLE CONSTRUCTION SITES. FINAL STABILIZATION IS ACHIEVED WHEN ALL GROUND DISTURBING ACTIVITIES ARE COMPLETE AND ALL DISTURBED AREAS EITHER HAVE A UNIFORM VEGETATIVE COVER WITH INDIVIDUAL PLANT DENSITY OF 70 PERCENT OF PRE—DISTURBANCE LEVELS ESTABLISHED OR EQUIVALENT PERMANENT ALTERNATIVE STABILIZATION METHOD IS IMPLEMENTED. ALL TEMPORARY SEDIMENT AND EROSION CONTROL MEASURES SHALL BE REMOVED UPON FINAL STABILIZATION AND BEFORE PERMIT CLOSURE.

9. ALL PERMANENT STORMWATER MANAGEMENT FACILITIES SHALL BE INSTALLED AS DESIGNED IN THE APPROVED PLANS. ANY PROPOSED CHANGES THAT AFFECT THE DESIGN OR FUNCTION OF PERMANENT STORMWATER MANAGEMENT STRUCTURES MUST BE APPROVED BY THE ECM ADMINISTRATOR PRIOR TO IMPLEMENTATION.

10. EARTH DISTURBANCES SHALL BE CONDUCTED IN SUCH A MANNER SO AS TO EFFECTIVELY MINIMIZE ACCELERATED SOIL EROSION AND RESULTING SEDIMENTATION. ALL DISTURBANCES SHALL BE DESIGNED, CONSTRUCTED, AND COMPLETED SO THAT THE EXPOSED AREA OF ANY DISTURBED LAND SHALL BE LIMITED TO THE SHORTEST PRACTICAL PERIOD OF TIME. PRE—EXISTING VEGETATION SHALL BE PROTECTED AND MAINTAINED WITHIN 50 HORIZONTAL FEET OF A WATERS OF THE STATE UNLESS SHOWN TO BE INFEASIBLE AND SPECIFICALLY REQUESTED AND APPROVED.

11. COMPACTION OF SOIL MUST BE PREVENTED IN AREAS DESIGNATED FOR INFILTRATION CONTROL MEASURES OR WHERE FINAL STABILIZATION WILL BE ACHIEVED BY VEGETATIVE COVER. AREAS DESIGNATED FOR INFILTRATION CONTROL MEASURES SHALL ALSO BE PROTECTED FROM SEDIMENTATION DURING CONSTRUCTION UNTIL FINAL STABILIZATION IS ACHIEVED. IF COMPACTION PREVENTION IS NOT FEASIBLE DUE TO SITE CONSTRAINTS, ALL AREAS DESIGNATED FOR INFILTRATION AND VEGETATION CONTROL MEASURES MUST BE LOOSENED PRIOR TO INSTALLATION OF THE CONTROL MEASURE(S).

12. ANY TEMPORARY OR PERMANENT FACILITY DESIGNED AND CONSTRUCTED FOR THE CONVEYANCE OF STORMWATER AROUND, THROUGH, OR FROM THE EARTH DISTURBANCE AREA SHALL BE A STABILIZED CONVEYANCE DESIGNED TO MINIMIZE EROSION AND THE DISCHARGE OF SEDIMENT OFF SITE.

13. CONCRETE WASH WATER SHALL BE CONTAINED AND DISPOSED OF IN ACCORDANCE WITH THE SWMP. NO WASH WATER SHALL BE DISCHARGED TO OR ALLOWED TO ENTER STATE WATERS, INCLUDING ANY SURFACE OR SUBSURFACE STORM DRAINAGE SYSTEM OR FACILITIES. CONCRETE WASHOUTS SHALL NOT BE LOCATED IN AN AREA WHERE SHALLOW GROUNDWATER MAY BE PRESENT, OR WITHIN 50 FEET OF A SURFACE WATER BODY, CREEK OR STREAM.

14. DURING DEWATERING OPERATIONS OF UNCONTAMINATED GROUND WATER MAY BE DISCHARGED ON SITE, BUT SHALL NOT LEAVE THE SITE IN THE FORM OF SURFACE RUNOFF UNLESS AN APPROVED STATE DEWATERING PERMIT IS IN PLACE.

15. EROSION CONTROL BLANKETING OR OTHER PROTECTIVE COVERING SHALL BE USED ON SLOPES STEEPER THAN 3:1.

16. CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL OF ALL WASTES FROM THE CONSTRUCTION SITE FOR DISPOSAL IN ACCORDANCE WITH LOCAL AND STATE REGULATORY REQUIREMENTS. NO CONSTRUCTION DEBRIS, TREE SLASH, BUILDING MATERIAL WASTES OR UNUSED BUILDING MATERIALS SHALL BE BURIED, DUMPED, OR DISCHARGED AT THE SITE.

17. WASTE MATERIALS SHALL NOT BE TEMPORARILY PLACED OR STORED IN THE STREET, ALLEY, OR OTHER PUBLIC WAY, UNLESS IN ACCORDANCE WITH AN APPROVED TRAFFIC CONTROL PLAN. CONTROL MEASURES MAY BE REQUIRED BY EL PASO COUNTY ENGINEERING IF DEEMED NECESSARY, BASED ON SPECIFIC CONDITIONS AND CIRCUMSTANCES.

18. TRACKING OF SOILS AND CONSTRUCTION DEBRIS OFF-SITE SHALL BE MINIMIZED. MATERIALS TRACKED OFF-SITE SHALL BE CLEANED UP AND PROPERLY DISPOSED OF IMMEDIATELY.

19. THE OWNER/DEVELOPER SHALL BE RESPONSIBLE FOR THE REMOVAL OF ALL CONSTRUCTION DEBRIS, DIRT, TRASH, ROCK, SEDIMENT, SOIL, AND SAND THAT MAY ACCUMULATE IN ROADS, STORM DRAINS AND OTHER DRAINAGE CONVEYANCE SYSTEMS AND STORMWATER APPURTENANCES AS A RESULT OF SITE DEVELOPMENT.

20. THE QUANTITY OF MATERIALS STORED ON THE PROJECT SITE SHALL BE LIMITED, AS MUCH AS PRACTICAL, TO THAT QUANTITY REQUIRED TO PERFORM THE WORK IN AN ORDERLY SEQUENCE. ALL MATERIALS STORED ON—SITE SHALL BE STORED IN A NEAT, ORDERLY MANNER, IN THEIR ORIGINAL CONTAINERS, WITH ORIGINAL MANUFACTURER'S LABELS.

21. NO CHEMICAL(S) HAVING THE POTENTIAL TO BE RELEASED IN STORMWATER ARE TO BE STORED OR USED ONSITE UNLESS PERMISSION FOR THE USE OF SUCH CHEMICAL(S) IS GRANTED IN WRITING BY THE ECM ADMINISTRATOR. IN GRANTING APPROVAL FOR THE USE OF SUCH CHEMICAL(S), SPECIAL CONDITIONS AND MONITORING MAY BE REQUIRED.

22. BULK STORAGE OF ALLOWED PETROLEUM PRODUCTS OR OTHER ALLOWED LIQUID CHEMICALS IN EXCESS OF 55 GALLONS SHALL REQUIRE ADEQUATE SECONDARY CONTAINMENT PROTECTION TO CONTAIN ALL SPILLS ONSITE AND TO PREVENT ANY SPILLED MATERIALS FROM ENTERING STATE WATERS, ANY SURFACE OR SUBSURFACE STORM DRAINAGE SYSTEM OR OTHER FACILITIES.

23. NO PERSON SHALL CAUSE THE IMPEDIMENT OF STORMWATER FLOW IN THE CURB AND GUTTER OR DITCH EXCEPT WITH APPROVED SEDIMENT CONTROL MEASURES.

24. OWNER/DEVELOPER AND THEIR AGENTS SHALL COMPLY WITH THE "COLORADO WATER QUALITY CONTROL ACT" (TITLE 25, ARTICLE 8, CRS), AND THE "CLEAN WATER ACT" (33 USC 1344), IN ADDITION TO THE REQUIREMENTS OF THE LAND DEVELOPMENT CODE, DCM VOLUME II AND THE ECM APPENDIX I. ALL APPROPRIATE PERMITS MUST BE OBTAINED BY THE CONTRACTOR PRIOR TO CONSTRUCTION (1041, NPDES, FLOODPLAIN, 404, FUGITIVE DUST, ETC.). IN THE EVENT OF CONFLICTS BETWEEN THESE REQUIREMENTS AND OTHER LAWS, RULES, OR REGULATIONS OF OTHER FEDERAL, STATE, LOCAL, OR COUNTY AGENCIES, THE MOST RESTRICTIVE LAWS, RULES, OR REGULATIONS SHALL APPLY.

25. ALL CONSTRUCTION TRAFFIC MUST ENTER/EXIT THE SITE ONLY AT APPROVED CONSTRUCTION ACCESS POINTS.

26. PRIOR TO CONSTRUCTION THE PERMITTEE SHALL VERIFY THE LOCATION OF EXISTING UTILITIES.

27. A WATER SOURCE SHALL BE AVAILABLE ON SITE DURING EARTHWORK OPERATIONS AND SHALL BE UTILIZED AS REQUIRED TO MINIMIZE DUST FROM EARTHWORK EQUIPMENT AND WIND.

28. THE SOILS REPORT FOR THIS SITE HAS BEEN PREPARED BY RMG ENGINEERS/ARCHITECTS DATED MAY 9, 2024 AND SHALL BE CONSIDERED A PART OF THESE PLANS.

29. AT LEAST TEN (10) DAYS PRIOR TO THE ANTICIPATED START OF CONSTRUCTION, FOR PROJECTS THAT WILL DISTURB ONE (1) ACRE OR MORE, THE OWNER OR OPERATOR OF CONSTRUCTION ACTIVITY SHALL SUBMIT A PERMIT APPLICATION FOR STORMWATER DISCHARGE TO THE COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT, WATER QUALITY DIVISION. THE APPLICATION CONTAINS CERTIFICATION OF COMPLETION OF A STORMWATER MANAGEMENT PLAN (SWMP), OF WHICH THIS GRADING AND EROSION CONTROL PLAN MAY BE A PART. FOR INFORMATION OR APPLICATION MATERIALS CONTACT:

COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT WATER QUALITY CONTROL DIVISION

WQCD -PERMITS 4300 CHERRY CREEK DRIVE SOUTH DENVER, CO 80246-1530

ATTN: PERMITS UNIT

PLATTE SELF STORAGE

GRADING AND EROSION CONTROL PLAN

COVER SHEET

JANUARY 2025

GENERAL NOTES

1. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE AND LOCATION OF ALL UNDERGROUND UTILITIES ALONG THE SITE. THE OMISSION FROM OR THE INCLUSION OF UTILITY LOCATIONS ON THE PLANS IS NOT TO BE CONSIDERED AS THE NON-EXISTENCE OF OR A DEFINITE LOCATION OF EXISTING UNDERGROUND UTILITIES.

2. THE CONTRACTOR WILL TAKE THE NECESSARY PRECAUTIONS TO PROTECT EXISTING UTILITIES, BUILDINGS, FENCES, AND ROADWAYS FROM DAMAGE DUE TO THIS OPERATION. ANY DAMAGE TO THE ABOVE WILL BE REPAIRED AT THE CONTRACTOR'S EXPENSE, AND ANY SERVICE DISRUPTION WILL BE SETTLED BY THE

3. BULK GRADING SHALL BE COMPLETED TO A SUBGRADE TOLERANCE OF PLUS OR MINUS 0.2'.
4. CONTRACTOR TO OBTAIN COPIES OF THE SOILS REPORT FROM THE GEOTECHNICAL ENGINEER AND TO BE KEPT ONSITE DURING ALL EARTHWORK OPERATIONS.

5. MAXIMUM CUT/FILL SLOPES SHALL NOT EXCEED 3:1, UNLESS OTHERWISE NOTED.
6. ALL BOTTOM OF WALL (BW) CALLOUTS ARE FOR THE BOTTOM OF WALL AT GRADE. THEY DO NOT REPRESENT THE BOTTOM OF THE CONSTRUCTED WALL OR FOOTING, WHICH IS NOT SPECIFIED ON THESE PLANS

PLANS.
7. BROWN GROUND SURFACE CONTOURS ARE LIDAR DATA DOWNLOADED FROM THE COLORADO HAZARD MAPPING & RISK MAP PORTAL, DATA SET: 2018 3DEP EAST CO EL PASO. THIS DATA IS APPROXIMATE. LIDAR DATA IS FROM 2018 AND AT 2' INTERVALS.

SOIL TYPES

ONSITE SOILS ARE HYDROLOGIC GROUP "A", BLAKELAND LOAMY SAND (8), 1 TO 9 PERCENT SLOPES (PER NRCS WEB SOIL SURVEY MAP)

BENCHMARKS


CDOT RIGHT OF WAY MONUMENT #3014 - ELEV=6232.52 (NAVD-1988) [NORTHEAST OF SITE ENTRANCE]

EARTHWORK VOLUMES

ESTIMATED CUT = 32,200 CY, ESTIMATED FILL = 101,550 CY, NET = 69,350 CY <CUT>

EROSION CONTROL COST OPINION:


	0.750 15 007 55005 0 #7.00 /15	* • • • • • • • • • • • • • • • • • • •
1.	2,759 LF—SILT FENCE @ \$3.00/LF	\$ 8,277
2.	2 EA-VEHICLE TRACKING CONTROL @ \$3,085/EA	\$ 6,170
3.	1 EA-CONCRETE WASHOUT @ \$1,172/EA	\$ 1,172
4.	19 EA-INLET PROTECTION @ \$217/EA	\$ 4,123
5.	8.70 AC-PERM SEED AND MULCH @ \$2,018/AC	\$ 17,557
6.	1 EA-TEMP SEDIMENT BASIN @ \$2,294/EA	\$ 2,294
7.	17.7 AC-SURFACE ROUGHENING @ \$269/AC	\$ 4,761
8.	70 LF-STRAW WATTLE @ \$8.00/LF	\$ 560
7.	35% MAINTENANCE AND REPLACEMENT	\$ 15,720
	TOTAL	\$ 60,634



PROPERTIES COS LLC

TSN: 5418002001





VICINITY MAP

SHEET INDEX

	OVER SHEET	1	STORM PLAN & PROFILE	18
	VERVIEW	2	STORM PLAN & PROFILE	19
GEC GR	RAD — INTERIM — N	3	STORM PLAN & PROFILE	20
GEC GR	RAD — INTERIM — S	4	EXT DET BASIN PLAN	21
GEC GR	RAD — FINAL — N	5	EXT DET BASIN PLAN	22
GEC GR	RAD — FINAL — S	6	STREET IMP PLAN COVER	23
GEC GR	RAD DETAILS	7	STREET IMP PLAN OVERVIEW	24
GEC INI	ITIAL GRAD & EC - N	8	STREET IMP PLAN P&P	25
GEC INI	ITIAL GRAD & EC - S	9	STREET IMP PLAN DETAILS	26
GEC INI	ITIAL GRAD & EC - E	10	STREET IMP PLAN ACCESS	27
GEC IN	TERIM EC - N	11	REMOVAL	
GEC IN	TERIM EC - S	12	STREET IMP PLAN RIGHT OF	28
GEC FIN	NAL EC — N	13	WAY IMPROVEMENTS SHEET	
GEC FIN	NAL EC - S	14		
GEC EC	DETAILS	15		

17

SITE ADDE

GEC EC DETAILS

GEC EC DETAILS

6001 E PLATTE AVE, COLORADO SPRINGS

TAX ID

OWNER:

CIVIL ENGINEER:

EL PASO COUNTY

LEGAL DESCRIPTION

TRACT IN NW4 OF SEC 18-14-65 AS FOLS, BEG AT A PT ON S R/W LN OF US HWY 24 940 FT E OF W LN OF SD SEC, TH E ON SD LN 310 FT, ANG R 90< S 25 FT, ANG L 90< E 155.2 FT M/L, S 931.8 FT, W PARA WITH S LN OF N2 426.1 FT M/L TO A PT, TH ANG R 89<59' N 958.2 FT TO POB, W 349.88 FT OF NE4NW4 OF SEC 18 EX HWY BY BK 6509-223 & REC #201040780

CONSTRUCTION SCHEDULE

BEGIN GRADING: SUMMER 2025, END GRADING: FALL 2025

CONTACT INFORMATION:

DONALD HUMPHREY 5780 SAYRES ROAD

COLORADO SPRINGS, CO 80927

(719) 492–8649

TERRA NOVA ENGINEERING, INC. 721 S. 23RD STREET

COLORADO SPRINGS, COLORADO 80904 DANE FRANK, P.E., (719) 635-6422

DANE FRANK, P.E., (719) 633-6422

PLANNING AND COMMUNITY DEVELOPMENT 2880 INTERNATIONAL CIRCLE COLORADO SPRINGS, COLORADO 80910

(719) 520-6300

CIMARRON HILLS FIRE DEPT HEADQUARTERS

1835 TUSKEGEE PL COLORADO SPRINGS, COLORADO 80915


(719) 591–0960

CHEROKEE METRO DISTRICT 6250 PALMER PARK BOULEVARD

COLORADO SPRINGS, COLORADO 80915 (719) 597-5080

ENGINEER'S STATEMENT

THESE DETAILED PLANS AND SPECIFICATIONS WERE PREPARED UNDER MY DIRECTION AND SUPERVISION. SAID PLANS AND SPECIFICATIONS HAVE BEEN PREPARED ACCORDING TO THE CRITERIA ESTABLISHED BY THE COUNTY FOR DETAILED ROADWAY, DRAINAGE, GRADING AND EROSION CONTROL PLANS AND SPECIFICATIONS, AND SAID PLANS AND SPECIFICATIONS ARE IN CONFORMITY WITH APPLICABLE MASTER DRAINAGE PLANS AND MASTER TRANSPORTATION PLANS. SAID PLANS AND SPECIFICATIONS MEET THE PURPOSES FOR WHICH THE PARTICULAR ROADWAY AND DRAINAGE FACILITIES ARE DESIGNED AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. I ACCEPT RESPONSIBILITY FOR ANY LIABILITY CAUSED BY ANY NEGLIGENT ACTS, ERRORS OR OMISSIONS ON MY PART IN PREPARATION OF THESE DETAILED PLANS AND SPECIFICATIONS.



OWNER/DEVELOPER'S STATEMENT

I, THE OWNER/DEVELOPER HAVE READ AND WILL COMPLY WITH THE REQUIREMENTS OF THE GRADING AND EROSION CONTROL PLAN AND ALL OF THE REQUIREMENTS SPECIFIED IN THESE/DETAILED PLANS AND SPECIFICATIONS.

OWNER NAME, TITLE / DATE

Colondo Construction Inc., 12

EL PASO COUNTY APPROVAL

COUNTY PLAN REVIEW IS PROVIDED ONLY FOR GENERAL CONFORMANCE WITH COUNTY DESIGN CRITERIA. THE COUNTY IS NOT RESPONSIBLE FOR THE ACCURACY AND ADEQUACY OF THE DESIGN, DIMENSIONS, AND/OR ELEVATIONS WHICH SHALL BE CONFIRMED AT THE JOB SITE. THE COUNTY THROUGH THE APPROVAL OF THIS DOCUMENT ASSUMES NO RESPONSIBILITY FOR COMPLETENESS AND/OR ACCURACY OF THIS DOCUMENT. FILED IN ACCORDANCE WITH THE REQUIREMENTS OF THE EL PASO COUNTY LAND DEVELOPMENT CODE, DRAINAGE CRITERIA MANUAL VOLUMES 1 AND 2, AND ENGINEERING CRITERIA MANUAL, AS AMENDED.

IN ACCORDANCE WITH ECM SECTION 1.12, THESE CONSTRUCTION DOCUMENTS WILL BE VALID FOR CONSTRUCTION FOR A PERIOD OF 2 YEARS FROM THE DATE SIGNED BY THE EL PASO COUNTY ENGINEER. IF CONSTRUCTION HAS NOT STARTED WITHIN THOSE 2 YEARS, THE PLANS WILL NEED TO BE RESUBMITTED FOR APPROVAL, INCLUDING PAYMENT OF REVIEW FEES AT THE PLANNING AND COMMUNITY DEVELOPMENT DIRECTOR'S DISCRETION.

JOSHUA PALMER, P.E.
COUNTY ENGINEER / DIRECTOR

DATE

PPR2418

REVISIONS

DESCRIPTION

DATE

NO.


NG,

SE

I.

UNTIL SUCH TIME AS THESE DRAWINGS ARE APPROVED BY THE APPROPRIATE REVIEWING AGENCIES, TERRA NOVA ENGINEERING, INC. APPROVES THEIR USE ONLY FOR THE PURPOSES DESIGNATED BY WRITTEN ALITHORIZATION

-ROCKY MOUNTAIN GRO ATTN: 5085 LIST DR, #200 RADO SPRINGS, CO 809 719 548 0600



721 S. 23RD STRE COLORADO SPRING OFFICE: 719-635-64 www.tnesinc.com

PLATTE SELF STORAGE

SOVER SHEET

COVER SHEET

GRAD


ESIGNED BY JF
RAWN BY JF
HECKED BY DF


ECKED BY DF SCALE AS SHOWN SCALE N/A

JOB NO. 2419.00
DATE ISSUED 01/15/
SHEET NO. 1 OF

GRADING AND EROSION CONTROL PLAN

OVERVIEW SHEET





TSN: 5418002001

ESIGNED BY JF RAWN BY JF

· 2025/02/10 : 🗻

Vane Frank

COLORADO P.E. # 50207

HECKED BY DF SCALE AS SHOW -SCALE N/A DB NO. 2419.00

TE ISSUED 01/15/2 EET NO. 2 OF 2

GRADING AND EROSION CONTROL PLAN

INTERIM GRADING PLAN - NORTH SIDE


<u>BENCHMARKS</u>

CDOT RIGHT OF WAY MONUMENT #3014 - ELEV=6232.52 (NAVD-1988) [NORTHEAST OF SITE ENTRANCE]

GRADING LEGEND

PROPOSED	PR	EXISTING CONTOURS - MINOR	— — —6 2 3 1 — —
EXISTING	EX	EXISTING CONTOURS — MAJOR	— — —6 2 30- — —
FINISHED SURFACE	FS	PROPOSED CONTOURS — 1' EXISTING PROPERTY LINE	6231
FINISHED GROUND	FG	PROPOSED RET WALL	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
TOP OF CURB	TC	PROPOSED RIPRAP	
FLOWLINE	FL	WATER LINE	w w
FINISH GROUND AT TOP OF WALL	TW	SANITARY SEWER LINE GAS LINE	ne ne
FINISHED GROUND AT BOTTOM OF WALL	BW	UNDERGROUND ELECTRICAL LINE TELEPHONE LINE	UE UE
LOW POINT	LP	FIBER OPTIC LINE	—— FO —— FO ——
HIGH POINT	HP	STORM SEWER LINE	TZ TZ
FLOW ARROW	-	LIMIT OF CONSTRUCTION LIMIT OF SOIL DISTURBANCE	
EXISTING CONTOURS (LIDAR)	6130	PROPOSED FENCE	
STORM MANHOLE	\circ	FIRE HYDRANT	
STORM INLET		PROPOSED CURB & GUTTER	<u> </u>

1. THERE IS LITTLE TO NO NOTABLE EXISTING VEGETATION LOCATED ON SITE. 2. THERE WILL BE OFFSITE EARTHWORK FOR THE PROPOSED UTILITIES AND GRADING WITHIN THE PLATTE AVENUE FRONTAGE ROAD RIGHT—OF—WAY.



THIS DESIGN WAS PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF TERRA NOVA ENGINEERING, INC.


Vane Frank


COLORADO P.E. # 50207


DANE FRANK


ECKED BY DF SCALE N/A


B NO. 2419.00












GRADING AND EROSION CONTROL PLAN

CDOT RIGHT OF WAY MONUMENT #3014 - ELEV=6232.52 (NAVD-1988) [NORTHEAST OF SITE ENTRANCE]

INITIAL GRADING & EROSION CONTROL - NORTH SIDE

JANUARY 2025



GRADING LEGEND


PROPOSED	PR	EXISTING CONTOURS — MINOR	— — -6231 — —
EXISTING	EX	EXISTING CONTOURS - MAJOR	— — — 6230 — —
FINISHED SURFACE	FS	PROPOSED CONTOURS — 1' EXISTING PROPERTY LINE	6231
FINISHED GROUND	FG	PROPOSED RET WALL	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
TOP OF CURB	TC	PROPOSED RIPRAP	いる人のはいる人のはい
FLOWLINE	FL	WATER LINE	w w
FINISH GROUND AT TOP OF WALL	TW	SANITARY SEWER LINE GAS LINE UNDERGROUND ELECTRICAL LINE	ng ng
FINISHED GROUND AT BOTTOM OF WALL	BW	TELEPHONE LINE	—— UE —— UE ——
LOW POINT	LP	FIBER OPTIC LINE	—— FD —— FD ——
HIGH POINT	HP	STORM SEWER LINE	ST ST
FLOW ARROW	•	LIMIT OF CONSTRUCTION LIMIT OF SOIL DISTURBANCE	
EXISTING CONTOURS (LIDAR)	6130	PROPOSED FENCE	- 0 0 0
STORM MANHOLE	\circ	FIRE HYDRANT	
STORM INLET		PROPOSED CURB & GUTTER	

PROPERTIES

5418000069

- 1. THERE IS LITTLE TO NO NOTABLE EXISTING VEGETATION LOCATED ON SITE.
 2. THERE WILL BE OFFSITE EARTHWORK FOR THE PROPOSED UTILITIES AND GRADING VEGETATION LOCATED ON SITE. . THE COUNTY HAS REQUIRED AN INITIAL GRADING PLAN. THIS INITIAL GRADING IS A POOR FIT FOR HE PROPOSED SITE DUE TO THE LARGE NUMBER OF TALL RETAINING WALLS PROPOSED. THE DESIGN
- 4. SEED AND MULCH DISTURBED AREAS ONLY.
 5. SEDIMENT CONTROL LOGS MAY BE SUBSTITUTED FOR SILT FENCE AND VICE VERSA.

<u>EROS</u>	ION CONTROL LEGE	<u>ND</u>	IMPLEMENTATION
KEY	TITLE	SYMBOL	IMPLEMENTATION PHASE
SF	SILT FENCE	—— SF ——	INITIAL
SSA	STABILIZED STAGING AREA		INITIAL
VTC	VEHICLE TRACKING CONTROL		INITIAL
SP	STOCKPILE MANAGEMENT WITH PROTECTION	**************************************	INITIAL
CWA	CONCRETE WASHOUT AREA		INITIAL
SR	SURFACE ROUGHENING		INITIAL
TSB	TEMPORARY SEDIMENT BASIN	NONE	INITIAL



THIS DESIGN WAS PREPARED UNDER MY DIRECT SUI FOR AND ON BEHALF OF TERRA NOVA ENGINEERING	
	RADO LICENO
Dane Frank	PE.0050207 2025/02/10
DANE FRANK COLORADO P.E. # 50207	MAN SONAL ENGINEER

DESCRIPTION				
REVISIONS				

ESIGNED BY JF HECKED BY DF

-SCALE N/A DB NO. 2419.00 HEET NO. 8 OF

PLATTE SELF STORAGE GRADING AND EROSION CONTROL PLAN CDOT RIGHT OF WAY MONUMENT #3014 - ELEV=6232.52 (NAVD-1988) [NORTHEAST OF SITE ENTRANCE] INITIAL GRADING & EROSION CONTROL PLAN - SOUTH SIDE JANUARY 2025 GRADING LEGEND PROPOSED EXISTING CONTOURS - MINOR ---6230------6231 ---- FINISHED SURFACE EXISTING PROPERTY LINE FINISHED GROUND FG PROPOSED RET WALL TOP OF CURB PROPOSED RIPRAP 1868288868C WATER LINE SANITARY SEWER LINE FINISH GROUND AT GAS LINE OWNER: HCD TOP OF WALL UNDERGROUND ELECTRICAL LINE FINISHED GROUND AT LLC TELEPHONE LINE BOTTOM OF WALL T\$N: FIBER OPTIC LINE LIMIT OF CONSTRUCTION FLOW ARROW LIMIT OF SOIL DISTURBANCE EXISTING CONTOURS (LIDAR) PROPOSED FENCE STORM MANHOLE STORM INLET UNPLATTED OWNER: DEPARTMÉNT TŶN: 5418000055 THE PROPOSED SITE DUE TO THE LARGE NUMBER OF TALL RETAINING WALLS PROPOSED. OVER THE INITIAL GRADING PLAN. **EROSION CONTROL LEGEND IMPLEMENTATION** UNAFFECTED CONSTRUCTION STABILIZED STAGING AREA VTC VEHICLE TRACKING CONTROL INITIAL STOCKPILE MANAGEMENT WITH PROTECTION INITIAL CWA CONCRETE WASHOUT AREA INITIAL TSN: 5418002002 INITIAL SURFACE ROUGHENING INITIAL TEMPORARY SEDIMENT BASIN INITIAL OWNER: CITY OF COLORADO SPRINGS TSN: 5418002070 6235— PROPERTY LINE (TYP) SCALE: 1"=40' 6240 SIGNED BY JF THIS DESIGN WAS PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF TERRA NOVA ENGINEERING, INC. RAWN BY JF ECKED BY DF LOT 2 COLORADO SPRINGS AIRPORT FILING NO 1B -6242 — SCALE AS SHOW OWNER: SETZER PROPERTIES COS LLC SCALE N/A TSN: 5418002001 Vane Frank 2025/02/10 B NO. 2419.00

DANE FRANK


COLORADO P.E. # 50207

GRADING AND EROSION CONTROL PLAN

CDOT RIGHT OF WAY MONUMENT #3014 - ELEV=6232.52 (NAVD-1988) [NORTHEAST OF SITE ENTRANCE]

INITIAL GRADING & EROSION CONTROL - EAST SIDE

JANUARY 2025



GRADING LEGEND


PROPOSED	PR	EXISTING CONTOURS - MINOR	———6 2 31——
EXISTING	EX	EXISTING CONTOURS - MAJOR	——— 6230 ——
FINISHED SURFACE	FS	PROPOSED CONTOURS — 1' EXISTING PROPERTY LINE	6231
FINISHED GROUND	FG	PROPOSED RET WALL	~~~~~~
TOP OF CURB	TC	PROPOSED RIPRAP	
FLOWLINE	FL	WATER LINE	v v
FINISH GROUND AT TOP OF WALL	TW	SANITARY SEWER LINE GAS LINE UNDERGROUND ELECTRICAL LINE	SS SS
FINISHED GROUND AT BOTTOM OF WALL	BW	TELEPHONE LINE	—— UE —— UE ——
LOW POINT	LP	FIBER OPTIC LINE	—— FD —— FD ——
HIGH POINT	HP	STORM SEWER LINE	T2 T2
FLOW ARROW	-	LIMIT OF CONSTRUCTION LIMIT OF SOIL DISTURBANCE	
EXISTING CONTOURS (LIDAR)	6130	PROPOSED FENCE	-0 0 0
STORM MANHOLE	\circ	FIRE HYDRANT	
STORM INLET		PROPOSED CURB & GUTTER	


1. THERE IS LITTLE TO NO NOTABLE EXISTING VEGETATION LOCATED ON SITE. 2. THERE WILL BE OFFSITE EARTHWORK FOR THE PROPOSED UTILITIES AND GRADING WITHIN THE PLATTE 3. THE COUNTY HAS REQUIRED AN INITIAL GRADING PLAN. THIS INITIAL GRADING IS A POOR FIT FOR THE PROPOSED SITE DUE TO THE LARGE NUMBER OF TALL RETAINING WALLS PROPOSED. THE DESIGN ENGINEER DOES NOT CONSIDER MATCHING THE INITIAL GRADING PLAN TO BE CRITICAL AND RECOMMENDS THE CONTRACTOR PRIORITIZE CONSTRUCTION OF THE RETAINING WALLS AND THE VERTICAL GRADING PLAN OVER THE INITIAL GRADING PLAN.

4. SEED AND MULCH DISTURBED AREAS ONLY.
5. SEDIMENT CONTROL LOGS MAY BE SUBSTITUTED FOR SILT FENCE AND VICE VERSA.

EROSION CONTROL LEGEND


<u>ERUS</u>	ION CONTROL LEGE	<u>ND</u>	IMPLEMENTATION
<u>KEY</u>	TITLE	SYMBOL	IMPLEMENTATION PHASE
SF	SILT FENCE	— SF —	INITIAL
SSA	STABILIZED STAGING AREA		INITIAL
VTC	VEHICLE TRACKING CONTROL		INITIAL
SP	STOCKPILE MANAGEMENT WITH PROTECTION	# F F F F F F F F F F F F F F F F F F F	INITIAL
CWA	CONCRETE WASHOUT AREA		INITIAL
SR	SURFACE ROUGHENING		INITIAL
TSB	TEMPORARY SEDIMENT BASIN	NONE	INITIAL








ESIGNED BY JF HECKED BY DF


SCALE N/A 3 NO. 2419.00 ΓΕ ISSUED 01/15/2 EET NO. 10 OF



























8/19/2020












SCALE AS SHOW SCALE N/A B NO. 2419.00


HECKED BY DF


ATE ISSUED 01/15/. HEET NO. 15 OF 2























SIGNED BY JF

RAWN BY JF

HECKED BY DF

SCALE N/A

B NO. 2419.00

SCALE AS SHOW

ATE ISSUED 01/15/2 HEET NO. 16 OF 2

ALL SOIL TE
MUST BE AD
SOIL PREPAI 1. IN AREA
SHOULD OF COMI INCHES
2. AREAS
GROWTH 3. THE CIT
DEFICIEN AND/OR RESULTS
4. TOPSOIL COMPAC
AREA ATHE TOP CONDITION
IN SWAL
SEEDING 1. ALLOWAE
MANUAL 2. SEED SH
SEED D 3. BROADC 3:1 OR
• SEEDIN
•BROADO
1. MULCHIN MUST BE
2. MULCHIN • HAY OF
- ON AP
- CR IN - TA
•HYDRA
- IF
• EROSIO
- ER

SEEDING & MULCHING

TESTING, SOILS AMENDMENT AND FERTILIZER DOCUMENTATION, AND SEED LOAD AND BAG TICKETS ADDED TO THE CSWMP.

ARATION

- EAS TO BE SEEDED, THE UPPER 6 INCHES OF THE SOIL MUST NOT BE HEAVILY COMPACTED, AND .D BE IN FRIABLE CONDITION. LESS THAN 85% STANDARD PROCTOR DENSITY IS ACCEPTABLE. AREAS MPACTION OR GENERAL CONSTRUCTION ACTIVITY MUST BE SCARIFIED TO A DEPTH OF 6 TO 12 PRIOR TO SPREADING TOPSOIL TO BREAK UP COMPACTED LAYERS AND PROVIDE A BLENDING ZONE N DIFFERENT SOIL LAYERS.
- TO BE PLANTED SHALL HAVE AT LEAST 4 INCHES OF TOPSOIL SUITABLE TO SUPPORT PLANT
- TTY RECOMMENDS THAT EXISTING AND/OR IMPORTED TOPSOIL BE TESTED TO IDENTIFY SOIL ENCIES AND ANY SOIL AMENDMENTS NECESSARY TO ADDRESS THESE DEFICIENCIES. SOIL AMENDMENTS FERTILIZERS SHOULD BE ADDED TO CORRECT TOPSOIL DEFICIENCIES BASED ON SOIL TESTING
- SHALL BE PROTECTED DURING THE CONSTRUCTION PERIOD TO RETAIN ITS STRUCTURE AVOID ACTION, AND TO PREVENT EROSION AND CONTAMINATION. STRIPPED TOPSOIL MUST BE STORED IN AN AWAY FROM MACHINERY AND CONSTRUCTION OPERATIONS, AND CARE MUST BE TAKEN TO PROTECT PSOIL AS A VALUABLE COMMODITY. TOPSOIL MUST NOT BE STRIPPED DURING UNDESIRABLE WORKING IONS (E.G. DURING WET WEATHER OR WHEN SOILS ARE SATURATED), TOPSOIL SHALL NOT BE STORED ALES OR IN AREAS WITH POOR DRAINAGE.
 - NABLE SEED MIXES ARE INCLUDED IN THE CITY OF COLORADO SPRINGS STORMWATER CONSTRUCTION AL. ALTERNATIVE SEED MIXES ARE ACCEPTABLE IF INCLUDED IN AN APPROVED LANDSCAPING PLAN.
- SHOULD BE DRILL-SEEDED WHENEVER POSSIBLE
- DEPTH MUST BE 1/3 TO 1/2 INCHES WHEN DRILL-SEEDING IS USED
 CAST SEEDING OR HYDRO-SEEDING WITH TACKIFIER MAY BE SUBSTITUTED ON SLOPES STEEPER THAN R ON OTHER AREAS NOT PRACTICAL TO DRILL SEED. IG RATES MUST BE DOUBLED FOR BROADCAST SEEDING OR INCREASED BY 50% IF USING A BRILLION OR HYDRO-SEEDING DCAST SEEDING MUST BE LIGHTLY HAND-RAKED INTO THE SOIL

- HING SHOULD BE COMPLETED AS SOON AS PRACTICABLE AFTER SEEDING, HOWEVER PLANTED AREAS BE MULCHED NO LATER THAN 14 DAYS AFTER PLANTING.
- - OR STRAW MULCH DNLY CERTIFIED WEED-FREE AND CERTIFIED SEED-FREE MULCH MAY BE USED. MULCH MUST BE APPLIED AT 2 TONS/ACRE AND ADEQUATELY SECURED BY CRIMPING AND/OR TACKIFIER.
 - CRIMPING MUST NOT BE USED ON SLOPES GREATER THAN 3:1 AND MULCH FIBERS MUST BE TUCKED INTO THE SOIL TO A DEPTH OF 3 TO 4 INCHES.
 TACKIFIER MUST BE USED IN PLACE OF CRIMPING ON SLOPES STEEPER THAN 3:1.
 - AULIC MULCHING
 - HYDRAULIC MULCHING IS AN OPTION ON STEEP SLOPES OR WHERE ACCESS IS LIMITED. F HYDRO-SEEDING IS USED, MULCHING MUST BE APPLIED AS A SEPARATE, SECOND OPERATION.
 - OOD CELLULOSE FIBERS MIXED WITH WATER MUST BE APPLIED AT A RATE OF 2,000 TO 2,500 OUNDS/ACRE, AND TACKIFIER MUST BE APPLIED AT A RATE OF 100 POUNDS/ACRE.
 - ON CONTROL BLANKET ROSION CONTROL BLANKET MAY BE USED IN PLACE OF TRADITIONAL MULCHING METHODS.

STORMWATER	SEE	DING & MU	LCHING
ENTERPRISE	APPROVED:	MANAGER	7
	ISSUED: 10/7/19	REVISED:	DRAWING NO.

Chapter 5

Native Vegetation Requirements and Guidelines

Table 5-1. El Paso County Conservation District All-Purpose Mix for Upland, Transition and Permanent **Control Measure Areas**

				Pounds PLS			
Common Name	Scientific Name	Growth Season / Form	% of Mix	Irrigated broadcast Irrigated hydroseeded	Non-irrigated broadcast Non-irrigated hydroseeded Irrigated drilled	Non-irrigated drilled	
				80 seeds/sq ft	40 seeds/sq ft	20 seeds/sq ft	
Bluestem, big	Andropogon gerardii	Warm, sod	20	4.4	2.2	1.1	
Grama, blue	Bouteloua gracilis	Warm, bunch	10	0.5	0.25	0.13	
Green needlegrass ²	Nassella viridula	Cool, bunch	10	2	1	0.5	
Wheatgrass, western ²	Pascopyrum smithii	Cool, sod	20	6.4	3.2	1.6	
Grama, sideoats	Bouteloua curtipendula	Warm, bunch	10	2	1	0.5	
Switchgrass ²	Panicum virgatum	Warm, bunch/sod	10	0.8	0.4	0.2	
Prairie sandreed	Calimovilfa longifolia	Warm, sod	10	1.2	0.6	0.3	
Yellow indiangrass ²	Sorghastrum nutans	Warm, sod	10	2	1	0.5	
	•	Seed rate (I	bs PLS/acre)	19.3	9.7	4.8	

¹For portions of facilities located near or on the bottom or where wet soil conditions occur. Planting of potted nursery stock wetland plants 2-foot on-center is recommended for sites with wetland hydrology.

City of Colorado Springs Stormwater Enterprise

Stormwater Construction Manual December 2020

Native Vegetation Requirements and Guidelines

Table 5-2. El Paso County All-Purpose Low Grow Mix for Upland and Transition Areas

					Pounds PLS	
Common Name	Scientific Name	Growth Season / Form	% of Mix	Irrigated broadcast Irrigated hydroseeded	Non-irrigated broadcast Non-irrigated hydroseeded Irrigated drilled	Non-irrigated drilled
				80 seeds/sq ft	40 seeds/sq ft	20 seeds/sq ft
Buffalograss	Buchloe dactyloides	Warm, sod	25	9.6	4.8	2.4
Grama, blue	Bouteloua gracilis	Warm, bunch	20	10.8	5.4	2.7
Grama, sideoats	Bouteloua curtipendula	Warm, bunch	29	5.6	2.8	1.4
Green needlegrass	Nassella viridula	Cool, bunch	5	3.2	1.6	0.8
Wheatgrass, western	Pascopyrum smi t hii	Cool, sod	20	12	6	3
Dropseed, sand	Sporobolus cryptandrus	Warm, bunch	1	0.8	0.4	0.2
		Seed rate (I	bs PLS/acre)	42	21	10.3

City of Colorado Springs Stormwater Enterprise



December 2020

UNTIL SU DRAWNG BY THE REVIEWIN TERRA N INC. APP ONLY FO PURPOSE


ROCK

ESIGNED BY JF RAWN BY JF

HECKED BY DF -SCALE AS SHOW -SCALE N/A


DB NO. 2419.00 ATE ISSUED 01/15/2 HEET NO. 17 OF 2


²Species that will do well in the bottom of pond areas.



E ISSUED 01/15/2 EET NO. 18 OF 2

COLORADO P.E. # 50207





Station

PROPOSED	PR	EXISTING CONTOURS - MINOR	— — —6 2 3 1 — —
EXISTING	EX	EXISTING CONTOURS — MAJOR	— — —6 230 — —
FINISHED SURFACE FINISHED GROUND	FS FG	PROPOSED CONTOURS — 1' EXISTING PROPERTY LINE	<u>6231</u>
		PROPOSED RET WALL	
TOP OF CURB	TC	PROPOSED RIPRAP	
FLOWLINE	FL	WATER LINE	w
FINISH GROUND AT TOP OF WALL	TW	SANITARY SEWER LINE GAS LINE LINESPORENCE OF THE STREET	SZ SZ
FINISHED GROUND AT BOTTOM OF WALL	BW	UNDERGROUND ELECTRICAL LINE TELEPHONE LINE	UE UE
LOW POINT	LP	FIBER OPTIC LINE	—— FO —— FO ——
HIGH POINT	HP	STORM SEWER LINE	TZ TZ
FLOW ARROW	-	LIMIT OF CONSTRUCTION LIMIT OF SOIL DISTURBANCE	
EXISTING CONTOURS (LIDAR)	6130	PROPOSED FENCE	
STORM MANHOLE	\bigcirc	FIRE HYDRANT	
STORM INLET			

1. ALL HDPE STORM SEWER MUST BE SMOOTH INTERIOR PIPE. ALL RCP MUST BE

2. ALL PIPE CONNECTIONS TO PREFABRICATED INLETS OR BOXES MUST USE A

3. ALL TYPE C INLETS SHALL HAVE CLOSE MESH GRATES.


HORZ SCALE: 1"=40' VERT SCALE: 1" = 4'

THIS DESIGN WAS PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF TERRA NOVA ENGINEERING, INC.

ON CORINGS OF THE PE.0050207 Vane Frank 2025/02/10 DANE FRANK COLORADO P.E. # 50207

ESIGNED BY DLF RAWN BY DLF HECKED BY LD SCALE AS SHOWN


-SCALE N/A B NO. 2419.00 ΓΕ ISSUED 01/15/2 EET NO. 20 OF 2





GRADING LEGEND

•			
PROPOSED	PR	EXISTING CONTOURS — MINOR	— — —6 2 31 — —
EXISTING	EX	EXISTING CONTOURS - MAJOR	— — -6230- — —
FINISHED SURFACE	FS	PROPOSED CONTOURS — 1' FXISTING PROPERTY LINE	<u>6231</u>
FINISHED GROUND	FG	PROPOSED RET WALL	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
TOP OF CURB	TC	PROPOSED RIPRAP	
FLOWLINE	FL	WATER LINE	w w
FINISH GROUND AT TOP OF WALL	TW	SANITARY SEWER LINE GAS LINE UNDERGROUND ELECTRICAL LINE	SS SS
FINISHED GROUND AT BOTTOM OF WALL	BW	TELEPHONE LINE	UE UE
LOW POINT	LP	FIBER OPTIC LINE	—— FD —— FD ——
HIGH POINT	HP	STORM SEWER LINE	T2 T2
FLOW ARROW	-	LIMIT OF CONSTRUCTION LIMIT OF SOIL DISTURBANCE PROPOSED FENCE	
		FIRE HYDRANT	

PLATTE SELF STORAGE GRADING AND EROSION CONTROL PLAN EXTENDED DETENTION BASIN PLAN JANUARY 2025







<u>NOTES</u>

 ALL HDPE STORM PIPE IS TO BE SMOOTH INTERIOR PIPE.
 LARGE BLOCKS OF TEXT QUOTING STANDARD DRAWINGS OR DETAILS ARE INCLUDED AS A REQUIREMENT OF COUNTY REVIEWERS.

BENCHMARK

#5 REBAR WITH ORANGE PLASTIC CAP MARKED "CSAM, LLC PLS 32439", FLUSH WITH GROUND — ELEV.=6513.85 (NAVD—1988) [NORTHWEST PROPERTY CORNER]

REVISIONS

DESCRIPTION

OBSCRIPTION

JUTIL SUCH TIME AS THESE DRAWINGS ARE APPROVED BY THE APPROPRIATE REVIEWING AGENCIES, TERRA NOVA ENGINEERING, NC. APPROVES THEIR USE DIRPOSES DESIGNATED BY WRITTEN AUTHORIZATION.

ROCKY MOUNTAIN GROU Attn: 5085 List dr, #200 Rado springs, co 8091 719 548 oron

1 S. 23RD STREET

LORADO SPRINGS, CO 80904

Terra Nova

FICE: 719-635-6422

X: 719-635-6426

W. tnesinc. com

D EROSION CONTROL PLAN DETENTION BASIN PLAN

STORAGE

DESIGNED BY DLF
DRAWN BY DLF
CHECKED BY LD
H-SCALE AS SHOWN
V-SCALE N/A
JOB NO. 2419.00

DESIGN
DRAWN
CHECKI
H-SCA
V-SCA
JOB NO
DATE I

THIS DESIGN WAS PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF TERRA NOVA ENGINEERING, INC.

Vane Frank

DANE FRANK COLORADO P.E. # 50207

EL PASO COUNTY STANDARD CONSTRUCTION NOTES:

1. ALL DRAINAGE AND ROADWAY CONSTRUCTION SHALL MEET THE STANDARDS AND SPECIFICATIONS OF THE CITY OF COLORADO SPRINGS/EL PASO COUNTY DRAINAGE CRITERIA MANUAL, VOLUMES 1 & 2 AND THE EL PASO COUNTY ENGINEERING CRITERIA MANUAL.

2. CONTRACTOR SHALL BE RESPONSIBLE FOR THE NOTIFICATION AND FIELD NOTIFICATION OF ALL EXISTING UTILITIES, WHETHER SHOWN ON THE PLANS OR NOT, BEFORE BEGINNING CONSTRUCTION. LOCATION OF EXISTING UTILITIES SHALL BE VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. CALL 811 TO CONTACT THE UTILITY NOTIFICATION CENTER OF COLORADO

3. CONTRACTOR SHALL KEEP A COPY OF THESE APPROVED PLANS, THE GRADING AND EROSION CONTROL PLAN, THE STORMWATER MANAGEMENT PLAN (SWMP), THE SOILS AND GEOTECHNICAL REPORT, AND THE APPROPRIATE DESIGN AND CONSTRUCTION STANDARDS AND SPECIFICATIONS AT THE JOB SITE AT ALL TIMES, INCLUDING THE FOLLOWING:

A. EL PASO COUNTY ENGINEERING CRITERIA MANUAL (ECM)

B. CITY OF COLORADO SPRINGS/EL PASO COUNTY DRAINAGE CRITERIA MANUAL, VOLUMES 1 & 2 C. COLORADO DEPARTMENT OF TRANSPORTATION (CDOT) STANDARD SPECIFICATIONS FOR ROAD

AND BRIDGE CONSTRUCTION D. CDOT M & S STANDARDS.

4. NOTWITHSTANDING ANYTHING DEPICTED IN THESE PLANS IN WORDS OR GRAPHIC REPRESENTATION, ALL DESIGN AND CONSTRUCTION RELATED TO ROADS, STORM DRAINAGE AND EROSION CONTROL SHALL CONFORM TO THE STANDARDS AND REQUIREMENTS OF THE MOST RECENT VERSION OF THE RELEVANT ADOPTED EL PASO COUNTY STANDARDS, INCLUDING THE LAND DEVELOPMENT CODE. THE ENGINEERING CRITERIA MANUAL. THE DRAINAGE CRITERIA MANUAL. AND THE DRAINAGE CRITERIA MANUAL VOLUME 2. ANY DEVIATIONS FROM REGULATIONS AND STANDARDS MUST BE REQUESTED, AND APPROVED, IN WRITING. ANY MODIFICATIONS NECESSARY TO MEET CRITERIA AFTER-THE-FACE WILL BE ENTIERELY THE DEVELOPER'S RESPONSIBILITY TO RECTIFY.

5. IT IS THE DESIGN ENGINEER'S RESPONSIBILITY TO ACCURATELY SHOW EXISTING CONDITIONS, BOTH ONSITE AND OFFSITE, ON THE CONSTRUCTION PLANS. ANY MODIFICATIONS NECESSARY DUE TO CONFLICTS, OMISSIONS, OR CHANGED CONDITIONS WILL BE ENTIRELY THE DEVELOPER'S RESPONSIBILITY TO RECTIFY.

6. CONTRACTOR SHALL SCHEDULE A PRE-CONSTRUCTION MEETING WITH EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT (PCD) INSPECTIONS, PRIOR TO STARTING CONSTRUCTION.

7. IT IS THE CONTRACTORS RESPONSIBILITY TO UNDERSTAND THE REQUIREMENTS OF ALL JURISDICTIONAL AGENCIES AND TO OBTAIN ALL REQUIRED PERMITS, INCLUDING BUT NOT LIMITED TO EL PASO COUNTY EROSION AND STORMWATER QUALITY CONTROL PERMIT (ESQCP), REGIONAL BUILDING FLOODPLAIN DEVELOPMENT PERMIT, U.S. ARMY CORPS OF ENGINEERS-ISSUED 401 AND/OR 404 PERMITS, AND COUNTY AND STATE FUGITIVE DUST PERMITS.

8. CONTRACTOR SHALL NOT DEVIATE FROM THE PLANS WITHOUT FIRST OBTAINING WRITTEN APPROVAL FROM THE DESIGN ENGINEER AND PCD. CONTRACTOR SHALL NOTIFY THE DESIGN ENGINEER IMMEDIATELY UPON DISCOVERY OF ANY ERRORS OR INCONSISTENCIES.

9. ALL STORM DRAIN PIPE SHALL BE CLASS III RCP UNLESS OTHERWISE NOTED AND APPROVED BY PCD.

10. CONTRACTOR SHALL COORDINATE GEOTECHNICAL TESTING PER ECM STANDARDS. PAVEMENT DESIGN SHALL BE APPROVED BY EL PASO COUNTY PCD PRIOR TO PLACEMENT OF CURB AND GUTTER AND PAVEMENT.

11. ALL CONSTRUCTION TRAFFIC MUST ENTER/EXIT THE SITE AT APPROVED CONSTRUCTION ACCESS POINTS.

12. SIGHT VISIBILITY TRIANGLES AS IDENTIFIED IN THE PLANS SHALL BE PROVIDED AT ALL INTERSECTIONS. OBSTRUCTIONS GREATER THAN 18 INCHES ABOVE FLOWLINE ARE NOT ALLOWED WITHIN SIGHT TRIANGLES.

13. SIGNING AND STRIPING SHALL COMPLY WITH EL PASO COUNTY PUBLIC WORK DEPARTMENT AND MUTCD CRITERIA.

14. CONTRACTOR SHALL OBTAIN ANY PERMITS REQUIRED BY EL PASO COUNTY PWD, INCLUDING WORK WITHIN THE RIGHT-OF-WAY AND SPECIAL TRANSPORT PERMITS.

15. THE LIMITS OF CONSTRUCTION SHALL REMAIN WITHIN THE PROPERTY LINE UNLESS OTHERWISE NOTED. THE OWNER/DEVELOPER SHALL OBTAIN WRITTEN PERMISSION AND EASEMENTS, WHERE REQUIRED, FROM ADJOINING PROPERTY OWNER(S) PRIOR TO ANY OFF-SITE DISTURBANCE, GRADING OR CONSTRUCTION.


GENERAL NOTES

- 1. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE EXISTENCE AND LOCATION OF ALL UNDERGROUND UTILITIES ALONG THE SITE. THE OMISSION FROM OR THE INCLUSION OF UTILITY LOCATIONS ON THE PLANS IS NOT TO BE CONSIDERED AS THE NON-EXISTENCE OF OR A DEFINITE LOCATION OF EXISTING UNDERGROUND UTILITIES.
- 2. THE CONTRACTOR WILL TAKE THE NECESSARY PRECAUTIONS TO PROTECT EXISTING UTILITIES, BUILDINGS, FENCES, AND ROADWAYS FROM DAMAGE DUE TO THIS OPERATION. ANY DAMAGE TO THE ABOVE WILL BE REPAIRED AT THE CONTRACTOR'S EXPENSE, AND ANY SERVICE DISRUPTION WILL BE SETTLED BY THE CONTRACTOR.
- 3. BULK GRADING SHALL BE COMPLETED TO A SUBGRADE TOLERANCE OF PLUS OR MINUS 0.2'.
- 4. CONTRACTOR TO OBTAIN COPIES OF THE SOILS REPORT FROM THE GEOTECHNICAL ENGINEER AND TO BE KEPT ONSITE DURING ALL EARTHWORK OPERATIONS. CONTRACTOR SHALL REVIEW GEOTECHNICAL REPORT BY GEOTECHNICAL ENGINEER PRIOR TO CONSTRUCTION.
- 5. MAXIMUM CUT/FILL SLOPES SHALL NOT EXCEED 3:1, UNLESS OTHERWISE NOTED.
- 6. EROSION CONTROL MEASURES SHALL BE IMPLEMENTED IN A MANNER THAT WILL PROTECT PROPERTIES AND PUBLIC FACILITIES FROM THE ADVERSE EFFECTS OF EROSION AND SEDIMENTATION AS A RESULT OF CONSTRUCTION AND EARTHWORK ACTIVITIES WITHIN THE PROJECT SITE.
- EROSION CONTROL DEVICES SHOULD BE CHECKED AFTER EVERY STORM. REPAIRS OR REPLACEMENT SHOULD BE MADE AS NECESSARY TO MAINTAIN PROPER PROTECTION.
- 8. CONTRACTOR SHALL REVIEW GEOTECHNICAL REPORT BY GEOTECHNICAL ENGINEER PRIOR TO CONSTRUCTION.
- 9. BROWN GROUND SURFACE CONTOURS ARE LIDAR DATA DOWNLOADED FROM THE COLORADO HAZARD MAPPING & RISK MAP PORTAL, DATA SET: 2018 3DEP EAST CO EL PASO. THIS DATA IS APPROXIMATE. LIDAR DATA IS FROM 2018 AND AT 2' INTERVALS.

PLATTE SELF STORAGE

STREET IMPROVEMENT PLAN **COVER SHEET**

JANUARY 2025



SITE ADDRESS

6001 E PLATTE AVE. COLORADO SPRINGS

TAX ID

LEGAL DESCRIPTION


TRACT IN NW4 OF SEC 18-14-65 AS FOLS, BEG AT A PT ON S R/W LN OF US HWY 24 940 FT E OF W LN OF SD SEC, TH E ON SD LN 310 FT, ANG R 90< S 25 FT, ANG L 90< E 155.2 FT M/L, S 931.8 FT, W PARA WITH S LN OF N2 426.1 FT M/L TO A PT, TH ANG R 89<59' N 958.2 FT TO POB, W 349.88 FT OF NE4NW4 OF SEC 18 EX HWY BY BK 6509-223 & REC #201040780

SOIL TYPES


ONSITE SOILS ARE HYDROLOGIC GROUP "A", BLAKELAND LOAMY SAND (8), 1 TO 9 PERCENT SLOPES (PER NRCS WEB SOIL SURVEY MAP)

BENCHMARKS

CDOT RIGHT OF WAY MONUMENT #3014 - ELEV=6232.52 (NAVD-1988) [NORTHEAST OF SITE ENTRANCE]



VICINITY MAP



CONTACT INFORMATION:

DONALD HUMPHREY 5780 SAYRES ROAD

COLORADO SPRINGS, CO 80927

(719) 492-8649

TERRA NOVA ENGINEERING, INC. CIVIL ENGINEER: 721 S. 23RD STREET

> COLORADO SPRINGS, COLORADO 80904 DANE FRANK, P.E., (719) 635-6422

EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT

> 2880 INTERNATIONAL CIRCLE COLORADO SPRINGS, COLORADO 80910

(719) 520-6300

CIMARRON HILLS FIRE DEPT HEADQUARTERS

1835 TUSKEGEE PL COLORADO SPRINGS, COLORADO 80915

CHEROKEE METRO DISTRICT 6250 PALMER PARK BOULEVARD

> COLORADO SPRINGS, COLORADO 80915 (719) 597-5080

(719) 591-0960

ENGINEER'S STATEMENT

THESE DETAILED PLANS AND SPECIFICATIONS WERE PREPARED UNDER MY DIRECTION AND SUPERVISION. SAID PLANS AND SPECIFICATIONS HAVE BEEN PREPARED ACCORDING TO THE CRITERIA ESTABLISHED BY THE COUNTY FOR DETAILED ROADWAY, DRAINAGE, GRADING AND EROSION CONTROL PLANS AND SPECIFICATIONS, AND SAID PLANS AND SPECIFICATIONS ARE IN CONFORMITY WITH APPLICABLE MASTER DRAINAGE PLANS AND MASTER TRANSPORTATION PLANS. SAID PLANS AND SPECIFICATIONS MEET THE PURPOSES FOR WHICH THE PARTICULAR ROADWAY AND DRAINAGE FACILITIES ARE DESIGNED AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. I ACCEPT RESPONSIBILITY FOR ANY LIABILITY CAUSED BY ANY NEGLIGENT ACTS, ERRORS OR OMISSIONS ON MY PART IN PREPARATION OF THESE DETAILED PLANS AND SPECIFICATIONS.

Jane Frank

ENGINEER OF RECORD SIGNATURE DANE FRANK, P.E. #50207

PE.0050207 %. DATE FOR AND ON BEHALF OF TERRA NOVA ENGINEERING, INC.

OWNER/DEVELOPER'S STATEMENT

I, THE OWNER/DEVELOPER HAVE READ AND WILL COMPLY WITH ALL OF THE REQUIREMENTS SPECIFIED IN THESE DETAILED PLANS AND SPECIFICATIONS.

OWNER/NAME, TITLE

Colokado Commercial Construction Inc, 12325 Oracle BIVD. Ste 120 BUSINESS NAME, ADDRESS Colorado Springs, co 80921

EL PASO COUNTY APPROVAL

COUNTY PLAN REVIEW IS PROVIDED ONLY FOR GENERAL CONFORMANCE WITH COUNTY DESIGN CRITERIA. THE COUNTY IS NOT RESPONSIBLE FOR THE ACCURACY AND ADEQUACY OF THE DESIGN, DIMENSIONS, AND/OR ELEVATIONS WHICH SHALL BE CONFIRMED AT THE JOB SITE. THE COUNTY THROUGH THE APPROVAL OF THIS DOCUMENT ASSUMES NO RESPONSIBILITY FOR COMPLETENESS AND/OR ACCURACY OF THIS DOCUMENT.

FILED IN ACCORDANCE WITH THE REQUIREMENTS OF THE EL PASO COUNTY LAND DEVELOPMENT CODE, DRAINAGE CRITERIA MANUAL, VOLUMES 1 AND 2, AND ENGINEERING CRITERIA MANUAL AS AMENDED.

IN ACCORDANCE WITH ECM SECTION 1.12, THESE CONSTRUCTION DOCUMENTS WILL BE VALID FOR CONSTRUCTION FOR A PERIOD OF 2 YEARS FROM THE DATE SIGNED BY THE EL PASO COUNTY ENGINEER. IF CONSTRUCTION HAS NOT STARTED WITHIN THOSE 2 YEARS, THE PLANS WILL NEED TO BE RESUBMITTED FOR APPROVAL, INCLUDING PAYMENT OF REVIEW FEES AT THE PLANNING AND COMMUNITY DEVELOPMENT DIRECTORS

JENNIFER IRVINE, P.E. COUNTY ENGINEER / ECM ADMINISTRATOR

2025/02/10


. NOOW ROCK


SIGNED BY DLF


RAWN BY DLF HECKED BY LD SCALE AS SHOW

SCALE N/A B NO. 2419.00 TE ISSUED 01/14/2

HEET NO. 23 OF 2







<u>LEGEND</u>

PROPOSED	PR	EXISTING CONTOURS - MINOR	— — —6 2 31 — —
EXISTING	EX	EXISTING CONTOURS - MAJOR	——————————————————————————————————————
FINISHED SURFACE	FS	PROPOSED CONTOURS — 1' EXISTING PROPERTY LINE	<u>6231</u>
FINISHED GROUND	FG	PROPOSED RET WALL	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
TOP OF CURB	TC	PROPOSED RIPRAP	
FLOWLINE	FL	WATER LINE	w w
FINISH GROUND AT TOP OF WALL	TW	SANITARY SEWER LINE GAS LINE LINDERGROUND ELECTRICAL LINE	ne ne
FINISHED GROUND AT BOTTOM OF WALL	BW	UNDERGROUND ELECTRICAL LINE TELEPHONE LINE	UE UE
LOW POINT	LP	FIBER OPTIC LINE	—— FO —— FO ——
HIGH POINT	HP	STORM SEWER LINE	T2 T2
FLOW ARROW	-	LIMIT OF CONSTRUCTION LIMIT OF SOIL DISTURBANCE	
EXISTING CONTOURS (LIDAR)	6130	PROPOSED FENCE	
		FIRE HYDRANT	

THESE NO. DESCRIPTION DA. DESCRIPTION DA. CONTENTO. DESCRIPTION DA. DESCRIPTION DE

UNTIL SUCH TIME AS THES DRAWINGS ARE APPROVED BY THE APPROPRIATE REVIEWING AGENCIES, TERRA NOVA ENGINEERING, INC. APPROVES THEIR USE ONLY FOR THE PURPOSES DESIGNATED BY WRITTEN AUTHORIZATION.

ROCKY MOUNTAIN GROU ATTN: 5085 LIST DR, #200 RADO SPRINGS, CO 809

IIE SELF SIUNAGE

IED BY DLF

DESIGNED BY DLF DRAWN BY DLF

THIS DESIGN WAS PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF TERRA NOVA ENGINEERING, INC.


Vane Frank

DANE FRANK COLORADO P.E. # 50207 DRAWN BY DLF
CHECKED BY LD
H-SCALE AS SHOWN
V-SCALE N/A

/-SCALE N/A IOB NO. 2419.00 DATE ISSUED 01/14/2

PLATTE SELF STORAGE STREET IMPROVEMENT PLAN HWY 24 MID BLOCK ACCESS REMOVAL

JANUARY 2025




<u>NOTES</u>

- 1. THE MID-BLOCK ACCESS REMOVAL WORK SHALL BE PER CDOT STANDARDS.
- 2. INFO SHOWN IN BLUE IS THE PROPOSED WORK.

<u>LEGEND</u>

PROPOSED	PR	EXISTING CONTOURS - MINOR	— — —6 2 3 1 — —
EXISTING	EX	EXISTING CONTOURS - MAJOR	— — —6 2 3 0 — —
FINISHED SURFACE FINISHED GROUND	FS FG	PROPOSED CONTOURS — 1' EXISTING PROPERTY LINE PROPOSED RET WALL	6231
TOP OF CURB	TC	PROPOSED RIPRAP	
FLOWLINE	FL	WATER LINE	w w
FINISH GROUND AT TOP OF WALL	TW	SANITARY SEWER LINE GAS LINE	ng ng
FINISHED GROUND AT BOTTOM OF WALL	BW	UNDERGROUND ELECTRICAL LINE TELEPHONE LINE	UE UE
LOW POINT	LP	FIBER OPTIC LINE	—— FD —— FD —
HIGH POINT	HP	STORM SEWER LINE	— T2 — T2 —
FLOW ARROW	-	LIMIT OF CONSTRUCTION LIMIT OF SOIL DISTURBANCE	
EXISTING CONTOURS (LIDAR)	6130	PROPOSED FENCE	
		FIRE HYDRANT	X



THIS DESIGN WAS PREPARED UNDER MY DIRECT SUPERVISION FOR AND ON BEHALF OF TERRA NOVA ENGINEERING, INC.

COLORADO P.E. # 50207

Dane Frank

	COLOR
T IMPROVEMENT PLAN	OFFICE
) BLOCK ACCESS REMOVAL	www.tr

ESIGNED BY DLF

HECKED BY LD

SCALE N/A

B NO. 2419.00

TE ISSUED 01/14/2

