2024 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 10/2023

PROJECT INFORMATION						
Platte Self Storage	11/7/2024	TBD				
Project Name	Date	PCD File No.				

Description	O			Unit			T-4-1	(with Pro	e-Plat (•
	Quantity	Units	Щ.	Cost			Total	% Complete		Remaining
SECTION 1 - GRADING AND EROSION CONTRO	L (Construction	and Perma	nent	BMPs)						
Earthwork		0)/				1			1	
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-		\$	-
20,001-50,000; \$100,000 min	60350	CY	\$	3.50	=	\$	-		\$	475.000.00
50,001-200,000; \$175,000 min	69350.	CY	\$	2.50	=	\$	175,000.00		\$	175,000.00
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
Permanent Erosion Control Blanket	0.7	SY	\$	9.00	=	\$			\$	17 556 60
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	8.7	AC EA	\$	2,018.00	=	\$	17,556.60		\$	17,556.60
Permanent Pond/BMP (provide engineer's estimate)	1. 1.		\$	74,978.00	=	\$	74,978.00		\$	74,978.00
Concrete Washout Basin	1. 11.	EA EA	\$	1,172.00 217.00	=		1,172.00		\$	1,172.00 2,387.00
Inlet Protection Rock Check Dam	11.	EA	\$	651.00	=	\$	2,387.00		\$	2,367.00
		LF	\$	3.00	=	\$			\$	
Safety Fence Sediment Basin	1.	EA	\$	2,294.00	=	\$	2,294.00		\$	2,294.00
	1.	EA	\$	538.00	=	\$	2,294.00		\$	2,294.00
Sediment Trap	2759.	LF	\$		_	\$	9 277 00		\$	9 277 00
Silt Fence Slope Drain	2/39.	LF	\$	3.00 43.00		\$	8,277.00		\$	8,277.00
·		EA	_		=	\$			\$	
Straw Bale	70		\$	33.00						
Straw Wattle/Rock Sock Surface Roughening	70. 17.7	LF AC	\$	8.00 269.00	=	\$	560.00		\$	560.00 4,761.30
0 0	17.7					\$	4,761.30		\$	· · · · · · · · · · · · · · · · · · ·
Temporary Scooling and Mulching		SY	\$	3.00	=	\$	-		\$	-
Temporary Seeding and Mulching	2.	AC EA	\$	1,793.00	=	\$	6 170 00		\$	6,170.00
Vehicle Tracking Control	۷.	EA	\$	3,085.00	=	\$	6,170.00		\$	6,170.00
Format the second that a district and of a continuation of a second					=	\$			\$	-
[insert items not listed but part of construction plans]	THEFNANCE (25	·0/ -6 C		: PMP-\	=	\$			\$	- 0 557.20
	INTENANCE (35	% of Cons	truct	ion BMPs)	=	\$	8,557.26		\$	8,557.26
- Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)		Sect	ion 1	1 Subtotal	=	\$	301,713.16		\$	301,713.16
							/		'	,
SECTION 2 - PUBLIC IMPROVEMENTS *										
ROADWAY IMPROVEMENTS										
Construction Traffic Control		LS			=	\$	-		\$	-
Construction Traffic Control Aggregate Base Course (135 lbs/cf)		LS Tons	\$	37.00	=	\$			\$	-
			\$	37.00 66.00						
Aggregate Base Course (135 lbs/cf)		Tons	_			\$	-		\$	-
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		Tons CY	\$	66.00		\$			\$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		Tons CY SY	\$	66.00 18.00		\$ \$ \$			\$ \$ \$	-
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		Tons CY SY SY	\$ \$ \$	66.00 18.00 25.00		\$ \$ \$ \$	- - -		\$ \$ \$	- - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		Tons CY SY SY SY	\$ \$ \$ \$	66.00 18.00 25.00 38.00	=	\$ \$ \$ \$ \$	- - - -		\$ \$ \$ \$	- - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		Tons CY SY SY SY SY Tons	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$	- - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$	- - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	= = = =	\$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$	- - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = =	\$ \$ \$ \$ \$ \$	- - - - - - - -		\$ \$ \$ \$ \$ \$ \$	- - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		Tons CY SY SY SY Tons SF EA EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		Tons CY SY SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		Tons CY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		Tons CY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	100 18.00 18.00 18.00 18.00 18.00 19	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 38.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		Tons CY SY SY SY Tons SF EA EA SF LF LF LF SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		Tons CY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 62.00 77.00 125.00 1,496.00 79.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		Tons CY SY SY Tons SF EA EA SF EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase		Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,96.00 1,926.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1,96.00 1,926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		Tons CY SY SY SY Tons SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 77.00 125.00 1,496.00 79.00 119.00 1,926.00 94.00 2,731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 125.00 1,496.00 79.00 119.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		Tons CY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 119.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 125.00 1,496.00 79.00 119.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		Tons CY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 119.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

PROJECT INFORMATION					
Platte Self Storage	11/7/2024	TBD			
Project Name	Date	PCD File No.			

			Unit			,	e-Plat Construction)
Description	Quantity	Units	Cost		Total	% Complete	Remaining
				=	\$ -		\$ -
[insert items not listed but part of construction plans]				=	\$ -		\$ -
TORM DRAIN IMPROVEMENTS							
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$ -		\$ -
18" Reinforced Concrete Pipe		LF	\$ 82.00	=	\$ -		\$ -
24" Reinforced Concrete Pipe		LF	\$ 98.00	=	\$ -		\$ -
30" Reinforced Concrete Pipe		LF	\$ 123.00	=	\$ -		\$ -
36" Reinforced Concrete Pipe		LF	\$ 151.00	=	\$ -		\$ -
42" Reinforced Concrete Pipe		LF	\$ 201.00	=	\$ -		\$ -
48" Reinforced Concrete Pipe		LF	\$ 245.00	=	\$ -		\$ -
54" Reinforced Concrete Pipe		LF	\$ 320.00	=	\$ -		\$ -
60" Reinforced Concrete Pipe		LF	\$ 374.00	=	\$ -		\$ -
66" Reinforced Concrete Pipe		LF	\$ 433.00	=	\$ -		\$ -
72" Reinforced Concrete Pipe		LF	\$ 495.00	=	\$ -		\$ -
18" Corrugated Steel Pipe		LF	\$ 105.00	=	\$ -		\$ -
24" Corrugated Steel Pipe		LF	\$ 121.00	=	\$ -		\$ -
30" Corrugated Steel Pipe		LF	\$ 154.00	=	\$ -		\$ -
36" Corrugated Steel Pipe		LF	\$ 184.00	=	\$ -		\$ -
42" Corrugated Steel Pipe		LF	\$ 212.00	=	\$ -		\$ -
48" Corrugated Steel Pipe		LF	\$ 223.00	=	\$ -		\$ -
54" Corrugated Steel Pipe		LF	\$ 327.00	=	\$ -		\$ -
60" Corrugated Steel Pipe		LF	\$ 353.00	=	\$ -		\$ -
66" Corrugated Steel Pipe		LF	\$ 427.00	=	\$ -		\$ -
72" Corrugated Steel Pipe		LF	\$ 502.00	=	\$ -		\$ -
78" Corrugated Steel Pipe		LF	\$ 578.00	=	\$ -		\$ -
84" Corrugated Steel Pipe		LF	\$ 691.00	=	\$ -		\$ -
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	=	\$ -		\$ -
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -
End Treatment- Headwall		EA		=	\$ -		\$ -
End Treatment- Wingwall		EA		=	\$ -		\$ -
End Treatment - Cutoff Wall		EA		=	\$ -		\$ -
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 7,212.00	=	\$ -		\$ -
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 9,377.00	=	\$ -		\$ -
Curb Inlet (Type R) L = 5', 10' ≤ Depth < 15'		EA	\$ 10,859.00	=	\$ -		\$ -
		EA		=	\$ -		\$ -
Curb Inlet (Type R) L =10', Depth < 5'		EA		=			
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA		=	Ψ		Ψ
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		_	\$ 12,805.00		\$ - \$ -		4
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 12,907.00	=	<u>'</u>		Ψ
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 13,835.00	=	\$ -		\$ -
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 15,130.00	=	\$ -		\$ -
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 13,755.00	=	\$ -		\$ -
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 15,181.00	=	\$ -		\$ -
Grated Inlet (Type C), Depth < 5'		EA	\$ 6,037.00	=	\$ -		\$ -
Grated Inlet (Type D), Depth < 5'		EA	\$ 7,458.00	=	\$ -		\$ -
Storm Sewer Manhole, Box Base		EA	\$ 15,130.00	=	\$ -		\$ -
Storm Sewer Manhole, Slab Base		EA	\$ 8,322.00	=	\$ -		\$ -
Geotextile (Erosion Control)		SY	\$ 9.00	=	\$ -		\$ -
Rip Rap, d50 size from 6" to 24"		Tons	\$ 104.00	=	\$ -		\$ -
Rip Rap, Grouted		Tons	\$ 124.00	=	\$ -		\$ -
Drainage Channel Construction, Size (W x H)		LF		=	\$ -		\$ -
Drainage Channel Lining, Concrete		CY	\$ 741.00	=	\$ -		\$ -
Drainage Channel Lining, Rip Rap		CY	\$ 145.00	=	\$ -		\$ -
Drainage Channel Lining, Grass		AC	\$ 1,911.00	=	\$ -		\$ -
Drainage Channel Lining, Other Stabilization				=	\$ -		\$ -
				=	\$ -		\$ -
[insert items not listed but part of construction plans]				=	\$ -		\$ -
Subject to defect warranty financial assurance. A minimum of 20% shall be							

	PROJECT INFORMATION	
Platte Self Storage	11/7/2024	TBD
Project Name	Date	PCD File No.

				Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Priva	ate or Dis	stric	t and NO	Maintai M	ned by	/ EPC)**			
ROADWAY IMPROVEMENTS										
Curb and Gutter, Type A (6" Vertical)	660	LF	\$	38.00	=	\$	25,080.00		\$	25,080.00
Aggregate Base Course (135 lbs/cf)	806	CY	\$	66.00	=	\$	53,196.00		\$	53,196.00
Asphalt Pavement (5" thick)	1635	SY	\$	32.00	=	\$	52,320.00		\$	52,320.00
Regulatory Sign/Advisory Sign	1	EA	\$	392.00	=	\$	392.00		\$	392.00
Guide/Street Name Sign	1	EA	\$	300.00	=	\$	300.00		\$	300.00
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Exce	eption: Permanent Pond	d/BMP shall	be ite	emized under	Section 1)					
48" RCP	260	LF	\$	245.00	=	\$	63,700.00		\$	63,700.00
42" RCP	80	LF	\$	201.00	=	\$	16,080.00		\$	16,080.00
36" RCP	385	LF	\$	151.00	=	\$	58,135.00		\$	58,135.00
30" RCP	170	LF	\$	123.00	=	\$	20,910.00		\$	20,910.00
24" RCP	115	LF	\$	98.00	=	\$	11,270.00		\$	11,270.00
18" HDPE	98	LF	\$	60.00	=	\$	5,880.00		\$	5,880.00
15" HDPE	320	LF	\$	50.00	=	\$	16,000.00		\$	16,000.00
12" HDPE	148	LF	\$	40.00	=	\$	5,920.00		\$	5,920.00
6' Manhole	1	EA	\$	15,130.00	=	\$	15,130.00		\$	15,130.00
7' Manhole	1	EA	\$	15,130.00	=	\$	15,130.00		\$	15,130.00
CDOT Type C Area Inlet	9	EA	\$	6,037.00	=	\$	54,333.00		\$	54,333.00
16' D-10-R Curb Inlet	1	EA	\$	13,835.00	=	\$	13,835.00		\$	13,835.00
20' D-10-R Curb Inlet	1	EA	\$	20,000.00	=	\$	20,000.00		\$	20,000.00
18" Nyloplast Dome Inlet	7	EA	\$	2,500.00	=	\$	17,500.00		\$	17,500.00
Pond Earthworks	3157	CY	\$	6.00	=	\$	18,942.00		\$	18,942.00
Stilling Basin	1	EA	\$	5,000.00		\$	5,000.00		\$	5,000.00
Reseed/Stabilization	1	EA	\$	2,000.00		\$	2,000.00		\$	2,000.00
Spillway	1	EA	\$	7,000.00		\$	7,000.00		\$	7,000.00
Micropool	1	EA	\$	5,000.00		\$	5,000.00		\$	5,000.00
4'x4' Outlet Structure	1	EA	\$	4,000.00		\$	4,000.00		\$	4,000.00
Trickle Channel	73	LF	\$	80.00		\$	5,840.00		\$	5,840.00
Concrete Forebays	1	EA	\$		=	\$	7,000.00		\$	7,000.00
WATER SYSTEM IMPROVEMENTS			1	,			,		'	,
Water Main Pipe (PVC), Size 8"	2087.	LF	\$	84.00	=	\$	175,308.00		\$	175,308.00
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$	-		\$	
Gate Valves, 8"		EA	\$	2,418.00	=	\$			\$	_
Fire Hydrant Assembly, w/ all valves	3.	EA	\$	8,584.00	=	\$	25,752.00		\$	25,752.00
Water Service Line Installation, inc. tap and valves	1.	EA	\$	1,723.00	=	\$	1,723.00		\$	1,723.00
Fire Cistern Installation, complete		EA	7	1,723.00	=	\$	-		\$	
Water Main Pipe (HDPE), Size 10"	1386.	LF	\$	84.00	=	\$	116,424.00		\$	116,424.00
[insert items not listed but part of construction plans]	15001		Ψ	04.00	_	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS						1 4			_	
Sewer Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	_
Sanitary Sewer Manhole, Depth < 15 feet	1.	EA	\$	5,708.00	=	\$	5,708.00		\$	5,708.00
Sanitary Service Line Installation, complete	1.	EA	\$	1,825.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete		EA	Ţ	1,023.00	=	\$	-		\$	-
Sanitary Pump System	1.	EA	\$	10,000.00	_	\$	10,000.00		\$	10,000.00
[insert items not listed but part of construction plans]	1.		Ψ	.0,000.00		\$	-		\$	
LANDSCAPING IMPROVEMENTS	(For subdivision spe	cific conditio	n of	annroval or t		ΙΨ			4	
E TO TO THE TOTAL PROPERTY OF	(1 of Subulvision Spe	EA	,,, 01 6	upprovar, UF	-UD) =	\$			\$	

PROJECT INFORMATION					
Platte Self Storage	11/7/2024	TBD			
Project Name	Date	PCD File No.			

			Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units	Cost			Total	% Complete		Remaining
		EA		=	\$	-		\$	
		EA		=	\$	-		\$	-
		EA		=	\$	-		\$	-
		EA		=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Section	on 3 Subtotal	=	\$	854,808.00		\$	854,808.00
AS-BUILT PLANS (Public Improvements inc. Permanent WC	(CV BMPs)			=	\$	-		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS		=	\$	-		\$	-
				Total	Cons	truction Financia	I Assurance	\$	1,156,521.16
	(Sum of all section subtotals plus as-builts and pond/BMP certification)						MP certification)		
	Total Rema	aining Cons	truction Fina	ncial Assu	ırance	(with Pre-Plat C	onstruction)	\$	1,156,521.16
(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)									
Total Defect Warranty Financial Assuran							I Assurance	\$	53,506.92
(20% of all items identified as (*). To be collateralized at time of preliminary acceptance						ary acceptance)		_	
		•	,			·	. ,		

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as shown or	the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date