Traffic Impact Study_V3 redlines.pdf Markup Summary 2-24-2022

lpackman (6)		
<text><text><text><text><text><text><text></text></text></text></text></text></text></text>	Author: Ipackman Subject: Callout Page Label: 5 Date: 2/23/2022 4:20:58 PM Status: Color: Layer: Space:	Unresolved. Please explain why the Northgate Blvd intersection should not be part of the study area. The development is proposing higher density housing that would travel south since there are several schools before the intersection and along Northgate Blvd. Please contact Lupe Packman at lupepackman@elpasoco.com to submit a trip distribution for approval before resubmitting the entire report.
nts, and additional discussions throughout. Bruhy residencial, establishout, and value land of Stratess House and Systemik Bill Nove 8 & B Market Bill Nove 2 & B Stratess Bill November 2 & B Stratess Bill Novemb	Author: Ipackman Subject: Callout Page Label: 5 Date: 2/23/2022 4:37:57 PM Status: Color: Layer: Space:	Please remove all statements that say "coordinated with County Staff"
	Author: Ipackman Subject: Callout Page Label: 20 Date: 2/24/2022 1:14:12 PM Status: Color: Layer: Space:	The ECM Administrator does not accept trip distribution. Please contact Lupe Packman at lupepackman@elpasoco.com or 719-313-6215 for further information.
a data a super a super a super a super sup	Author: Ipackman Subject: Text Box Page Label: 30 Date: 2/24/2022 12:55:05 PM Status: Color: Layer: Space:	Please revise report contents to include a sight distance exhibit showing sight distance lines along Struthers Rd. Some opposition has expressed concerns about potential lack of sight distance for vehicles turning onto Struthers Rd. If curious where to find opposition letters please find them on the project page in EDARP.
Historia Mali Maria Mariana Maria Managarana Maria Managarana Maria Managarana Maria Managarana Maria Managarana Maria Managarana Maria Managarana Managa	Author: Ipackman Subject: Text Box Page Label: 29 Date: 2/24/2022 5:01:47 PM Status: Color: Layer: Space:	Please identify what the required lengths for each section are per the ECM, and include what is out in the field. How does the existing configuration meet the criteria?
	Author: Ipackman Subject: Callout Page Label: 28 Date: 2/24/2022 5:06:52 PM Status: Color: Layer: Space:	Please explain how this meets ECM criteria. What are the allowed amounts and how does this comply with the criteria?