SUBDIVISION IMPROVEMENTS AGREEMENT

THIS AGREEMENT, made between DTV MEADOWBROOK LLC, AN ARIZONA LIMITED LIABLITY COMPANY, hereinafter called the "Subdivider," and El Paso County by and through the Board of County Commissioners of El Paso County, Colorado, hereinafter called the "County," shall become effective the date of approval of the Final Plat by the Board of County Commissioners.

WITNESSETH:

WHEREAS, the Subdivider, as a condition of approval of the final plat of CLAREMONT BUSINESS PARK 2 FILING NO 2 subdivision wishes to enter into a Subdivision Improvements Agreement, as provided for by Section 30-28-137 (C.R.S.), Chapter 5 of the El Paso County Engineering Criteria Manual and Chapter 8 of the El Paso County Land Development Code incorporated herein; and

WHEREAS, pursuant to the same authority, the Subdivider is obligated to provide security or collateral sufficient in the judgment of the Board of County Commissioners to make reasonable provision for completion of certain public improvements set forth on Exhibit(s) A attached hereto and incorporated herein; and

WHEREAS, the Subdivider wishes to provide collateral to guarantee performance of this Agreement including construction of the above-referenced improvements by means of Irrevocable letter of credit.

NOW, THEREFORE, in consideration of the following mutual covenants and agreements, the Subdivider and the County agree as follows:

1. The Subdivider agrees to construct and install, at his sole expense, all of those improvements as set forth on Exhibit(s) A attached hereto. To secure and guarantee performance of its obligations as set forth herein, the Subdivider agrees to provide collateral to remain in effect at all times until the improvements are completed and accepted in accordance with Chapter 5 of the ECM. Security and collateral shall be posted in the form of:

An irrevocable letter of credit from Goldwater Bank, N.A. Bank in the amount of \$530,211.60.

- 2. Subdivider is responsible for providing any renewals of collateral to ensure that there is never a lapse in security coverage. Subdivider shall procure renewal/extension/replacement collateral at least fifteen (15) days prior to the expiration of the original or renewal/extension/replacement collateral then in effect. Failure to procure renewal/extension/replacement collateral within this time limit shall be a default under this Agreement and shall allow the County to execute on the collateral. In addition, if Subdivider allows collateral to lapse at any time, no lots in the subdivision may be sold, conveyed or transferred, whether by Deed or Contract, after the expiration date of such collateral until the improvements identified on Exhibit A have been completed and final acceptance is received from the County. If replacement collateral is used for renewal, approval by Board of County Commissioners is required.
- 3. No lots in the subdivision shall be sold, conveyed or transferred, whether by Deed or by Contract, nor shall building permits be issued until and unless the required improvements for the subdivision have been constructed and completed in accordance with the approved construction plans and preliminary acceptance is received from the County. In the alternative, lots within the subdivision may be sold, conveyed or transferred and / or have building permits issued upon receipt of collateral

Doc \$0.00

Rec \$0.00

El Paso County, CO

Pages 224018592

acceptable to the County, pursuant to this Agreement, which is sufficient to guarantee construction of the improvements in the attached Exhibit A.

- 4. The Subdivider agrees that all of those certain public improvements to be completed as identified on Exhibit A shall be constructed in compliance with the following:
 - a. All laws, resolutions and regulations of the United States, State of Colorado, El Paso County and its various agencies, affected special districts and/or servicing authorities.
 - b. Such other designs, drawings, maps, specifications, sketches and other matter submitted to and approved by any of the above-stated governmental entities.
- All improvements shall be completed by the Subdivider, meeting all applicable standards for preliminary acceptance, within 24 (twenty four) months from the date of notice to proceed in the Construction Permit for the Subdivision. If the Subdivider determines that the completion date needs to be extended, the Subdivider shall submit a written request for a change in the completion date to the ECM Administrator at least 90 days in advance of the required completion date. The request shall include the reasons for the requested change in completion date, the proposed new completion date, and prove collateral is in place to cover the extension time requested. The completion date for the Subdivision may be extended one time, for a period no longer than 6 months at the discretion of the ECM Administrator. Any additional requests for extension of the completion date will be scheduled for hearing by the Board of County Commissioners. The ECM Administrator or the Board of County Commissioners may require an adjustment in the amount of collateral to take into account any increase in cost due to the delay including inflation.
- 6. It is mutually agreed pursuant to the provisions of Section 30-28-137 (3) C.R.S. that the County or any purchaser of any lot, lots, tract or tracts of land subject to a plat restriction which is the security portion of a Subdivision Improvements Agreement shall have the authority to bring an action in any District Court to compel the enforcement of any Subdivision Improvements Agreement on the sale, conveyance, or transfer of any such lot, lots, tract or tracts of land or of any other provision of this article. Such authority shall include the right to compel rescission of any sale, conveyance, or transfer of any lot, lots, tract or tracts of land contrary to the provisions of any such restrictions set forth on the plat or in any separate recorded instrument, but any such action shall be commenced prior to the issuance of a building permit by the County where so required or otherwise prior to commencement of construction on any such lot, lots, tract or tracts of land.
- 7. It is further mutually agreed that, pursuant to the provisions of Section 30-28-137 (2) C.R.S., and Chapter 5 of the County's Engineering Criteria Manual, as improvements are completed, the Subdivider may apply to the Board of County Commissioners for a release of part or all of the collateral deposited with said Board. Upon inspection and approval, the Board shall release said collateral. The County agrees to respond to an inspection request in a reasonable time upon receipt of the request. If the Board determines that any of such improvements are not constructed in substantial compliance with specifications it shall furnish the Subdivider a list of specific deficiencies and shall be entitled to withhold collateral sufficient to ensure such substantial compliance. If the Board of County Commissioners determines that the Subdivider will not construct any or all of the improvements in accordance with all of the specifications, the Board of County Commissioners may withdraw and employ from the deposit of collateral such funds as may be necessary to construct the improvements in accordance with the specifications.
- 8. The Subdivider agrees, and both parties acknowledge that the construction of the improvements identified and guaranteed through this Subdivision Improvements Agreement shall follow the inspection, collateral, and acceptance process that is identified in Chapter 5 of the County's

Engineering Criteria Manual. This is to include among other things, a Preliminary Acceptance process, replacement of performance collateral with appropriate Warranty collateral at that time, and a 2 year warranty period prior to final acceptance. Where any inconsistency exists between Chapter 5 of the Engineering Criteria Manual and the Land Development Code with respect to these inspections, collateral and acceptance processes, the Engineering Criteria Manual is the controlling document.

- 9. The Subdivider(s) agrees to provide the County with a title insurance commitment at time of final platting evidencing that fee simple title of all lands in the subdivision is vested with the subdivider(s).
- The County agrees to approval of the final plat of CLAREMONT BUSINESS PARK 2 FILING NO 2 Subdivision subject to the terms and conditions of this Agreement.
- 11. Parties hereto mutually agree that this Agreement may be amended from time to time provided that such amendment be in writing and signed by all parties hereto.
- 12. This Agreement shall take effect on the date of approval of the Final Plat by the Board of County Commissioners.
- 13. The Subdivider(s) agrees for itself and its successors and assigns that Subdivider and/or its said successors and assigns shall be required to pay road impact fees in accordance with the El Paso County Road Impact Fee Program at or prior to the time of building permit submittals.
- 14. The SIA recorded on March 25, 2021, at Reception No. 221059186, shall be terminated and superseded by this Agreement.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals the day and year below written.

[Remainder of page left intentionally blank;

Signature pages follow]

County Signature Page

BOARD OF COUNTY COMMISSIONERS OF EL PASO COUNTY, COLORADO

By:

Executive Director

Planning and Community Development Department

Authorized signatory pursuant to LDC

ACKNOWLEDGEMENT

The foregoing instrument was acknowledged before me this of March, 2024, by

Meggan Herington Executive Director of El Paso County Planning and Community Development

Department.

Witness my hand and official seal.

My commission expires: Aug. 23, 2026

MIRANDA BENSON NOTARY PUBLIC STATE OF COLORADO

NOTARY ID 20224033144

MY COMMISSION EXPIRES AUGUST 23, 2026

Notary Public

Approved as to form:

Museuslai

Lori K. Leagy
County Attorney's Office

Subdivider Signature Page

SUBDIVIDER:

DTV MEADOWBROOK, LLC,

an Arizona limited liability company

By: 1/2/11

Its: WANAGER

Date: 3-5-2024

ACKNOWLEDGEMENT


The foregoing instrument was acknowledged before me this 5 day of Month, 2024, by Beian Luck, an authorized signatory of DTV Meadowbrook, LLC, an Arizona limited liability company.

Witness my hand and official seal.

My commission expires: 12-22-2027

Notary Public

SANDRA WILKERSON Notary Public - Arizona Maricopa County Commission # 660329 My Comm. Expires Dec 22, 2027



2023 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 12/8/2022

	PROJECT IN ORPATION	
Claremont Business Park 2 Fil. No. 2	06-07-023	VR233
Project Name	Date	PCD File No.

	1		Un				Tatal	,	-riai U	Construction)
escription	Quantity	Units	Co		_		Total	% Complete		Remaining
ECTION 1 - GRADING AND EROSION CONTRO	L (Construction	and Per	manent B	MPs)						
Earthwork						1 712			0.5	
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$			\$	45 000 0
1,000-5,000; \$8,000 min	2,500	CY	\$	6.00	=	\$	15,000.00		\$	15,000.0
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$			\$	3.6
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$			\$	•
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	2.0		\$	
greater than 200,000; \$500,000 min		CY	\$	2_00	=	\$	(*		\$	3.
Permanent Erosion Control Blanket		SY	\$	8_00	=	\$	34		\$	
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching		AC	\$ 1,8	75.00	==	\$			\$	12
Permanent Pond/BMP (provide engineer's estimate)	1	EA	\$ 29,50	00.00	=	\$	29,500.00		\$	29,500.
BMP Retaining Walls	992	SF	\$	25,00		\$	24,800.00		\$	24,800.
Concrete Washout Basin	1	EA	\$ 1,0	99.00	=	\$	1,089.00		\$	1,089.
nlet Protection	4	EA	\$ 2	02.00	=	\$	808.00		\$	808.
Rock Check Dam	4	EA	\$ 6	05.00	=	\$	2,420.00		\$	2,420.
	· ·	LF	\$	3.00	=	\$			\$	
Safety Fence	2	EA		32.00	=	\$	4,264.00		\$	4,264.
Sediment Basin	-	EA		00.00	=	\$.,		\$	296
Sediment Trap	1,137	LF	\$	3.00		\$	3,411.00	1	\$	3,411.
Silt Fence	1,137	LF		40.00	-	\$	3,111.00	1	\$	5,121
Slope Drain				31.00	-				\$	
Straw Bale		EA				*	•			
Straw Wattle/Rock Sock		LF	\$	7,00	=	\$			\$	
Surface Roughening		AC		50.00		\$			\$	4 500
Temporary Erosion Control Blanket	1,500.0	SY	\$	3.00	=	\$	4,500.00		\$	4,500.
Fernporary Seeding and Mulching	1.0	AC		56.00	=	\$	1,666.00		\$	1,666.
/ehicle Tracking Control	1	EA	\$ 2,8	57.00	=	\$	2,867.00		\$	2,867.
					=	\$	2		\$	3
insert items not listed but part of construction plans]					=	\$			\$	
MAIN	TENANCE (35%	of Const	ruction Bl	MPs)	=	\$	6,977.60		\$	6,977.
Subject to defect warranty financial assurance. A minimum of 20% shall									_	07.707.6
retained until final acceptance (MAXIMUM OF 80% COMPLETE		Secti	on 1 Sub	totai		\$	97,302.60		\$	97,302.6
ECTION 2 - PUBLIC IMPROVEMENTS *										
DADWAY IMPROVEMENTS										
THE PART OF THE PA		LS			=	\$		1	\$	
Construction Traffic Control		Tons	s	34.00	=	\$			\$	-
Aggregate Base Course (135 lbs/cf)		CY		31_00		¢		F 79-30	\$	
Aggregate Base Course (135 lbs/cf)		SY		17.00		d d	9		\$	
Asphalt Pavement (3" thick)		SY		23.00		4	-		Ψ.	
Asphalt Pavement (4" thick)							9		d ^a	
						Þ	3		\$	-
Asphalt Pavement (6" thick)		SY	\$	35.00		\$	*		\$	
Asphalt Pavement (6" thick)		SY Tons	\$: \$ 1	35.00 06.00	3	\$	*		\$	
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick		SY Tons SF	\$ 11 \$ 2	35.00 06.00 10.00	÷	\$ \$ \$: :	1.5	\$ \$ \$	
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved		SY Tons	\$ 11 \$ 2	35.00 06.00		* \$ \$ \$ \$	*	1.3	\$ \$ \$	3
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign		SY Tons SF	\$ 11 \$ 2	35.00 06.00 10.00	÷		: :	1.3	\$ \$ \$	3 3 3 3
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		SY Tons SF EA	\$: \$ 10 \$ \$ 36	35.00 06.00 10.00	=	\$: :	100	\$ \$ \$	
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		SY Tons SF EA EA	\$ 10 \$ 30 \$ 30	35 00 06 00 10 00 64 00	JE	\$	5 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1.8	\$ \$ \$ \$ \$ \$	18 18 18 18 18 18 18 18 18 18 18 18 18 1
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		SY Tons SF EA EA SF	\$ 11 \$ 31 \$ 31	35 00 06 00 10 00 64 00	W 1000 W	\$ \$ \$	5 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		\$ \$ \$ \$ \$ \$	34 35 36 36 36 37 37 37 38 38 38 38 38 38 38 38 38 38 38 38 38
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Finermoplastic Pavement Marking Barricade - Type 3		SY Tons SF EA EA SF SF	\$:10 \$ 36 \$ 36 \$ 5 \$ 20 \$ 20	35.00 06.00 10.00 64.00	9	\$ \$ \$	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		* * * * * *	
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 1		SY Tons SF EA SF SF EA EA	\$ 11 \$ 3 \$ 31 \$ 5 \$ 2 \$ 5	35.00 06.00 10.00 54.00 16.00 28.00 41.00	H 10 10 10 10 10	\$ \$ \$	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		* * * * * * * *	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical)		SY Tons SF EA SF SF EA EA LF	\$ 11 \$ 3 \$ 31 \$ 5 \$ 2 \$ 5	35 00 06 00 10 00 54 00 16 00 28 00 41 00 29 00		\$ \$ \$	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		* * * * * * * * *	* * * * * * * * * * * * * * * * * * *
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign E-poxy Pavement Marking Finermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		SY Tons SF EA SF SF EA LF LF	\$:11 \$:5 \$:3 :5 \$:5 \$:5 \$:5 \$:5 \$:5 \$	35.00 06.00 10.00 64.00 16.00 28.00 41.00 29.00 35.00 35.00		\$ \$ \$	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		\$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		SY Tons SF EA SF SF EA LF LF LF	\$ 11 \$ 31 \$ 31 \$ 31 \$ 31 \$ 31 \$ 31 \$ 31	35.00 06.00 10.00 64.00 16.00 28.00 41.00 29.00 35.00 35.00		* * * * * * * * *	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) It" Sidewalk (common areas only)		SY Tons SF EA EA SF EA LF LF SY	\$ 11 \$ 5 \$ 31 \$ 5 \$ 2 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	35,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 58,00		*			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	19.770
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	260.0	SY Tons SF EA EA SF EA LF LF SY SY	\$ 11 \$ 5 31 \$ 5 32 \$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	35,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 58,00 72,00		* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18,720.
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) I" Sidewalk (common areas only)	260.0	SY Tons SF EA SF EA SF EA LF LF SY SY	\$ 111 \$ 3 \$ 3 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	35,00 06,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 35,00 58,00 72,00 37,00		* * * * * * * * * * *	18,720.00		* * * * * * * * * * * * * * * * * * * *	18,720.
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Suide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) "Sidewalk (common areas only) "Sidewalk		SY Tons SF EA EA SF EA LF LF SY SY SY	\$:11 \$:31 \$:31	35,00 06,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 58,00 72,00 37,00 16,00		* * * * * * * * * * *	18,720.00		* * * * * * * * * * * * * * * * * * * *	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Suide/Street Name Sign Epoxy Pavement Marking Finermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) It Sidewalk (common areas only) It Sidewalk It Sidewalk It Sidewalk	260.0	SY Tons SF EA SF EA LF LF SY SY SY EA	\$ 11 \$ 3 \$ 3 \$ 5 \$ 2 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	35,00 06,00 10,00 16,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 35,00 35,00 35,00 36,00 37,00 16,00 90,00		* * * * * * * * * * * * *	18,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) #" Sidewalk (common areas only) 5" Sidewalk B" Sidewalk Pedestrian Ramp		SY Tons SF EA SF EA EA LF LF SY SY SY EA LF	\$ 11 \$ 3 \$ 3 \$ 5 \$ 2 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	35,00 06,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 58,00 72,00 37,00 16,00		* * * * * * * * * * *	18,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) It Sidewalk (common areas only) S' Sidewalk S' Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		SY Tons SF EA SF EA LF LF SY SY SY EA	\$ 110 \$ 1 10 10 10 10 10 10 10 10 10 10 10 10 1	35,00 06,00 10,00 16,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 35,00 35,00 35,00 36,00 37,00 16,00 90,00		* * * * * * * * * * * * *	18,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 5" Sidewalk 5" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		SY Tons SF EA SF EA EA LF LF SY SY SY EA LF	\$: 10 10 10 10 10 10 10 10	35,00 06,00 10,00 54,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 35,00 37,00 16,00 90,00 73,00		* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 5" Sidewalk 8" Sidewalk 9" Sidewalk 9" Sidewalk 9" Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase		SY Tons SF EA SF EA EA LF SY SY SY SY EA LF	\$ 11 \$ 3 \$ 3 \$ 5 \$ 2 \$ 5 \$ 1 \$ 1,31 \$ 1,75	35,00 06,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 37,00 16,00 37,00 16,00 37,00 16,00 37,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17,00 16,00 17		* \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 5" Sidewalk 5" Sidewalk 9" Sidewalk 9" Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)		SY Tons SF EA SF EA LF LF SY SY SY EA LF LF EA	\$ 11 \$ 3 \$ 3 \$ 5 \$ 2 \$ 5 \$ 1 \$ 1,31 \$ 1,71 \$ 1,71	35,00 06,00 10,00 54,00 16,00 28,00 41,00 29,00 35,00 35,00 58,00 72,00 37,00 16,00 16,00 73,00 11,00 90,00		***********	18,720.00		*	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Durb and Gutter, Type A (6" Vertical) Durb and Gutter, Type B (Median) Durb and Gutter, Type C (Ramp) I" Sidewalk (common areas only) S" Sidewalk S" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Bearn) Guardrail Type 3 (W-Bearn) Guardrail Type 7 (Concrete)		SY Tons SF EA SF EA LF LF SY SY EA LF	\$: 11 \$: 31 \$: 31 \$: 22 \$: 5 \$: 5 \$: 1 \$: 1,31 \$: 1,77 \$	35,00 06,00 10,00 64,00 16,00 28,00 11,00 28,00 35,00 35,00 35,00 37,00 16,00 37,00 11,00 37,00 37,00		************	18,720.00 2,780.00		*************	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _ " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Celineator - Type 3 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 5" Sidewalk 5" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage		SY Tons SF EA SF EA EA LF LF SY SY EA LF LF EA LF EA	\$: 11 \$: 31 \$: 31 \$: 2.5 \$: 1.3 \$: 1.75 \$: 1.75 \$: 1.75 \$: 1.75 \$: 2.55	35,00 06,00 10,00 54,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 35,00 37,00 16,00 90,00 72,00 11,00 90,00 73,00 11,00 90,00 73,00 11,00 90,00 73,00 11,00 90		***********	18,720.00		*************	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _ " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail End Anchorage Guardrail Impact Attenuator		SY Tons SF EA SF EA EA LF F SY SY SY EF LF EA LF EA LF EA EA	\$ 110 \$ 1,75 \$ 1	35,00 06,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 37,00 16,00 16,00 16,00 17,00 17,00 18,00 11		*************	18,720.00 2,780.00		**************	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 5" Sidewalk 5" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		SY TONS SF EA A F EA EA LF SY SY A EF EA LF EA LF EA LF EA LF EA LF EA LF	\$: 10 10 10 10 10 10 10 10	35,00 06,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 35,00 36,00 37,00 16,00 30,00 30,00 37,00 38		*************	18,720.00 2,780.00		**************	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) _ " thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 5" Sidewalk 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Bearn) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		SY TONS SF EA SF EA EA LF F SY YY SY A F F EA A F F EA A LF F EA A LF EA A F LF EA A LF LF EA A LF LF LF	\$ 11 5 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	35,00 06,00 10,00 54,00 16,00 28,00 41,00 29,00 35,00 35,00 58,00 72,00 37,00 11,00 90,00 37,00 37,00 37,00 38,00 37,00 37,00 38,00 37,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 38,00 37,00 37,00 37,00 38,00 38,00 38,00 37,00 37,00 38,00 37,00 37,00 37,00	34 345 NC N 36 NC N 38 345 NC N N N N N N N N N N N N N N N N N N	**************	18,720.00		***************	-
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		SY TONS SF EA A F EA EA LF SY SY A EF EA LF EA LF EA LF EA LF EA LF EA LF	\$ 11 5 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	35,00 06,00 10,00 64,00 16,00 28,00 41,00 29,00 35,00 35,00 35,00 35,00 36,00 37,00 16,00 30,00 30,00 37,00 38		*************	18,720.00 2,780.00		**************	18,720.i

	PROJECT INFORMATION	
Claremont Business Park 2 Fil. No. 2	06-07-023	VR233
Project Name	Date	PCD File No.

Description	Quantity	Quantity Units				Total	(With Pr % Complete	-Plat Construction) Remaining	
	The Self- Na			=	\$			\$	
[insert items not listed but part of construction plans]				=	\$	×		\$	
TORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$			\$	
18" Reinforced Concrete Pipe		LF	\$ 76.00	=	\$	*	-	\$	
24" Reinforced Concrete Pipe		LF	\$ 91.00	=	\$			\$	
30" Reinforced Concrete Pipe		LF	\$ 114.00	=	\$	9		\$	
36" Reinforced Concrete Pipe		LF	\$ 140.00	=	\$	3	1	\$	
42" Reinforced Concrete Pipe		LF	\$ 187.00	=	\$			\$	
48" Reinforced Concrete Pipe		LF	\$ 228.00	=	\$	*		\$	
54" Reinforced Concrete Pipe		LF	\$ 297.00	=	\$	12		\$	
60" Reinforced Concrete Pipe		LF	\$ 348.00	=	\$	€		\$	
66" Reinforced Concrete Pipe		LF	\$ 402.00	=	\$		-	\$	
72" Reinforced Concrete Pipe		LF	\$ 460.00	=	\$			\$	
18" Corrugated Steel Pipe		LF	\$ 98.00	=	\$	*	1 1 1 1	\$	
24" Corrugated Steel Pipe		LF	\$ 112.00	=	\$	× 1	ALC MUNICIPALITY	\$	
30" Corrugated Steel Pipe		LF	\$ 143.00	=	\$	-		\$	
36" Corrugated Steel Pipe		LF	\$ 171.00	=	\$	8		\$	
42" Corrugated Steel Pipe		LF	\$ 197.00	=	\$	*		\$	
48" Corrugated Steel Pipe		LF	\$ 207.00	=	\$	*		\$	
54" Corrugated Steel Pipe		LF	\$ 304.00	=	\$	2	1 8	s	
60" Corrugated Steel Pipe		LF	\$ 328.00	=	\$	2		s	
66" Corrugated Steel Pipe		LF	\$ 397.00	=	\$			\$	
72" Corrugated Steel Pipe		LF	\$ 467.00	we we	±.			\$	
78" Corrugated Steel Pipe		LF	\$ 537.00	=	\$			Š .	
84" Corrugated Steel Pipe		LF	\$ 642.00	=	\$	-		S	
Flared End Section (FES) RCP Size =								0.00	
(unit cost = 6x pipe unit cost)		EA		=	\$	*		\$	
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)				=	\$			\$	
		EA							
End Treatment- Headwall		EA		=	\$	7		\$	
End Treatment- Wingwall		EA		=	\$			\$	
End Treatment - Cutoff Wall		EA	27	=	\$	*		\$.	
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 6,703.00	=	\$	•		\$	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 8,715.00	=	\$			\$	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 10,092.00	=	\$	*		\$.	
Curb Inlet (Type R) L =10', Depth < 5'		EA	5 9,224.00	=	\$	- ti		\$	
Curb Inlet (Type R) L =10', 5'≤ Depth < 10'		EA	\$ 9,507.00	=	\$	*	Jul 11	\$	
Curb Inlet (Type R) L =10', 10' ≤ Depth < 16'		EA	\$ 11,901.00	=	\$			\$	
Curb Inlet (Type R) L =15', Depth < 5'		EΑ	\$ 11,995.00	=	\$			\$.	
Curb Inlet (Type R) L =15', 5'≤ Depth < 10'		EA	\$ 12,858.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =15', 10'≤ Depth < 15'		EA	5 14,061.00	=	\$	*		\$	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 12,783.00	-	\$			\$.	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 14,109.00	=	\$	*		\$	
Grated Inlet (Type C), Depth < 5'		EΑ	\$ 5,611.00	=	\$	¥3		\$	
Grated Inlet (Type D), Depth < 5'		ĒΑ	\$ 6,931.00	=	\$	¥7		5	
Storm Sewer Manhole, Box Base		EA	\$ 14,061.00	=	\$	*		\$	
Storm Sewer Manhole, Slab Base		ĒΑ	\$ 7,734.00	=	\$	*		\$.	
Geotextile (Erosion Control)		SY	\$ 8.00	=	\$	±0		\$ -	
Rip Rap, d50 size from 6" to 24"		Tons	\$ 97-00	=	\$	+0		\$	
Rip Rap, Grouted		Tons	\$ 115.00	=	\$	27		\$ -	
Oralnage Channel Construction, Size (W x H)		LF	\$ •	=	\$	§		\$.	
Orainage Channel Lining, Concrete		CY	\$ 689.00	=	\$	82		5 -	
Drainage Channel Lining, Rip Rap		CY	\$ 135.00	=	\$	**		\$	
Drainage Channel Lining, Grass		AC	\$ 1,776.00	=	\$	*		š .	
Drainage Channel Lining, Other Stabilization				=	\$			\$.	
				=	\$	12		\$.	
[insert items not listed but part of construction plans]				<u></u>	\$			\$ -	
Subject to defect warranty financial assurance. A minimum of 20% shall									
retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED)		Section	n 2 Subtotal	=	\$	21,500.00		\$ 21,500.0	

	PROJECT INFORMATION			
Claremont Business Park 2 Fil. No. 2	06-07-023	PCD File No.		
Project Name	Date			

					Unit				(with Pre-F	Plat Construction)
Description		Quantity	Units		Cost			Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPM	ENT IMPROVEN	MENTS (Pri	vate or	Dist	rict and N	IOT Mai	ntaine	d by EPC)**		
ROADWAY IMPROVEMENTS										
Aggregate Base Course (135 lbs/cf)	w/offsite pkg	558	CY	5	56.00	=	\$	31,248.00		31,24
Asphalt Pavement (4" thick)	w/offsite pkg	2,516	SY	\$	21.00	=	\$	52,836.00		52,83
Guide/Street Name Sign		2	EA	\$	250.00	=	\$	500.00	4	
Curb and Gutter, Type B (Median)		1.087	LF	\$	32.00	=	\$	34,784.00		34,78
Curb and Gutter, Type A (6" Vertical)		74	LF	\$	32.00	=	\$	2,368.00		2,36
Cross Pan local (8' thick, 6' wide to include r	return)	50	LF.	\$	73.00		\$	3,650.00		3,65
5" Sidewalk		333	SY	\$	72.00		\$	23,976.00		23,97
Pedestrian Ramp		2	EA	5	1,390.00		\$	2,780.00		2,78
r edestrian Namp				,	· ·	-	\$	383	\$	
STORM DRAIN IMPROVEMENTS	(Exception: Pe	rmanent Pond	/BMP sha	II be it	emized unde	er Section	1)			
18" PP	(2.13-)	339	LF	\$	48.00	=	\$	16,272.00	\$	16,27
18" RCP		42	LF	\$	60.00	=	\$	2,520.00	s	
18" RCP FES		2	EA	5	650.00	=	\$	1,300.00	s	
24" PP		415	LF	\$	75,00		\$	31,125.00	s	
= 1 11		8	CY.	\$	75.00		\$	600.00	5	
Type L Rip Rap ADS Inline Drain and Dome Grate Inlet		1	EA	\$	3,500.00		\$	3,500.00	Š	
		2	EA	\$	6,500.00	==	\$	13,000.00	s	
CDOT Type R 5' Sump Inlet		7	EA	\$	5,000.00		\$	35,000.00	s	
Type II Manhole		,	C/1	4	3,000.00		7	33,000,00		52,75
						-	Ś	.20	\$	
WATER GVOTEN IMPROVEMENTS						1071	30		1	
VATER SYSTEM IMPROVEMENTS		439	LF	\$	78.00	=	\$	34,242.00	\$	34,24
Water Main Pipe (PVC), Size 8"		735	LF	Ś	91.00	===	\$	3 1/2 12100	\$	
Water Main Pipe (Ductile Iron), Size 8"		5	EA	\$	2,247.00	=	\$	11,235.00	\$	
Gate Valves, 8"		i	EA	Ś	7.978.00	=	\$	7,978.00	\$	•
Fire Hydrant Assembly, w/ all valves	-10	7	EA	Ś	1,601.00	-	\$	11,207.00	\$	
Water Service Line Installation, inc. tap and v	aives	1060	EA	٠	1,001.00	-	\$	11,207.00	\$	22,20
Fire Cistern Installation, complete						-	\$	740	\$	
linsert items not listed but part of construction	nlanel					=	\$	-	\$	
	i pianaj						7		*	
SANITARY SEWER IMPROVEMENTS		478	LF	5	78.00		\$	37,284.00	\$	37,28
Sewer Main Pipe (PVC), Size 8"		4	EA	Š	5,305.00	=	\$	21,220.00	\$,
Sanitary Sewer Manhole, Depth < 15 feet		4	EA	Š	1,696.00	=	\$	6,784.00	\$	6,78
Sanitary Service Line Installation, complete		7	EA	*	1,030:00	=	\$	0,701.00	\$	5,. 5
Sanitary Sewer Lift Station, complete						=	\$	<u> </u>	\$	
finned stome not listed but and of construction	nlanel					-	\$	2	\$	
finsert items not listed but part of construction		bdivision spec	fic conditi	on of	annroval or		4		*	
ANDSCAPING IMPROVEMENTS	(FOI SU	1	LS		10'000'00	=	\$	10,000.00	s	10,00
Landscape Rock (Meadowbrook)		1	LS L\$		13,000.00	_	\$	13,000.00	\$	13,00
Landscaping (Meadowsbrook)			EA	Þ	10,000,00	_	\$	13,000.00	5	13,00
			EA			=	\$	12	\$	
			EA			=	\$		s	
t. Cooling 2 is not subject to defeat uncombing succession	•			on 2	Subtotal	=	>	400 400 00	3	408,409
 Section 3 is not subject to defect warranty requirements 	4		Secti	UII 3	Subtotal		- 5	408,409.00		700,409

PROJECT INFORMATION							
Claremont Business Park 2 Fil. No. 2	06-07-023	VR233					
Project Name	Date	PCD File No.					

			1	Unit				(with Pre-Pla	t Construction)
Description	Quantity	Units		Cost		1	Total	% Complete	Remaining
AS-BUILT PLANS (Public Improvements inc.)	Permanent WQCV BMPs)	LS	\$	1 500 00	3	\$	1,500.00	\$	1,500.00
POND/BMP CERTIFICATION (Inc. elevations a	nd volume calculations)	LS	\$	1,500 00	87	\$	1,500.00	\$	1,500.00

Total Construction Financial Assurance \$

530,211.60

(Sum of all section subtotals plus as-builts and pond/BMP certification)

Total Remaining Construction Financial Assurance (with Pre-Plat Construction) \$ 530,211.60

(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

Total Defect Warranty Financial Assurance \$ 13,200.00

(20% of all items identified as (*). To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.



Engineer (P.E. Seal Required)

Marie

10.6.2023

06-07-23

Approved by Owner / Applicant

Approved

Approved by El

By: Gilbert LaForce, P.E.

Engineering Manager
Date: 11/13/2023 3:40:55 PM
El Paso County Department of Public Works

Date