2024 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 10/2023

(
PROJECT INFORMATION							
Meadow Ranch II & III	4/19/2024						
Project Name	Date	PCD File No.					

Na andrekia u	0			nit			T-4-1	(with Pre	e-Plat C	•
Description	Quantity	Units		ost			Total	% Complete		Remaining
ECTION 1 - GRADING AND EROSION CONTRO	JL (Construction	n and Perm	anent B	MPs)						
Earthwork		0\/		0.00					_	
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min	9700.	CY	\$	5.00	=	\$	48,500.00		\$	48,500.0
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
Permanent Erosion Control Blanket		SY	\$	9.00	=	\$	-		\$	-
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	28.	AC	\$ 2,0	018.00	=	\$	56,504.00		\$	56,504.00
Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	-
Concrete Washout Basin		EA	\$ 1,1	172.00	=	\$	-		\$	-
Inlet Protection	8.	EA	\$ 2	217.00	=	\$	1,736.00		\$	1,736.0
Rock Check Dam		EA	\$ 6	651.00	=	\$	-		\$	-
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Sediment Basin		EA		294.00	=	\$	-		\$	-
Sediment Trap		EA		538.00	=	¢	_		¢	
Silt Fence		LF	\$	3.00		¢	_		¢	_
Slope Drain		LF		43.00		φ Φ	<u>-</u>		¢ ¢	
Straw Bale		EA				ф ф	-		φ φ	-
	720			33.00	=	*	- - -		Ф	
Straw Wattle/Rock Sock	730.	LF	\$	8.00	=	\$	5,840.00		\$	5,840.0
Surface Roughening		AC		269.00		\$	-		\$	-
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-
Temporary Seeding and Mulching		AC		793.00	=	\$	-		\$	-
Vehicle Tracking Control	3.	EA	\$ 3,0	085.00	=	\$	9,255.00		\$	9,255.0
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
MAI	NTENANCE (35%	of Constr	uction B	MPs)	=	\$	5,890.85		\$	5,890.8
- Subject to defect warranty financial assurance. A minimum of 20% shall e retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED)		Sectio	n 1 Sul	btotal	=	\$	127,725.85		\$	127,725.85
SECTION 2 - PUBLIC IMPROVEMENTS *										
TOTAL TOPETO THE WOATHINGS										
ROADWAY IMPROVEMENTS										
		LS			=	\$	<u>-</u>		\$	-
ROADWAY IMPROVEMENTS Construction Traffic Control		LS Tons	\$	37.00	=	\$	<u>-</u>		\$	<u>-</u>
Construction Traffic Control Aggregate Base Course (135 lbs/cf)			-	37.00 66.00		\$ \$ \$	- - -		\$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		Tons CY	\$	66.00		\$ \$ \$	- - -		\$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		Tons CY SY	\$	66.00 18.00		\$ \$ \$ \$	- - - -		\$ \$ \$	- - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		Tons CY SY SY	\$ \$ \$	66.00 18.00 25.00		\$ \$ \$ \$	- - - -		\$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		Tons CY SY SY SY	\$ \$ \$ \$	66.00 18.00 25.00 38.00	=	\$ \$ \$ \$ \$	- - - -		\$ \$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		Tons CY SY SY SY Tons	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00	= = =	\$ \$ \$ \$ \$ \$	- - - -		\$ \$ \$ \$ \$	- - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign		Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	= = =	\$ \$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$ \$	- - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Cuide/Street Name Sign		Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = =	\$ \$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = =	\$ \$ \$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		Tons CY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00	= = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		Tons CY SY SY SY Tons SF EA EA SF SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		Tons CY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00	= = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		Tons CY SY SY SY Tons SF EA EA SF SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00	= = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00	= = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp)		Tons CY SY SY Tons SF EA EA SF SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		Tons CY SY SY SY Tons SF EA EA LF LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00	= = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		Tons CY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00 94.00	= = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		Tons CY SY SY SY Tons SF EA EA LF LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00 94.00 125.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY SY SY EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (6" thick) Asphalt Pavement Marking Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk B" Sidewalk B" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Asphalt		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Asphalt Pavem		Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Asphalt Pavem		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00 94.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail End Anchorage		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00 65.00 94.00 731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00 94.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00 65.00 94.00 731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00 65.00 94.00 731.00 902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail End Anchorage		Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 496.00 79.00 119.00 926.00 65.00 94.00 731.00 902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-

PROJECT INFORMATION							
Meadow Ranch II & III	4/19/2024						
Project Name	Date	PCD File No.					

			Unit			,	-Plat Construction)
Description	Quantity	Units	Cost		Total	% Complete	Remaining
Financial items and links of house of a second modification of a second				=	\$ -		\$ -
[insert items not listed but part of construction plans]				=	-		-
TORM DRAIN IMPROVEMENTS					1.		
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	-		\$ -
18" Reinforced Concrete Pipe		LF	\$ 82.00	=	-		\$ -
24" Reinforced Concrete Pipe		LF	\$ 98.00	=	\$ -		-
30" Reinforced Concrete Pipe		LF	\$ 123.00	=	\$ -		-
36" Reinforced Concrete Pipe		LF	\$ 151.00	=	\$ -		-
42" Reinforced Concrete Pipe		LF	\$ 201.00	=	\$ -		\$ -
48" Reinforced Concrete Pipe		LF	\$ 245.00	=	\$ -		\$ -
54" Reinforced Concrete Pipe		LF	\$ 320.00	=	\$ -		\$ -
60" Reinforced Concrete Pipe		LF	\$ 374.00	=	\$ -		\$ -
66" Reinforced Concrete Pipe		LF	\$ 433.00	=	\$ -		\$ -
72" Reinforced Concrete Pipe		LF	\$ 495.00	=	\$ -		\$ -
18" Corrugated Steel Pipe		LF	\$ 105.00	=	\$ -		\$ -
24" Corrugated Steel Pipe		LF	\$ 121.00	=	\$ -		\$ -
30" Corrugated Steel Pipe		LF	\$ 154.00	=	\$ -		\$ -
36" Corrugated Steel Pipe		LF	\$ 184.00	=	\$ -		\$ -
42" Corrugated Steel Pipe		LF	\$ 212.00	=	\$ -		\$ -
48" Corrugated Steel Pipe		LF	\$ 223.00	=	\$ -		\$ -
54" Corrugated Steel Pipe		LF	\$ 327.00	=	\$ -		\$ -
60" Corrugated Steel Pipe		LF	\$ 353.00	=	¢ -		φ <u></u>
66" Corrugated Steel Pipe		LF	\$ 427.00	=	\$ -		φ <u>-</u>
72" Corrugated Steel Pipe		LF	\$ 502.00		- + +		-
·		LF		=	-		→
78" Corrugated Steel Pipe			•	=	-		→
84" Corrugated Steel Pipe Flared End Section (FES) RCP Size =		LF	\$ 691.00	=	-		-
(unit cost = 6x pipe unit cost) Flared End Section (FES) CSP Size =		EA		=	\$ -		\$ - -
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -
End Treatment- Headwall		EA		=	\$ -		\$ -
End Treatment- Wingwall		EA		=	\$ -		\$ -
End Treatment - Cutoff Wall		EA		=	\$ -		\$ -
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 7,212.00	=	\$ -		\$ -
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 9,377.00	=	\$ -		\$ -
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 10,859.00	=	\$ -		\$ -
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 9,925.00	=	\$ -		\$ -
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 10,230.00	=	\$ -		\$ -
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 12,805.00	=	\$ -		\$ -
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 12,907.00	=	\$ -		¢ -
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 13,835.00	=	¢ -		φ <u> </u>
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 15,033.00	=	ф _		<u> </u>
Curb Inlet (Type R) L = 13, 10 \(\) Depth < 5'		EA	\$ 13,755.00	=	φ <u>-</u>		± = = = = = = = = = = = = = = = = = = =
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 15,733.00	=	φ <u>-</u>		- -
		EA			ф <u>-</u>		_ _
Grated Inlet (Type C), Depth < 5'			\$ 6,037.00	=			-
Grated Inlet (Type D), Depth < 5'		EA	\$ 7,458.00	=	ф -		¬
Storm Sewer Manhole, Box Base		EA	\$ 15,130.00	=			*
Storm Sewer Manhole, Slab Base		EA	\$ 8,322.00	=	-		-
Geotextile (Erosion Control)		SY	\$ 9.00	=	5		-
Rip Rap, d50 size from 6" to 24"		Tons	\$ 104.00	=	\$ -		\$ -
Rip Rap, Grouted		Tons	\$ 124.00	=	-		
Drainage Channel Construction, Size (W x H)		LF	1	=	-		\$ -
Drainage Channel Lining, Concrete		CY	\$ 741.00	=	-		\$ -
Drainage Channel Lining, Rip Rap		CY	\$ 145.00	=	-		-
Drainage Channel Lining, Grass		AC	\$ 1,911.00	=	\$ -		\$ -
Drainage Channel Lining, Other Stabilization				=	\$ -		\$ -
				=	-		\$ -
[insert items not listed but part of construction plans]				=	-		\$ -
Subject to defect warranty financial assurance. A minimum of 20% shal	I						

PROJECT INFORMATION						
Meadow Ranch II & III	4/19/2024					
Project Name	Date	PCD File No.				

				Unit			(with Pre	e-Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO	VEMENTS (Pri	<mark>ivate or D</mark> i	stri	ct and N	IOT Maint	ained by EPC)**		
ROADWAY IMPROVEMENTS						•		
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
STORM DRAIN IMPROVEMENTS (Exception	on: Permanent Pon	id/BMP shall b	e ite	emized und	er Section 1)			
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
WATER SYSTEM IMPROVEMENTS								
Water Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$ -		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$ -		\$ -
Gate Valves, 8"		EA	\$	2,418.00	=	\$ -		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	8,584.00	=	\$ -		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,723.00	=	\$ -		\$ -
Fire Cistern Installation, complete		EA			=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans]					=	\$ -		\$ -
SANITARY SEWER IMPROVEMENTS								
Sewer Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$ -		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,708.00	=	\$ -		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,825.00	=	\$ -		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans]					=	-		\$ -
LANDSCAPING IMPROVEMENTS (For subdivision spe		of a	approval, or	PUD)			
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
** - Section 3 is not subject to defect warranty requirements		Section	<u>13 ։</u>	Subtotal	=	\$ -		\$ -

PROJECT INFORMATION						
Meadow Ranch II & III	4/19/2024					
Project Name	Date	PCD File No.				

			Unit				(with Pre-	Plat C	onstruction)
Description	Quantity	Units	Cost		Total		% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc.	Permanent WOCV RMPs)			=	\$			Φ.	_
POND/BMP CERTIFICATION (inc. elevations	•	LS		=	\$	-	_	\$	-
				Total	Construction	Financia	I Assurance	\$	127,725.85
			(Sum of all se	ection subtot	als plus as-builts a	nd pond/BN	MP certification)	•	•
	Total Remai	ning Constr	uction Fina	ncial Assu	urance (with Pr	e-Plat C	onstruction)	\$	127,725.85
	(Sum of a	ll section totals	less credit for i	tems compl	ete plus as-builts a	nd pond/BN	MP certification)	-	•
				Total De	efect Warranty	Financia	l Assurance	\$	21,000.80
	(20% of all item	s identified as (*) To be co	llateralized at time	of prelimina	= arv accentance)		•

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as shown	on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
предоставления предос	
Approved by El Paso County Engineer / ECM Administrator	Date