

McLean Minor Subdivision

WATER RESOURCES REPORT

**For
McLean
Minor Subdivision**

June 17, 2024

Prepared By:



13511 Northgate Estates Dr., Ste. 250, Colorado Springs, Colorado 80921

Executive Summary:

Water Resources Report – McLean Minor Subdivision

W. James Tilton and Chris D. Cummins of Monson, Cummins, Shohet & Farr, LLC, on behalf of the Applicant, Susan McLean, (“Owner”), provide the following Water Resources/Wastewater Disposal Report in support of the McLean Minor Subdivision. The attorneys at Monson, Cummins, Shohet & Farr, LLC (“MCSF”) have extensive experience in water related matters, with Mr. Cummins having practiced water law almost exclusively for nearly 21 years. MCSF has substantial experience with Denver Basin groundwater resources, augmentation plans, designated basin replacement plans, subdivision proceedings, and rural water usage. Given his experience Mr. Cummins should be considered a “qualified professional” as concerns water resources, as discussed at Section 8.4.7(B)(1)(c) of the El Paso County Land Development Code. This Report, overseen by Mr. Cummins and prepared in conjunction with other professionals, is intended to demonstrate to the El Paso County Planning Commission and the BoCC, the sufficiency in terms of quantity and dependability, of the water rights and resources to be utilized in the proposed McLean Minor Subdivision (the “Subdivision”), in El Paso County, Colorado.

The Property consists of approximately 38.68 acres located at the current street addresses of 2415 Hodgen Road, Colorado Springs, CO 80921, in the N½ NE¼ of Section 28, Township 11 South, Range 66 West of the 6th P.M; El Paso County Parcel No. 6128100014. Each of the two (2) lots in the Subdivision is to be provided water and sewer/septic services through an on-site individual well and Individual Septic Disposal Systems (“ISDS”). The proposed minor subdivision has one existing residence on Lot 1 containing approximately 20.25 acres, and Lot 2 will utilize a well that is to be created on the remainder of the land which is currently unimproved, and will be approximately 18.41 acres in size.

It is expected that the existing well will remain exempt and continue to pump the permitted one (1) annual acre-foot of water. Lot 2 in the Minor Subdivision will require an average of 0.75 annual acre-feet of water supply, for a total of 1.75 annual acre-feet being withdrawn from the not-nontributary Dawson aquifer annually, to be provided through two individual wells to the not-nontributary Dawson aquifer, consistent with the June 14, 2024 decree issued in Water Court, Division 2, Case No. 23CW3041. Additional groundwater has been adjudicated and may be utilized by wells on up to two additional lots pursuant to the decree, following subsequent lot subdivision. Such water supply demand is similar to other rural residential homes’ historical demand. The Decree in Case No. 23CW3041 provides for a 300-year water supply for each lot within the Subdivision, with each lot utilizing an ISDS of a non-evaporative nature.

The water resources to be utilized on the residential lots in the Subdivision are typical of rural residential development in this area of El Paso County, Colorado. The decree issued by Water Court, Water Division 2 in Case No. 23CW3041 demonstrates a sufficient quantity and reliability of water to support compliance with El Paso County’s

300-year water supply rules for subdivisions of this nature.

I. INTRODUCTION

The purpose of this report is to provide an overview of the water resources and associated wastewater requirements necessary for approval of the McLean Minor Subdivision, as proposed.

1.1 New Development Description: The Subdivision consists of 38.68 acres located at the current addresses of 2415 Hodgen Road, Colorado Springs, CO 80921. The Property will be subdivided into two lots. **Exhibit A**, attached hereto, is the plan for the Subdivision as proposed, prepared by APEX Land Surveying and Mapping, LLC. This analysis accounts for water reserved for an existing, exempt well, and the 300-year supply necessary for an augmented well.

II. PROJECTION OF WATER NEEDS

2.1 Analysis of Water Demands: It is expected that the two residential lots in the Subdivision will utilize two individual wells (one well per lot) drilled to the Dawson aquifer for domestic-type uses, including in-house, landscape/irrigation of lawn, garden and greenhouse, watering of domestic animals and stock, and fire protection, as well as storage and augmentation for such uses. An existing well with Permit No. 223432 will provide water supply to one of the lots. This is an exempt well pursuant to C.R.S. § 37-92-602(3)(b)(IV) and will remain exempt. Based on engineering prepared in Applicant's acquisition of the water rights herein described, it is anticipated that the residence on Lot 2 will utilize a minimum of 0.26 acre-feet and up to 0.76 acre-feet annually for in-house residential purposes, irrigation of lawn and garden, and watering of livestock consistent with the decree in Case No. 23CW3041 and the El Paso County Land Development Code Section 8.4.7. The existing well, permitted under Permit No. 223432, is constructed to and will produce from the not-nontributary Dawson aquifer at a flow rate of 10 to 15 gallons per minute, based upon past production.

There are no other wells currently constructed on the property. Based on past experience with the numerous Dawson aquifer wells serving rural residential properties throughout El Paso County, this rate of production should be more than sufficient to meet demand for in-house use.

III. PROPOSED WATER RIGHTS AND FACILITIES

3.1 Water Rights: An Augmentation Plan utilizing the underlying Dawson aquifer was approved by Water Court, Water Division 2 on June 14, 2024. A copy of the recorded decree is attached hereto as **Exhibit B**, which includes the following specific quantities of water supplies that will meet both legal and physical needs on a 300-year basis:

AQUIFER	Saturated Thickness (ft)	Total Water Adjudicated (Acre Feet)	Annual Average Withdrawal – 100 Years (Acre Feet)	Annual Average Withdrawal – 300 Years (Acre Feet)	
---------	--------------------------	-------------------------------------	---	---	--

Dawson (NNT)	385	2,680	26.8	8.93	
Denver (NNT – 4%)	550	3,620	36.2	12.06	
Arapahoe (NNT– 4%)	235	1,550	15.5	5.16	
Laramie Fox Hills (NT)	190	1,100	11.0	3.66	

All depletions are augmented in time, place and amount through septic return flows during pumping and through dedication of nontributary groundwater in the Laramie-fox Hills aquifer for depletions occurring after pumping ceases. These projected amounts do not include the Dawson aquifer groundwater reserved for Owner’s existing exempt well.

3.2 Source of Supply: Rural residential water supply demand will be met using an existing not-nontributary Dawson aquifer formation well, and one additional not-nontributary well to be constructed to the Dawson aquifer, in accordance with the plan for augmentation decreed in Case No. 23CW3041. Consistent with El Paso County Land Development Code Section 8.4.7(B)(3)(c)(v), a minor subdivision utilizing individual wells need not make a further showing as to source of supply.

3.3 Pumping Rates for Service: The Dawson aquifer in the location of the Subdivision is generally known to produce approximately 10-15 gallons per minute, more than sufficient for single family residential and accessory uses.

IV. WASTEWATER AND WASTEWATER TREATMENT – While soils, geology and geotechnical analysis will be provided by other of Owners’ consultants, the Owners provide a summary of ISDS to be utilized herein, as relates to water usage and resulting return flows which support the approved Augmentation Plan.

4.1 Septic/Wastewater Loads: Septic projections are based on similar Denver Basin residential uses on rural residential lots. Average daily wastewater loads are expected to be approximately 160 gallons per day per single-family residence assuming residential in-house use at the conservative 0.20 acre-feet per year rate for augmentation supplies described in the approved Augmentation Plan. Maximum daily wastewater loads are expected to be roughly 210 gallons per day per single-family residence based on the El Paso County Land Development Code residential demand standard of 0.26 acre-feet per year.

4.2 On-Site Wastewater Treatment Systems: The two residential lots within the Subdivision will be served by individual on-site wastewater treatment systems. The on-site wastewater treatment systems have and will be installed according to El Paso County Guidelines and properly maintained to prevent contamination of surface and subsurface water resources.

Respectfully submitted this 17th day of June, 2024.

MONSON, CUMMINS, SHOHET & FARR, LLC

/s/ W. James Tilton

W. James Tilton

Chris D. Cummins


Exhibits:

A – Plat of the Property

B – Decree

LOT EXHIBIT Exhibit A

BEING A PART OF THE NORTHEAST QUARTER OF SECTION 28,
TOWNSHIP 11 SOUTH, RANGE 66 WEST OF THE 6TH PRINCIPAL MERIDIAN,
CITY OF COLORADO SPRINGS, COUNTY OF EL PASO, STATE OF COLORADO.



LEGAL DESCRIPTION

That portion of the Northeast quarter of Section 28, Township 11 South, Range 66 West of the 6th Principal Meridian, El Paso County, Colorado, described as follows: Beginning at the Northeast corner of said Section 28; thence Westerly on the Northernly line thereof 1909.71 feet to the Northeast corner of a tract of land described in Book 1121 at Page 163 in the records of El Paso County, Colorado; thence angle 90°23'57\"/>

PARCEL DETAILS

Address: 2415 Hodgen Road, Colorado Springs, Colorado, 80921-1601
El Paso County Schedule No.: 6128100014

AREAS OF CONCERN



(AOC#1): Portion of rock landscaping encroaches westerly onto subject parcel, as graphically depicted on this Improvement Survey Plat, causing an area of concern.
(AOC#2): Portion of westerly adjacent monuments falls westerly of subject parcel boundary, as graphically depicted on this Improvement Survey Plat, and falling short of projected graphically depicted location of said 30 foot right-of-way for access and utility purposes lying Easterly and Southerly and adjoining the Easterly and Southerly lines of said recorded tract, recorded in Book 1121 at Page 163, causing an area of concern.

SURVEYOR'S NOTES

- NOTICE: According to Colorado law you must commence any legal action based upon any defect in this survey within three years after you first discover such defect. In no event may any action based upon any defect in this survey be commenced more than ten years from the date of the certification shown hereon.
- Any person who knowingly removes, alters or defaces any public land survey monument or land boundary monument or accessory commits a class 2 misdemeanor pursuant to the Colorado Revised Statute 18-4-508.
- The lineal units used in this drawing are U.S. Survey Feet.
- The fieldwork for this survey was completed on January 2, 2024.
- The overall subject parcel contains a calculated area of 1,684,120 square feet (38.66 acres) of land, more or less.
- This survey does not constitute a title search by Apex Land Surveying and Mapping, LLC. To determine ownership or easements of record. For information regarding easements, rights-of-way and title of record, Apex Land Surveying and Mapping, LLC. relied upon Title Report No. 596-HS0825084-416, with an effective date of October 13, 2023 at 08:00 AM as provided by Commonwealth Land Title Insurance Company.
- Bearings are based on a portion of the East line of the Northeast quarter of Section 28, T11S, R66W of the 6th Principal Meridian, monumented on the South end with a found No. 4 rebar with a 1-1/4\"/>

LEGEND

- PLSS MONUMENT FOUND AS NOTED
- MONUMENT FOUND AS NOTED
- ▲ USGS BENCHMARK NO. J295 RESET:
- ▲ FOUND 1/2\"/>



DATE: February 7, 2024 REVISIONS			
No.	Remarks	Date	By

APEX Land Surveying and Mapping LLC.
5855 Lehman Drive, Suite 102
Colorado Springs, CO 80918
Phone: 719-318-0377
E-mail: info@apexsurveyor.com
Website: www.apexsurveyor.com

DISTRICT COURT, WATER DIVISION 2, STATE OF COLORADO	
Court Address: 501 North Elizabeth Street, Suite 116 Pueblo, CO 81003 Phone Number: (719) 404-8832	DATE FILED: June 14, 2024 12:56 PM CASE NUMBER: 2023CW3041 ▲ COURT USE ONLY ▲
CONCERNING THE APPLICATION FOR WATER RIGHTS OF: SUSAN C. MCLEAN IN THE ARKANSAS RIVER IN EL PASO COUNTY	Case No.: 23CW3041 (consolidated with Division 1 Case No. 23CW3110 pursuant to Order of Panel on Multi-District Litigation 24MDL3)
FINDINGS OF FACT, CONCLUSIONS OF LAW, RULING OF REFEREE AND DECREE: ADJUDICATING DENVER BASIN GROUNDWATER AND APPROVING PLAN FOR AUGMENTATION	

THIS MATTER comes before the Water Court on the Application filed by Susan C. McLean. Having reviewed said Application and other pleadings on file, and being fully advised on this matter, the Water Court makes the following findings and orders:

FINDINGS OF FACT

1. The applicant in this case is Susan C. McLean. Her address is 2415 Hodgen Road, Colorado Springs, CO 80921 ("Applicant"). The Applicant is the owner of the land totaling approximately 38.68 acres on which the structures sought to be adjudicated and augmented herein are located, and under which lies the Denver Basin groundwater described in this decree, and is the owner of the place of use where the water will be put to beneficial use, except for any potential off-property uses as described in Paragraph 20.

2. The Applicant filed this Application with the Water Courts for both Water Divisions 1 and 2 on September 21, 2023. An Order Granting No Publication in Water Division 2 was filed by Applicant on September 25, 2023. Applicant, following publication in Division 1, filed for publication in Water Division 2 on December 5, 2023. The Application was referred to the Water Referee in Division 2 on December 7, 2023.

3. The time for filing statements of opposition to the Application expired on the last day of January 2024.

4. A Motion for Consolidation of the Division 1 and Division 2 cases into Water Division 2 was filed with the Colorado Supreme Court on February 13, 2024. The Panel on Consolidated Multidistrict Litigation certified the Motion for Consolidation to the Chief

Ruling of Referee and Decree
 Susan C. McLean
 Case No. 23CW3041

Justice on February 13, 2024. Chief Justice, Brian D. Boatright, granted the Motion for Consolidation by Order dated March 18, 2024.

5. As stated in the Application there are no lienholders on the property, rendering the notice requirements of C.R.S. § 37-92-302(2)(b) and § 37-90-137(4)(b.5)(l) inapplicable.

6. On December 7, 2023, the Division 2 Water Court, on Motion from Applicant, ordered that newspaper publication occur in Division 2. The Division 2 Water Court ordered that publication occur in *The Gazette* in El Paso County, and the *Douglas County News Press* in Douglas County.

7. The Clerk of this Court has caused publication of the Application filed in this matter as provided by statute and the publication costs have been paid. On December 21, 2023, proof of publication in *The Gazette* and the *Douglas County News Press* were filed with the Division 2 Water Court. All notices of the Application have been given in the manner required by law.

8. Pursuant to C.R.S. § 37-92-302(2), the Office of the State Engineer has filed Determination of Facts for each Denver Basin aquifer with this Court on February 9, 2024, which have been considered by the Court in the entry of this decree.

9. Pursuant to C.R.S. § 37-92-302(4), the office of the Division Engineer for Water Division No. 2 filed its Consultation Report dated April 23, 2024, and a response to the Consultation Report was not required by the Water Court. The Consultation Report has been considered by the Water Court in the entry of this decree.

10. The Water Court has jurisdiction over the subject matter of these proceedings and over all who have standing to appear as parties whether they have appeared or not. The land and water rights involved in this case are not within a designated groundwater basin.

GROUNDWATER RIGHTS

11. The Application requested quantification and adjudication of a vested underground water right from the Dawson aquifer underlying the Applicant's property described in Paragraph 13, below, and use of McLean Wells Nos. 2 through 4, which are three (3) proposed wells that may be constructed to the Dawson aquifer, and any additional or replacement wells associated therewith, for withdrawal of Applicant's full entitlement of supply from the Dawson aquifer under the plan for augmentation decreed herein. Applicant also requested quantification and adjudication of vested underground water rights and uses from the Denver, Arapahoe, and Laramie-Fox Hills aquifers

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

underlying the Applicant's property. The following findings are made with respect to such underground water rights and use of wells on the Applicant's property:

12. The land overlying the groundwater subject to the adjudication in this case is owned by the Applicant and consists of approximately 38.68 acres located in the N½ NE¼ of Section 28, Township 11 South, Range 66 West of the 6th P.M., El Paso County, Colorado, more specifically described as 2415 Hodgen Road, Colorado Springs, CO 80921, as shown on **Exhibit A** ("Applicant's Property"). Applicant intends to subdivide the property into up to four (4) lots. All groundwater adjudicated herein shall be withdrawn from the overlying land unless there is a further order of this Court allowing otherwise following the filing of a new water court application.

13. McLean Well No. 1: McLean Well No. 1, shown on **Exhibit A**, is located on the Applicant's Property and is permitted and constructed into the Dawson aquifer as an exempt domestic well pursuant to C.R.S. § 37-92-602(3)(b) under Well Permit No. 223432. This well will continue to be used as an exempt domestic well on one of the subdivided lots on Applicant's Property pursuant to its issued well permit pursuant to C.R.S. § 37-92-602(3)(b)(IV), and this structure and well pumping is not, and need not be, included in the plan for augmentation decreed herein. As described in Paragraph 15, below, Applicant is reserving 300 acre-feet of the Dawson aquifer groundwater underlying Applicant's Property that is adjudicated herein for use by McLean Well No. 1. Pumping and use of the Applicant's Dawson aquifer entitlement shall be made in accordance with the amounts and uses described in Permit No. 223432, or any replacement exempt well permit, and shall be limited to no more than the total amount adjudicated to Applicant from the Dawson aquifer as described herein.

14. McLean Wells No. 2 through 4: Applicant is awarded the vested right to use the McLean Wells Nos. 2 through 4, along with any necessary additional or replacement wells associated with such structures, for the extraction and use of groundwater from the not-nontributary Dawson aquifer pursuant to the plan for augmentation decreed herein. Upon entry of this decree and submittal by the Applicant of a complete well permit application and filing fee, the State Engineer shall issue well permits for McLean Wells Nos. 2 through 4, pursuant to C.R.S. § 37-90-137(4), consistent with and referencing the plan for augmentation decreed herein.

15. Of the statutorily described Denver Basin aquifers, the Dawson, Denver, Arapahoe, and Laramie-Fox Hills aquifers all exist beneath the Applicant's Property. The Dawson, Denver, and Arapahoe aquifers underlying the Applicant's Property contain not-nontributary water, while the water of the Laramie-Fox Hills aquifer underlying the Applicant's Property is nontributary. The quantity of water in the Denver Basin aquifers exclusive of artificial recharge underlying the Applicant's Property is as follows:

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

Aquifer	Net Sand (ft)	Annual Average Withdrawal 100 Years (Acre Feet)	Annual Average Withdrawal 300 Years (Acre Feet)	Total Withdrawal (Acre Feet)
Dawson (NNT)	385	29.8	9.93	2,980 ¹
Denver (NNT-4%)	550	36.2	12.06	3,620
Arapahoe (NNT-4%)	235	15.5	5.16	1,550
Laramie-Fox Hills (NT)	190	11.0	3.66	1,100

Except as specifically identified for McLean Well No. 1, the terms and conditions set forth in this decree governing the withdrawal and use of groundwater from the Denver Basin aquifers underlying the Applicant's Property are applicable only to permitted non-exempt wells constructed into the aquifers.

16. Pursuant to C.R.S. § 37-90-137(9)(c.5)(I), the augmentation requirements for wells in the Dawson aquifer require the replacement to the affected stream systems of actual stream depletions on an annual basis. The Applicant's Property is located more than 1 mile from any point of contact with a surface stream. Pursuant to C.R.S. § 37-90-137(9)(c.5)(I), depletions from wells on the property pumping from the Denver and Arapahoe aquifers would require replacement of 4% of the amount of water pumped on an annual basis, and such additional amounts as may be required pursuant to C.R.S. § 37-90-137(9)(c.5). Applicant shall not be entitled to construct a non-exempt well or use water from the not-nontributary Dawson, Denver or Arapahoe aquifers except pursuant to an approved augmentation plan in accordance with C.R.S. § 37-90-137(9)(c.5), including as decreed herein as concerns the Dawson aquifer. In addition, Applicant shall be required to comply with the requirements of Paragraph 39.A prior to constructing and using a non-exempt well completed into the Dawson aquifer.

17. Subject to the augmentation requirements described in Paragraphs 18 and 25 and the other requirements and limitations in this decree, Applicant shall be entitled to withdraw all legally available groundwater in the Denver Basin aquifers underlying Applicant's Property. Said amounts may be withdrawn over the 100-year life for the aquifers as set forth in C.R.S. § 37-90-137(4), or withdrawn over a longer period of time based upon local governmental regulations or Applicant's water needs, provided withdrawals during such longer period are in compliance with the total amounts available

¹ Applicant is reserving 300 acre-feet of groundwater from the Dawson aquifer decreed herein for use by McLean Well No. 1 pursuant to Well Permit No. 223432 or any replacement exempt well permit.

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

to Applicants as decreed herein and the augmentation requirements of this decree. This decree describes a pumping period of 300-years as to pumping from the Dawson aquifer, as required by El Paso County, Colorado Land Use Development Code § 8.4.7(C)(1). The average annual amounts of ground water available for withdrawal from the underlying Denver Basin aquifers, based upon the 100-year and 300-year aquifer life calculations, are determined and set forth above, based upon the February 9, 2024, Office of the State Engineer Determination of Facts described in Paragraph 8.

18. Applicant shall be entitled to withdraw an amount of groundwater in excess of the average annual amount decreed herein from the Denver Basin aquifers underlying Applicant's Property, so long as the sum of the total withdrawals from wells in each of the aquifers does not exceed the product of the number of years since the date of issuance of the original well permit or the date of entry of the decree herein, whichever comes first, and the average annual volume of water which Applicant is entitled to withdraw from each of the aquifers underlying Applicant's Property, subject to the requirement that such banking and excess withdrawals do not violate the terms and conditions of the plan for augmentation decreed herein and any other plan for augmentation decreed by the Court that authorizes withdrawal of the Denver Basin groundwater decreed herein.

19. Subject to the terms and conditions in the plan for augmentation decreed herein and final approval by the State Engineer's Office pursuant to the issuance of well permits in accordance with C.R.S. §§ 37-90-137(4) or 37-90-137(10), the Applicant shall have the right to use the ground water from the Dawson, Denver, Arapahoe, and Laramie Fox Hills aquifers for beneficial uses upon the Applicant's Property consisting of domestic, irrigation for lawn, garden, and greenhouse, domestic animal and livestock watering, fire protection, and also for storage and augmentation purposes associated with such uses. The amount of groundwater decreed for such uses upon the Applicant's Property is reasonable as such uses are to be made for the long-term use and enjoyment of the Applicant's Property and is to establish and provide for adequate water reserves. The nontributary groundwater may be used, reused, and successively used to extinction, both on and off the Applicant's Property subject, however, to the limitations imposed on the use of the Laramie-Fox Hills aquifer groundwater by this decree and the requirement under C.R.S. § 37-90-137(9)(b) that no more than 98% of the amount withdrawn annually shall be consumed. Applicant may use such water by immediate application or by storage and subsequent application to the beneficial uses and purposes stated herein. Provided however, as set forth above, Applicant shall only be entitled to construct a non-exempt well and use water from the not-nontributary Dawson, Denver, and Arapahoe aquifers pursuant to a decreed augmentation plan entered by the Court, including that plan for augmentation decreed herein for the Dawson aquifer.

20. Applicant has waived the 600-foot well spacing requirement for wells to be constructed upon the Applicant's Property. Pumping from McLean Well Nos. 2 through

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

4 and any additional or replacement wells for those wells, or wells constructed into the Denver, Arapahoe and Laramie-Fox Hills aquifers, will not exceed 100 g.p.m., though actual pumping rates for these wells will vary according to aquifer conditions and well production capabilities. The Applicant may withdraw groundwater from the McLean Well Nos. 2 through 4 and any additional or replacement wells for those wells, or from wells constructed into the Denver, Arapahoe and Laramie-Fox Hills aquifers, at rates of flow necessary to withdraw the entire amounts decreed herein. The actual depth of each well to be constructed within the respective aquifers will be determined by topography and actual aquifer conditions.

21. Withdrawals of groundwater available from the nontributary Laramie-Fox Hills aquifer beneath the Applicant's Property in the amounts determined in accordance with the provisions of this decree will not result in injury to any other vested water rights or to any other owners or users of water.

PLAN FOR AUGMENTATION

22. The structures to be augmented are the McLean Wells Nos. 2 through 4, to be constructed to the not-nontributary Dawson aquifer underlying the Applicant's Property, along with any additional or replacement wells associated therewith.

23. Pursuant to C.R.S. § 37-90-137(9)(c.5), the augmentation obligation for the McLean Wells Nos. 2 through 4 requires the replacement of actual stream depletions of the amount of water pumped on an annual basis. The water to be used for augmentation during pumping is the septic system return flows of the not-nontributary McLean Wells Nos. 2 through 4 to be pumped as set forth in this plan for augmentation. The water to be used for augmentation of depletions following the pumping period described in this decree is the reserved portion of Applicant's nontributary water rights in the Laramie-Fox Hills aquifer as described in Paragraph 23.D. Applicant shall provide for the augmentation of stream depletions caused by pumping McLean Wells Nos. 2 through 4 and any additional or replacement wells as approved herein. Water use criteria is determined as follows for the three possible combinations of drilling McLean Well Nos. 2 through 4:

A. McLean Well No. 2

i. Use: Based on a 300-year pumping period, the McLean Wells No. 2 may pump up to 0.76 acre feet annually pursuant to the plan for augmentation authorized by this decree. Indoor use will utilize an estimated 0.2 acre feet of water per year for the residence, with the remaining pumping entitlement available for other uses on the Applicant's Property, including: irrigation of lawn and garden, and the watering of up to two horses, or equivalent livestock. The foregoing figures developed assume the use of an equal number of individual non-evaporative septic systems, with resulting return flows

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

from indoor use, as described below in Paragraph 23.D.

ii. Depletions: Pumping from the Dawson aquifer will require actual depletion replacement of the pumped amount over the 300-year pumping period. Based on pumping up to 0.76 feet a year for McLean Well No. 2, the required annual replacement will be 0.1778 acre-feet per year (i.e. 23.4% of pumping). Should Applicant's pumping be less than the total 0.76 annual acre-feet described herein, resulting depletions and required septic system replacements will be correspondingly reduced.

B. McLean Well Nos. 2 and 3

i. Use: Based on a 300-year pumping period, the McLean Wells No. 2 and 3 may each pump up to 0.76 acre feet annually pursuant to the plan for augmentation authorized by this decree. Indoor use will utilize an estimated 0.2 acre feet of water per year for each the residence with the remaining 0.56 acre feet pumping entitlement available for other uses on the Applicant's Property, including: irrigation of lawn and garden, and the watering of up to two horses, or equivalent livestock. The foregoing figures developed assume the use of an equal number of individual non-evaporative septic systems, with resulting return flows from indoor use, as described below in Paragraph 23.D.

ii. Depletions: Pumping from the Dawson aquifer will require actual depletion replacement of the pumped amount over the 300-year pumping period. Based on pumping up to 0.76 feet a year for McLean Well Nos. 2 and 3 (total 1.52 acre feet annually), the required annual replacement will be 0.355 acre-feet per year (i.e. 23.4% of pumping). Should Applicant's pumping be less than the combined total 1.5 annual acre-feet described herein, resulting depletions and required septic system replacements will be correspondingly reduced.

C. McLean Well Nos. 2 through 4

i. Use: Based on a 300-year pumping period, the McLean Wells Nos. 2 through 4 may each pump up to 0.76 acre feet, assuming use by each well on one lot, for a maximum total of 2.28 acre feet being withdrawn from the Dawson aquifer annually (684 acre-feet total) pursuant to the plan for augmentation authorized by this decree. Indoor use will utilize an estimated 0.2 acre feet of water per year for each residence, with the remaining pumping entitlement available for other uses on the Applicant's Property, including: irrigation of lawn and garden, and the watering of up to two horses, or equivalent livestock. The foregoing figures provided for McLean Well Nos. 2 through 4 being developed assume the use of an equal number of individual non-evaporative septic systems, with resulting return flows from each, as described below in Paragraph 23.D.

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

ii. Depletions: Pumping from the Dawson aquifer will require actual depletion replacement of the pumped amount over the 300-year pumping period. Based on pumping up to 2.28 acre feet a year for McLean Well Nos. 2 through 4, the required annual replacement will be 0.533 acre-feet per year (i.e. 23.4% of pumping). Should Applicant's pumping be less than the total 2.28 annual acre-feet described herein, resulting depletions and required septic system replacements will be correspondingly reduced.

D. Augmentation of Depletions During Pumping Life of Well: Pursuant to C.R.S. § 37-90-137(9)(c.5), Applicant is required to replace actual depletions of the water pumped from the Dawson aquifer. Applicant has shown that, provided water is delivered for indoor use and treated as required by this decree, depletions during pumping will be effectively replaced by residential return flows from non-evaporative septic systems. The annual consumptive use for non-evaporative septic systems is estimated at 10% per year per residence. At the household indoor use rate of 0.2 acre-feet per year, 0.18 acre-feet per residence is replaced to the stream system per year, utilizing a non-evaporative septic system.

i. McLean Well No. 2: Thus, during the pumping period, the total maximum annual stream depletions of 0.177 acre-feet will be augmented provided septic system return flows are generated by indoor use of water in a single residence on the lot ($1 \times 0.18 = 0.18$).

ii. McLean Well Nos. 2 and 3: Thus, during the pumping period, the total maximum annual stream depletions of 0.355 acre-feet will be augmented provided septic system return flows are generated by indoor use of water in two residences on the lot ($2 \times 0.18 = 0.36$).

iii. McLean Well Nos. 2 through 4: Thus, during the pumping period, the total maximum annual stream depletions of 0.533 acre-feet will be augmented provided septic system return flows are generated by indoor use of water in at least three residences ($3 \times 0.18 = 0.54$).

iv. These calculations of septic system return flows from indoor residential use of 0.2 acre-feet per residence show that depletions that result from pumping the annual amounts described in Paragraph 23. A, B, and C will also be adequately replaced during the pumping period for the wells under the plan for augmentation, for each of the scenarios above.

E. Augmentation of Post Pumping Depletions: This plan for augmentation shall have a pumping period of 300 years. For the replacement of post-pumping depletions which may be associated with the use of the McLean Wells Nos. 2

Ruling of Referee and Decree
 Susan C. McLean
 Case No. 23CW3041

through 4, in any combination described above, and any additional or replacement wells, Applicant will reserve the entirety of the nontributary Laramie-Fox Hills aquifer groundwater decreed herein (1,100 acre-feet). The amount of nontributary Laramie-Fox Hills aquifer groundwater reserved may be reduced as may be determined through this Court's retained jurisdiction as described in this decree. If the Court, by order, reduces the Applicant's obligation to account for and replace such post-pumping depletions for any reason, it may also reduce the amount of Laramie-Fox Hills aquifer groundwater reserved for such purposes, as described herein. Applicant also reserves the right to substitute other legally available augmentation sources for such post-pumping depletions upon further approval of the Court under its retained jurisdiction. Even though this reservation is made, under the Court's retained jurisdiction, Applicant reserves the right in the future to prove that post-pumping depletions will be noninjurious. Pursuant to C.R.S. § 37-90-137(9)(b), no more than 98% of water withdrawn annually from a nontributary aquifer shall be consumed. The reservation of a total of 1,100 acre-feet of Laramie-Fox Hills aquifer groundwater results in approximately 1,078 acre-feet of available post-pumping augmentation water, which will be sufficient to replace post-pumping depletions from pumping a total of 690 acre-feet from the Dawson aquifer over 300 years.

F. Permit: Upon entry of a decree in this case, the Applicant will be entitled to apply for and receive well permits for the McLean Wells Nos. 2 through 4 for the uses in accordance with this decree and otherwise in compliance with C.R.S. § 37-90-137.

24. Because depletions occur to both the South Platte and Arkansas River systems under the State's groundwater flow model, the Application in this case was filed in both Water Divisions 1 and 2. The return flows set forth above as the augmentation source during the pumping period will accrue to only the Arkansas River system where most of the depletions will occur and where the Applicant's Property is located. Under this augmentation plan, the total amount of depletions will be replaced to the Arkansas River system as set forth herein, and the Court finds that those replacements are sufficient under this augmentation plan subject to Paragraphs 43 - 47 herein.

25. This decree, upon recording, shall constitute a covenant running with Applicant's Property, benefitting and burdening said land, and requiring construction of well(s) to the nontributary Laramie-Fox Hills aquifer and pumping of water to replace post-pumping depletions under this decree. Subject to the requirements of this decree, in order to determine the amount and timing of post-pumping replacement obligations under this augmentation plan, Applicants or her successors shall use information commonly used by the Colorado Division of Water Resources for augmentation plans of this type at the time the post-pumping obligation commences. Pursuant to this covenant, the water from the nontributary Laramie-Fox Hills aquifer reserved herein may not be severed in

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

ownership from the Applicant's Property. This covenant shall be for the benefit of, and enforceable by, third parties owning vested water rights who would be injured by the failure to provide for the replacement of post-pumping depletions under the decree, and shall be specifically enforceable by such third parties against the owner of the Applicant's Property.

26. Applicant or her successors shall be required to initiate pumping from the Laramie-Fox Hills aquifer for the replacement of post-pumping depletions when either: (i) the absolute total amount of water available from the Dawson aquifer allowed to be withdrawn under the plan for augmentation decreed herein (690 acre-feet) has been pumped; (ii) the Applicant or her successors in interest have acknowledged in writing that all withdrawals for beneficial use through the McLean Wells Nos. 2 through 4 have permanently ceased; (iii) a period of 10 consecutive years where no withdrawals of groundwater from McLean Wells Nos. 2 through 4 has occurred; or (iv) accounting shows that return flows from the use of the water being withdrawn are insufficient to replace depletions caused by the withdrawals that already occurred.

27. Unless modified by the Court under its retained jurisdiction, Applicant and her successors shall be responsible for accounting and replacement of post-pumping depletions as set forth herein. Should Applicant's obligation hereunder to account for and replace such post-pumping stream depletions be reduced or abrogated for any reason, Applicant may petition the Court to also modify or terminate the reservation of the Laramie-Fox Hills aquifer groundwater.

28. The term of this augmentation plan is for a minimum of 300 years, however, the length of the plan for a particular well or wells may be extended beyond such time provided the total plan pumping allocated to such well or wells is not exceeded. Should the actual operation of this augmentation plan depart from the planned diversions described in Paragraph 23 such that annual diversions are increased through banking or the duration of the plan is extended, the Applicant must prepare and submit a revised model of stream depletions caused by the actual pumping or intended schedule. This analysis must utilize depletion modeling acceptable to the State Engineer, and to this Court, and must represent the water use under the plan for the entire term of the plan to date. The analysis must show that return flows have equaled or exceeded actual stream depletions throughout the pumping period and that reserved nontributary water remains sufficient to replace post-pumping depletions. The Applicant shall provide notice of the revised model submissions to the State Engineer, this Court, and opposer in this case, and the State Engineer and opposer will have thirty (30) days for review and comment about the revised modeling, upon which, the Applicant will be allowed thirty (30) days to respond to the comments of the State Engineer and the opposer. After this notice and comment period, if the revised depletion modeling is acceptable to the State Engineer, this Court may give approval for the extension of this augmentation plan past the 300-

Ruling of Referee and Decree
 Susan C. McLean
 Case No. 23CW3041

year minimum.

29. Consideration has been given to the depletions from Applicant's use and proposed uses of water, in quantity, time and location, together with the amount and timing of augmentation water which will be provided by the Applicant, and the existence, if any, of injury to any owner of or person entitled to use water under a vested water right.

30. It is determined that the timing, quantity and location of replacement water under the protective terms in this decree are sufficient to protect the vested rights of other water users and eliminate injury thereto. The replacement water shall be of a quantity and quality so as to meet the requirements for which the water of senior appropriators has normally been used, and provided of such quality, such replacement water shall be accepted by the senior appropriators for substitution for water derived by the exercise of the McLean Wells Nos. 2 through 4. As a result of the operation of this plan for augmentation, the depletions from the McLean Wells Nos. 2 through 4 and any additional or replacement wells associated therewith will not result in injury to the vested water rights of others.

CONCLUSIONS OF LAW

31. The application for adjudication of Denver Basin groundwater and approval of plan for augmentation was filed with the Water Clerks for Water Divisions 1 and 2, pursuant to C.R.S. §§ 37-92-302(1)(a) and 37-90-137(9)(c.5). These cases were properly consolidated before Water Division 2.

32. The Applicant's request for adjudication of these water rights is contemplated and authorized by law, and this Court and the Water Referee have exclusive jurisdiction over these proceedings. C.R.S. §§ 37-92-302(1)(a), 37-92-203, and 37-92-305.

33. Subject to the terms of this decree, the Applicant is entitled to the sole right to withdraw all the legally available water in the Denver Basin aquifers underlying the Applicant's Property as decreed herein, and the right to use that water to the exclusion of all others.

34. The Applicant has complied with C.R.S. § 37-90-137(4), and the groundwater is legally available for withdrawal by the requested nontributary well(s), and legally available for withdrawal by the requested not nontributary well(s) upon the entry of this decree approving an augmentation plan pursuant to C.R.S. § 37-90-137(9)(c.5), and the issuance of a well permit by the State Engineer's Office. Applicant is entitled to a decree from this Court confirming their rights to withdraw groundwater pursuant to C.R.S. § 37-90-137(4).

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

35. The Denver Basin water rights applied for in this case are not conditional water rights, but are vested water rights determined pursuant to C.R.S. § 37-90-137(4). No applications for diligence are required. The claims for nontributary and not nontributary groundwater meet the requirements of Colorado Law.

36. The determination and quantification of the nontributary and not nontributary groundwater rights in the Denver Basin aquifers as set forth herein is contemplated and authorized by law. C.R.S. §§ 37-90-137, and 37-92-302 through 37-92-305.

37. The Applicant's request for approval of a plan for augmentation is contemplated and authorized by law. If administered in accordance with this decree, this plan for augmentation will permit the uninterrupted diversions from the McLean Wells Nos. 2 through 4 and any additional or replacement wells for those wells as described herein without adversely affecting any other vested water rights in the Arkansas River and South Platte River or their tributaries and when curtailment would otherwise be required to meet a valid senior call for water. C.R.S. §§ 37-92-305(3), (5), and (8).

IT IS THEREFORE ORDERED, ADJUDGED AND DECREED AS FOLLOWS:

38. All of the foregoing Findings of Fact and Conclusions of Law are incorporated herein by reference, and are considered to be a part of this decretal portion as though set forth in full.

39. The Application for Adjudication of Denver Basin Groundwater and Plan for Augmentation filed by the Applicants is approved, subject to the terms of this decree.

A. Applicant is awarded a vested right to 2,980 acre-feet of groundwater from the not nontributary Dawson aquifer underlying Applicant's Property, as quantified in Paragraph 15 or as modified by the Court under its retained jurisdiction. A portion of the Dawson aquifer groundwater (300 acre feet) is reserved to and will be pumped by McLean Well No. 1, an exempt well, pursuant to its permit, No. 223432. The remaining Dawson aquifer water (2,680 acre feet) may be pumped pursuant to the plan for augmentation decreed herein.

B. Applicants are awarded a vested right to 3,620 acre-feet of groundwater from the not nontributary Denver aquifer underlying Applicant's Property, as quantified in Paragraph 15 or as modified by the Court under its retained jurisdiction. However, none of the not nontributary Denver aquifer water vested and decreed herein shall be withdrawn for any purpose except pursuant to a separate court-approved plan for augmentation authorizing the pumping of such amount.

Ruling of Referee and Decree
 Susan C. McLean
 Case No. 23CW3041

C. Applicants are awarded a vested right to 1,550 acre-feet of groundwater from the not nontributary Arapahoe aquifer underlying Applicant's Property, as quantified in Paragraph 15 or as modified by the Court under its retained jurisdiction. However, none of the not nontributary Arapahoe aquifer water vested and decreed herein shall be withdrawn for any purpose except pursuant to a separate court-approved plan for augmentation authorizing the pumping of such amount.

D. Applicants are awarded a vested right to 1,100 acre-feet of groundwater from the nontributary Laramie-Fox Hills aquifer underlying Applicant's Property, as quantified in Paragraph 15 or as modified by the Court under its retained jurisdiction. Subject to the provisions of Rule 8 of the Denver Basin Rules, 2 CCR 402-6, limiting consumption to ninety-eight percent of the amount withdrawn, and the other terms and conditions of this decree, including the reservation of the entire 1,100 acre feet awarded to be utilized only for replacement of post-pumping depletions under the plan for augmentation decreed herein, as described in Paragraph 23.D., above, Applicant's Laramie-Fox Hills aquifer groundwater may be utilized for all purposes described in Paragraph 19.

40. The Applicant has furnished acceptable proof as to all claims and, therefore, the Application for Adjudication of Denver Basin Groundwater and Plan for Augmentation, as filed by the Applicant, is granted and approved in accordance with the terms and conditions of this decree. Approval of this Application will not result in any injury to senior vested water rights.

41. The Applicant shall comply with C.R.S. § 37-90-137(9)(b), requiring the relinquishment of the right to consume two percent (2%) of the amount of the nontributary groundwater withdrawn annually. Ninety-eight percent (98%) of the nontributary groundwater withdrawn annually may therefore be consumed. No plan for augmentation shall be required to provide for such relinquishment. Applicant shall be required to demonstrate to the State Engineer prior to the issuance of a well permit that no more than ninety-eight percent of the groundwater withdrawn annually will be consumed.

42. The McLean Wells Nos. 2 through 4, and any replacement or additional wells, shall be operated such that combined pumping from all wells does not exceed the annual (2.3 acre-feet) and total (690 acre-feet) pumping limits for the Dawson aquifer as decreed herein, and is in accordance with the requirements of the plan for augmentation described herein. Consistent with Rule 11.A of the Statewide Nontributary Ground Water Rules, the Denver Basin groundwater decreed herein must be withdrawn from the "overlying land" as defined in Rule 4.A.8 of the Statewide Nontributary Ground Water Rules, and McLean Wells Nos. 2 through 4 and any additional or replacement wells for these wells shall be constructed on the overlying land. The State Engineer, the Division Engineer, and/or the Water Commissioner shall not curtail the diversion and use of water

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

by the McLean Wells Nos. 2 through 4 or any additional and replacement wells so long as the return flows from the annual diversions associated with the McLean Wells Nos. 2 through 4 and such other wells accrue to the stream system pursuant to the conditions contained herein. To the extent that Applicant or one of her successors or assigns is ever unable to provide the replacement water required, then the McLean Wells Nos. 2 through 4 and any additional or replacement wells shall not be entitled to operate under the protection of this plan, and shall be subject to administration and curtailment in accordance with the laws, rules, and regulations of the State of Colorado. Pursuant to C.R.S. § 37-92-305(8), the State Engineer shall curtail all out-of-priority diversions, the depletions from which are not so replaced as to prevent injury to vested water rights. In order for this plan for augmentation to operate, return flows from the septic systems discussed herein shall at all times during pumping be in an amount sufficient to replace the amount of stream depletions, and cannot be sold, leased, or otherwise used for any purpose inconsistent with the augmentation plan decreed herein. Applicant shall be required to have any wells pumping from the Dawson aquifer on the Applicant's Property providing water for in-house use and generating septic system returns prior to pumping the wells for any of the other uses identified in Paragraphs 19 or 23.A.

43. The Court retains jurisdiction over this matter to make adjustments in the allowed average annual amount of withdrawal from the Denver Basin aquifers, either upwards or downwards, to conform to actual local aquifer characteristics, and the Applicant need not file a new application to request such adjustments. The retained jurisdiction described in this Paragraph 43 is applicable only to the quantities of water available underlying Applicant's Property, and does not affect or include the augmentation plan decreed herein, the retained jurisdiction for which is described in Paragraphs 44, 45, and 47 below.

A. At such time as adequate data may be available, Applicant or the State Engineer may invoke the Court's retained jurisdiction as provided in this Paragraph 43 for purposes of making a final determination of water rights as to the quantities of water available and allowed average annual withdrawals from any of the Denver Basin aquifers quantified and adjudicated herein. Any person seeking to invoke the Court's retained jurisdiction for such purpose shall file a verified petition with the Court setting forth with particularity the factual basis for such final determination of Denver Basin water rights under this decree, together with the proposed decretal language to effect the petition. Within four months of the filing of such verified petition, the State Engineer's Office shall utilize such information as available to make a final determination of water rights finding, and shall provide such information to the Court, Applicants, opposer, and the petitioning party.

B. If no protest is filed with the Court to such findings by the State Engineer's Office within sixty (60) days, this Court shall incorporate by entry of an

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

Amended Decree such "final determination of water rights", and the provisions of this Paragraph 43 concerning adjustments to the Denver Basin ground water rights based upon local aquifer conditions shall no longer be applicable. In the event of a protest being timely filed, or should the State Engineer's Office make no timely determination as provided in Paragraph 43.A., above, the "final determination of water rights" sought in the petition may be made by the Water Court after notice to all parties and following a full and fair hearing, including entry of an Amended Decree, if applicable in the Court's reasonable discretion.

44. Pursuant to C.R.S. § 37-92-304(6), the Court shall retain continuing jurisdiction over the plan for augmentation decreed herein for reconsideration of the question of whether the provisions of this decree are necessary and/or sufficient to prevent injury to vested water rights of others, as pertains to the use of Denver Basin groundwater supplies adjudicated herein for augmentation purposes. The Court also retains continuing jurisdiction for the purpose of determining compliance with the terms of the augmentation plan. The Court further retains jurisdiction should the Applicant later seek to amend this decree by seeking to prove that post-pumping depletions are noninjurious, that the extent of replacement for post-pumping depletions is less than the amount of water reserved herein, and other post-pumping matters addressed in Paragraph 23.E. The Court's retained jurisdiction described in this paragraph may be invoked using the process set forth in Paragraph 47.

45. As pertains to the Denver Basin groundwater supplies, the Court shall retain continuing jurisdiction for so long as Applicant is required to replace depletions to the Arkansas River system, to determine whether the replacement of depletions to the Arkansas River system instead of the South Platte River system is causing injury to water rights tributary to the South Platte River system.

46. Any person may invoke the Court's retained jurisdiction at any time that Applicant is causing depletions, including ongoing post-pumping depletions, to the South Platte River system and are replacing such depletions to only the Arkansas River system. Any person seeking to invoke the Court's retained jurisdiction shall file a verified petition with the Court setting forth with particularity the factual basis for the alleged injury and to request that the Court reconsider injury to petitioner's vested water rights associated with the above replacement of depletions under this decree, together with the proposed decretal language to effect the petition. The party filing the petition shall have the burden of proof going forward to establish a prima facie case based on the facts alleged in the petition and that Applicant's failure to replace depletions to the South Platte River system is causing injury to water rights owned by that party invoking the Court's retained jurisdiction, except that the State and Division Engineer may invoke the Court's retained jurisdiction by establishing a prima facie case that injury is occurring to any vested or conditionally decreed water rights in the South Platte River system due to the location of

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

Applicant's replacement water. If the Court finds that those facts are established, the Applicant shall thereupon have the burden of proof to show (i) that petitioner is not injured, or (ii) that any modification sought by the petitioner is not required to avoid injury to the petitioner, or (iii) that any term or condition proposed by Applicant in response to the petition does avoid injury to the petitioner. The Division of Water Resources as a petitioner shall be entitled to assert injury to the vested water rights of others.

47. Except as otherwise specifically provided in Paragraphs 43-46, above, pursuant to the provisions of C.R.S. § 37-92-304(6), this plan for augmentation decreed herein shall be subject to the reconsideration of this Court on the question of injury to vested water rights of others, for a period from the date of entry of this decree until five years following the date that Applicant begins operation of the plan for augmentation based on the subdivision of the Applicant's Property and withdrawal of water from any of the McLean Wells Nos. 2 through 4. Applicant shall file a notice with the Court confirming the start of operations under the plan for augmentation within thirty-five (35) days of the start date. Any person, within such period, may petition the Court to invoke its retained jurisdiction. Any person seeking to invoke the Court's retained jurisdiction shall file a verified petition with the Court setting forth with particularity the factual basis for requesting that the Court reconsider injury to petitioner's vested water rights associated with the operation of this decree, together with proposed decretal language to effect the petition. The party filing the petition shall have the burden of proof of going forward to establish a prima facie case based on the facts alleged in the petition. If the Court finds those facts are established, Applicant shall thereupon have the burden of proof to show: (i) that the petitioner is not injured, or (ii) that any modification sought by the petitioner is not required to avoid injury to the petitioner, or (iii) that any term or condition proposed by Applicant in response to the petition does avoid injury to the petitioner. The Division of Water Resources as a petitioner shall be entitled to assert injury to the vested water rights of others. If no petition concerning the subject of the Court's retained jurisdiction described in this paragraph 47 is filed within the period described in this paragraph, and the retained jurisdiction period is not extended by the Court in accordance with the provisions of the statute, the matter described in this paragraph shall become final under its own terms.

48. Pursuant to C.R.S. § 37-92-502(5)(a), the Applicant shall install and maintain such water measurement devices and recording devices as are deemed necessary by the State Engineer or Division Engineers, and the same shall be installed and operated in accordance with instructions from said entities. Applicant is to install and maintain a totalizing flow meter on McLean Wells Nos. 2 through 4 or any additional or replacement wells associated therewith and are required to include geophysical logging on each newly constructed well. Applicant shall read and record the well meter readings on October 31st of each year and shall submit the meter readings to the Water

Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

Commissioner by November 15th of each year, or more frequently as requested by the Water Commissioner.

49. The vested water rights, water right structures, and plan for augmentation decreed herein shall be subject to all applicable administrative rules and regulations, as currently in place or as may in the future be promulgated, of the offices of Colorado State and Division Engineers for administration of such water rights, to the extent such rules and regulations are uniformly applicable to other similarly situated water rights and water users. The McLean Wells Nos. 2 through 4 shall be permitted as non-exempt structures under the plan for augmentation decreed herein, which plan shall be implemented upon the construction and use of any of the McLean Wells Nos. 2 through 4. The State Engineer shall identify in any permits issued pursuant to this decree the specific uses which can be made of the groundwater to be withdrawn, and, to the extent the well permit application requests a use that has not been specifically identified in this decree, shall not issue a permit for any proposed use, which use the State Engineer determines to be speculative at the time of the well permit application or which would be inconsistent with the requirements of this decree, any separately decreed plan for augmentation, or any modified decree and augmentation plan.

50. The Ruling of Referee, when entered as a decree of the Water Court, shall be recorded in the real property records of El Paso County, Colorado. Copies of this ruling shall be mailed as provided by statute.

DATED: May 17, 2024.

BY THE REFEREE:



Kate Brewer, Water Referee
Water Division 2

DECREE

THE COURT FINDS THAT NO PROTEST WAS MADE IN THIS MATTER, THEREFORE THE FORGOING RULING IS CONFIRMED AND APPROVED, AND IS HEREBY MADE THE JUDGMENT AND DECREE OF THIS COURT.

DATED: June 14, 2024.


Ruling of Referee and Decree
Susan C. McLean
Case No. 23CW3041

BY THE COURT:



Honorable Gregory J. Styduhar,
Water Judge, Water Division 2
State of Colorado





LEGEND

- PLS MONUMENT FOUND AS NOTED
- MONUMENT FOUND AS NOTED
- ▲ USGS BENCHMARK NO. J285 RESET: FOUND 1/2" ALUMINUM ROD, 1.0' BELOW GRADE, EL: 7579.28' (MEASURED)
- △ SET MAG NAIL WITH 1-1/2" ALUMINUM WASHER, PLS 39759, FLUSH WITH GRADE
- SET NO. 5 REBAR WITH 1-1/4" PLASTIC CAP, PLS 39759, FLUSH WITH GRADE
- PLS MONUMENT SET AS NOTED
- ◆ SITE BENCHMARK - SEE SURVEYOR'S NOTE #9
- (R) RECORD VALUE
- (M) MEASURED VALUE
- (ACC#) AREA OF CONCERN
- BREAK SYMBOL
- STUCCO PILLAR
- FENCE POST
- ⊠ ELECTRIC TRANSFORMER
- ⊞ ELECTRIC BOX
- ⚡ ELECTRIC METER
- ⚙ GAS METER
- Ⓜ UNDERGROUND FIBER OPTIC SIGN
- Ⓜ FIBER OPTIC VAULT
- Ⓜ WELL HEAD
- Ⓜ YARD HYDRANT
- Ⓜ SEPTIC SEWER MANHOLE
- Ⓜ SEPTIC SEWER CLEANOUT
- Ⓜ STORM CULVERT FLARED INLET
- Ⓜ STORM CULVERT INLET 12" HDPE PIPE
- Ⓜ UNDERGROUND 18" RCP STORM DRAIN LINE
- ▨ CONCRETE SURFACE
- ○ STRAP/ROPE FENCE REMNANT
- WIRE STRAND FENCE
- WROUGHT IRON FENCE

