

Planning and Community Development Department 2880 International Circle Colorado Springs, Colorado 80910 Phone: 719.520.6300 Fax: 719.520.6695 Website www.elpasoco.com

DEVIATION REQUEST AND DECISION FORM

Updated: 6/26/2019

PROJECT INFORMATION

Project Name :	Crossroads North
Schedule No.(s):	5408001008, 5408001029, 5408001032, 5408001033, 5408001034, 5408001041, 5408001042,
	5408001050, 5408001051, 5408001052
Legal Description :	LOTS 12, 13, 14, 15, 16 AND 18, HILLCREST ACRES, ACCORDING TO THE PLAT THEREOF RECORDED MAY
5	12, 1960 AT RECEPTION NO. 153860, EXCEPT THAT PORTION ACQUIRED BY THE DEPARTMENT OF
	TRANSPORTATION, STATE OF COLORADO AS DESCRIBED IN RULE AND ORDER RECORDED APRIL 28,
	2004 UNDER RECEPTION NO. 204068322, AND EXCEPT THOSE PORTIONS CONVEYED TO EL PASO
	COUNTY BY AND THROUGH THE BOARD OF COUNTY COMMISSIONERS OF EL PASO COUNTY,
	COLORADO BY SPECIAL WARRANTY DEED RECORDED DECEMBER 17, 2014 AT RECEPTION NO.
	214116021 AND RECORDED DECEMBER 17, 2014 AT RECEPTION NO. 214116022, COUNTY OF EL PASO,
	STATE OF COLORADO.LOT 17, HILLCREST ACRES, COUNTY OF EL PASO, STATE OF COLORADO, EXCEPT THAT PORTION
	CONVEYED TO EL PASO COUNTY BY AND THROUGH THE BOARD OF COUNTY COMMISSIONERS OF EL PASO COUNTY,
	COLORADO BY SPECIAL WARRANTY DEED RECORDED DECEMBER 30, 2014 AT RECEPTION NO. 214119767. LOT 19,
	HILLCREST ACRES, COUNTY OF EL PASO, STATE OF COLORADO, AS AMENDED BY SURVEYOR'S STATEMENT RECORDED
	JUNE 22, 1960 IN BOOK 1812 AT PAGE 136, EXCEPT THAT PORTION TAKEN BY DEPARTMENT OF TRANSPORTATION, STATE
	OF COLORADO AS CONTAINED IN RULE AND ORDER RECORDED OCTOBER 13, 2004 UNDER RECEPTION NO. 204171223 AND
	EXCEPT THAT PORTION CONVEYED TO EL PASO COUNTY BY AND THROUGH THE BOARD OF COUNTY COMMISSIONERS OF
	EL PASO COUNTY, COLORADO BY SPECIAL WARRANTY DEED RECORDED DECEMBER 30, 2014 AT RECEPTION NO.
	214119768. LOT 20, HILLCREST ACRES, EXCEPT THOSE PORTIONS CONVEYED IN DEED RECORDED JANUARY 20, 1961 IN
	BOOK 1840 AT PAGE 498 AND IN DEED RECORDED APRIL 12, 2002 UNDER RECEPTION NO. 202058754 AND IN DEED
	RECORDED DECEMBER 30, 2014 AT RECEPTION NO. 214119796, COUNTY OF EL PASO, STATE OF COLORADO.

APPLICANT INFORMATION

	Company : Colorado Springs Equities LLC Name : Danny Mientka				
name.	Danny Mientka				
[🛛 Owner 🛛 Consultant 🖓 Contractor				
Mailing Address :	90 S. Cascade Avenue, Suite 1500, Colorado Springs, CO 80903-1639				
Phone Number :	719-448-4034				
FAX Number :	N/A				
Email Address :	danny@theequitygroup.net				

ENGINEER INFORMATION

Company :	M&S Civil Consultants, Inc.		
Name :	Virgil A. Sanchez	Colorado P.E. Number :	37160
Mailing Address :	PO Box 1360, Colorado Springs, CO 80901		
Phone Number :	719-491-0818		
FAX Number :	None		
Email Address :	virgils@mscivil.com		

OWNER, APPLICANT, AND ENGINEER DECLARATION

To the best of my knowledge, the information on this application and all additional or supplemental documentation is true, factual and complete. I am fully aware that any misrepresentation of any information on this application may be grounds for denial. I have familiarized myself with the rules, regulations and procedures with respect to preparing and filing this application. I also understand that an incorrect submittal will be cause to have the project removed from the agenda of the Planning Commission, Board of County Commissioners and/or Board of Adjustment or delay review until corrections are made, and that any approval of this application is based on the representations made in the application and may be revoked on any breach of representation or condition(s) of approval.


Signature of owner (or authoriz	ed representati	ve)	Date	AND
Engineer's Seal, Signature And Date of Signature	Г	г		OPAN SAVE
	L	L		5/18/2022
				Allet thousand a little

DEVIATION REQUEST (Attach diagrams, figures, and other documentation to clarify request)

A deviation from the standards of or in Appendix F, Standard Drawings, **SD 2-3, Urban Non-Residential Collector** and **Table 2-7. Roadway Design Standards for Urban Collectors and Locals-** of the Engineering Criteria Manual (ECM) is requested.

Identify the specific ECM standard which a deviation is requested:

A deviation from the standard Urban Non-Residential Collector Roadway Cross Section for Air Lane is requested. The standard cross section includes two travel lanes (12'), a striped median (12'), and two shoulders (6') within a 48-foot wide pavement mat; two 2.5-foot curb and gutter at the end of the pavement mat, two eight (8) foot (typical) landscape/tree lawns, two five (5) foot detached sidewalks all within an 80-foot ROW.



		State the reason for the requested deviation:	
		The deviation is being requested in order to create a more efficient development in terms of land devoted to transportation facilities	
		and to maximize land for commercial land uses on an irregularly shaped infill development parcel.	
		THIS HAS BEEN REVISED	
		Explain the proposed alternative and compare to the ECM standards (May provide applicable regional or national standards used	
		The proposed private react cross section includes the following deviation(s) from standard ECM Standards for an urban residential	
		collector section. Requesting;	
		60-foot ROW. Typical cross section is within an 80-foot Public ROW.	
		48-foot pavement width, where typical cross section has a 48' pavement width. No change.	
		Two 12-foot travel lanes with two 6' shoulders, where typical cross section has two 12-foot travel lanes with two 6'	
		Two 8' landscape/tree lawns. Typical cross section has two 8' landscape/tree lawns.	
		Typical cross section intersection spacing is 660' or 330' when intersecting local roadways. The layout of all of the	
T 1			
BE	EN		
BI	II I F		
		0.5'_5'_4.5'_5.5'_2.5'_ 48' EOP-EOP	
		$\frac{12'}{12} + \frac{12'}{12} + 1$	
		2% SHLUR. LANC MELIAN LANC SHLUR. 128 YP:	
		(BOTH SIDES)	
		TYPE A CURE AND GUTTER SAN PROP 8" WATER	
		SEWER O	
	_		
	Pro	ovide documentation that this P.I.E exist along the southside of Air Lane. If it	
	doe	esn't then the development would need to acquire the necessary easement	
	1101	in the property before the deviation request would be approved.	
	Pla	t 1950 (attached) for Hillcrest Acres subdivision does not show this	
	Uni		
		TO ADDRESS THIS.	
		 Two 12-foot travel lanes with two 6' shoulders, where typical cross section has two 12-foot travel lanes with two 6' shoulders. No Change Striped 12' median, whereas typical cross section has 12' striped median. No change. 5-foot detached sidewalk, where typical cross section has 5' detached sidewalks, No Change. Two 10' Public Improvement Easements, whereas typical cross section contains none. Two 8' landscape/tree lawns. Typical cross section has two 8' landscape/tree lawns. Typical cross section intersection spacing is 660' or 330' when intersecting local roadways. The layout of all of the commercial lots is not known at this time. Therefore, a deviation for the future applications will be necessary. Access spacing will at Include Parking is not permitted. No change. Unresolved 	

LIMITS OF CONSIDERATION

(At least one of the conditions listed below must be met for this deviation request to be considered.)

- □ The ECM standard is inapplicable to the particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship and an equivalent
- alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.

□ A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public.

Provide justification:

Justification for the requested deviations for Air Lane include:

- More efficient use of land for infill development
- Facilitate a commercial design and lot configuration that responds to market demands and maintains infill design flexibility to integrate the proposed commercial and future park land uses
- To reduce spatial constraints created by incorporating multiple buffers required to accommodate multiple zone districts (mixed use development)
- To minimize vehicle dominance of the street realm and streetscape in order to promote pedestrian dominance and orientation with the site plan design and development phase

CRITERIA FOR APPROVAL

Per ECM section 5.8.7 the request for a deviation may be considered if the request is not based exclusively on financial considerations. The deviation must not be detrimental to public safety or surrounding property. The applicant must include supporting information demonstrating compliance with all of the following criteria:

The deviation will achieve the intended result with a comparable or superior design and quality of improvement.


The private improvements and proposed cross section will achieve a comparable level of performance as the standard cross section with respect to the following:



- Pedestrian access and circulation
- Fire district has reviewed and approved the access and circulation based on their criteria.

The deviation will not adversely affect safety or operations.

The deviation will not adversely affect safety or roadway operations. The Falcon Fire Protection District has reviewed and approved the access and circulation provided on the preliminary plan based on their criteria and do not object to the configurations and improvements as shown on the preliminary plan.




The deviation will not adversely affect aesthetic appearance.

Deviation will not affect aesthetic appearance of the impacted roadway section.

Roadway and Entry Feature landscaping will be provided to enhance the streetscape of the impacted roadway section(s).


The deviation meets the design intent and purpose of the ECM standards.

The deviation meets the intent by providing a street cross section that is consistent with the anticipated function and traffic volumes as described in the TIS.



AN EXPLINATION HAS BEEN ADDED TO ADDRESS THIS.

The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable. The requested deviation meets control measure requirements of Part I.E.3 and Part I.E.4 of the MS4 Permit.



Revise to Chapter 2 Table 2-7 and Appendix F SD_2-4 Unresolved on from Chapter 2, and Appendix F, SD_4-4 of the

	9		
Г	THESE STANDARDS HAVE	Г	
	BEEN REVISED TO		
	CHAPTER 2 TABLE 2-7		
L	AND APPENDIX F, SD_2-4	L	

Denied by the ECM Administrator

This request has been determined not to have met criteria for approval. A deviation from **Chapter 2**, and <u>Appendix F, SD_4-4</u> of the ECM is hereby denied.

٦

Г

L

ECM ADMINISTRATOR COMMENTS/CONDITIONS:

1.1. PURPOSE

The purpose of this resource is to provide a form for documenting the findings and decision by the ECM Administrator concerning a deviation request. The form is used to document the review and decision concerning a requested deviation. The request and decision concerning each deviation from a specific section of the ECM shall be recorded on a separate form.

1.2. BACKGROUND

A deviation is a critical aspect of the review process and needs to be documented to ensure that the deviations granted are applied to a specific development application in conformance with the criteria for approval and that the action is documented as such requests can point to potential needed revisions to the ECM.

1.3. APPLICABLE STATUTES AND REGULATIONS

Section 5.8 of the ECM establishes a mechanism whereby an engineering design standard can be modified when if strictly adhered to, would cause unnecessary hardship or unsafe design because of topographical or other conditions particular to the site, and that a departure may be made without destroying the intent of such provision.

1.4. APPLICABILITY

All provisions of the ECM are subject to deviation by the ECM Administrator provided that one of the following conditions is met:

- The ECM standard is inapplicable to a particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship on the applicant, and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not
 modified, the standard will impose an undue hardship on the applicant with little or no material benefit to
 the public.

1.5. TECHNICAL GUIDANCE

The review shall ensure all criteria for approval are adequately considered and that justification for the deviation is properly documented.

1.6. LIMITS OF APPROVAL

Whether a request for deviation is approved as proposed or with conditions, the approval is for project-specific use and shall not constitute a precedent or general deviation from these Standards.

1.7. REVIEW FEES

A Deviation Review Fee shall be paid in full at the time of submission of a request for deviation. The fee for Deviation Review shall be as determined by resolution of the BoCC.