2022 Financial Assurance Estimate Form

(with pre-plat construction)

	PROJECT INFORMATION	
Pike Solar	7/19/2022	PPR-22-008
Project Name	Date	PCD File No.

				Unit				(with Dec	-Dist C	onstruction)
Description	Quantity	Units		Cost			Total	% Complete	-Fial C	Remaining
SECTION 1 - GRADING AND EROSION CONTROL			nont				TOTAL	70 Complete		Kemaning
* Earthwork	OE (Construction	anu renna	ilelic i	DMF5)						
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$			\$	
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	_		\$	
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	_		\$	_
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	_		\$	_
50,001-200,000; \$175,000 min	99,507	CY	\$	2.50	=	\$	248,767.50		\$	248,767.50
greater than 200,000; \$500,000 min	,	CY	\$	2.00	=	\$	-		\$	-,
* Permanent Seeding (inc. noxious weed mgmnt.)	169	AC	\$	886.00	=	\$	149,734.00		\$	149,734.00
* Mulching		AC	\$	831.00	=	\$	-		\$	-
* Permanent Erosion Control Blanket		SY	\$	7.00	=	\$	-		\$	-
* Permanent Pond/BMP Construction		CY	\$	22.00	=	\$	-		\$	-
* Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Temporary Erosion Control Blanket	3,642	SY	\$	3.00	=	\$	10,926.00		\$	10,926.00
Vehicle Tracking Control	7	EA	\$	2,625.00	=	\$	18,375.00		\$	18,375.00
Silt Fence	53,580	LF	\$	3.00	=	\$	160,740.00		\$	160,740.00
Temporary Seeding		AC	\$	695.00	=	\$	-		\$	-
Temporary Mulch		AC	\$	831.00	=	\$	-		\$	-
Erosion Bales		EA	\$	28.00	=	\$	-		\$	-
Erosion Logs/Straw Wattles	416	LF	\$	6.00	=	\$	2,496.00		\$	2,496.00
Rock Check Dams	27	EA	\$	554.00	=	\$	14,958.00		\$	14,958.00
Inlet Protection		EA	\$	185.00	=	\$	-		\$	
Sediment Basin	4	EA	\$	1,952.00	=	\$	7,808.00		\$	7,808.00
Concrete Washout Basin	3	EA	\$	997.00	=	\$	2,991.00		\$	2,991.00
Diversion Ditch Rock Sock	1,205	LF LF	\$	1.00		\$	1,205.00		\$	1,205.00
	96 38	EA	\$	6.00		\$	576.00		\$	576.00
Sediment Traps Temporary Stream Crossings	36	EA	\$	300.00 3,000.00	=	\$	11,400.00		\$	11,400.00
remporary Stream Crossings			P	3,000.00	_	⊅			\$	
					_	¢	_		¢	_
[insert items not listed but part of construction plans]	MAINTENANCE (3	5% of Con	struct	tion BMPs)	=	\$	- 81.016.25		\$	81.016.25
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be	MAINTENANCE (3			-	=	\$	81,016.25		\$	81,016.25 710 992 75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)	•			tion BMPs) 1 Subtotal					т	81,016.25 710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS *	•			-	=	\$	81,016.25		\$	
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS	•	Sec		-	=	\$	81,016.25		\$	
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control	•	Sec	tion	1 Subtotal	=	\$ \$	81,016.25		\$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)	•	LS Tons	stion s	1 Subtotal	=	\$ \$ \$ \$	81,016.25 710,992.75 - -		\$ \$ \$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)	•	LS Tons CY	s s	31.00 56.00	=	\$ \$ \$ \$ \$	81,016.25 710,992.75 - - -		\$ \$ \$ \$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)	•	LS Tons CY SY	s s s	31.00 56.00 16.00	=	\$ \$ \$ \$ \$ \$	81,016.25 710,992.75 - - - -		\$ \$ \$ \$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	•	LS Tons CY SY SY	s s s	31.00 56.00 16.00 21.00	=	\$ \$ \$ \$ \$ \$	81,016.25 710,992.75 - - - -		\$ \$	710,992.75
[insert items not listed but part of construction plans] *-Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	•	LS Tons CY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00	= = = =	\$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75 - - - - -		\$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick	•	LS Tons CY SY SY SY Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	•	LS Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
*- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) *- SECTION 2 - PUBLIC IMPROVEMENTS **ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raspad Median, Paved Regulatory Sign/Advisory Sign	•	LS Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	•	LS Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	•	LS Tons CY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	•	LS Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	•	LS Tons CY SY SY Tons SF EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 221.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
#- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type I	•	LS Tons CY SY SY Tons SF EA EA SF EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 221.00 27.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$	710,992.75
#-Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Raspate Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	•	LS Tons CY SY SY Tons SF EA EA EA LF		31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 221.00 27.00 32.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		* * * * * * * * * * * * * * * * * * * *	710,992.75
finsert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (7147 lbs/cf) —" thick Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	•	LS Tons CY SY SY Tons SF EA EA SF EA LF LF		31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 221.00 27.00 32.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
finsert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (747 lbs/cf) Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	•	LS Tons CY SY SY Tons SF EA EA SF EA LF LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 333.00 15.00 26.00 221.00 27.00 32.00 32.00 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement Marking Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	•	LS Tons CY SY SY Tons SF EA EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 26.00 221.00 27.00 27.00 32.00 32.00 32.00 32.00 53.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
[insert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	•	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 27.00 32.00 32.00 32.00 53.00 66.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
#- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	•	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 26.00 221.00 27.00 32.00 32.00 32.00 53.00 66.00 80.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
#- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk	•	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 26.00 221.00 27.00 32.00 32.00 32.00 32.00 32.00 32.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
finsert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp	•	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 333.00 15.00 221.00 221.00 221.00 32.00 32.00 32.00 66.00 80.00 106.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
finsert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (7147 lbs/cf) Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	•	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 333.00 15.00 26.00 221.00 32.00 32.00 32.00 32.00 66.00 106.00 1,273.00 67.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
finsert items not listed but part of construction plans] *- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp	•	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	s s s s s s s s s s s s s s s s s s s	31.00 56.00 16.00 21.00 32.00 97.00 9.00 221.00 27.00 221.00 27.00 32.00 32.00 32.00 66.00 80.00 106.00 11,273.00 67.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
#- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase	•	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 26.00 221.00 27.00 32.00 32.00 53.00 66.00 80.00 106.00 1,273.00 67.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
#- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Crubse Guardrail Type 3 (W-Beam)	•	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 221.00 27.00 32.00 32.00 53.00 66.00 80.00 106.00 1,273.00 67.00 102.00 1,639.00 55.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
#- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Rasied Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 7 (Concrete)	•	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 221.00 27.00 32.00 32.00 53.00 66.00 80.00 106.00 1,273.00 67.00 102.00 1,639.00 55.00 80.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75
#- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Crubse Guardrail Type 3 (W-Beam)	•	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	31.00 56.00 16.00 21.00 32.00 97.00 9.00 333.00 15.00 26.00 221.00 27.00 32.00 32.00 53.00 66.00 80.00 106.00 1,273.00 67.00 102.00 1,639.00 55.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	81,016.25 710,992.75		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	710,992.75

PROJECT INFORMATION							
Pike Solar	7/19/2022	PPR-22-008					
Project Name	Date	PCD File No.					

				Unit			(with Pr	e-Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
Sound Barrier Fence (panels, 6' high)		LF	\$	89.00	=	\$ -		\$
Electrical Conduit, Size =		LF	\$	18.00	=	\$ -		\$
Traffic Signal, complete intersection		EA	\$	470,666	=	\$ -		\$
Trailic Signal, complete intersection		LA	Ψ	470,000				
						Ψ		Ψ
[insert items not listed but part of construction plans]					=	\$ -		\$
STORM DRAIN IMPROVEMENTS								
Concrete Box Culvert (M Standard), Size (W x H)		LF			=	\$ -		\$
18" Reinforced Concrete Pipe		LF	\$	70.00	=	\$ -		\$
24" Reinforced Concrete Pipe		LF	\$	83.00	=	\$ -		\$
30" Reinforced Concrete Pipe		LF	\$	104.00	=	\$ -		\$
36" Reinforced Concrete Pipe		LF	\$	128.00	=	\$ -		\$
42" Reinforced Concrete Pipe		LF	\$	171.00	=	\$ -		\$
48" Reinforced Concrete Pipe		LF	\$	209.00	=	\$ -		\$
54" Reinforced Concrete Pipe		LF	\$	272.00		\$ -		
•								4
60" Reinforced Concrete Pipe		LF	\$	319.00	=	Ψ		Ψ
66" Reinforced Concrete Pipe		LF	\$	368.00	=	\$ -		\$
72" Reinforced Concrete Pipe		LF	\$	421.00	=	\$ -		\$
18" Corrugated Steel Pipe		LF	\$	90.00	=	\$ -		\$
24" Corrugated Steel Pipe		LF	\$	103.00	=	\$ -		\$
30" Corrugated Steel Pipe		LF	\$	131.00	=	\$ -		\$
36" Corrugated Steel Pipe		LF	\$	157.00	=	\$ -		\$
42" Corrugated Steel Pipe		LF	\$	180.00	=	\$ -		\$
48" Corrugated Steel Pipe		LF	\$	190.00		\$ -		\$
,		LF	\$					
54" Corrugated Steel Pipe				278.00	=	\$ -		\$
60" Corrugated Steel Pipe		LF	\$	300.00	=	\$ -		\$
66" Corrugated Steel Pipe		LF	\$	364.00	=	\$ -		\$
72" Corrugated Steel Pipe		LF	\$	428.00	=	\$ -		\$
78" Corrugated Steel Pipe		LF	\$	492.00	=	\$ -		\$
84" Corrugated Steel Pipe		LF	\$	588.00	=	\$ -		\$
Flared End Section (FES) RCP Size =						<u> </u>		
(unit cost = 6x pipe unit cost)		EA			=	\$ -		\$
Flared End Section (FES) CSP Size =					=	\$ -		\$
(unit cost = 6x pipe unit cost)		EA						
End Treatment- Headwall		EA			=	\$ -		\$
End Treatment- Wingwall		EA			=	\$ -		\$
End Treatment - Cutoff Wall		EA			=	\$ -		\$
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$	6,138.00	=	\$ -		\$
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$	7,981.00	=	\$ -		\$
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$	9,242.00	=	\$ -		\$
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$	8,447.00		\$ -		\$
		EA	\$	-				•
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'				8,706.00	=	\$ -		Ψ
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$	10,898.00	=	\$ -		\$
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$	10,984.00	=	\$ -		\$
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$	11,775.00	=	- \$		\$
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$	12,876.00	=	\$ -		\$
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$	11,706.00	=	\$ -		\$
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$	12,920.00	=	\$ -		\$
Grated Inlet (Type C), Depth < 5'		EA	\$	5,138.00	=	\$ -		\$
Grated Inlet (Type D), Depth < 5'		EA	\$	6,347.00		\$ -		\$
()1 //		EA	\$			\$ -		H :
Storm Sewer Manhole, Box Base				12,876.00	=			
Storm Sewer Manhole, Slab Base		EA	\$	7,082.00	=	\$ -		\$
Geotextile (Erosion Control)		SY	\$	7.00	=	\$ -		\$
Rip Rap, d50 size from 6" to 24"		Tons	\$	89.00	=	\$ -		\$
Rip Rap, Grouted		Tons	\$	105.00	=	\$ -		\$
Drainage Channel Construction, Size (W x H)		LF	\$	-	=	\$ -		\$
Drainage Channel Lining, Concrete		CY	\$	631.00	=	\$ -		\$
Drainage Channel Lining, Rip Rap		CY	\$	124.00	=	\$ -		\$
Drainage Channel Lining, Grass		AC	\$	1,626.00		\$ -		
		AC	۶	1,020.00				Ψ
Drainage Channel Lining, Other Stabilization					=	\$ -		\$
					=	\$ -		\$
[insert items not listed but part of construction plans]					=	- \$		\$

PROJECT INFORMATION							
Pike Solar	7/19/2022	PPR-22-008					
Project Name	Date	PCD File No.					

				Unit				(with Pre-	Plat Construc	tion)
Description	Quantity	Units		Cost			Total	% Complete	Remair	ning
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	vate or Di	strict	and NOT	Maintain	ned by	EPC)**			
ROADWAY IMPROVEMENTS										
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Exce	ption: Permanent Pon	d/BMP shall	be iten	nized under S	ection 1)					
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	83.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$	2,058.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$	7,306.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$	1,466.00	=	\$	-		\$	-
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$	-		\$	-
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,858.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete		EA	\$	1,553.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe				•					
*Wildlife Exclusionary Fencing	1	EA	\$ 1	,081,000.00	=	\$	1,081,000.00			081,000.0
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
***		EA			=	\$	<u> </u>		\$	<u> </u>
** - Section 3 is not subject to defect warranty requirements		Sec	ction	3 Subtotal	=	\$	1,081,000.00		\$ 1,081,	,000.00

PROJECT INFORMATION							
Pike Solar	7/19/2022	PPR-22-008					
Project Name	Date	PCD File No.					

			Unit			(with Pre-Plat Construction)			
Description	Quantity	Units	Cost		Total	% Complete	Remaining		
AS-BUILT PLANS (Public Improvements inc. Permanent W	QCV BMPs)	LS		=	\$ -		\$	-	
POND/BMP CERTIFICATION (inc. elevations and volume calculations)		LS		=	\$ -		\$	-	

Total Construction Financial Assurance \$ 1,791,992.75

(Sum of all section subtotals plus as-builts and pond/BMP certification)

Total Remaining Construction Financial Assurance (with Pre-Plat Construction) _ \$ 1,791,992.75

(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

Total Defect Warranty Financial Assurance _ \$ 79,700.30

(20% of all items identified as (*). To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.

(P.E. Seal Required)

APPROVED

Engineering Review Approved by Owner / Applicant

09/28/2022 11:03:58 AM dsdrice JeffRice@elpasoco.com (719) 520-7877
EPC Planning & Community
Development Department Approved by El Paso County Engineer / ECM Administrator

8/26/2022

Date