

Sent: September 18, 2024

Application Approval

Application Number: 671516 Rev.: 3

This approval takes the place of the amendment template that Crown has provided in the past. Crown will not use or interpret this application approval or the attached order/application to limit or reduce AT&T's contractual rights or to argue that AT&T relinquished any rights under the agreement governing this site.

Site Name & Configuration:

TEMPLETON GAP / AT&T FA# 10101716 / Schubert Property / Crown BU# 877055 / AT&T PTN# 3755A1B9R3

RAD Centerline, antennas, coax: (Please see attached application)

Project Manager:

Allie Kmieciak
Allie.Kmieciak@crowncastle.com

Construction Manager:

Michael Escalada Michael.Escalada@crowncastle.com

Rent:

Monthly Rent: Amendment is \$0 per the MLA or Sublease Agreement, as may be applicable.

Please contact the Project Manager to proceed with the request for the Notice to Proceed (NTP).

Call with any questions.

Thank you,

Caroline Hutchins Account Executive Crown Castle USA 623-233-7219



Order Information

Order ID Submitted By Original Submit Date JDE Job Number Revision Number

671516 Mandie Kennedy May 28 2024 2116582 3

Orders are subject to applicable Crown Castle engineering, regulatory, zoning/planning, and priority property-owner approval. Approval conditions may result in alternative requirements for type and/or placement of equipment. Approval conditions may also lead to additional or revised engineering analysis at Crown Castle discretion and upon consent of the customer.

Site Information

Site ID Crown Castle Structure Structure Height (ft) Crown Castle Site Name
877055 A 108.0 Schubert Property

Crown Castle District County
PHX EI Paso

Latitude Longitude Structure Type Site Address

38° 56' 19.60" -104° 42' 7.80" MONOPOLE 7445 Templeton Gap Rd

Colorado Springs, CO 80922

Order Parameters

Who is the customer? What do you want to do? License Number What is the Scope of your Order?

AT&T Mobility Amendment 151850 Tower Equipment

Are you changing a mount?

No

What is the scope of work?

Swap 9 antennas, 9 RRHs, and 3 Surges. Add 3 antennas and 1 DC trunk.

Vertical tower space may not exceed##12 ft.##All equipment including mounts and mounting

hardware must fit within vertical envelope or additional fees may apply.

Customer

Billing Company Billing ID Number Billing Address

AT&T Mobility 395387 1025 LENOX PARK BLVD NE

3RD FLOOR

AT&T TOWER ASSET GROUP

ATLANTA, GA 30319

Operating Legal Entity Operating Legal Entity ID

New Cingular Wireless PCS, LLC 470022

 AT&T Site Name
 AT&T Site ID
 Project Tracking Number (PTN)
 FA #

 TEMPLETON GAP
 COL02056
 3755A1B9R3
 10101716

 PACE Ref #
 AT&T Market
 AT&T Region
 AT&T Sub-Market

MRUTH064286 ROCKY MOUNTAIN REGION WEST COLORADO

Project Management Vendor

BLACK & VEATCH

Contacts

NAME	EMAIL	PHONE	ADDRESS
Jannett Lopez	jannett.lopez@anscollc.com	6306863419	7955 S. Cass Avenue Darien, Illinois 60561

RF Contacts

NAME	EMAIL	PHONE
David Black	db4310@att.com	

Configuration Review

Antennas

MCL (ft)	ACL (ft)	TOTAL	INSTALLED	PROPOSED	NOT INSTALLED	MANUFACTURER / MODEL	HEIGHT (in)	WIDTH (in)	DEPTH (in)	WEIGHT (lbs)
49	52	6	0	6	0	COMMSCOPE / NNH4-65C-R6	96.00	19.60	7.80	99.20
49	50	3	0	3	0	ERICSSON / AIR 6419 B77D	28.20	16.10	7.30	66.20
49	54	3	0	3	0	ERICSSON / AIR 6419 B77G_CCIV2	28.30	16.10	7.90	66.10

Tower Mounted Equipment

MCL (ft)	ACL (ft)	TOTAL	INSTALLED	PROPOSED	NOT INSTALLED	MANUFACTURER / MODEL	—	HEIGHT (in)	WIDTH (in)	DEPTH (in)	WEIGHT (lbs)
49	52	3	0	3	0	ERICSSON / RADIO 4490HP B5/B12A	BASE STATION	17.50	15.10	6.80	68.00
49	52	3	0	3	0	ERICSSON / RADIO 4890HP B2/B25 B66	BASE STATION	17.50	15.10	6.90	68.00
49	52	3	0	3	0	ERICSSON / RRUS 4478 B14_CCIV2	BASE STATION	18.10	13.40	8.26	59.40
49	53	2	0	2	0	RAYCAP / DC6-48-60-18-8F	JUNCTION BOX	N 22.25	11.00	11.00	18.90
49	53	1	0	1	0	RAYCAP / DC9-48-60-24-8C- EV_220506	JUNCTIOI BOX	25.97	12.43	9.66	18.50

Feedlines

MCL (ft)	ACL (ft)	TOTAL	INSTALLED	PROPOSED	NOT INSTALLED	MANUFACTURER / MODEL	NOMINAL SIZE (in)	NOMINAL O.D. (in)
49	52	12	12	0	0	ANDREW / AL5-50	7/8	1.10
49	52	1	1	0	0	BELDEN / 9207	5/16	0.33
49	52	2	0	2	0	ROSENBERGER LEONI / FB-L98-002-XXX	3/8	0.39
49	52	1	0	1	0	ROSENBERGER LEONI / WR-VG66ST-BRD	7/8	0.96
49	52	4	0	4	0	ROSENBERGER LEONI / WR-VG86ST-BRD	3/4	0.80

Frequencies

SVC TECHNOLOGY	EIRP (WATTS)	STANDARD FREQUENCY	TRANSMIT FREQUENCY
Other - With RF	3280.00		3700.000 -3980.000MHZ 3450.000 -3550.000MHZ

All Receive frequencies are approved.

Cabinets

Number of Proposed Additional Cabinets

0

Lease Areas

There are currently no Lease Areas for this order

Power

Do you need Crown to supply Power?

No

Battery Backup Required?

No

Equipment

Order autopopulated from LMP(Installed Config)

Antennas

MANUFACTURER / MODEL	ANTENNA CENTERLINE (ft)	AZIMUTH	CUSTOMER MOUNT CLASS	MOUNT ORIENTATION	STATUS
COMMSCOPE / NNH4-65C-R6	52	30	SECTOR MOUNT	Mid-Mount	Proposed
COMMSCOPE / NNH4-65C-R6	52	30	SECTOR MOUNT	Mid-Mount	Proposed
COMMSCOPE / NNH4-65C-R6	52	140	SECTOR MOUNT	Mid-Mount	Proposed
COMMSCOPE / NNH4-65C-R6	52	140	SECTOR MOUNT	Mid-Mount	Proposed
COMMSCOPE / NNH4-65C-R6	52	240	SECTOR MOUNT	Mid-Mount	Proposed
COMMSCOPE / NNH4-65C-R6	52	240	SECTOR MOUNT	Mid-Mount	Proposed
ERICSSON / AIR 6419 B77D	50	30	SECTOR MOUNT	Mid-Mount	Proposed
ERICSSON / AIR 6419 B77D	50	140	SECTOR MOUNT	Mid-Mount	Proposed
ERICSSON / AIR 6419 B77D	50	240	SECTOR MOUNT	Mid-Mount	Proposed
ERICSSON / AIR 6419 B77G_CCIV2	54	30	SECTOR MOUNT	Mid-Mount	Proposed
ERICSSON / AIR 6419 B77G_CCIV2	54	140	SECTOR MOUNT	Mid-Mount	Proposed
ERICSSON / AIR 6419 B77G_CCIV2	54	240	SECTOR MOUNT	Mid-Mount	Proposed

Tower Mounted Equipment

rowor mounto	• •				
TYPE	MANUFACTURER / MODEL	TME CENTERLINE (ft)	LOCATED ON ANTENNA MOUNT?	MOUNT CLASS	STATUS
BASE STATION	ERICSSON / RADIO 4490HP B5/B12A	52	Yes		Proposed
BASE STATION	ERICSSON / RADIO 4490HP B5/B12A	52	Yes		Proposed
BASE STATION	ERICSSON / RADIO 4490HP B5/B12A	52	Yes		Proposed
BASE STATION	ERICSSON / RRUS 4478 B14_CCIV2	52	Yes		Proposed
BASE STATION	ERICSSON / RRUS 4478 B14_CCIV2	52	Yes		Proposed
BASE STATION	ERICSSON / RRUS 4478 B14_CCIV2	52	Yes		Proposed
BASE STATION	ERICSSON / RADIO 4890HP B2/B25 B66	52	Yes		Proposed
BASE STATION	ERICSSON / RADIO 4890HP B2/B25 B66	52	Yes		Proposed
BASE STATION	ERICSSON / RADIO 4890HP B2/B25 B66	52	Yes		Proposed
JUNCTION BOX	RAYCAP / DC6-48-60-18-8F	53	Yes		Proposed
JUNCTION BOX	RAYCAP / DC6-48-60-18-8F	53	Yes		Proposed
JUNCTION BOX	RAYCAP / DC9-48-60-24-8C-EV_220506	53	Yes		Proposed

Feedlines

i ccamico						
TYPE	MANUFACTURER / MODEL	NOMINAL SIZE (in)		LENGTH (ft)	IN CONDUIT?	STATUS
COAX	BELDEN / 9207	5/16	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
COAX	ANDREW / AL5-50	7/8	52	102	No	Installed
POWER	ROSENBERGER LEONI / WR-VG86ST- BRD	3/4	52	102	Yes	Proposed
POWER	ROSENBERGER LEONI / WR-VG86ST- BRD	3/4	52	102	Yes	Proposed
POWER	ROSENBERGER LEONI / WR-VG86ST- BRD	3/4	52	102	Yes	Proposed
POWER	ROSENBERGER LEONI / WR-VG86ST- BRD	3/4	52	102	Yes	Proposed
POWER	ROSENBERGER LEONI / WR-VG66ST-BRD	7/8	52	102	Yes	Proposed
FIBER	ROSENBERGER LEONI / FB-L98-002-XXX	3/8	52	102	Yes	Proposed
FIBER	ROSENBERGER LEONI / FB-L98-002-XXX	3/8	52	102	Yes	Proposed

NOTICE: Structural Analysis shall be performed in accordance with the current revision of the TIA/EIA 222 standard and applicable local building permit codes and standards. EME analysis shall be consistent with current revision of FCC/OSHA standard OETB 65. AM detuning, when required, will be performed to 47 CFR22.371. The customer is responsible for all analysis expenses. All construction drawings are subject to Crown Castle engineering approval prior to commencement of tower attachments and compound installations. Installation of equipment not conforming to approved drawings may violate the terms of the occupancy agreement and will be corrected at the customer's expense. Crown Castle requires drawings for pre-construction approval and as built drawings for physical configuration validation to be submitted as unlocked AutoCAD files (Version 2000i preferred). Because manufacturers may change equipment specifications (e.g., length, width, height, depth or weight) for a Model Number without changing the Model Number itself, the equipment specifications for such Model Number as identified herein shall be used to determine exactly which version of equipment with such Model Number is approved by Crown Castle herein. Crown Castle may include the suffix "CCIv" together with a number (indicating a version number) after a Model Number, which suffix is not part of the actual Model Number, but indicative of a known change to the equipment specifications applicable to such Model Number.

	earinghouse Form equest for Qualified SLA					C	ROWN CASTLE
Application ID	671516	REV SHARE SITE	No				
ви	877055	Area	West		District		Phoenix
Type of App	Amendment to Existing License	Reason for App	West	To	wer Equipmen		HOUTIN
Parent License	151850	MLA Description		Cingula	r (w/Crown) 07	7/01/05	
AT&T FA#	10101716	Account Executive		Hut	tchins, Carolin	ne	
		CLEARINGHOUSE PR	ICING AND INSTRUCT	IONS			
		OZZANINONOOOZ I N	IOINO AND INOTICOST	10110			
	Category	Allowable Sq In Total	Proposed Sq In Total	Variance		l Overage arge	Overage Charge
	Primary Rad Center (sq in)	22000.00	17143.98	4856.02	\$0.	1591	\$0.00
				CI	narge at Addi	tional Levels	\$0.00
					# Small	# Large	
	5 - W 6 1				Bundle	Bundle	
	Feedline (count)	44.00	14.46	29.54		Ground	\$0.00

ı	D.:: 0 - 17	010010005				Total	\$0.00
l	Pricing Good Through	6/30/2025				Rev Share	
		CLEARINGHOUSE	Additional Information	on			
New Install - with	n\$						
	ment on this SLA shared with equip tifier of the existing AT&T Parent Li ?						
Area Suggested Pr	ricing:						
				_			
Area Comments							
Clearinghouse C	comments						
BMI/DCS Subleat	se Sites	Add	Remove	Model (Change	R	elocation
DOO GUDIERI	Antenna					K	
	MW						
	Coax						
	TMA						
	MISC						

BU#[877055	Application ID	671516		С	CS	ROWN
		TOWER TOP EQUI	PMENT SPECIFICATION	IS			
Quantity	Manufacturer / I	Model	Туре	Dimensions (IN) Height Width Depth			Square Inches
6	COMMSCOPE NNH	4-65C-R6	PANEL	96.00	19.60	7.80	11289.60
3	ERICSSON AIR 64	19 B77D	PANEL	28.20	16.10	7.30	1362.06
3	ERICSSON AIR 6419 E	377G_CCIV2	PANEL	28.30	16.10	7.90	1366.89
1	RAYCAP DC9-48-60-24-6	8C-EV_220506	JUNCTION BOX	25.97	12.43	9.66	322.81
2	RAYCAP DC6-48-6	0-18-8F	JUNCTION BOX	22.25	11.00	11.00	489.50
3	ERICSSON RADIO 449	OHP B5/B12A	BASE STATION	17.50	15.10	6.80	792.75
3	ERICSSON RADIO 4890H	HP B2/B25 B66	BASE STATION	17.50	15.10	6.90	792.75
3	ERICSSON RRUS 4478	B14_CCIV2	BASE STATION	18.10	13.40	8.26	727.62
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
0	0		0	0.00	0.00	0.00	0.00
U	-		U	0.00	0.00	Total	0.00 17,143.98
							17,143.50
		FEEDLINE	SPECIFICATIONS				
Quantity	Manufacturer	Model		N	lominal O.D. (IN)	Square Inches
12	ANDREW	AL5-50			1.1		11.40
4	ROSENBERGER LEONI	WR-VG86ST-BRD			0.8		2.01
2	ROSENBERGER LEONI	FB-L98-002-XXX			0.39		0.24
1 1	BELDEN ROSENBERGER LEONI	9207 WR-VG66ST-BRD			0.33		0.09
0	0	0			0		0.00
0	0	0			0		0.00
0	0	0			0		0.00
0	0	0			0		0.00
0	0	0			0		0.00
0	0	0			0		0.00
0	0	0			0		0.00
0	0	0	-	-	0		0.00
0	· ·	1	U			0.00	

Certificate Of Completion

Envelope Id: 0998E113A0DD4758BF40166DCA977C5D Status: Completed

Subject: BU-877055_PLIC-151850_ORD-671516_Schubert Property_AT&T Mobility_10101716_3755A1B9R3_COL02056_TEMPLE

District: PHX

ApplicationId: 671516

Area: WTA

BusinessUnit: 877055 License: 151850 Source Envelope: Document Pages: 7

Certificate Pages: 4

AutoNav: Enabled

Envelopeld Stamping: Enabled

Time Zone: (UTC-05:00) Eastern Time (US & Canada)

Signatures: 0 Envelope Originator:

Initials: 0 Crown Castle Contract Development

> 2000 Corporate Drive Canonsburg, PA 15317

RPA_PROD_CC016.RPA_PROD_CC016@crownca

stle.com

IP Address: 4.78.16.2

Location: DocuSign

Record Tracking

Status: Original

9/18/2024 6:36:25 AM

Holder: Crown Castle Contract Development

RPA_PROD_CC016.RPA_PROD_CC016@

crowncastle.com

Completed

Using IP Address: 4.78.16.2

Signer Events Signature

Taylor Whipkey

Taylor.Whipkey@crowncastle.com

Security Level:

.Email

ID: 7306a1db-5f6d-4b62-8e1c-b9be77da1eb8

9/18/2024 8:47:29 AM

In Person Signer Events

Electronic Record and Signature Disclosure:

Timestamp

Sent: 9/18/2024 8:39:38 AM Viewed: 9/18/2024 8:47:34 AM Signed: 9/18/2024 8:49:55 AM

Accepted: 9/18/2024 8:47:34 AM

ID: 6cc883c4-3add-4de2-ac78-d200a3f90110

Signature	Timestamp

Editor Delivery Events Status Timestamp

Agent Delivery Events Status Timestamp

Intermediary Delivery Events Status Timestamp

Certified Delivery Events Status Timestamp

Carbon Copy Events Status Timestamp

COPIED

COPIED

Read Only Customer Agreement

readonlycustomeragreements@crowncastle.com Security Level: Email, Account Authentication

(None)

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

Licensor Service Delivery

Contracts.ServiceDelivery@crowncastle.com

Security Level: Email, Account Authentication

(None)

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

Sent: 9/18/2024 8:50:15 AM

Sent: 9/18/2024 8:50:51 AM Viewed: 9/18/2024 2:13:06 PM **Carbon Copy Events Status Timestamp** Licensee Lease Records Sent: 9/18/2024 8:50:53 AM COPIED HQRERecordsAdministration@awsmail.att.com Security Level: Email, Account Authentication (None) **Electronic Record and Signature Disclosure:** Not Offered via DocuSign caroline hutchins Sent: 9/18/2024 8:50:54 AM **COPIED** caroline.hutchins@crowncastle.com Security Level: Email, Account Authentication (None) **Electronic Record and Signature Disclosure:** Not Offered via DocuSign Allie Kmieciak Sent: 9/18/2024 8:50:55 AM **COPIED** Allie.Kmieciak@crowncastle.com Security Level: Email, Account Authentication **Electronic Record and Signature Disclosure:** Not Offered via DocuSign Jannett Lopez Sent: 9/18/2024 8:50:56 AM COPIED Viewed: 9/19/2024 2:55:41 PM jannett.lopez@anscollc.com

Security Level: Email, Account Authentication

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

(None)

Witness Events	Signature	Timestamp	
Notary Events	Signature	Timestamp	
Envelope Summary Events	Status	Timestamps	
Envelope Sent	Hashed/Encrypted	9/18/2024 8:03:41 AM	
Envelope Updated	Security Checked	9/18/2024 8:39:33 AM	
Envelope Updated	Security Checked	9/18/2024 8:39:35 AM	
Envelope Updated	Security Checked	9/18/2024 8:39:39 AM	
Envelope Updated	Security Checked	9/18/2024 8:50:13 AM	
Envelope Updated	Security Checked	9/18/2024 8:50:18 AM	
Envelope Updated	Security Checked	9/18/2024 8:50:24 AM	
Envelope Updated	Security Checked	9/18/2024 8:50:59 AM	
Envelope Updated	Security Checked	9/18/2024 8:51:23 AM	
Certified Delivered	Security Checked	9/18/2024 8:47:34 AM	
Signing Complete	Security Checked	9/18/2024 8:49:55 AM	
Completed	Security Checked	9/18/2024 8:51:23 AM	
Payment Events	Status	Timestamps	
Electronic Record and Signature Disclosure			

Electronic Record and Signature Disclosure created on: 9/19/2018 4:13:00 PM

Parties agreed to: Taylor Whipkey

ELECTRONIC RECORD AND SIGNATURE DISCLOSURE

In order to provide more efficient and faster service, Crown Castle ("we", "us" or "company") is pleased to announce the use of DocuSign, Inc. ("DocuSign") electronic signing system. The terms for providing such documents for execution and various other documents and records to you electronically through DocuSign are set forth below. Please read the information below carefully and if you can satisfactorily access this information electronically and agree to these terms, please confirm your agreement by clicking the "I agree" button at the bottom of this document. **Getting paper copies**

At any time, you may request from us a paper copy of any document for execution or other document or record provided or made available electronically to you by us. You will be able to download and print documents we send to you through the DocuSign system during and immediately after each signing session and, if you elect to create a DocuSign signer account, you may access them for a limited period of time thereafter. To request paper copies of documents previously provided by us to you electronically, send an e-mail to esignature@CrownCastle.com, requesting the subject paper copies and stating your e-mail address, name, US Postal address and telephone number.

Withdrawing your consent to receive and/or execute documents electronically

If you elect to receive documents for execution and various other documents and records from us electronically, you may at any time change your mind and tell us that thereafter you want to receive such documents only in paper format. To withdraw your consent to electronic delivery and execution of documents, use the DocuSign 'Withdraw Consent' form on the signing page of a DocuSign envelope, instead of signing it. Thereafter, you will no longer be able to use the DocuSign system to electronically receive and execute documents or other records from us. You may also send an e-mail to esignature@CrownCastle.com stating that you are withdrawing your consent to electronic delivery and execution of documents through the DocuSign system and stating your e-mail address, name, US Postal Address, and telephone number.

Consequences of withdrawing consent to receive and/or execute documents electronically If you elect to receive documents for execution and various other documents and other records only in paper format, it will slow the speed at which we can complete the subject transactions because of the increased delivery time. Documents for execution, and other documents and records may be sent to you electronically Unless you tell us otherwise in accordance with the procedures described herein, we may provide documents for execution, and other documents and records electronically to you through the DocuSign system during the course of our relationship with you. To reduce the chance of you inadvertently not receiving any document for execution or other document or record, we prefer to provide all documents for execution, and other documents and records by the same method and to the same address that you have given us. If you do not agree with this process, please let us know as described below.

How to contact Crown Castle

You may contact us to let us know of any changes related to contacting you electronically, to request paper copies of documents for execution and other documents and records from us, and to withdraw your prior consent to receive documents for execution and other documents and records electronically as follows:

To contact us by phone call: 724-416-2000

To contact us by email, send messages to: esignature@CrownCastle.com

To contact us by paper mail, send correspondence to

Crown Castle

2000 Corporate Drive

Canonsburg, PA 15317

To advise Crown Castle and DocuSign of your new e-mail address

To let us know of a change to the e-mail address where we should send documents for execution and other documents and records to you, you must send an email message to esignature@CrownCastle.com and state your previous e-mail address and your new e-mail address.

In addition, you must notify DocuSign, Inc. to arrange for your new email address to be reflected in your DocuSign account by following the process for changing e-mail in the DocuSign system.

Required hardware and software

Browsers:	Internet Explorer® 11 (Windows only); Windows Edge Current Version; Mozilla Firefox Current Version; Safari™ (Mac OS only) 6.2 or above; Google Chrome Current Version; Note : Prerelease (e.g., beta) versions of operating systems and browsers are not supported.	
Mobile Signing:	Apple iOS 7.0 or above; Android 4.0 or above	
PDF Reader:	Acrobat® Reader or similar software may be required to view and print PDF files	
Screen Resolution:	1024 x 768	

Enabled Security Settings:	Allow per session cookies
----------------------------------	---------------------------

These minimum requirements are subject to change. If these requirements change, you will be asked to re-accept the disclosure. Pre-release (e.g. beta) versions of operating systems and browsers are not supported.

Acknowledging your access and consent to receive documents electronically

Please confirm that you were able to access this disclosure electronically (which is similar to the manner in which we will deliver documents for execution and other documents and records) and that you were able to print this disclosure on paper or electronically save it for your future reference and access or that you were able to e-mail this disclosure to an address where you will be able to print it on paper or save it for your future reference and access. Further, if you consent to receiving documents for execution and other documents and records in electronic format on the terms described above, please let us know by clicking the "I agree" button below.

By checking the 'I agree' box, I confirm that:

- You can access and read this Electronic Record and Signature Disclosure; and
- As a recipient, you can read, electronically sign and act upon this message, and you agree not to forward it
 or any other DocuSign e-mail communications. In the event another party needs to be added to the
 DocuSign communication, you must make a request to the e-mail originator.