

19 E. Willamette Ave.
Colorado Springs, CO 80903
(719)-477-9429
www.jpsengr.com

July 27, 2026

El Paso County Planning and Community Development Department
2880 International Circle
Colorado Springs, CO 80910

**SUBJECT: Cathedral Rock Church (PPR2436)
Tract A, Struthers Ranch Filing No. 2
Engineer's Certification Letter – Permanent Control Measures**

Ladies and Gentlemen:

Drainage Permanent Control Measures (PCM's) for this project include one private Rain Garden (RG-A). The PCM(s) provide the required storage volume and meet the required release rates, storage areas, elevations, and outlet dimensions, as documented by the attached revised MHFD-Detention spreadsheet that shows the as-built conditions. The As-Built drawings accurately depict the installation of the PCM improvements and verify that adequate detention volume has been provided.

Based upon information gathered from periodic site visits to the project, JPS Engineering, Inc. is of the opinion that the Permanent Control Measures have been constructed in general compliance with the approved design plans as filed with El Paso County.

The site and adjacent properties (as affected by work performed under the County permit) appear to be stable with respect to settlement and subsidence, sloughing of cut and fill slopes, revegetation or other ground cover, and the improvements (public improvements, common development improvements, site grading and paving) meet or exceed the minimum design requirements.

Sincerely,
JPS Engineering, Inc.


John P. Schwab, P.E.
Colorado P.E. No. 29891



DETENTION BASIN OUTLET STRUCTURE DESIGN

MHFD-Detention, Version 4.06 (July 2022)

Project: **Cathedral Rock Church**
Basin ID: **Rain Garden A - As-Built**



Example Zone Configuration (Retention Pond)

	Estimated Stage (ft)	Estimated Volume (ac-ft)	Outlet Type
Zone 1 (WQCV)	0.96	0.082	Filtration Media
Zone 2			
Zone 3			
Total (all zones)		0.082	

User Input: Orifice at Underdrain Outlet (typically used to drain WQCV in a Filtration BMP)

Underdrain Orifice Invert Depth = 1.90 ft (distance below the filtration media surface)
Underdrain Orifice Diameter = 1.42 inches

Calculated Parameters for Underdrain
Underdrain Orifice Area = 0.0 ft²
Underdrain Orifice Centroid = 0.06 feet

User Input: Orifice Plate with one or more orifices or Elliptical Slot Weir (typically used to drain WQCV and/or EURV in a sedimentation BMP)

Centroid of Lowest Orifice = ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Orifice Plate = ft (relative to basin bottom at Stage = 0 ft)
Orifice Plate: Orifice Vertical Spacing = inches
Orifice Plate: Orifice Area per Row = sq. inches

Calculated Parameters for Plate
WQ Orifice Area per Row = N/A ft²
Elliptical Half-Width = N/A feet
Elliptical Slot Centroid = N/A feet
Elliptical Slot Area = N/A ft²

User Input: Stage and Total Area of Each Orifice Row (numbered from lowest to highest)

	Row 1 (optional)	Row 2 (optional)	Row 3 (optional)	Row 4 (optional)	Row 5 (optional)	Row 6 (optional)	Row 7 (optional)	Row 8 (optional)
Stage of Orifice Centroid (ft)								
Orifice Area (sq. inches)								

User Input: Vertical Orifice (Circular or Rectangular)

Invert of Vertical Orifice = Not Selected ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Vertical Orifice = Not Selected ft (relative to basin bottom at Stage = 0 ft)
Vertical Orifice Diameter = Not Selected inches

Calculated Parameters for Vertical Orifice
Vertical Orifice Area = Not Selected ft²
Vertical Orifice Centroid = Not Selected feet

User Input: Overflow Weir (Dropbox with Flat or Sloped Grate and Outlet Pipe OR Rectangular/Trapezoidal Weir and No Outlet Pipe)

Overflow Weir Front Edge Height, H_o = 1.00 ft (relative to basin bottom at Stage = 0 ft)
Overflow Weir Front Edge Length = 4.00 feet
Overflow Weir Grate Slope = 0.00 H:V
Horiz. Length of Weir Sides = 2.50 feet
Overflow Grate Type = Type C Grate
Debris Clogging % = 50% %

Calculated Parameters for Overflow Weir
Height of Grate Upper Edge, H_u = 1.00 feet
Overflow Weir Slope Length = 2.50 feet
Grate Open Area / 100-yr Orifice Area = 2.22
Overflow Grate Open Area w/o Debris = 6.96 ft²
Overflow Grate Open Area w/ Debris = 3.48 ft²

User Input: Outlet Pipe w/ Flow Restriction Plate (Circular Orifice, Restrictor Plate, or Rectangular Orifice)

Depth to Invert of Outlet Pipe = 1.90 ft (distance below basin bottom at Stage = 0 ft)
Circular Orifice Diameter = 24.00 inches

Calculated Parameters for Outlet Pipe w/ Flow Restriction Plate
Outlet Orifice Area = 3.14 ft²
Outlet Orifice Centroid = 1.00 feet
Half-Central Angle of Restrictor Plate on Pipe = N/A radians

User Input: Emergency Spillway (Rectangular or Trapezoidal)

Spillway Invert Stage = 1.20 ft (relative to basin bottom at Stage = 0 ft)
Spillway Crest Length = 5.00 feet
Spillway End Slopes = 4.00 H:V
Freeboard above Max Water Surface = 0.00 feet

Calculated Parameters for Spillway
Spillway Design Flow Depth = 0.77 feet
Stage at Top of Freeboard = 1.97 feet
Basin Area at Top of Freeboard = 0.14 acres
Basin Volume at Top of Freeboard = 0.21 acre-ft




Routed Hydrograph Results

The user can override the default CUHP hydrographs and runoff volumes by entering new values in the Inflow Hydrographs table (Columns W through AF).

	WQCV	EURV	2 Year	5 Year	10 Year	25 Year	50 Year	100 Year	500 Year
Design Storm Return Period =	N/A	N/A	1.19	1.50	1.75	2.00	2.25	2.52	3.14
One-Hour Rainfall Depth (in) =	N/A	N/A	0.300	0.409	0.501	0.613	0.710	0.828	1.075
CUHP Runoff Volume (acre-ft) =	0.082	0.344	0.300	0.409	0.501	0.613	0.710	0.828	1.075
Inflow Hydrograph Volume (acre-ft) =	N/A	N/A	0.6	1.6	2.4	4.2	5.3	6.6	9.2
CUHP Predevelopment Peak Q (cfs) =	N/A	N/A	0.12	0.33	0.49	0.88	1.10	1.37	1.91
OPTIONAL Override Predevelopment Peak Q (cfs) =	N/A	N/A	0.12	0.33	0.49	0.88	1.10	1.37	1.91
Predevelopment Unit Peak Flow, q (cfs/acre) =	N/A	N/A	5.6	7.6	9.0	11.2	13.0	15.4	19.8
Peak Inflow Q (cfs) =	N/A	N/A	3.6	5.8	7.6	10.8	12.5	14.7	19.9
Peak Outflow Q (cfs) =	N/A	N/A	N/A	3.7	3.2	2.6	2.4	2.2	2.2
Ratio Peak Outflow to Predevelopment Q =	N/A	N/A	N/A	3.7	3.2	2.6	2.4	2.2	2.2
Structure Controlling Flow =	Filtration Media	Overflow Weir 1	Spillway	Spillway	Spillway	Spillway	Spillway	Spillway	Spillway
Max Velocity through Grate 1 (fps) =	N/A	0.16	0.45	0.6	0.8	1.1	1.2	1.4	1.8
Max Velocity through Grate 2 (fps) =	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Time to Drain 97% of Inflow Volume (hours) =	12	13	14	14	13	13	12	12	11
Time to Drain 99% of Inflow Volume (hours) =	12	13	15	15	15	15	15	14	14
Maximum Ponding Depth (ft) =	0.96	1.14	1.28	1.36	1.42	1.51	1.55	1.60	1.71
Area at Maximum Ponding Depth (acres) =	0.10	0.11	0.12	0.12	0.12	0.12	0.13	0.13	0.13
Maximum Volume Stored (acre-ft) =	0.083	0.102	0.118	0.127	0.134	0.144	0.150	0.157	0.171

DETENTION BASIN OUTLET STRUCTURE DESIGN

MHFD-Detention, Version 4.06 (July 2022)



S-A-V-D Chart Axis Override	X-axis	Left Y-Axis	Right Y-Axis
minimum bound			
maximum bound			

DETENTION BASIN OUTLET STRUCTURE DESIGN

Outflow Hydrograph Workbook Filename: _____

Inflow Hydrographs

The user can override the calculated inflow hydrographs from this workbook with inflow hydrographs developed in a separate program.

Time Interval	SOURCE	CUHP	CUHP	CUHP	CUHP	CUHP	CUHP	CUHP	CUHP	CUHP
	TIME	WQCV [cfs]	EURV [cfs]	2 Year [cfs]	5 Year [cfs]	10 Year [cfs]	25 Year [cfs]	50 Year [cfs]	100 Year [cfs]	500 Year [cfs]
5.00 min	0:00:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0:05:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	0:10:00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.01	0.24
	0:15:00	0.00	0.00	0.67	1.10	1.36	0.91	1.13	1.11	1.55
	0:20:00	0.00	0.00	2.29	2.97	3.54	2.18	2.52	2.72	3.55
	0:25:00	0.00	0.00	4.83	6.74	8.38	4.74	5.52	6.01	8.41
	0:30:00	0.00	0.00	5.57	7.58	9.00	10.79	12.60	14.10	18.32
	0:35:00	0.00	0.00	4.83	6.44	7.61	11.22	12.99	15.40	19.81
	0:40:00	0.00	0.00	4.08	5.33	6.32	10.21	11.79	13.84	17.78
	0:45:00	0.00	0.00	3.22	4.31	5.19	8.60	9.93	12.10	15.50
	0:50:00	0.00	0.00	2.61	3.61	4.27	7.32	8.45	10.20	13.08
	0:55:00	0.00	0.00	2.20	3.02	3.64	5.91	6.83	8.52	10.94
	1:00:00	0.00	0.00	1.86	2.53	3.10	4.89	5.67	7.34	9.44
	1:05:00	0.00	0.00	1.55	2.10	2.62	4.10	4.76	6.38	8.21
	1:10:00	0.00	0.00	1.20	1.76	2.25	3.16	3.67	4.73	6.12
	1:15:00	0.00	0.00	0.99	1.51	2.09	2.45	2.85	3.48	4.56
	1:20:00	0.00	0.00	0.88	1.34	1.87	1.94	2.25	2.53	3.32
	1:25:00	0.00	0.00	0.82	1.23	1.60	1.62	1.89	1.93	2.54
	1:30:00	0.00	0.00	0.79	1.16	1.42	1.35	1.56	1.56	2.05
	1:35:00	0.00	0.00	0.77	1.11	1.29	1.17	1.34	1.31	1.72
	1:40:00	0.00	0.00	0.76	0.98	1.21	1.06	1.21	1.15	1.50
	1:45:00	0.00	0.00	0.75	0.89	1.14	0.98	1.11	1.04	1.35
	1:50:00	0.00	0.00	0.74	0.82	1.10	0.93	1.05	0.97	1.26
	1:55:00	0.00	0.00	0.63	0.77	1.03	0.90	1.02	0.95	1.23
	2:00:00	0.00	0.00	0.55	0.72	0.92	0.88	0.99	0.94	1.22
	2:05:00	0.00	0.00	0.38	0.49	0.63	0.61	0.68	0.65	0.84
	2:10:00	0.00	0.00	0.25	0.33	0.43	0.41	0.46	0.45	0.58
	2:15:00	0.00	0.00	0.17	0.22	0.29	0.28	0.31	0.30	0.39
	2:20:00	0.00	0.00	0.11	0.14	0.19	0.18	0.20	0.19	0.25
	2:25:00	0.00	0.00	0.07	0.09	0.12	0.12	0.13	0.12	0.16
	2:30:00	0.00	0.00	0.04	0.05	0.07	0.07	0.08	0.08	0.10
	2:35:00	0.00	0.00	0.02	0.03	0.03	0.04	0.04	0.04	0.05
	2:40:00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.02
	2:45:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2:50:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2:55:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:00:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:05:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:10:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:15:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:20:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:25:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:30:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:35:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:40:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:45:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:50:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	3:55:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:00:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:05:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:10:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:15:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:20:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:25:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:30:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:35:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:40:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:45:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:50:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	4:55:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:00:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:05:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:10:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:15:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:20:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:25:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:30:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:35:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:40:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:45:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:50:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	5:55:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	6:00:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00