2024 Financial Assurance Estimate Form

(with pre-plat construction) Updated: 10/2023

PROJECT INFORMATION								
Rock Island Trail	8/15/2024							
Project Name	Date	PCD File No.						

			Unit					-Plat (Construction)
Description	Quantity	Units	Cost			Total	% Complete		Remaining
SECTION 1 - GRADING AND EROSION CONTRO	L (Construction	n and Perm	anent BMPs						
Earthwork									
less than 1,000; \$5,300 min		CY	\$ 8.0		\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$ 6.0		\$	-		\$	-
5,001-20,000; \$30,000 min		CY	\$ 5.0		\$	-		\$	-
20,001-50,000; \$100,000 min		CY	\$ 3.5) =	\$	-		\$	-
50,001-200,000; \$175,000 min		CY	\$ 2.5) =	\$	-		\$	-
greater than 200,000; \$500,000 min		CY	\$ 2.0) =	\$	-		\$	-
Permanent Erosion Control Blanket		SY	\$ 9.0) =	\$	-		\$	-
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	.5	AC	\$ 2,018.0) =	\$	1,009.00		\$	1,009.0
Permanent Pond/BMP (provide engineer's estimate)		EA		=	\$	-		\$	-
Concrete Washout Basin		EA	\$ 1,172.0) =	\$	-		\$	-
Inlet Protection		EA	\$ 217.0		\$	_		\$	_
Rock Check Dam		EA	\$ 651.0		\$	_		\$	
Safety Fence		LF	\$ 3.0		\$			\$	
Sediment Basin		EA	\$ 2,294.0		\$	-		\$	
Sediment Trap		EA	\$ 538.0						<u>-</u>
·	0000				\$			\$	27.000.0
Silt Fence	9000.	LF	\$ 3.0		\$	27,000.00		\$	27,000.0
Slope Drain		LF	\$ 43.0		\$	-		\$	-
Straw Bale		EA	\$ 33.0		\$	-		\$	-
Straw Wattle/Rock Sock		LF	\$ 8.0		\$	-		\$	-
Surface Roughening		AC	\$ 269.0		\$	-		\$	-
Temporary Erosion Control Blanket		SY	\$ 3.0) =	\$	-		\$	-
Temporary Seeding and Mulching		AC	\$ 1,793.0) =	\$	-		\$	-
Vehicle Tracking Control	2.	EA	\$ 3,085.0) =	\$	6,170.00		\$	6,170.0
				=	\$	-		\$	-
[insert items not listed but part of construction plans]				_	\$	-		\$	-
MAIN	TENANCE (35%	of Constr	uction BMPs	=	\$	11,609.50		\$	11,609.5
- Subject to defect warranty financial assurance. A minimum of 20% shall					-			т	,
e retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section	n 1 Subtota	ıl =	\$	45,788.50		\$	45,788.50
LLOWED)									
SECTION 2 - PUBLIC IMPROVEMENTS *									
ROADWAY IMPROVEMENTS									
COADIVAT IIIII KOVEIIIERTO									
Construction Traffic Control		LS	\$ 5,000.00	=	\$	-		\$	-
		LS Tons	\$ 5,000.00 \$ 37.0		\$	<u>-</u>		\$	-
Construction Traffic Control) =					
Construction Traffic Control Aggregate Base Course (135 lbs/cf)		Tons	\$ 37.0) =	\$	-		\$	-
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		Tons CY	\$ 37.0 \$ 66.0	=	\$ \$ \$	-		\$	-
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		Tons CY SY	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00) =))	\$ \$ \$ \$			\$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		Tons CY SY SY SY	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00) =)))	\$ \$ \$ \$	- - -		\$ \$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		Tons CY SY SY SY Tons	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00) =))))) =	\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$	- - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved		Tons CY SY SY SY Tons SF	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 11.00) = 0 = 0 0 0 0 0 0 0 0	\$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign		Tons CY SY SY SY Tons SF EA	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00) = 0 0 0 0 0 0 0 = 0 = 0 = 0	\$ \$ \$ \$ \$ \$	- - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		Tons CY SY SY SY Tons SF EA EA	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00		\$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		Tons CY SY SY SY Tons SF EA EA SF	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 38.00 \$ 114.00 \$ 392.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		Tons CY SY SY SY Tons SF EA EA SF SF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0 \$ 259.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		Tons CY SY SY SY Tons SF EA EA SF SF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0 \$ 259.0		\$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Called Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		Tons CY SY SY SY Tons SF EA EA SF EA EA	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0 \$ 30.0 \$ 31.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		Tons CY SY SY SY Tons SF EA EA SF EA EA LF	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 114.00 \$ 114.00 \$ 392.00 \$ 30.00 \$ 259.00 \$ 31.00 \$ 38.00 \$ 38.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		Tons CY SY SY SY Tons SF EA EA SF EA LF LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0 \$ 31.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0 \$ 31.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 30.0 \$ 30.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 77.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk		Tons CY SY SY SY Tons EA EA LF LF LF SY SY SY	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 30.0 \$ 30.0 \$ 30.0 \$ 38.0 \$ 38.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 114.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 \$ 38.00 \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 38.00 \$ 38		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 30.0 \$ 30.0 \$ 38.0 \$ 38.0 \$ 259.0 \$ 38.0 \$ 38.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		Tons CY SY SY SY Tons SF EA EA SF EA LF LF SY SY SY SY LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 30.0 \$ 35.0 \$ 38.0 \$ 259.0 \$ 31.0 \$ 38.0 \$ 38.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 39.0 \$ 39.0 \$ 31.0 \$ 38.0 \$ 259.0 \$ 31.0 \$ 38.0 \$ 3		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)		Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY LF LF EA LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0 \$ 259.0 \$ 31.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 125.0 \$ 1		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Barised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 39.0 \$ 39.0 \$ 31.0 \$ 38.0 \$ 259.0 \$ 31.0 \$ 38.0 \$ 3		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)		Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY LF LF EA LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 30.0 \$ 259.0 \$ 31.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 125.0 \$ 1		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		Tons CY SY SY SY Tons SF EA EA LF LF LF LF SY SY SY LF	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 114.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 259.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 1,496.00 \$ 119.00 \$ 119.00 \$ 19.26.00 \$ 1,926.00 \$ 94.00 \$ 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 37.0 \$ 66.0 \$ 18.0 \$ 25.0 \$ 114.0 \$ 392.0 \$ 17.0 \$ 392.0 \$ 30.0 \$ 38.0 \$ 259.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 38.0 \$ 39.0 \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf)		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 37.00 \$ 66.00 \$ 18.00 \$ 25.00 \$ 114.00 \$ 392.00 \$ 17.00 \$ 30.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 38.00 \$ 125.00 \$ 1,496.00 \$ 1,926.00 \$ 1,926.0		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -

PROJECT INFORMATION						
Rock Island Trail	8/15/2024					
Project Name	Date	PCD File No.				

		Unit (with Pre-						-Plat Construction)			
Description	Q	uantity	Units	Cost		Total	% Complete	Remaining			
					=	\$ -		\$ -			
[insert items not listed but part of construction	n plans]				=	\$ -		\$ -			
STORM DRAIN IMPROVEMENTS											
Concrete Box Culvert (M Standard), Size (W	VxH)		LF		=	\$ -		\$ -			
18" Reinforced Concrete Pipe			LF	\$ 82.00	=	\$ -		\$ -			
24" Reinforced Concrete Pipe			LF	\$ 98.00	=	\$ -		\$ -			
30" Reinforced Concrete Pipe			LF	\$ 123.00	=	\$ -		\$ -			
36" Reinforced Concrete Pipe			LF	\$ 151.00	=	\$ -		\$ -			
42" Reinforced Concrete Pipe			LF	\$ 201.00	=	\$ -		\$ -			
48" Reinforced Concrete Pipe			LF	\$ 245.00	=	\$ -		\$ -			
54" Reinforced Concrete Pipe			LF	\$ 320.00	=	\$ -		\$ -			
60" Reinforced Concrete Pipe			LF	\$ 374.00	=	\$ -		\$ -			
66" Reinforced Concrete Pipe			LF	\$ 433.00	=	\$ -		\$ -			
72" Reinforced Concrete Pipe			LF	\$ 495.00	=	\$ -		\$ -			
18" Corrugated Steel Pipe			LF	\$ 105.00	=	\$ -		\$ -			
24" Corrugated Steel Pipe			LF	\$ 121.00	=	\$ -		\$ -			
30" Corrugated Steel Pipe			LF	\$ 154.00	=	\$ -		\$ -			
36" Corrugated Steel Pipe			LF	\$ 184.00	=	\$ -		\$ -			
42" Corrugated Steel Pipe			LF	\$ 212.00	=	\$ -		\$ -			
48" Corrugated Steel Pipe			LF	\$ 223.00	=	\$ -		\$ -			
54" Corrugated Steel Pipe			LF	\$ 327.00	=	\$ -		\$ -			
60" Corrugated Steel Pipe			LF	\$ 353.00	=	\$ -		\$ -			
66" Corrugated Steel Pipe			LF	\$ 427.00	=	\$ -		\$ -			
72" Corrugated Steel Pipe			LF	\$ 502.00	=	\$ -		\$ -			
78" Corrugated Steel Pipe			LF	\$ 578.00	=	\$ -		\$ -			
84" Corrugated Steel Pipe			LF	\$ 691.00	=	\$ -		\$ -			
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)	18		EA	\$ 492.00	=	\$ -		\$ -			
Flared End Section (FES) CSP Size =					=	\$ -		\$ -			
(unit cost = 6x pipe unit cost)			EA		=	· ·					
End Treatment- Headwall			EA		=	\$ -		\$ -			
End Treatment- Wingwall			EA		=	\$ -		\$ -			
End Treatment - Cutoff Wall			EA		=	\$ -		\$ -			
Curb Inlet (Type R) L=5', Depth < 5'			EA	\$ 7,212.00	=	\$ -		\$ -			
Curb Inlet (Type R) L=5', 5'≤ Depth < 10			EA	\$ 9,377.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =5', 10' ≤ Depth < 1			EA	\$ 10,859.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =10', Depth < 5'			EA	\$ 9,925.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =10', 5'≤ Depth < 10			EA	\$ 10,230.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =10', 10' ≤ Depth < 1			EA	\$ 12,805.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =15', Depth < 5'	'		EA	\$ 12,907.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =15', 5'≤ Depth < 10	0'		EA	\$ 13,835.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =15', 10' ≤ Depth < 1			EA	\$ 15,130.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =20', Depth < 5'	'		EA	\$ 13,755.00	=	\$ -		\$ -			
Curb Inlet (Type R) L =20', 5'≤ Depth < 10	0'		EA	\$ 15,181.00	=	\$ -		\$ -			
Grated Inlet (Type C), Depth < 5'			EA	\$ 6,037.00	=	\$ -		\$ -			
Grated Inlet (Type D), Depth < 5'			EA	\$ 7,458.00	=	\$ -		\$ -			
Storm Sewer Manhole, Box Base			EA	\$ 15,130.00	=	\$ -		\$ -			
Storm Sewer Manhole, Slab Base			EA	\$ 8,322.00	=	\$ -		\$ -			
Geotextile (Erosion Control)			SY	\$ 9.00	=	\$ -		\$ -			
Rip Rap, d50 size from 6" to 24"			Tons	\$ 104.00	=	\$ -		\$ -			
Rip Rap, Grouted			Tons	\$ 124.00	=	\$ -		\$ -			
Drainage Channel Construction, Size (W x	H)		LF		=	\$ -		\$ -			
Drainage Channel Lining, Concrete			CY	\$ 741.00	=	\$ -		\$ -			
Drainage Channel Lining, Rip Rap			CY	\$ 145.00	=	\$ -		\$ -			
Drainage Channel Lining, Grass			AC	\$ 1,911.00	=	\$ -		\$ -			
Drainage Channel Lining, Other Stabilization					=	\$ -		\$ -			
<u> </u>					=	\$ -		\$ -			
finsert items not listed but part of construction	n plansī				=	\$ -		\$ -			
* - Subject to defect warranty financial assurance. A minin	num of 20% shall					7		т			
be retained until final acceptance (MAXIMUM OF 80% CO ALLOWED)	MPLETE		Sectio	n 2 Subtotal	=	\$ -		\$ -			

PROJECT INFORMATION							
Rock Island Trail	8/15/2024						
Project Name	Date	PCD File No.					

		Unit					(with Pre-Plat Construction)			
Description	Quantity	Units	C	ost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	vate or D	istrict	and N	OT Maint	taine	ed by EPC)**			
ROADWAY IMPROVEMENTS							<u> </u>			
Trail and trail apputenances	1.	LS	\$730,0	000.00	=	\$	730,000.00		\$	730,000.00
10,000 linal feet of 10 and 12-foot wide trail					=	\$	-		\$	-
Minor drainage culvert					=	\$	-		\$	-
Traffic refuge island in Peterson Road					=	\$	-		\$	-
Minoir grading					=	\$	-		\$	-
210 Bridge	1.	LS	\$700,0	000.00	=	\$	700,000.00		\$	700,000.00
STORM DRAIN IMPROVEMENTS (Excep	tion: Permanent Pon	d/BMP shall	be itemi:	zed und	er Section 1))				
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS	'									
Water Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$ 2,	418.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$ 8,	584.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$ 1,	723.00	=	\$	-		\$	-
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	-
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$ 5,	708.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete		EA	\$ 1,	825.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	cific condition	n of app	roval, or	PUD)					
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Sectio	n 3 Su	btotal	=	\$	1,430,000.00		\$	1,430,000.00

		PROJECT 1	NFORMATIO	N							
Rock Island Trail			8/15/2024								
Project Name		Date					PCD File No.				
		Į.	Unit				(with Pre-	-Plat	Construction)		
Description	Quantity	Units	Cost			Total	% Complete		Remaining		

AS-BUILT PLANS (Public Improveme	ents Inc. Permanent WQCV BMPs)			=	\$	-		\$			
POND/BMP CERTIFICATION (Inc. ele	vations and volume calculations)	LS		=	\$	-		\$	94		
				Tota	Const	ruction Financia	al Assurance	\$	1,475,788.5		
			(Sum of all sect	ion subto	als plus a	s-builts and pond/E	MP certification)	annie en			
	Total Remain	ing Consti	uction Financ	ial Ass	urance	(with Pre-Plat C	onstruction)	\$	1,475,788.5		
~~~	(Sum of all	section totals	less credit for ite	ms comp	ete plus a	s-builts and pond/E	MP certification)				

Total Defect Warranty Financial Assurance _ \$

(20% of all items identified as (*). To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.

Engineer (R.E. Seal Required)

Approved by El Paso County Engineer / ECM Administrator

Date