## 2024 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 08/2024

PROJECT INFORMATIONS							
Eagleview Subdivision	8/22/2024	SF2242					
Project Name	Date	PCD File No.					

		Unit				Total		1	-Plat (	Plat Construction)	
Description	Quantity	Units		ost			Total	% Complete		Remaining	
SECTION 1 - GRADING AND EROSION CONTRO	L (Construction	and Perma	nent BMI	Ps)							
Earthwork		0\/	Φ.	0.00							
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-	
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-	
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-		\$	-	
20,001-50,000; \$100,000 min	39620.	CY	\$	3.50	=	\$	138,670.00		\$	138,670.0	
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-	
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-	
Permanent Erosion Control Blanket	3031.	SY	\$	9.00	=	\$	27,279.00		\$	27,279.0	
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	12.5	AC	-	2,018.00	=	\$	25,225.00		\$	25,225.0	
Permanent Pond/BMP WQ Pond 1	1	EA		3,082.00	=	\$	43,082.00		¢	43,082.0	
Permanent Pond/BMP WQ Pond 2	1.	EA				Ψ #	·		φ -	·	
· · · · · · · · · · · · · · · · · · ·	1.			5,238.00		*	35,238.00		<b>\$</b>	35,238.0	
Permanent Pond/BMP Pond 3	1.	EA		3,730.00		\$	123,730.00		\$	123,730.0	
Concrete Washout Basin	1.	EA		1,172.00	=	\$	1,172.00		\$	1,172.0	
Inlet Protection	22.	EA	\$	217.00	=	\$	4,774.00		\$	4,774.0	
Rock Check Dam		EA	\$	651.00	=	\$	-		\$	-	
Safety Fence		LF	\$	3.00	=	\$	-		\$	-	
Sediment Basin	3.	EA	\$ 2	2,294.00	=	\$	6,882.00		\$	6,882.0	
Sediment Trap		EA	Ś	538.00	=	\$	-		\$	-	
Silt Fence	2800.	LF	\$	3.00	=	¢	8,400.00		¢	8,400.0	
Slope Drain	2000.	LF	\$	43.00	_	φ 4	0,700.00		¢ ·	ט.טד,ט	
·			•			<b>*</b>	-		<b>ф</b>	-	
Straw Bale		EA	\$	33.00	=	<b>\$</b>	-		<b>\$</b>		
Straw Wattle/Rock Sock (Check Dams)	1600.	LF	\$	8.00	=	\$	12,800.00		\$	12,800.0	
Surface Roughening		AC	\$	269.00		\$	-		\$	-	
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-	
Temporary Seeding and Mulching		AC	\$ :	1,793.00	=	\$	-		\$	-	
Vehicle Tracking Control	2.	EA	\$ 3	3,085.00	=	\$	6,170.00		\$	6,170.0	
[insert items not listed but part of construction plans]					=	\$	-		\$	-	
	MAINTENANCE (3	5% of Con	struction	BMPs)	=	\$	13,659.10		\$	13,659.1	
- Subject to defect warranty financial assurance. A minimum of 20% shall be		<i>7</i> 01 001.	isti action	. 5 5,		Ψ	13/033110		Ψ	13/03311	
etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)		Sec	ction 1 S	Subtotal	=	\$	447,081.10		\$	447,081.10	
,						T	117,002120		Τ	117,002120	
SECTION 2 - PUBLIC IMPROVEMENTS *											
ROADWAY IMPROVEMENTS											
Construction Traffic Control	1.	LS	\$ :	3,000.00	=	\$	3,000.00		\$	3,000.0	
Aggregate Base Course (135 lbs/cf)		Tons	\$	37.00	=	\$	-		\$	, -	
Aggregate Base Course (135 lbs/cf)	4055.	CY	\$	66.00		\$	267,630.00		\$	267,630.0	
Asphalt Pavement (3" thick)	1055.	<u> </u>	Y	00.00		Ψ	207,030.00		Ψ	207,030.0	
		QV.	ć	19 00		d-	_		ф	_	
. ,	24220	SY	\$	18.00		\$	-		\$	-	
Asphalt Pavement (4" thick)	24320.	SY	\$	25.00		\$	608,000.00		\$ \$	608,000.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	24320.	SY SY	\$ \$ \$	25.00 38.00		\$ \$ \$	608,000.00		\$ \$ \$	- 608,000.0 -	
Asphalt Pavement (4" thick)	24320.	SY SY Tons	\$ \$ \$ \$	25.00	=	\$ \$ \$	- 608,000.00 - -		\$ \$ \$	- 608,000.0 - -	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	24320.	SY SY	\$ \$ \$ \$ \$	25.00 38.00	= =	\$ \$ \$ \$	- 608,000.00 - - -		\$ \$ \$ \$	- 608,000.0 - - -	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick	24320. 11.	SY SY Tons	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00		\$ \$ \$ \$ \$	- 608,000.00 - - - - 4,312.00		\$ \$ \$ \$	- 608,000.0 - - - - 4,312.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	11.	SY SY Tons SF EA	\$ \$	25.00 38.00 114.00 11.00 392.00	=	\$ \$ \$ \$ \$	- - - 4,312.00		\$ \$ \$ \$ \$	- - 4,312.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	11. 12.	SY SY Tons SF EA	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00	= = =	\$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	11.	SY SY Tons SF EA EA SF	\$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00	= = = =	\$ \$ \$ \$ \$	- - - 4,312.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking	11. 12.	SY SY Tons SF EA SF SF	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00	= = = = =	\$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	11. 12.	SY SY Tons SF EA EA SF SF EA	\$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00	= = = = = =	\$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I	11. 12.	SY SY Tons SF EA SF SF SF EA EA	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00	= = = = =	\$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	11. 12.	SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I	11. 12.	SY SY Tons SF EA SF SF SF EA EA	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00	= = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	11. 12.	SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00	= = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)	11. 12.	SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00	= = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00	= = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	11. 12.	SY SY Tons SF EA EA SF EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00	= = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00 94.00	= = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00	= = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp	11. 12.	SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00	= = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY SY LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00	= = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk  8" Sidewalk  Pedestrian Ramp	11. 12.	SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY SY LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF SY SY SY SY LF LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 4,312.0 2,100.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Asphal	11. 12.	SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,312.0 2,100.0 4,930.0 - - - - - - - - - - - - - -	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail End Anchorage	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 94.00 2,731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,312.0 2,100.0 4,930.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail End Anchorage Guardrail Impact Attenuator	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,312.0 2,100.0 4,930.0 - - - - - - - - - - - - - -	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3  Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	11. 12.	SY SY Tons SF EA EA SF SF EA EA LF LF LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,312.0 2,100.0 4,930.0	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,312.0 2,100.0 4,930.0 - - - - - - - - - - - - - - - -	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3  Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	11. 12.	SY SY Tons SF EA EA SF SF EA EA LF LF LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,312.0 2,100.0 4,930.0 - - - - - - - - - - - - - - - -	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high)	11. 12.	SY SY Tons SF EA EA SF SF EA LF LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25.00 38.00 114.00 11.00 392.00 175.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00 104.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 4,312.00 2,100.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 4,312.0 2,100.0 4,930.0 - - - - - - - - - - - - - - -	

PROJECT INFORMATIONS							
Eagleview Subdivision 8/22/2024 SF2242							
Project Name	Date	PCD File No.					

Description		Quantity	Units		Unit Cost			Total	% Complete	a. \	Construction)  Remaining
occurrence.		Quarterly	- Cinco		COST	=	\$	-	70 Compilete	\$	-
[insert items not listed but part of construction	plans]					=	\$	-		\$	-
TORM DRAIN IMPROVEMENTS	, ,										
Concrete Box Culvert (M Standard), Size ( W	/ x H )		LF			=	\$	-		\$	_
18" Reinforced Concrete Pipe	·	280.	LF	\$	82.00	=	\$	22,960.00		\$	22,960.00
24" Reinforced Concrete Pipe		226.	LF	\$	98.00	=	\$	22,148.00		\$	22,148.00
30" Reinforced Concrete Pipe			LF	\$	123.00	=	\$	-		\$	-
36" Reinforced Concrete Pipe		433.	LF	\$	151.00	=	\$	65,383.00		\$	65,383.0
42" Reinforced Concrete Pipe		61.	LF	\$	201.00	=	\$	12,261.00		\$	12,261.0
48" Reinforced Concrete Pipe			LF	\$	245.00	=	\$	-		\$	-
54" Reinforced Concrete Pipe			LF	\$	320.00	=	\$	-		\$	-
60" Reinforced Concrete Pipe			LF	\$	374.00	=	\$	-		\$	-
66" Reinforced Concrete Pipe		194.	LF	\$	433.00	=	\$	84,002.00		\$	84,002.0
72" Reinforced Concrete Pipe			LF	\$	495.00	=	\$	-		\$	
18" Corrugated Steel Pipe			LF	\$	105.00	=	\$	-		\$	_
24" Corrugated Steel Pipe			LF	\$	121.00	=	\$	-		\$	-
30" Corrugated Steel Pipe			LF	\$	154.00	=	\$	-		\$	_
36" Corrugated Steel Pipe			LF	\$	184.00	=	\$	_		\$	-
42" Corrugated Steel Pipe			LF	Ś	212.00	=	\$	_		\$	-
48" Corrugated Steel Pipe			LF	\$	223.00	=	\$	_		\$	
54" Corrugated Steel Pipe			LF	\$	327.00		\$	_		\$	
60" Corrugated Steel Pipe			LF	\$	353.00		φ	_		\$ \$	
66" Corrugated Steel Pipe			LF	\$	427.00		φ Φ			¢ t	
72" Corrugated Steel Pipe			LF	\$	502.00		\$			φ φ	
•			LF	\$			<b>*</b>	-		<b>*</b>	
78" Corrugated Steel Pipe			LF LF	-	578.00	=	*	-		<b>\$</b>	-
84" Corrugated Steel Pipe Flared End Section (FES) RCP Size =	40		LF	\$	691.00	=	\$	-		\$	-
(unit cost = 6x pipe unit cost)	18	7.	EA	\$	492.00	=	\$	3,444.00		\$	3,444.0
Flared End Section (FES) RCP Size =	24	_			<b>-</b> 00.00		<u> </u>	2 2 4 2 2 2		,	
(unit cost = 6x pipe unit cost)		5.	EA	\$	588.00	=	\$	2,940.00		\$	2,940.00
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)	36	14.	EA	\$	906.00	=	\$	12,684.00		\$	12,684.00
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	42	1.		\$	2,970.00	=	\$	2,970.00		\$	2,970.0
	42	25	EA		·		<u> </u>	·		<u> </u>	· · · · · · · · · · · · · · · · · · ·
End Treatment - Headwall/Wingwall		25.	CY	\$	2,000.00	=	\$	50,000.00		\$	50,000.00
End Treatment - Wingwall			EA			=	\$	-		\$	-
End Treatment - Cutoff Wall			EA			=	\$	-		\$	-
Curb Inlet (Type R) L=5', Depth < 5'			EA	\$	7,212.00	=	\$	-		\$	-
Curb Inlet (Type R) L=5', $5' \le Depth < 1$			EA	\$	9,377.00	=	\$	-		\$	-
Curb Inlet (Type R) L =5', $10' \le Depth < 1$	5'		EA	\$	10,859.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', Depth $< 5$ '			EA	\$	9,925.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', $5' \le Depth < 1$			EA	\$	10,230.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 1	5'		EA	\$	12,805.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', Depth $< 5'$			EA	\$	12,907.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', $5' \le Depth < 1$	0'		EA	\$	13,835.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 1	5'		EA	\$	15,130.00	=	\$	-		\$	-
Curb Inlet (Type R) L =20', Depth < 5'			EA	\$	13,755.00	=	\$	-		\$	-
Curb Inlet (Type R) L =20', 5' ≤ Depth < 1	0'		EA	\$	15,181.00	=	\$	-		\$	-
Grated Inlet (Type C), Depth < 5'			EA	\$	6,037.00	=	\$	-		\$	-
Grated Inlet (Type D), Depth < 5'			EA	\$	7,458.00	=	\$	-		\$	-
Storm Sewer Manhole, Box Base			EA	\$	15,130.00	=	\$	-		\$	-
Storm Sewer Manhole, Slab Base			EA	\$	8,322.00	=	\$	-		\$	_
Geotextile (Erosion Control)			SY	\$	9.00	=	\$	-		\$	
Rip Rap, d50 size from 6" to 24"		7881.	Tons	\$	104.00	=	\$ <b>*</b>	819,624.00		φ ¢	819,624.0
Rip Rap, Grouted		7001.	Tons	\$	124.00		<b>¢</b>	G13,027.00		ф \$	017,027.U
Drainage Channel Construction, Size ( W x	н		LF	\$	5.00		φ φ	-		¢.	
Drainage Channel Lining, Concrete	11 )		CY	\$	741.00		ф ф	-		φ ¢	
			CY	-	145.00	=	<b>*</b>	-		<b>Φ</b>	-
Drainage Channel Lining, Rip Rap				\$		=	<b>\$</b>	-		<b>*</b>	-
Drainage Channel Lining, Grass			AC	\$	1,911.00	=	\$ 	-		<b>\$</b>	-
Drainage Channel Lining, Other Stabilization						=	\$	-		\$	-
			_			=	\$	-		\$	-
Rip Rap Riffle Drops		4.	EA	\$	30,160.00		\$	120,640.00		\$	120,640.0
Concrete Check Structures		10.	EA	\$	26,045.00		\$	260,450.00		\$	260,450.0
Coir Mat		17234.	SF	\$	1.00		\$	17,234.00		\$	17,234.0
Turf Reinforcement Mat		26922.	SF	\$	3.00		\$	80,766.00		\$	80,766.0
Proceedings of Paris III and after a set of the	nlansl					=	\$	-		\$	-
[insert items not listed but part of construction	piarioj										

PROJECT INFORMATIONS							
Eagleview Subdivision 8/22/2024 SF2242							
Project Name PCD File No.							

				Unit			(with Pre-	Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
<b>SECTION 3 - COMMON DEVELOPMENT IMPRO</b>	<b>VEMENTS (Priv</b>	vate or Dis	trict	and NOT	<b>Maintaine</b>	d by EPC)**		
ROADWAY IMPROVEMENTS								
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
STORM DRAIN IMPROVEMENTS (Except	on: Permanent Pon	d/BMP shall b	e item	nized under S	Section 1)			
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	-		\$ -
					=	\$ -		\$ -
WATER SYSTEM IMPROVEMENTS								
Water Main Pipe (PVC), Size 8"		LF	\$	84.00	=	-		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	-		\$ -
Gate Valves, 8"		EA	\$	2,418.00	=	\$ -		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	8,584.00	=	\$ -		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,723.00	=	\$ -		\$ -
Fire Cistern Installation, complete		EA			=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans]					=	\$ -		\$ -
SANITARY SEWER IMPROVEMENTS								
Sewer Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$ -		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,708.00	=	\$ -		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,825.00	=	\$ -		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans]					=	-		\$ -
LANDSCAPING IMPROVEMENTS	For subdivision spe		of ap	proval, or PL	JD)			
		EA			=	-		\$ -
		EA			=	-		\$ -
		EA			=	-		<b>-</b>
		EA			=	-		<b>\$</b> -
** Outline O's and a b's attack of outline		EA			=	-		\$ -
** - Section 3 is not subject to defect warranty requirements		Sect	tion 3	3 Subtotal	=	<b>\$</b> -		<b>\$</b> -

PROJECT INFORMATIONS						
Eagleview Subdivision	8/22/2024	SF2242				
Project Name Date PCD File No.						

			Unit			(with Pre-l	Plat Construction)
Description	Quantity	Units	Cost		Total	% Complete	Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent W	QCV BMPs)		\$ 15,000.00	=	\$ 15,000.00		\$ 15,000.00
POND/BMP CERTIFICATION (inc. elevations and volume care	alculations)	LS	\$ 15,000.00	=	\$ 15,000.00	•	\$ 15,000.00
·						_	

Total Construction Financial Assurance \$ 3,086,591.10

(Sum of all section subtotals plus as-builts and pond/BMP certification)

Total Remaining Construction Financial Assurance (with Pre-Plat Construction) \$ 3,086,591.10

(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

Total Defect Warranty Financial Assurance \$ 568,753.20

(20% of all items identified as (\*). To be collateralized at time of preliminary acceptance)

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work of t	k as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
√ Joseph W. DesJardin	<i>08 23 2024</i>
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date