MDT-PUDSP22001-R1-SoilsGeo.pdf Markup Summary

1 (2)		
District No.1 (c. 301 SW903 i complete - Thank you i complete - Thank you i mod by, mod by,	Subject: Callout Page Index: 1 Date: 3/23/2022 1:41:13 PM Author: dsdparsons Color: Layer: Space: Page Label: 1	complete - Thank you
Engineering Review 4129-2017 - Cau Jr M 400-00 Jr Market Crivit Sav Crit Crivit Sav Crit Development Department	Subject: EPC ENG Review Page Index: 1 Date: 3/29/2022 4:22:41 PM Author: dsdrice Color: Layer: Space: Page Label: 1	
4 (4)		
the south half of S El Paso County, Co Figure 1.	Subject: Page Index: 4 Date: 3/25/2022 1:58:26 PM Author: dsdrice Color: Layer: Space: Page Label: 4	south half
DESCRIPTION ontheast quarter sumt and of Section 13. Township 15 the Caraty, Colorado. The approximate gree 1.	Subject: Callout Page Index: 4 Date: 3/25/2022 1:58:46 PM Author: dsdrice Color: Layer: Space: Page Label: 4	northeast quarter
ed. 489 f 494 single-family resi 0 square feet. Eight "t	Subject: Callout Page Index: 4 Date: 3/25/2022 2:06:47 PM Author: dsdrice Color: Layer: Space: Page Label: 4	489
2.5 units. The majority of lots, approximately smaller lots within the	Subject: Callout Page Index: 4 Date: 3/25/2022 2:07:10 PM Author: dsdrice Color: Layer: Space: Page Label: 4	2.5

7	(\mathbf{n})
1	(2)

7 (2)		
an, which is to be designated as open space. source and the prelimitary Auto-Col durating provid public hills. The defends as twistly appropriately public hills. The defends as twistly appropriately provide from the sectioned to the sourceast omists of low-lying native granses and weeds and (marc) and.	Subject: Page Index: 7 Date: 3/25/2022 6:02:33 PM Author: dsdrice Color: Layer: Space: Page Label: 7	from the northwest to the southeast.
A to be designed a open spear. If the performing Anto-Caldwring provide by Matri, and the performance of the performance of the performance and could in the active of the the set of a do could in the active of the set of the performance of the performance of the performance of the performance definition of the performance of the performance of the performance definition of the performance of the performance of the performance definition of the performance of the performance of the performance definition of the performance of the p	Subject: Callout Page Index: 7 Date: 3/25/2022 6:06:02 PM Author: dsdrice Color: Layer: Space: Page Label: 7	east to west in the west and south in the east?
5 (1)		
<text><text><text><text></text></text></text></text>	Subject: Page Index: 15 Date: 3/25/2022 6:11:25 PM Author: dsdrice Color: Layer: Space: Page Label: 15	Based on the AASHTO classification of the soils in the subdivision and laboratory swell testing, the subgrade soils are expected to encounter low to very high expansive potential. Therefore, special mitigation measures may be necessary for subgrade preparation. Pavement materials should be selected, prepared, and placed in accordance with the El Paso County specification and the Pikes Peak Region
		Asphalt Paving Specifications. Tests should be performed in accordance with the applicable procedures presented in the final design.
17 (1)		
the second secon	Subject: Callout Page Index: 17 Date: 3/25/2022 6:11:59 PM Author: dsdrice Color: Layer: Space: Page Label: 17	and roads
20 (2)		
CAD drawings provided by Matrix and Core	Subject: Callout	and embankment raised up to 15' (west pend) 4'
e excavated to depths ranging between 0.4 to 13.3 such, above-ground embankment construction is	Page Index: 20	and embankment raised up to 15 (west pond), 4

ter ranoff is not anticipated to be stored prove the open are to be constructed with a policitum 3:1 contance with applicable sections of the El Paso no County Drainage Criteria Manual, and the El and embank/ment raised up to 15' (west pond), 4' on east pond presented in this report were provided to evaluate int. Unless indicated otherwise, the test borings,

Page Index: 20 Date: 3/25/2022 6:24:35 PM Author: dsdrice Color: Layer: Space: Page Label: 20

on east pond

Ling
<thLing</th>
Ling
Ling
L

Subject: Page Index: 20 Date: 3/25/2022 6:22:48 PM Author: dsdrice Color: Layer: Space: Page Label: 20

120 (1)

SAVATION TO, BELOU AND & REET SALLY) BEYOND SPREAD 3 ROUNDATION COMPONENTS

> Address how far subexcavation should go below the roads

Subject: Text Box Page Index: 120 Date: 3/25/2022 6:16:02 PM Author: dsdrice Color: Layer: Space: Page Label: 120 As such, above-ground embankment construction is not anticipated

Address how far subexcavation should go below the roads