



Planning and Community Development Department  
**ACCESS PERMIT (DRIVEWAY) PERMIT**

**FILE NO. AP20284**

**YEAR 2020**

The undersigned applicant agrees to perform all work in accordance with the El Paso County Subdivision Criteria Manual, El Paso Land Development Code, recorded plat (if applicable), requirements specified below, and any permit attachments. Should the preceeding conditions not be satisfied, this permit shall be considered NULL and VOID.

**Approved:** 3/9/2020

**Complete work by:** 6/7/2020

**Address:** 2160 N BLANEY RD  
COLORADO SPRINGS, CO 80929

**Parcel:** 4405001001

**Type of Driveway Access:** Commercial Driveway Access

**Remarks:**

The Access requirements of this property have been determined by the APPROVED PLANS AND SPECIFICATIONS for this subdivision or site as part of an overall design. See Comments for specifics. Single Access, maximum width 24 feet.

**REQUIREMENTS:**

1. STATE LAW REQUIRES that utilities be located prior to construction. At least two days advance notice must be given. Phone 1-800-922-1987
2. All work sites must be signed and protected in accordance with the current issue of the MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES and any permit attachments.
3. Should it become necessary for El Paso County to sign, light and barricade hazardous areas or restore the Right-of-Way to its original condition, all costs of said work shall be borne by the applicant.
4. All backfill shall be compacted to 90% of AASHTO T-180 unless otherwise specified.
5. ALL ACCESSES ARE SUBJECT TO RECONSIDERATION UPON LAND USE OR TRAFFIC CHANGES. All permits issued are for a SINGLE ACCESS point to a specific roadway.
6. Road closure will not be permitted.
7. This permit is not good for access to planned arterial roadways.
8. Permit is VOID if construction is not completed within 90 days.
9. Applicant should contact local Fire Protection District for any additional requirements.

10. Monuments within the ROW are not included with this permit; an EPC DOT Encroachment Permit may be required. Please call (719)520-6460 for information.

2880 International Circle, Suite 110



Colorado Springs, CO 80910

Phone: (719) 520-6300

Fax: (719) 520-6695

[epcdevplanreview.com](http://epcdevplanreview.com)