	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	TITLE SHEET	Page:	1 of 38

## BRIDGE DESIGN CALCULATIONS

### FOR

## FOREST LAKE VEHICULAR BRIDGE

## ELITE PROPERTIES OF AMERICA, INC.

## 100' LONG X 30' WIDE VEHICULAR Modular BRIDGE

## WITH CAST IN PLACE CONCRETE DECK

## FOUTNAIN, CO

## CONTECH JOB NO. 621715

**Design Specifications:** AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, 8TH EDITION, 2017 (ABDS)

**Structural Materials:**

- Structural Steel: ASTM A588 Weathering Steel
- Deck Concrete:  $f'_c = 4$  ksi, maximum unit weight = 145 pcf
- Elastomeric Pads: Grade 4, 60 Durometer
- Anchor Bolts: ASTM F1554 Grade 55 or Better

**August 11, 2021**



8-11-21

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	GENERAL INFORMATION	Page:	2 of 38

Structural Steel:  $F_y = 50$  ksi  $F_u = 70$  ksi

Finish = Weathering

Reinforced Concrete: Concrete:  $f'_c = 4$  ksi

Reinforcing Steel:  $f_y = 60$  ksi

Loading: HL-93 Vehicle with None & None Owner-Specified Vehicle 2 Lane of Traffic

Maximum ADTT is 172

TL-1 Design Rated Bridge Rail Non Crash Tested

37.5 psf Future Wearing Surface

Bridge Layout: Clear Width = 30 ft

Deck Out to Out Width = 30 ft

Horizontal Length @ CL Bridge = 100 ft

Skew at End 1 =  $-45^\circ$

Skew at End 2 =  $-45^\circ$

CL Girder Length (ft):

$B_1$	$B_2$	$B_3$	$B_4$	$B_5$	$B_6$	$B_7$	$B_8$	$B_9$	$B_{10}$	$B_{11}$	$B_{12}$	$B_{13}$	$B_{14}$
100	100	100	100	100	0	0	0	0	0	0	0	0	0

Girder Spacing (ft):

$S_1$	$S_2$	$S_3$	$S_4$	$S_5$	$S_6$	$S_7$	$S_8$	$S_9$	$S_{10}$	$S_{11}$	$S_{12}$	$S_{13}$
7.1667	7.1667	7.1667	7.1667	0	0	0	0	0	0	0	0	0

Grade = 1.00%

DL Camber = 6.25 in Use 6 1/4 in

Beam Splice Location = 40 ft

Number of Diaphragm Lines = 5

Number of Bridge Rail Post = 17 per side

Bridge Rail Post Spaced 1 at 5.25 ft, 14 at 6.25 ft, 1 at 5.25 ft and 1.002 ft from each end

Deck Layout: Use a Cast In Place Concrete Deck


8 in Thick at Edge and 8 in at Centerline with 7.33 inch by 5.5 feet Concrete Sidewalk

with #4 top transverse bars at 6 in spacing and 2 in of top cover

with #4 top longitudinal bars at 12 in spacing

with #4 bottom transverse bars at 6 in spacing and 1.5 in of bottom cover

with #5 bottom longitudinal bars at 12 in spacing



Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	BEARING REACTIONS	Page:	3 of 38

Unfactored Bearing Reactions in Kips		Max at Interior Girder			Max at Exterior Girder			Total @ Abutment		
		P	H	L	P	H	L	P	H	L
DC		61.25			57.50			298.76		
DW		13.44			7.97			56.25		
PL		0.00			0.00			0.00		
HL-93	LL	90.13			68.60			193.83		
	LL+IM	104.64			79.64			236.87		
None	LL	0.00			0.00			0.00		
	LL+IM	0.00			0.00			0.00		
None	LL	0.00			0.00			0.00		
	LL+IM	0.00			0.00			0.00		
None	LL	0.00			0.00			0.00		
	LL+IM	0.00			0.00			0.00		
None	LL	0.00			0.00			0.00		
	LL+IM	0.00			0.00			0.00		
WS		-30.00	3.00		0.00	3.00		-30.00	15.00	
TU				9.46			9.46			47.29
BR				7.20			7.20			36.00
EQ			13.70	27.40		13.70	27.40		68.49	136.98

Notes: DC = Dead Load  
 DW = Wearing Surface Load  
 LL = Vehicle Live Load  
 LL+IM = Vehicle Live Load including Dynamic Load Allowance  
 WS = Wind Load (Use a minimum of 0.30 klf on exterior girder per 3.8.1.2.1)  
 TU = Thermal Load  
 BR = Breaking Force  
 EQ = Seismic Load  
 Wind Load Uplift assumes full 20 psf of deck is applied to one girder line.

P is vertical load  
 H is horizontal load transverse to the structure  
 L is horizontal load longitudinal to the structure

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	CONCRETE DECK DESIGN	Page:	4 of 38

# Reference

Reinforcing Steel:  $f_y = 60$  ksi  
Concrete:  $f'_c = 4$  ksi  
Concrete Weight = 150 pcf

Vehicle	P	IM
HL-93	16	1.33
None	0	1
None	0	1

Future Wearing Surface (FWS) = 37.5 psf  
Stay-in-Place Forms (SIP) = 15 psf (includes weight of concrete in ribs)  
Pedestrian Live Load (PL) = 0 psf

Design Slab Thickness = 8 in  
Total Slab Thickness = 8 in  
Top Clearance = 2 in  
Bottom Clearance = 1.5 in  
Flange Width = 12.1 in  
Girder Web Thickness = 0.87 in  
Girder Spacing = 7.1667 ft  
Effective Span =  $S = 6.6988$  ft

ABDS 9.7.3.2

	Size	Bar Diameter	Bar Area	Bar Spacing
Top Bar:	4	0.5 in	0.1963 in <sup>2</sup>	6 in
Bottom Bar:	4	0.5 in	0.1963 in <sup>2</sup>	6 in

$w_{strip(+)} = 26.0 + 6.6S = 70.212$  in  
 $w = \text{SIP} + \text{Slab} = 115$  psf  
 $w = \text{FWS} = 37.5$  psf  
 $w = \text{PL} = 0$  psf  
 $w_{strip(-)} = 48.0 + 3.0S = 68.096$  in

ABDS Tbl 4.6.2.1.3-1

$M_{\text{SIP+Slab}} = wS^2/10 = 0.516$  k-ft/ft  
 $M_{\text{FWS}} = wS^2/10 = 0.1683$  k-ft/ft  
 $M_{\text{PL}} = wS^2/10 = 0$  k-ft/ft  
 $M_{\text{LL+I}} = PS/(6w_{strip(+)} ) = 4.0606$  k-ft/ft (Design Vehicle)  
 $M_{\text{LL+I}} = PS/(6w_{strip(+)} ) = 0$  k-ft/ft (Owner Specified Design Vehicle)  
 $M_{\text{LL+I}} = PS/(6w_{strip(+)} ) = 0$  k-ft/ft (Owner Specified Design Vehicle)

$M_u(+ ) = 1.25 M_{\text{SIP+Slab}} + 1.5 M_{\text{FWS}} + 1.75 M_{\text{PL}} = 0.8975$  k-ft/ft  
 $M_u(+ ) = 1.25 M_{\text{SIP+Slab}} + 1.5 M_{\text{FWS}} + 1.75 M_{\text{LL+I}} = 8.0034$  k-ft/ft  
 $M_u(+ ) = 1.25 M_{\text{SIP+Slab}} + 1.5 M_{\text{FWS}} + 1.35 M_{\text{LL+I}} = 0.8975$  k-ft/ft  
 $M_u(+ ) = 1.25 M_{\text{SIP+Slab}} + 1.5 M_{\text{FWS}} + 1.35 M_{\text{LL+I}} = 0.8975$  k-ft/ft  
Use  $M_u(+ ) = 8.0034$  k-ft/ft

ABDS Tbl 3.4.1-1

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	CONCRETE DECK DESIGN	Page:	5 of 38


Reference

Deck Cantilever Overhang Moments

$$\begin{aligned}
 \text{Deck Overhang} = O &= 0.6667 \text{ ft} & \text{Overhang inside the Rail} = O_i &= 0.6667 \text{ ft} \\
 \text{Curb/Rail Moment Arm} = X_c &= 0.6667 \text{ ft} & \text{Curb/Rail Load} = P_c &= 0 \text{ plf} \\
 w_{\text{stripover}} &= 45.0 + 10.0X = 45 \text{ in} & \text{LL Moment Arm} = X = O_i - 1 &= 0 \text{ ft} \\
 M_{\text{slab+Rail}} &= wO^2/2 + P_c X_c = 0.0256 \text{ k-ft/ft} \\
 M_{\text{FWS}} &= wO_i^2/2 = 0.0083 \text{ k-ft/ft} \\
 M_{\text{PL}} &= wO_i^2/2 = 0 \text{ k-ft/ft} \\
 M_{\text{LL+I}} &= (PI/w_{\text{stripover}})X = 0 \text{ k-ft/ft} \quad (\text{Design Vehicle}) \\
 M_{\text{LL+I}} &= (PI/w_{\text{stripover}})X = 0 \text{ k-ft/ft} \quad (\text{Owner Specified Design Vehicle}) \\
 M_{\text{LL+I}} &= (PI/w_{\text{stripover}})X = 0 \text{ k-ft/ft} \quad (\text{Owner Specified Design Vehicle})
 \end{aligned}$$

ABDS Tbl 4.6.2.1.3-1

Deck/Curb Mounted Rail Impact Moments: Rail Test Level Loads = N/A



$$\begin{aligned}
 F_t &= 0 \text{ k} & L_t = L_L &= 0 \text{ ft} \\
 F_L &= 0 \text{ k} & L_v &= 0 \text{ ft} \\
 F_v &= 0 \text{ k} & H_e (\text{min}) &= 0 \text{ in}
 \end{aligned}$$

ABDS Tbl A13.2-1

ABDS Tbl A13.2-1

ABDS Tbl A13.2-1

$$\begin{aligned}
 h &= H_e + a = 0 \text{ in} \\
 \text{Post Spacing} = L_p &= 6.25 \text{ ft} & a &= 0 \text{ in}
 \end{aligned}$$


$$\begin{aligned}
 P_t &= F_t(L_p - L_t/4)/L_p = 0 \text{ k} \\
 P_L &= F_L/3 = 0 \text{ k} \\
 P_v &= F_v L_p / L_v = 0 \text{ k}
 \end{aligned}$$

$$w_{\text{striprail}} = 45.0 + 10.0X = 51.667 \text{ in} \quad \text{LL Moment Arm} = X = O_i = 0.6667 \text{ ft}$$

ABDS Tbl 4.6.2.1.3-1

$$M_{\text{IM}} = (P_t h + P_v X) / w_{\text{striprail}} = 0.1548 \text{ ft-k}$$

$$\begin{aligned}
 M_u(-) &= 1.25 M_{\text{slab+Rail}} + 1.5 M_{\text{FWS}} + 1.75 M_{\text{PL}} = 0.8975 \text{ k-ft/ft} \\
 M_u(-) &= 1.25 M_{\text{slab+Rail}} + 1.5 M_{\text{FWS}} + 1.75 M_{\text{LL+I}} = 8.0034 \text{ k-ft/ft} \\
 M_u(-) &= 1.25 M_{\text{slab+Rail}} + 1.5 M_{\text{FWS}} + 1.35 M_{\text{LL+I}} = 0.8975 \text{ k-ft/ft} \\
 M_u(-) &= 1.25 M_{\text{slab+Rail}} + 1.5 M_{\text{FWS}} + 1.35 M_{\text{LL+I}} = 0.8975 \text{ k-ft/ft} \\
 M_u(-) &= 1.25 M_{\text{slab+Rail}} + 1.0 M_{\text{FWS}} + 1.0 M_{\text{IM}} = 0.1887 \text{ k-ft/ft} \\
 \text{Use } M_u(-) &= 8.0034 \text{ k-ft/ft}
 \end{aligned}$$

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	CONCRETE DECK DESIGN	Page:	6 of 38

#### Deck Capacity (+):

$d_s = 6.25$ in	$c = A_s f_s / (0.85 f'_c \beta_1 b) = 0.6794$		
$b = 12$ in	$\beta_1 = 0.85$		ABDS 5.7.2.2
$A_s = 0.3927$ in <sup>2</sup>	$c/d_s = 0.1087 \leq 0.003 / (0.003 + \epsilon_{cl})$	OK	ABDS 5.7.2.1
$a = \beta_1 c = 0.5775$ in	$\epsilon_{cl} = 0.002$		ABDS Tbl C5.7.2.1-1
	$0.003 / (0.003 + \epsilon_{cl}) = 0.6$		
$\phi M_n = 0.9 A_s f_s (d_s - a/2) = 10.534$ k-ft/ft	$> M_u (+)$	OK	ABDS 5.7.3.2.3

#### Deck Capacity (-):

$d_s = 5.75$ in	$c = A_s f_s / (0.85 f'_c \beta_1 b) = 0.6794$		
$b = 12$ in	$\beta_1 = 0.85$		ABDS 5.7.2.2
$A_s = 0.3927$ in <sup>2</sup>	$c/d_s = 0.1182 \leq 0.003 / (0.003 + \epsilon_{cl})$	OK	ABDS 5.7.2.1
$a = \beta_1 c = 0.5775$ in	$\epsilon_{cl} = 0.002$		ABDS Tbl C5.7.2.1-1
	$0.003 / (0.003 + \epsilon_{cl}) = 0.6$		
$\phi M_n = 0.9 A_s f_s (d_s - a/2) = 9.6508$ k-ft/ft	$> M_u (-)$	OK	ABDS 5.7.3.2.3

#### Longitudinal Steel

Bottom

$$\% \text{ of Bottom Steel} = 220/S^{1/2} = 85.001 \% > 67\%, \text{ use } 67 \% \quad \text{ABDS 9.7.3.2}$$

$$A_{s \text{ long bottom required}} = 0.2631 \text{ in}^2/\text{ft}$$

$$\text{Bar Size} = 5$$

$$\text{Bar Area} = 0.3068 \text{ in}^2$$

$$\text{Bar Spacing} = 13.993 \text{ in max use } 12 \text{ in}$$

Top

$$\text{Use } 4 \text{ bars at } 12 \text{ in spacing}$$

#### Slab Summary


Use a 8 in thick slab with a 0 in crown

with #4 top transverse bars at 6 in spacing

with #4 bottom transverse bars at 6 in spacing

with #4 top longitudinal bars at 12 in spacing

with #5 bottom longitudinal bars at 12 in spacing

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	CONCRETE DECK DESIGN	Page:	7 of 38

Reference

### Stay In Place Form Deck

Design Slab Thickness =  $t = 8$  in

Girder Spacing =  $S = 7.1667$  ft

Girder Size = W36x232

Flange Width =  $b_f = 12.1$  in

Assumed Rib Fill Thickness =  $t_r = 1$  in

Unit Weight of Deck =  $w_c = 150$  pcf

Weight of Form =  $w_f = 1.79$  psf

Construction LL =  $w_{LL} = 50$  psf

Galvanizing Designation = **G165**

Deflection Load =  $w_d = ((t+t_r)w_c/12+w_f) = 114.29$  psf

Stress Load =  $w_s = w_d+w_{LL} = 164.29$  psf

Form Span =  $L = S-(b_f+2)/12 = 5.9917$  ft

Allowable Deflection =  $\Delta = 12L/180 = 0.3994$  in  $\leq 0.50$  use  $0.3994$  in

ABDS 9.7.4.1

$M = 12w_sL^2/8 = 8847$  in-lb

Try: DMAC 2x9 22 - Gauge

$S = 0.266$  in<sup>3</sup>

$I = 0.329$  in<sup>4</sup>

Weight =  $1.79$  psf

Grade =  $F_y = 50$  ksi

Actual Rib Fill =  $0.67$  in

$S_{req'd} = M/(.75F_y) = 0.2359$  in<sup>3</sup>  $\leq S$

OK

ABDS 9.7.4.1

$I_{req'd} = (1728)5w_dL^4/(384E\Delta) = 0.2861$  in<sup>4</sup>  $\leq I$

OK

Total SIP Form wt =  $10.165$  psf  $\leq$  Assumed SIP Load

OK

### Crack Control

$\beta_s = 1+d_c/(.7(h-d_c))$

$= 1.559$

$d_c = 2.25$  in

$h = 8$  in

$\gamma_e = 1$

$f_{ss} = 36$  ksi

ABDS 5.6.7-1

$s = 700\gamma_e/(\beta_s f_{ss}) - 2d_c$

$= 7.9723$  in max spacing Use 6" spacing

ABDS 5.6.7-2

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	GIRDER LOADING (DEAD LOADS)	Page:	8 of 38

# Reference

Girder Spacing =  $S = 7.1667$  ft  
 Overhang Width =  $O = 0.6667$  ft  
 Girder Length =  $L = 99.057$  ft

Number of Girders =  $NS = 5$   
 Number of Lanes =  $N_L = 2$   
 $L_b = 22.71$  ft

## Dead Loads ( $DC_1$ )

Weight of Decking = 15 psf  
 Concrete Deck = 100 psf  
 115 psf

Girder Self Wt. = 232 lb/ft  
 Diaphragm Wt (Int) = 19.474 lb/ft  
 Diaphragm Wt (Ext) = 9.7369 lb/ft  
 Bridge Rail and Curb (Ext) = 65 lb/ft

Interior Girders	Exterior Girders
Dead Loads = $DC_I = 1075.6$ lb/ft	Dead Loads = $DC_E = 795.49$ lb/ft
Shear = $V_{DCI} = 53.275$ k	Shear = $V_{DCE} = 39.399$ k at support
Moment = $M_{DCI} = 1319.3$ ft-k	Moment = $M_{DCE} = 975.7$ ft-k at midpoint
Deflection = $\Delta_{DCI} = 5.3568$ in	Deflection = $\Delta_{DCE} = 3.9616$ in at midpoint
Rotation = $\theta_{DCI} = 0.0144$ rad	Rotation = $\theta_{DCE} = 0.0107$ rad at support

## Dead Loads ( $DC_2$ )

Bridge Rail and Curb (Ext) = 0 lb/ft  
 Sidewalk (Int) = 149.33 lb/ft  
 Sidewalk (Ext) = 354.6 lb/ft

Interior Girders	Exterior Girders
Dead Loads = $DL_I = 149.33$ lb/ft	Dead Loads = $DL_E = 354.6$ lb/ft
Shear = $V_{DLI} = 7.3963$ k	Shear = $V_{DLE} = 17.563$ k at support
Moment = $M_{DLI} = 183.16$ ft-k	Moment = $M_{DLE} = 434.94$ ft-k at midpoint
Deflection = $\Delta_{DLI} = 0.432$ in	Deflection = $\Delta_{DLE} = 1.1864$ in at midpoint
Rotation = $\theta_{DLI} = 0.0012$ rad	Rotation = $\theta_{DLE} = 0.0032$ rad at support

Wearing Surface (DW) Total = 37.5 psf  
 Miscellaneous (Ext) = 0 lb/ft  
 Miscellaneous (Int) = 0 lb/ft

Interior Girders	Exterior Girders
Dead Loads = $DW_I = 268.75$ lb/ft	Dead Loads = $DW_E = 159.38$ lb/ft
Shear = $V_{DWI} = 13.311$ k	Shear = $V_{DWE} = 7.8936$ k at support
Moment = $M_{DWI} = 329.63$ ft-k	Moment = $M_{DWE} = 195.48$ ft-k at midpoint
Deflection = $\Delta_{DWI} = 0.7774$ in	Deflection = $\Delta_{DWE} = 0.5332$ in at midpoint
Rotation = $\theta_{DWI} = 0.0021$ rad	Rotation = $\theta_{DWE} = 0.0014$ rad at support


DL Camber = 6.2122 in use 6.375 in



Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	AASHTO SEISMIC LOAD	Page:	9 of 38

Reference

## Design Response Spectrum, Fig 3.10.4.1-1



Site Class = D

$$A_s = F_{PGA} PGA = 0.0928$$

$$S_{DS} = F_a S_s = 0.2$$

$$S_{D1} = F_v S_1 = 0.084$$

$$T_o = 0.2 T_s = 0.084 \text{ sec}$$

$$T_s = S_{D1} / S_{DS} = 0.42 \text{ sec}$$

$$PGA = 0.058$$

$$S_s = 0.125$$

$$S_1 = 0.035$$

$$F_{PGA} = 1.6$$

$$F_a = 1.6$$

$$F_v = 2.4$$

(3.10.4.2-2)

(3.10.4.2-3)

(3.10.4.2-6)

Figure 3.10.2.1-1

Figure 3.10.2.1-2

Figure 3.10.2.1-3

Table 3.10.3.2-1

Table 3.10.3.2-2

Table 3.10.3.2-3

$$\text{Use } C_{sm} = 0.1929 \text{ at } T_m = 0.0785 \text{ sec}$$

Connection Between Superstructure and Abutment

$$\text{Seismic Load} = C_{sm} W / R = 34.245 \text{ k (for Abutment Connection)}$$

$$\text{Seismic Load} = C_{sm} W = 27.396 \text{ k (for Bridge Reaction)}$$

$$\text{Tributary Permanent Load} = W = 142 \text{ k} \quad ((\text{Total Bridge Weight} + gPL(\text{Total PL})) / \text{Number of Girders})$$

$$\text{Modification Factor, } R = 0.8 \text{ (Table 3.10.7.1-2)}$$

$$\gamma_{PL} = 0$$

Table 3.10.7.1-2

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	WIND LOAD	Page:	10 of 38

3-Second Gust Wind Speed =  $V = 115$  mph  
Wind Exposure Category = C

Wind Pressure =  $P_z = 2.56 \times 10^{-6} V^2 K_z G C_D = 0.0441$  ksf  
Wind Pressure =  $P_z = 2.56 \times 10^{-6} V^2 K_z K_{zt} K_d G C_f = N/A$  ksf

$K_z$  (AASHTO) =  $(2.5 \ln(Z/a) + b)^2 / c = 1.0014$   
 $a = 0.0984$   
 $b = 7.35$   
 $c = 478.4$

$K_z$  (IBC) =  $2.01 (Z/z_g)^{2/\alpha} = N/A$   
 $\alpha = N/A$   
 $z_g = N/A$   
 $K_{zt} = N/A$   
 $K_d = N/A$

Structure Height =  $Z = 33$  ft (use 33 ft minimum)  
Gust Effect Factor =  $G = 1.00$   
Drag Coefficient =  $C_D = C_f = 1.300$

Structure Depth =  $d = 4.0083$  ft  
Structure Effective Area =  $A_e = 397.05$  ft<sup>2</sup>  
Railing Effective Area =  $A_{e,rails} = 185.11$  ft<sup>2</sup>  
Wind Load =  $w_{WS} = P_z (A_e + A_{e,rails}) = 25.66$  k

Vertical Wind Pressure =  $P_v = 0.020$  ksf (Strength III)

\*Strength V Load Factor =  $\gamma_v = 0.4839$

\*Service I Load Factor =  $\gamma_{SerI} = 0.3705$

\*Load combinations are adjusted for 70 mph and 80 mph wind speeds for Strength V and Service I load combinations

#### Reference

ABDS Fig.  
3.8.1.1.2-1

ABDS 3.8.1.1.5


ABDS 3.8.1.2.1-1

ABDS 3.8.1.2.1-2, -3, -4

ABDS Tbl 3.8.1.2.1-1

ABDS Tbl 3.8.1.2.1-2

ABDS Tbl 3.8.1.2-1



## Reference

$$\Delta_{PL+I} = 0 \text{ in at midpoint} \leq L/800 = 1.4859 \quad \text{OK}$$

	Design Lanes	HL-93		None		None		None		None	
		Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior
Moment	1	0.3682	0.5406	0	0	0	0	0	0	0	0
	All	0.518	0.4368	0	0	0	0	0	0	0	0
	Use	0.518	0.5406	0	0	0	0	0	0	0	0
Shear	1	0.7962	0.7078	0	0	0	0	0	0	0	0
	All	0.93	0.62	0	0	0	0	0	0	0	0
	Use	0.93	0.7078	0	0	0	0	0	0	0	0

### ABDS 4.6.2.2.3

ABDS 3.6.1.3.1

$\Delta_{LL+I} = 1.3497$ in	near midpoint	$(N_L \Delta_{LL}/N_S)$	$\leq L/800 = 1.4859$	<b>OK</b>
$\theta_{LL} = 0.0051$ rad	at support	$(N_L \theta_{LL}/N_S)$		

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	GIRDER LOADING (LIVE LOADS)	Page:	12 of 38

Reference

Fatigue Truck

	Interior	Exterior		$IM_f = 1.15$	ABDS 3.6.2.1
$V_{LL (total)} = 58.76 \text{ k}$	$V_{LL+I} = 44.833$	$39.856 \text{ k}$	at support	$(IM_f g V_{LL}/1.2)$	
$M_{LL (total)} = 1272.23 \text{ k-ft}$	$M_{LL+I} = 448.88$	$659.15 \text{ ft-k}$	near midpoint	$(IM_f g M_{LL}/1.2)$	

Owner Specified Vehicle ( $LL_O$ ): None

	Interior Girder	Exterior Girder		Truck		
$V_{LL+I} = 0 \text{ k}$	$0 \text{ k}$	$0 \text{ k}$	at support	$V_{LL (total)} = 0.00 \text{ k}$	$IM = 1$	ABDS 3.6.2.1
$M_{LL+I} = 0 \text{ ft-k}$	$0 \text{ ft-k}$	$0 \text{ ft-k}$	near midpoint	$M_{LL (total)} = 0.00 \text{ k-ft}$	$N_L = 1$	
				$(IM g V_{LL})$		
				$(IM g M_{LL})$		

Owner Specified Vehicle ( $LL_O$ ): None

	Interior Girder	Exterior Girder		Truck		
$V_{LL+I} = 0 \text{ k}$	$0 \text{ k}$	$0 \text{ k}$	at support	$V_{LL (total)} = 0.00 \text{ k}$	$IM = 1$	ABDS 3.6.2.1
$M_{LL+I} = 0 \text{ ft-k}$	$0 \text{ ft-k}$	$0 \text{ ft-k}$	near midpoint	$M_{LL (total)} = 0.00 \text{ k-ft}$	$N_L = 1$	
				$(IM g V_{LL})$		
				$(IM g M_{LL})$		

Owner Specified Vehicle ( $LL_O$ ): None

	Interior Girder	Exterior Girder		Truck		
$V_{LL+I} = 0 \text{ k}$	$0 \text{ k}$	$0 \text{ k}$	at support	$V_{LL (total)} = 0.00 \text{ k}$	$IM = 1$	ABDS 3.6.2.1
$M_{LL+I} = 0 \text{ ft-k}$	$0 \text{ ft-k}$	$0 \text{ ft-k}$	near midpoint	$M_{LL (total)} = 0.00 \text{ k-ft}$	$N_L = 1$	
				$(IM g V_{LL})$		
				$(IM g M_{LL})$		

Owner Specified Vehicle ( $LL_O$ ): None

	Interior Girder	Exterior Girder		Truck		
$V_{LL+I} = 0 \text{ k}$	$0 \text{ k}$	$0 \text{ k}$	at support	$V_{LL (total)} = 0.00 \text{ k}$	$IM = 1$	ABDS 3.6.2.1
$M_{LL+I} = 0 \text{ ft-k}$	$0 \text{ ft-k}$	$0 \text{ ft-k}$	near midpoint	$M_{LL (total)} = 0.00 \text{ k-ft}$	$N_L = 1$	
				$(IM g V_{LL})$		
				$(IM g M_{LL})$		

Construction Vehicle ( $LL_C$ ): None

	Interior Girder	Exterior Girder		Truck		
$V_{LL} = 0 \text{ k}$	$0 \text{ k}$	$0 \text{ k}$	$(g V_{LL})$	$V_{LL (total)} = 0.00 \text{ k}$	$g \text{ (Interior Girder)} = 0.5$	
$M_{LL} = 0 \text{ ft-k}$	$0 \text{ ft-k}$	$0 \text{ ft-k}$	$(g M_{LL})$	$M_{LL (total)} = 0.00 \text{ k-ft}$	$g \text{ (Exterior Girder)} = 0.5$	

Construction Loading:

	Int. Girders	Ext. Girders		
	M (k-ft)	V (k)	M (k-ft)	V (k)
Overhang Forming Load ( $CEL$ ) = $W_{CEL} = 250 \text{ lb/lf}$	0	0	306.64	12.382
Deck Machine Load ( $CLL$ ) = $R_{CLL} = 3000 \text{ lbs}$	0	0	74.293	3

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	DISTRIBUTION FACTORS	Page:	13 of 38

Deck Clear Width = W = 30 ft      Number of Girders = NS = 5  
 Girder Spacing = S = 7.1667 ft      Number of Lanes = N<sub>L</sub> = 2  
 LL Overhang = d<sub>e</sub> = 0.6667 ft      Skew End 1 = θ<sub>1</sub> = -45  
 Span Length = L = 99.057 ft      Skew End 2 = θ<sub>2</sub> = -45  
 Deck Type = Cast-In-Place Concrete      Use Skew = θ = 45

Multiple Presence Factor = m<sub>1</sub> = **1.2**      Use with Design Vehicle Only  
 m<sub>2</sub> = **1**  
 m<sub>3</sub> = **0.85**  
 m<sub>>3</sub> = **0.65**

K<sub>g</sub> = n(I + Ae<sub>g</sub><sup>2</sup>) = 374980  
 n = E<sub>B</sub>/E<sub>D</sub> = 7.5634  
 e<sub>g</sub> = (d + t<sub>s</sub>)/2 = 22.55 in  
 t<sub>s</sub> or t<sub>g</sub> = 8 in

Beam = W36x232      A = 68 in<sup>2</sup>  
 I = 15000 in<sup>4</sup>      d = 37.1 in

#### Reference

ABDS Tbl 3.6.1.1.2-1

ABDS (4.6.2.2.1-1)

ABDS (4.6.2.2.1-2)

#### Simplified Equations:

Type of Superstructure, Beam Line & Force Type	# Lanes Loaded	Distribution Factors	
Wood Planks on Steel Beams, Interior Moment and Shear:	1 2+	$g = S/6.7 = 1.0697$ $g = S/7.5 = 0.9556$	ABDS Tbl 4.6.2.2.2a-1
Big R Steel Deck on Steel Beams, Interior Moment:	1 2+	$g = S/9.2 = 0.779$ $g = S/9.0 = 0.7963$	ABDS Tbl 4.6.2.2.2c-1
Open Steel Grid or Steel Ties on Steel Beams, Interior Moment:	1 2+	$g = S/10.0 = 0.7167$ $g = S/10.0 = 0.7167$	ABDS Tbl 4.6.2.2.2b-1
Concrete Deck on Steel Beams, Interior Moment:	1 2+	$g = 0.06 + (S/14)^{0.4} (S/L)^{0.3} (K_g / (12L t_s^3))^{0.1} = 0.3915$ $g = 0.075 + (S/9.5)^{0.6} (S/L)^{0.2} (K_g / (12L t_s^3))^{0.1} = 0.5508$	ABDS Tbl 4.6.2.2.2b-1
Concrete Deck on Steel Beams, Exterior Moment:	2+	$g = (0.77 + d_e/9.1) g_{\text{interior}} = 0.4645$	ABDS Tbl 4.6.2.2.2d-1
Concrete Deck on Steel Beams, Interior Shear:	1 2+	$g = 0.36 + S/25.0 = 0.6467$ $g = 0.2 + (S/12) - (S/35)^{2.0} = 0.7553$	ABDS Tbl 4.6.2.2.3a-1
Concrete Deck on Steel Beams, Exterior Shear:	2+	$g = (0.6 + d_e/10) g_{\text{interior}} = 0.5035$	ABDS Tbl 4.6.2.2.3b-1

#### Skew Moment Reduction Concrete Deck on Steel Beams:

$$1 - (0.25(K_g / (12.0L t_s^3))^{0.25} (S/L)^{0.5} (\tan \theta)^{1.5} = 0.9404$$

#### Skew Shear Correction Factor Concrete Deck on Steel Beams:

$$1 + 0.20((12.0L t_s^3) / K_g)^{0.3} \tan \theta = 1.2313$$

ABDS Tbl 4.6.2.2.2e-1

ABDS Tbl 4.6.2.2.3c-1

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	DISTRIBUTION FACTORS	Page:	14 of 38

#### Lever Rule

Exterior Beams:  $m(S+d_e-C-T/2)/S$  or  $m0.5(S+d_e-C)/S$   
 Interior Beams (One Lane Loaded):  $m_1(1+(S-T)/S)/2$  Use  $0.5m_1$  min  
 Interior Beams (All Lanes Loaded):  $m_x(1+(S-X)/S+(S-T)/S)/2$  Use  $0.5m_x$  min

#### Reference

ABDS C4.6.2.2.1

	HL-93	None	None	None	None
Lane Width (ft)	12	30	30	30	30
Number of Lanes	2	1	1	1	1
$m_x$	1	1	1	1	1
Wheel to Edge of Lane = C (ft)	2	0	0	0	0
Track Width = T (ft)	6	0	0	0	0
Track Width Between Trucks = X (ft)	4	0	0	0	0

#### Rigid Cross-Section (C4.6.2.2.2d):

$$R = N_L/N_S + X_{ext}\Sigma e/\Sigma x^2$$

$$X_{ext} = 14.333$$

$$\Sigma x^2 = 513.61$$

ABDS C4.6.2.2.2d

Girder	$\Sigma S$	x	$x^2$	$\Sigma x^2$
1	0	14.333	205.44	205.44
2	7.1667	7.1667	51.361	256.81
3	14.333	0	0	256.81
4	21.5	7.1667	51.361	308.17
5	28.667	14.333	205.44	513.61
6	28.667	0	0	513.61
7	28.667	0	0	513.61
8	28.667	0	0	513.61
9	28.667	0	0	513.61
10	28.667	0	0	513.61

$N_L$	m	HL-93			
		e	$\Sigma e$	R	mR
1	1.2	10	10	0.4791	0.5749
2	1	-2	8	0.6233	0.6233
3	0.85	0	8	0.8233	0.6998
4	0.65	0	8	1.0233	0.6651
5	0.65	0	8	1.2233	0.7951
6	0.65	0	8	1.4233	0.9251
7	0.65	0	8	1.6233	1.0551

$N_L$	None			None			None			None		
	e	$\Sigma e$	R	e	$\Sigma e$	R	e	$\Sigma e$	R	e	$\Sigma e$	R
1	15	15	0.6186	15	15	0.6186	15	15	0.6186	15	15	0.6186
2	0	15	0.8186	0	15	0.8186	0	15	0.8186	0	15	0.8186
3	0	15	1.0186	0	15	1.0186	0	15	1.0186	0	15	1.0186
4	0	15	1.2186	0	15	1.2186	0	15	1.2186	0	15	1.2186
5	0	15	1.4186	0	15	1.4186	0	15	1.4186	0	15	1.4186
6	0	15	1.6186	0	15	1.6186	0	15	1.6186	0	15	1.6186
7	0	15	1.8186	0	15	1.8186	0	15	1.8186	0	15	1.8186

Summary of Distribution Factors	Design Lanes	HL-93		None		None		None		None	
		Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior
Lever Rule	1	0.6977	0.4884	0	0	0	0	0	0	0	0
	All	0.8023	0.407	0	0	0	0	0	0	0	0
Minimum Using Rigid Cross-Section	1		0.5749		0		0		0		0
	All		0.6233		0		0		0		0

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	DESIGN TRUCK MOMENTS, SHEARS, DEFLECTIONS AND ROTATIONS	Page:	15 of 38

Design Truck = HL-93


L = 99.057 ft

Alternate or Tandem Design Truck = HL-93 Tandem

Fatigue Design Truck = HL-93 Fatigue

E = 29000 ksi

I = 32459 in<sup>4</sup>




	Design Truck	Alt or Tandem	Fatigue Truck
$s_1 =$	14	4	14 ft
$s_2 =$	14	0	30 ft
$s_3 =$	0	0	0 ft
$s_4 =$	0	0	0 ft
$s_5 =$	0	0	0 ft
$s_6 =$	0	0	0 ft
$s_7 =$	0	0	0 ft
$s_8 =$	0	0	0 ft
$s_9 =$	0	0	0 ft
Total Length =	28	4	44 ft

	Design Truck	Alt or Tandem	Fatigue Truck
$P_1 =$	8	25	8 k
$P_2 =$	32	25	32 k
$P_3 =$	32	0	32 k
$P_4 =$	0	0	0 k
$P_5 =$	0	0	0 k
$P_6 =$	0	0	0 k
$P_7 =$	0	0	0 k
$P_8 =$	0	0	0 k
$P_9 =$	0	0	0 k
$P_{10} =$	0	0	0 k
Total Weight =	72	50	72 k

	Design Loading			Splice Loading:		
Design Truck	$M_{Max} =$	1506.97 ft-k	with x = 37.71 ft	$M_{Max} =$	1464.3 ft-k	with x = 45.5286 ft
	$R_{Max} = V_{Max} =$	65.22 k	with x = 0 ft	$V_{Max} =$	36.485 k	with x = 39.529 ft
	$\Delta_{Max} =$	2.5371 in	with x = 37.71 ft			
	$\theta_A =$	0.0066 rad	with x = 37.71 ft			
	$\theta_B =$	0.0064 rad	with x = 37.71 ft			
Alt or Tandem	$M_{Max} =$	1188.72 ft-k	with x = 46.52 ft	$M_{Max} =$	1147.83 ft-k	with x = 39.5286 ft
	$R_{Max} = V_{Max} =$	48.99 k	with x = 0 ft	$V_{Max} =$	29.04 k	with x = 39.529 ft
	$\Delta_{Max} =$	1.8530 in	with x = 46.52 ft			
	$\theta_A =$	0.0047 rad	with x = 46.52 ft			
	$\theta_B =$	0.0046 rad	with x = 46.52 ft			
Fatigue Truck	$M_{Max} =$	1272.23 ft-k	with x = 25.34 ft	$M_{Max} =$	1259.95 ft-k	with x = 29.5286 ft
	$R_{Max} = V_{Max} =$	58.76 k	with x = 0 ft	$V_{Max} =$	30.02 k	with x = 39.529 ft
	$\Delta_{Max} =$	2.2347 in	with x = 25.34 ft			
	$\theta_A =$	0.0060 rad	with x = 25.34 ft			
	$\theta_B =$	0.0057 rad	with x = 25.34 ft			

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	STAGE 1 CONSTRUCTION TRUCK MOMENTS, SHEARS, DEFLECTIONS AND ROTATIONS	Page:	16 of 38

Stage 1 Construction Vehicle = None



$s_1 =$	0 ft	$P_1 =$	0 k	$L =$	99.057 ft
$s_2 =$	0 ft	$P_2 =$	0 k		
$s_3 =$	0 ft	$P_3 =$	0 k	$E =$	29000 ksi
$s_4 =$	0 ft	$P_4 =$	0 k	$I =$	15000 in <sup>4</sup>
$s_5 =$	0 ft	$P_5 =$	0 k		
$s_6 =$	0 ft	$P_6 =$	0 k		
$s_7 =$	0 ft	$P_7 =$	0 k		
$s_8 =$	0 ft	$P_8 =$	0 k		
$s_9 =$	0 ft	$P_9 =$	0 k		
Total Length =	0 ft	$P_{10} =$	0 k		
		Total Weight =	0 k		

$M_{Max} =$	0.00 ft-k	with x =	0.00 ft
$R_{Max} = V_{Max} =$	0.00 k	with x =	0 ft
$\Delta_{Max} =$	0.0000 in	with x =	0.00 ft
$\theta_A =$	0.0000 rad	with x =	0.00 ft
$\theta_B =$	0.0000 rad	with x =	0.00 ft

Splice Loading:

$M_{Max} =$	0 ft-k	with x =	39.5286 ft
$V_{Max} =$	0 k	with x =	39.529 ft



Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	GIRDER LOADING (LATERAL LOADS)	Page:	17 of 38

# Reference

## Lateral Stress:

$$\begin{aligned} \text{Girder Depth} = d &= 37.1 \text{ in} & L &= 99.057 \text{ ft} \\ \text{Flange Thickness} = t_f &= 1.57 \text{ in} & L_b &= 22.71 \text{ ft} \\ \text{Flange Width} = b_f &= 12.1 \text{ in} & O_D &= 0.6667 \text{ ft} \end{aligned}$$

## Dead Loading

$$\begin{aligned} f_{DC} &= 72M_{DC}/(t_f b_f^2) = 0.0968 \text{ ksi} \\ M_{DC} &= W_{DC} L_b^2 / 12 = 0.3089 \text{ k-ft} \\ W_{DC} &= (w_d O_D^2 / 2) / d = 0.0072 \text{ k/ft} \\ \text{Overhang Wet Concrete Load} = w_d &= 100 \text{ psf} \end{aligned}$$

## Wind Loading

$$\begin{aligned} f_{WS} &= 72M_{WS}/(t_f b_f^2) = 6.3359 \text{ ksi} \\ M_{WS} &= W L_b^2 / 10 + W L^2 / 8 N_b = 20.228 \text{ k-ft} & \text{ABDS (C4.6.2.7.1-3)} \\ N_b &= 5 \text{ (Number of Beams that load is distributed to)} \\ W &= \eta_i \gamma P_D d / 2 = 0.0681 \text{ k/ft} & \text{ABDS (C4.6.2.7.1-1)} \\ \gamma &= 1 & \text{ABDS Tbl 3.4.1-1} \\ \eta_i &= 1 & \text{ABDS 1.3.2.1} \\ P_D &= 0.0441 \text{ ksf} & \text{ABDS Tbl 3.8.1} \end{aligned}$$

## Construction Loading

$$\begin{aligned} f_{CEL} &= 72M_{CEL}/(t_f b_f^2) = 0.7257 \text{ ksi} \\ M_{CEL} &= F_{CEL} L_b^2 / 12 = 2.3168 \text{ k-ft} & \text{ABDS (C6.10.3.4.1-2)} \\ F_{CEL} &= W_{CEL} O_D / d = 0.0539 \text{ k/ft} \\ f_{CLL} &= 72M_{CLL}/(t_f b_f^2) = 0.5752 \text{ ksi} \\ M_{CLL} &= P_{CLL} L_b / 8 = 1.8364 \text{ k-ft} & \text{ABDS (C6.10.3.4.1-3)} \\ P_{CLL} &= R_{CLL} O_D / d = 0.6469 \text{ k} \end{aligned}$$

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	LOADS AND LOAD COMBINATIONS	Page:	18 of 38

## Load Summary

Girder	Load	$M_u$ (k-ft)	$V_u$ (k)	$S_{xtf}$ (in <sup>3</sup> )	$f_{tff}$ (ksi)	$S_{xbf}$ (in <sup>3</sup> )	$f_{fbf}$ (ksi)	$f_l$ (ksi)	$fS_x$ (k-ft)
Exterior	DC <sub>1</sub>	975.7	39.399	809	14.473	809	14.473	0.0968	6.5232
	DC <sub>2</sub>	434.94	17.563	1613.9	3.2339	959.66	5.4386	0	0
	DW	195.48	7.8936	1613.9	1.4534	959.66	2.4444	0	0
	PL	0	0	3566.8	0	1072.2	0	0	0
	LL	1432.6	79.642	3566.8	4.8197	1072.2	16.034	0	0
	LL <sub>O</sub>	0	0	3566.8	0	1072.2	0	0	0
	WS	0	0	3566.8	0	1072.2	0	6.3359	566.1
	CEL	306.64	12.382	809	4.5484	809	4.5484	0.7257	48.924
	CLL	74.293	3	809	1.102	809	1.102	0.5752	38.778
	LL <sub>C</sub>	0	0	809	0	809	0	0	0
Interior	DC <sub>1</sub>	1319.3	53.275	809	19.57	809	19.57	0	0
	DC <sub>2</sub>	183.16	7.3963	2227.1	0.9869	1012.6	2.1707	0	0
	DW	329.63	13.311	2227.1	1.7761	1012.6	3.9064	0	0
	PL	0	0	6247	0	1121.4	0	0	0
	LL	1372.5	104.64	6247	2.6365	1121.4	14.687	0	0
	LL <sub>O</sub>	0	0	6247	0	1121.4	0	0	0
	WS	0	0	6247	0	1121.4	0	6.3359	592.08
	CEL	0	0	809	0	809	0	0	0
	CLL	0	0	809	0	809	0	0	0
	LL <sub>C</sub>	0	0	809	0	809	0	0	0

## Constructability Loading

ABDS Tbl 3.4.1-1

### Exterior Girder

	$f_{bu}$ (ksi)	$f_l$ (ksi)	$f_{bu}+f_l$ (ksi)	$f_{bu}+1/3f_l$ (ksi)
Strength I (1.25DC <sub>1</sub> +1.5(CEL+CLL)+1.75LL <sub>C</sub> ):	26.566	2.0723	28.639	27.257
Strength III (1.25DC <sub>1</sub> +1.5CEL+1.0WS):	24.913	7.5454	32.459	27.428
Strength IV (1.5DC <sub>1</sub> +1.5(CEL+CLL)):	30.184	2.0965	32.281	30.883
Strength V (1.25DC <sub>1</sub> +1.5CEL+1.35(CLL+LL <sub>C</sub> )+1.0 $\gamma_V$ WS):	24.913	4.2756	29.189	26.339
	30.184	7.5454	32.459	30.883

### Interior Girder

	$f_{bu}$ (ksi)	$f_l$ (ksi)	$f_{bu}+f_l$ (ksi)	$f_{bu}+1/3f_l$ (ksi)
Strength I (1.25DC <sub>1</sub> +1.75LL <sub>C</sub> ):	24.462	0	24.462	24.462
Strength III (1.25DC <sub>1</sub> +1.0WS):	24.462	6.3359	30.798	26.574
Strength IV (1.5DC <sub>1</sub> ):	29.354	0	29.354	29.354
Strength V (1.25DC <sub>1</sub> +1.35LL+1.0 $\gamma_V$ WS):	24.462	3.0661	27.528	25.484
	29.354	6.3359	30.798	29.354

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	LOADS AND LOAD COMBINATIONS	Page:	19 of 38

### Service Limit State Loading

Reference  
ABDS Tbl 3.4.1-1

#### Exterior Girders

	$f_{tf}$ (ksi)	$f_{bf}$ (ksi)	$f_l$ (ksi)	$f_{tf}+f_l/2$ (ksi)	$f_{bf}+f_l/2$ (ksi)
Service I (1.00DC <sub>1</sub> +1.00DC <sub>2</sub> +1.0DW+1.00PL+1.00 $\gamma_{SerI}$ WS):	19.16	22.356	2.4443	20.382	23.578
Service I (1.00DC <sub>1</sub> +1.00DC <sub>2</sub> +1.0DW+1.00LL+1.00 $\gamma_{SerI}$ WS):	23.98	38.389	2.4443	25.202	39.612
Service II (1.00DC <sub>1</sub> +1.00DC <sub>2</sub> +1.0DW+1.30LL):	25.426	43.2	0.0968	25.474	43.248
	25.426	43.2	2.4443	25.474	43.248

#### Interior Girders

	$f_{tf}$ (ksi)	$f_{bf}$ (ksi)	$f_l$ (ksi)	$f_{tf}+f_l/2$ (ksi)	$f_{bf}+f_l/2$ (ksi)
Service I (1.00DC <sub>1</sub> +1.00DC <sub>2</sub> +1.0DW+1.00PL+1.00 $\gamma_{SerI}$ WS):	22.333	25.647	2.3475	23.506	26.82
Service I (1.00DC <sub>1</sub> +1.00DC <sub>2</sub> +1.0DW+1.00LL+1.00 $\gamma_{SerI}$ WS):	24.969	40.334	2.3475	26.143	41.508
Service II (1.00DC <sub>1</sub> +1.00DC <sub>2</sub> +1.0DW+1.30LL):	25.76	44.74	0	25.76	44.74
	25.76	44.74	2.3475	26.143	44.74

### Strength Limit State Loading

ABDS Tbl 3.4.1-1

#### Exterior Girders

	$M_u$ (k-ft)	$V_u$ (k)	$f_l$ (ksi)	$fS_x$ (k-ft)	$M_u + 1/3f_lS_{xt}$
Strength I (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.75PL):	2056.5	83.043	0.1209	8.154	2059.2
Strength I (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.75LL):	4563.5	222.42	0.1209	8.154	4566.2
Strength II (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.35LL <sub>O</sub> ):	2056.5	83.043	0.1209	8.154	2059.2
Strength III (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.0WS):	2056.5	83.043	6.4569	574.25	2247.9
Strength IV (1.5(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW):	2409.2	97.284	0.1451	9.7848	2412.4
Strength V (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.35LL+1.0 $\gamma_V$ WS):	3990.5	190.56	3.1871	282.11	4084.5
	4563.5	222.42	6.4569	574.25	4566.2

#### Interior Girders

	$M_u$ (k-ft)	$V_u$ (k)	$f_{bf}$ (ksi)	$fS_x$ (k-ft)	$M_u + 1/3f_lS_{xt}$
Strength I (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.75PL):	2372.6	95.805	0	0	2372.6
Strength I (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.75LL):	4774.4	278.92	0	0	4774.4
Strength II (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.35LL <sub>O</sub> ):	2372.6	95.805	0	0	2372.6
Strength III (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.0WS):	2372.6	95.805	6.3359	592.08	2569.9
Strength IV (1.5(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW):	2748.2	110.97	0	0	2748.2
Strength V (1.25(DC <sub>1</sub> +DC <sub>2</sub> )+1.5DW+1.35LL+1.0 $\gamma_V$ WS):	4225.4	237.06	3.0661	286.53	4321
	4774.4	278.92	6.3359	592.08	4774.4

Max  $f_l$  = 7.5454 ksi  $\leq$  0.6 $F_y$  = 30 ksi

OK ABDS (6.10.1.6-1)

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	SECTION CAPACITIES	Page:	20 of 38

Beam Size = W36x232

$$Z_x = 936 \text{ in}^3$$

$$S_x = 809 \text{ in}^3$$

$$b_f = 12.1 \text{ in}$$

$$t_f = 1.57 \text{ in}$$

$$d = 37.1 \text{ in}$$

$$t_w = 0.87 \text{ in}$$

$$I_x = 15000 \text{ in}^4$$

$$D = d - 2t_f = 33.96 \text{ in}$$

$$D_c = D_{cp} = D/2 = 16.98 \text{ in}$$

$$h = d - t_f = 35.53 \text{ in}$$

$$D/t_w = 39.034 \leq 150$$

$$b_f/2t_f = 3.8535 \leq 12$$

$$b_f = 12.1 \geq D/6 = 5.66$$

$$t_f = 1.57 \geq 1.1t_w = 0.957$$

$$I_{yc}/I_{yt} = 1 \geq 0.1 \text{ and } \leq 10$$

$$F_y = F_{yc} = F_{yt} = F_{yw} = 50 \text{ ksi}$$

$$E = 29000 \text{ ksi}$$

$$M_p = F_y Z_x = 46800 \text{ k-in}$$

$$M_y = F_y S_x = 40450 \text{ k-in}$$

$$F_{yr} = 0.7F_{yc} = 35 \text{ ksi}$$

**OK** ABDS (6.10.2.1.1-1)

**OK** ABDS (6.10.2.2-1)

**OK** ABDS (6.10.2.2-2)

**OK** ABDS (6.10.2.2-3)

**OK** ABDS (6.10.2.2-4)

### Shear Capacity

$$V_p = 0.58F_y D t_w = 856.81 \text{ k}$$

$$1.12(Ek/F_{yw})^{1/2} = 60.314$$

$$1.4(Ek/F_{yw})^{1/2} = 75.392$$

$$\text{If } D/t_w \leq 1.12(Ek/F_{yw})^{1/2}, C = 1.0$$

$$C = 1$$

$$\text{If } D/t_w > 1.12(Ek/F_{yw})^{1/2} \text{ and } \leq 1.40(Ek/F_{yw})^{1/2}, C = (1.12/(D/t_w))(Ek/F_{yw})^{1/2} = 1.5451$$

$$\text{If } D/t_w > 1.40(Ek/F_{yw})^{1/2}, C = (1.57/(D/t_w)^2)(Ek/F_{yw}) = 2.9881$$

$$k = 5 \quad \text{Use } C = 1$$

ABDS 6.10.9.2

ABDS (6.10.9.2-2)

ABDS (6.10.9.2-1)

### Non-Composite Section Flexural Capacity (Use the Provisions of Appendix A6)

$$F_y \leq 70 \text{ ksi}$$

$$2D_c/t_w = 39.034 < 5.7(E/F_{yc})^{1/2} = 137.27$$

$$I_{yc}/I_{yt} = 1 \geq 0.3$$

**OK** ABDS A6.1

**OK** ABDS (A6.1-1)

**OK** ABDS (A6.1-2)

### Web Plastification Factors

$$2D_{cp}/t_w = 39.034 \leq \lambda_{pw(Dcp)} = 84.213$$

$$\lambda_w = 2D_c/t_w = 39.034 < \lambda_{rw} = 137.27$$

**Section is Compact**

ABDS (A6.2.1-1)

ABDS (A6.2.2-1)

$$\lambda_{pw(Dcp)} = (E/F_{yc})^{1/2} / (0.54(M_p/(R_h M_y)) - 0.09)^2 = 84.213 \leq$$

$$\lambda_{rw}(D_{cp}/D_c) \text{ Use } \lambda_{pw(Dcp)} = 84.213$$

$$\lambda_{pw(Dc)} = \lambda_{pw(Dcp)}(D_c/D_{cp}) = 84.213 \leq$$

$$\lambda_{rw} \text{ Use } \lambda_{pw(Dc)} = 84.213$$

ABDS (A6.2.1-2)

(A6.2.2-6)

$$R_h = 1$$


$$\lambda_{rw} = 5.7(E/F_{yc})^{1/2} = 137.27$$

$$R_{pc} = R_{pt} = 1.157$$

ABDS 6.10.1.10.1

(A6.2.1-3)

(A6.2.1-4 & A6.2.1-5)

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	SECTION CAPACITIES	Page:	21 of 38

## Compression Flange

ABDS A6.3

### Local Buckling Resistance

$$\lambda_f \leq \lambda_{pf} \quad M_{nc} = R_{pc} M_{yc} = 46800 \text{ k-in}$$

$$M_{nc} = [1 - (1 - (F_{yr} S_x) / (R_{pc} M_{yc})) ((\lambda_f - \lambda_{pf}) / (\lambda_{rf} - \lambda_{pf}))] R_{pc} M_{yc} = \text{N/A} \text{ k-in}$$

ABDS (A6.3.2-1)

ABDS (A6.3.2-2)

$$\lambda_f = b_{fc} / (2t_{fc}) = 3.8535$$

ABDS (A6.3.2-3)

$$\lambda_{pf} = 0.38 (E / F_{yc})^{1/2} = 9.1516$$

ABDS (A6.3.2-4)

$$\lambda_{rf} = 0.95 (E k_c / F_{yr})^{0.5} = 19.945$$

ABDS (A6.3.2-5)

$$k_c = 0.76$$

ABDS A6.3.2

### Lateral Torsional Buckling Resistance

	S1	S2 & S3	
If $L_b \leq L_p$ , $M_{nc} = R_{pc} M_{yc} =$	46800	46800	k-in
If $L_p < L_b \leq L_r$ , $M_{nc} = C_b [1 - (1 - F_{yr} S_{xc} / (R_{pc} M_{yc})) ((L_b - L_p) / (L_r - L_p))] R_{pc} M_{yc} =$	N/A	N/A	k-in
If $L_b > L_r$ , $M_{nc} = F_{cr} S_x =$	N/A	N/A	k-in
$F_{cr} = (C_b \pi^2 E / (L_b / r_t)^2) (1 + 0.078 J (L_b / r_t)^2 / (S_x h))^{0.5} =$	19273	19273	ksi
$L_b =$	12	12	in
$L_p = 1.0 r_t (E / F_y)^{1/2} =$	74.965		in
$L_r = 1.95 r_t (E / F_{yr}) (J / (S_{xc} h))^{0.5} (1 + (1 + 6.76 (F_{yr} S_{xc} h / (E J))^{1/2})^{1/2} =$	342.47		in
$r_t = b_{fc} / (12 (1 + D_c t_w / (3 b_{fc} t_{fc})))^{1/2} =$	3.1128		in
$J = D t_w^3 / 3 + b_{fc} t_{fc}^3 (1 - 0.63 t_{fc} / b_{fc}) / 3 + b_{ft} t_{ft}^3 (1 - 0.63 t_{ft} / b_{ft}) / 3 =$	36.12		in <sup>4</sup>
$C_b =$	1		

ABDS (A6.3.3-4)

ABDS (A6.3.3-5)

ABDS (A6.3.3-10)

ABDS (A6.3.3-9)

Use  $M_{nc} = 3900 \text{ k-ft}$  Constructability Condition (S1)

Use  $M_{nc} = 3900 \text{ k-ft}$  Final Condition (S2 & S3 without composite deck)

## Tension Flange

$$M_{nt} = R_{pt} M_{yt} = 46800 \text{ k-in}$$

ABDS (A6.4-1)

Use  $M_{nt} = 3900 \text{ k-ft}$

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	COMPOSITE SECTION PROPERTIES (INTERIOR GIRDERS)	Page:	22 of 38

#### Effective Width of Concrete Slab

Span =	99.057 ft	Concrete Slab Width =	86 in
Girder Spacing =	7.1667 ft	Concrete Slab Thickness =	8 in
Use Effective Width =	7.1667 ft	$f'_c$ =	4 ksi

Beam = W36x232	$S_x$ =	809 in <sup>3</sup>	$A$ =	68 in <sup>2</sup>	$b_f$ =	12.1 in
$F_y$ = 50 ksi	$Z_x$ =	936 in <sup>3</sup>	$d$ =	37.1 in	$t_f$ =	1.57 in
$E$ = 29000 ksi	$I_x$ =	15000 in <sup>4</sup>	$t_w$ =	0.87 in		

$$n = E/E_c = 7.5634 \quad E_c = 33000 K_1 w_c^{1.5} (f'_c)^{1/2} = 3834.3 \text{ ksi} \quad K_1 = 1 \quad \text{ABDS 6.10.1.1.1}$$

#### Reference

ABDS 4.6.2.6.1

#### ELASTIC COMPOSITE SECTION PROPERTIES - Modular Ratio = 3n

	A (in <sup>2</sup> )	y (in)	A*y	d (in)	Ad <sup>2</sup> (in <sup>4</sup> )	I (in <sup>4</sup> )
Slab:	30.321	41.1	1246.2	-15.596	7375	161.71
W-Beam:	68	18.55	1261.4	6.9542	3288.6	15000
	<u>98.321</u>		<u>2507.6</u>		<u>10664</u>	<u>15162</u>

#### Long Term

$y_b$ =	25.504 in
$I$ =	25825 in <sup>4</sup>
S top slab =	1317.9 in <sup>3</sup>
S top beam =	2227.1 in <sup>3</sup>
S bot beam =	1012.6 in <sup>3</sup>

#### ELASTIC SECTION PROPERTIES - Modular Ratio = n

	A (in <sup>2</sup> )	y (in)	A*y	d (in)	Ad <sup>2</sup> (in <sup>4</sup> )	I (in <sup>4</sup> )
Slab:	90.964	41.1	3738.6	-9.6462	8464.1	485.14
W-Beam:	68	18.55	1261.4	12.904	11323	15000
	<u>158.96</u>		<u>5000</u>		<u>19787</u>	<u>15485</u>

#### Short Term

$y_b$ =	31.454 in
$I$ =	35272 in <sup>4</sup>
S top slab =	2584.7 in <sup>3</sup>
S top beam =	6247 in <sup>3</sup>
S bot beam =	1121.4 in <sup>3</sup>


#### PLASTIC SECTION PROPERTIES (Adjust $b_n$ dimensions to make equivalent section)

##### Non-Composite

	n	$b_n$	$h_n$	$F_{yn}$	$y_n$	$P_n$	Sum(i=1 to n-1)					
							$h_i$	$P_i$	$h_n'$	$Y_n'$	$d_n'$	$M_{pn}$
Top Flange	3	12.316	1.57	50	36.315	966.79	35.53	2433.2	-1.1907	0	-17.765	17175
Web	2	<b>0.8636</b>	33.96	50	18.55	1466.4	1.57	966.79	16.98	18.55	N-Axis	12450
Bottom Flange	1	12.316	1.57	50	0.785	966.79	0	0	2.7607	0	17.765	17175
				$P_{total} =$		3400						
				$P_{total}/2 =$		1700				$Y' =$	18.55 in	
										$M_p =$	3900 ft-k	

##### Composite

	n	$b_n$	$h_n$	$F_{yn}$ or $0.85F'_c$	$y_n$	$P_n$	Sum(i=1 to n-1)					
							$h_i$	$P_i$	$h_n'$	$Y_n'$	$d_n'$	$M_{pn}$
Slab	4	86	8	3.4	41.1	2339.2	37.1	3400	-3.6279	0	-4.8613	11372
Top Flange	3	12.316	1.57	50	36.315	966.79	35.53	2433.2	0.7087	36.239	N-Axis	383.05
Web	2	0.8636	33.96	50	18.55	1466.4	1.57	966.79	44.066	0	17.689	25939
Bottom Flange	1	12.316	1.57	50	0.785	966.79	0	0	4.66	0	35.454	34276
				$P_{total} =$		5739.2						
				$P_{total}/2 =$		2869.6				$Y' =$	36.239 in	
										$M_p =$	5997.5 ft-k	

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	COMPOSITE SECTION PROPERTIES (EXTERIOR GIRDERS)		Page:	23 of 38
	Subject:			

#### Effective Width of Concrete Slab

Span =	99.057 ft	Concrete Slab Width =	51 in
Overhang =	0.6667 ft	Concrete Slab Thickness =	8 in
Use Effective Width =	4.25 ft	$f'_c$ =	4 ksi

Beam = W36x232	$S_x$ =	809 in <sup>3</sup>	$A$ =	68 in <sup>2</sup>	$b_f$ =	12.1 in
$F_y$ = 50 ksi	$Z_x$ =	936 in <sup>3</sup>	$d$ =	37.1 in	$t_f$ =	1.57 in
$E$ = 29000 ksi	$I_x$ =	15000 in <sup>4</sup>	$t_w$ =	0.87 in		

$$n = E/E_c = 7.5634 \quad E_c = 33000 K_1 w_c^{1.5} (f'_c)^{1/2} = 3834.3 \text{ ksi} \quad K_1 = 1 \quad \text{ABDS 6.10.1.1.1}$$

#### Reference

ABDS 4.6.2.6.1

#### ELASTIC COMPOSITE SECTION PROPERTIES - Modular Ratio = 3n

	A (in <sup>2</sup> )	y (in)	A*y	d (in)	Ad <sup>2</sup> (in <sup>4</sup> )	I (in <sup>4</sup> )
Slab:	17.981	41.1	739.03	-17.834	5719.1	95.9
W-Beam:	68	18.55	1261.4	4.7159	1512.3	15000
	<u>85.981</u>		<u>2000.4</u>		<u>7231.4</u>	<u>15096</u>

#### Long Term

$y_b$ =	23.266 in
$I$ =	22327 in <sup>4</sup>
S top slab =	1022.6 in <sup>3</sup>
S top beam =	1613.9 in <sup>3</sup>
S bot beam =	959.66 in <sup>3</sup>

#### ELASTIC SECTION PROPERTIES - Modular Ratio = n

	A (in <sup>2</sup> )	y (in)	A*y	d (in)	Ad <sup>2</sup> (in <sup>4</sup> )	I (in <sup>4</sup> )
Slab:	53.944	41.1	2217.1	-12.575	8529.7	287.7
W-Beam:	68	18.55	1261.4	9.9754	6766.5	15000
	<u>121.94</u>		<u>3478.5</u>		<u>15296</u>	<u>15288</u>

#### Short Term

$y_b$ =	28.525 in
$I$ =	30584 in <sup>4</sup>
S top slab =	1845.2 in <sup>3</sup>
S top beam =	3566.8 in <sup>3</sup>
S bot beam =	1072.2 in <sup>3</sup>

#### PLASTIC SECTION PROPERTIES (Adjust $b_n$ dimensions to make equivalent section)

##### Non-Composite

	n	$b_n$	$h_n$	$F_{yn}$	$y_n$	$P_n$	Sum(i=1 to n-1)		$h_i$	$P_i$	$h_n'$	$Y_n'$	$d_n'$	$M_{pn}$
Top Flange	3	12.316	1.57	50	36.315	966.79	35.53	2433.2	-1.1907	0	-17.765	17175		
Web	2	<b>0.8636</b>	33.96	50	18.55	1466.4	1.57	966.79	16.98	18.55	N-Axis	12450		
Bottom Flange	1	12.316	1.57	50	0.785	966.79	0	0	2.7607	0	17.765	17175		
				$P_{total} =$		3400								
				$P_{total}/2 =$		1700					$Y' =$	18.55 in		
											$M_p =$	3900 ft-k		

##### Composite

	n	$b_n$	$h_n$	$F_{yn}$ or $0.85F'_c$	$y_n$	$P_n$	Sum(i=1 to n-1)		$h_i$	$P_i$	$h_n'$	$Y_n'$	$d_n'$	$M_{pn}$
Slab	4	51	8	3.4	41.1	1387.2	37.1	3400	-11.608	0	-6.4873	8999.1		
Top Flange	3	12.316	1.57	50	36.315	966.79	35.53	2433.2	-0.0643	0	-1.7023	1645.7		
Web	2	0.8636	33.96	50	18.55	1466.4	1.57	966.79	33.043	34.613	N-Axis	23591		
Bottom Flange	1	12.316	1.57	50	0.785	966.79	0	0	3.887	0	33.828	32704		
				$P_{total} =$		4787.2								
				$P_{total}/2 =$		2393.6					$Y' =$	34.613 in		
											$M_p =$	5578.4 ft-k		

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	SHEAR CONNECTORS	Page:	24 of 38

Reference

Fatigue

$$\begin{aligned}
 d &= 0.875 \text{ in} & \text{Spacing} = p &= 18 \text{ in} \\
 \alpha = Z_r/d^2 &= 6.234 & Z_r = pV_{sr}/n &= 4.7729 \text{ k} > 5.5d^2 = 4.2109 \text{ k} \\
 n &= 3 / \text{group} & \text{Use } Z_r &= 4.773 \text{ k} \\
 \text{Min Spacing} &= 5.25 \text{ in} & V_{sr} = V_f Q/I &= 0.7955 \text{ k} \\
 V_f = \gamma V_{LL(\text{fatigue})} &= 35.866 \text{ k} & Q = yA &= 678.33 \text{ in}^3 \\
 \gamma &= \mathbf{0.8} \text{ Fatigue II - Finite Life} & N = 10^{(34.5-\alpha)/4.28} &= 4\text{E}+06 \text{ cycles} \\
 V_{LL(\text{fatigue})} &= 44.833 \text{ k} & \text{Stress cycles, } n &= \mathbf{1} \\
 I &= 30584 \text{ in}^4 & (\text{ADTT})_{SL \text{ Max}} = N/((365)(75)n) &= 146.84 \\
 y &= 12.575 \text{ in} & p &= 0.85 \\
 A &= 54 \text{ in}^2 & \mathbf{\text{Maximum ADTT} = \text{ADTT}_{SL}/p = 172}
 \end{aligned}$$

18 ABDS (6.10.10.1.2-1)  
ABDS (6.10.10.2-1)  
ABDS (6.10.10.1.2-2)  
ABDS (6.10.10.2-3)  
ABDS Tbl 6.6.1.2.5-2  
ABDS (6.6.1.2.5-3)  
ABDS Tbl 3.6.1.4.2-1  
ABDS (3.6.1.4.2-1)

Ultimate Strength

$$\begin{aligned}
 F_y &= 50 \text{ ksi} & b &= 86 \text{ in} \\
 f'_c &= 4 \text{ ksi} & t_s &= 8 \text{ in} \\
 A_s &= 68 \text{ in}^2 & H &= 4 \text{ in} \\
 E_c &= 3834.3 \text{ ksi} \\
 D &= 49.529 \text{ ft} < \text{Distance between points of maximum positive moment and end support}
 \end{aligned}$$

ABDS 5.4.2.4

$$H/d = 4.5714 > 4, \text{ OK}$$

ABDS 6.10.10.1.1

$$\begin{aligned}
 Q_r &= \phi_{sc} Q_n = 30.667 \text{ k} \\
 \phi_{sc} &= \mathbf{0.85}
 \end{aligned}$$

ABDS 6.5.4.2

$$\begin{aligned}
 Q_n &= 0.5A_{sc}(f'_c E_c)^{0.5} < A_{sc} F_u = 37.235 \text{ k} & \text{Use } Q_n &= 36.079 \text{ k} \\
 A_{sc} &= 0.6013 \text{ in}^2 \\
 F_u &= \mathbf{60 \text{ ksi}}
 \end{aligned}$$


ABDS 6.10.10.4.3

ABDS 6.4.4


$$\begin{aligned}
 n_{\min} &= P/Q_r = 76.277 \text{ studs} < \text{Total Studs} = \mathbf{99 \text{ OK}} \\
 P &= (P_p^2 + F_p^2)^{0.5} = 2339.2 \text{ k} \\
 P_{1P} &= 0.85f'_c b_s t_s = 2339.2 \text{ k} \\
 P_{2P} &= F_{yw} D t_w + F_{yt} b_{ft} t_{ft} + F_{yc} b_{fc} t_{fc} = 3377 \text{ k} \\
 F_p &= \mathbf{0 \text{ k}}
 \end{aligned}$$

ABDS (6.10.10.4.1-2)  
ABDS (6.10.10.4.2-1)  
ABDS (6.10.10.4.2-2)  
ABDS (6.10.10.4.2-3)


$$\begin{aligned}
 x &= 0 \text{ in} \\
 y &= 7 \text{ in}
 \end{aligned}$$



**Use 0.875 in diameter by 4 in high studs**  
**With 3 studs per Grouping**  
**At 18 in between groups**





	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	LIMIT STATE CHECKS	Page:	25 of 38

#### Load Modifiers

$$\eta_{IS} = \eta_D \eta_R \eta_I = 1 \text{ (Strength Limit State)}$$

$$\eta_{IE} = \eta_D \eta_I = 1 \text{ (Extreme Limit State)}$$

$$\eta_D = 1$$

$$\eta_R = 1$$

$$\eta_I = 1$$

#### Reference

ABDS 1.3.2.1

ABDS 1.3.3

ABDS 1.3.4

ABDS 1.3.5

#### Resistance Factors

$$\phi_f = 1 \quad \phi_v = 1$$

ABDS 6.5.4.2

#### Constructability Checks

##### Compression Flange

$$f_{bu} + f_l = 32.459 \text{ ksi} \leq \phi_f R_h F_{yc} = 50 \text{ ksi} \quad \text{OK}$$

$$f_{bu} + 1/3 f_l = 30.883 \text{ ksi} \leq \phi_f F_{nc} = \phi_f M_{nc} / S_x = 57.849 \text{ ksi} \quad \text{OK}$$

$$f_{bu} = 30.184 \text{ ksi} \leq \phi_f F_{crw} = 616.66 \text{ ksi} \quad \text{OK}$$

ABDS 6.10.3

ABDS (6.10.3.2.1-1)

ABDS (6.10.3.2.1-2)

ABDS (6.10.3.2.1-3)

$$F_{crw} = 0.9 E k / (D / t_w)^2 = 616.66 \text{ ksi}$$

$$k = 9 / (D_c / D)^2 = 36$$

ABDS (6.10.1.9.1-1)

ABDS (6.10.1.9.1-2)

##### Tension Flange

$$f_{bu} + f_l = 32.459 \text{ ksi} \leq \phi_f R_h F_{yt} = 50 \text{ ksi} \quad \text{OK}$$

ABDS (6.10.3.2.2-1)

#### Service Limit State Checks

##### Top Flange

$$f_{tff} + 0 \text{ or } f_l / 2 = 25.76 \text{ ksi} \leq 0.95 R_h F_{ytf} = 47.5 \text{ ksi} \quad \text{OK}$$

ABDS 6.10.4.2

ABDS (6.10.4.2.2-1 or 3)

##### Bottom Flange

$$f_{tbf} + f_l / 2 = 44.74 \text{ ksi} \leq 0.95 R_h F_{ybf} = 47.5 \text{ ksi} \quad \text{OK}$$

ABDS (6.10.4.2.2-2 or 3)

#### Strength Limit State Checks

##### Compression Flange:

###### Exterior Girder

$$\eta_{IS} (M_u + (1/3) f_l S_{xt}) = 4563.51 \text{ ft-k} < \phi_f M_n = 5060.8 \text{ ft-k} \quad \text{OK}$$

ABDS 6.10.7.1

###### Interior Girder

$$\eta_{IS} (M_u + (1/3) f_l S_{xt}) = 4774.45 \text{ ft-k} < \phi_f M_n = 5592.4 \text{ ft-k} \quad \text{OK}$$

ABDS 6.10.7.1

##### Tension Flange:

###### Exterior Girder

$$\eta_{IS} (M_u + (1/3) f_l S_{xt}) = 4566.22 \text{ ft-k} < \phi_f M_n = 5060.8 \text{ ft-k} \quad \text{OK}$$

ABDS 6.10.7.1

###### Interior Girder

$$\eta_{IS} (M_u + (1/3) f_l S_{xt}) = 4774.45 \text{ ft-k} < \phi_f M_n = 5592.4 \text{ ft-k} \quad \text{OK}$$


ABDS 6.10.7.1

#### Shear Capacity Checks

$$V_u = 278.92 \text{ k} \leq \phi_v V_n = 856.81 \text{ k} \quad \text{OK}$$

ABDS 6.10.9

ABDS (6.10.9.1-1)

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	FATIGUE	Page:	26 of 38
	Reference			

Girder Tension Flange:

$$\gamma(\Delta f)_{FI} = \gamma M_{LL} d / I_x \text{ (Fatigue I - Infinite Life)}$$

$$\gamma(\Delta f)_{FII} = \gamma M_{LL} d / I_x \text{ (Fatigue II - Finite Life)}$$

$$\gamma = 1.75 \text{ Fatigue I - Infinite Life}$$

$$\gamma = 0.8 \text{ Fatigue II - Finite Life}$$

$$\text{Maximum ADTT} = \text{ADTT}_{SL} / p \text{ (for Finite Life Checks)}$$

$$\text{Max } N = A / (\gamma(\Delta F)_{FII})^3$$

$$N = (365)(75)n(\text{ADTT})_{SL} \text{ or } (\text{ADTT})_{SL} = N / ((365)(75)n)$$

$$n = 1$$

$$\text{Number of Lanes} = p = 0.85$$

$$M_{LL} = 659.15 \text{ ft-k}$$

$$I_x = 35272 \text{ in}^4 \text{ (Interior Girder)}$$

$$I_x = 30584 \text{ in}^4 \text{ (Exterior Girder)}$$

$$\text{Detail Category (Cat), } (\Delta F)_{TH} \text{ \& A}$$

	Location	Cat.	$(\Delta F)_{TH}$	A	d	$\gamma(\Delta f)_{FI}$	$\gamma(\Delta f)_{FII}$	Max ADTT
Interior Girder	Top of TF	C	10	4400000000	-11.596	-4.5507	-2.0803	OK for Infinite Life
	Top of BF	C'	12	4400000000	23.934	9.3928	4.2939	OK for Infinite Life
	Top of Diaphragm	E	4.5	1100000000	-6.5958	-2.5885	-1.1833	OK for Infinite Life
	Bottom of Diaphragm	E	4.5	1100000000	14.104	5.5351	2.5303	2480
Exterior Girder	Top of TF	C	10	4400000000	-13.834	-6.2613	-2.8623	OK for Infinite Life
	Top of BF	C'	12	4400000000	21.696	9.8195	4.4889	OK for Infinite Life
	Top of Post Block	E	4.5	1100000000	-8.8341	-3.9983	-1.8278	OK for Infinite Life
	Bottom of Post Block	E	4.5	1100000000	4.8659	2.2023	1.0068	OK for Infinite Life
	Top of Diaphragm	E	4.5	1100000000	-8.8341	-3.9983	-1.8278	OK for Infinite Life
	Bottom of Diaphragm	E	4.5	1100000000	11.866	5.3705	2.4551	2715

Use Maximum ADTT: Finite Life

Use ADTT = 2480

Deck:

Decking connection is only for stability of deck and supporting member.  
Fatigue check not needed.

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	DIAPHRAGMS	Page:	27 of 38

# Reference

$$\begin{aligned} \text{Diaphragm Spacing} = L_b &= 22.71 \text{ ft} & \text{Beam Depth} = d_b &= 37.1 \text{ in} \\ \text{Number of Diaphragms} = N_b &= 5 & F_y &= 50 \text{ ksi} \\ \text{Diaphragm Length} = L_c &= 85.13 \text{ in} & E &= 29000 \text{ ksi} \end{aligned}$$

$$\begin{aligned} \text{Diaphragm Section} &= W21x44 & t_f &= 0.45 \text{ in} & C_w &= 2110 \text{ in}^6 \\ \text{Diaphragm Depth} = d_d &= 20.7 \text{ in} & b_f &= 6.5 \text{ in} & J &= 0.77 \text{ in}^4 \\ \text{Diaphragm Area} = A_g &= 13 \text{ in}^2 & t_w &= 0.35 \text{ in} & I_x &= 843 \text{ in}^4 \\ r_s = r_{y-y} &= 1.26 \text{ in} & h &= 18.76 \text{ in} & I_y &= 20.7 \text{ in}^4 \end{aligned}$$

$$\text{Minimum Diaphragm Depth} = 0.5d_b = 18.55 \text{ in} \leq d_d \quad \text{OK}$$

ABDS 6.7.4.2

## Check Total Load on Diaphragms

$$\begin{aligned} P_u &= 20.00 \text{ k} \leq \phi_c P_n = 390.91 \text{ k} \quad \text{OK} \\ \phi_c &= 0.95 \end{aligned}$$

ABDS 6.5.4.2

$$\begin{aligned} W &= 0.0681 \text{ k/ft} \\ P_w = WL_b &= 1.5473 \text{ k} & P_u &= 1.4 P_w = 2.1662 \text{ k} \\ & & P_u &= 20 \text{ k} \end{aligned}$$

ABDS (C4.6.2.7.1-4)

ABDS 6.6.1.3.1

$$\begin{aligned} KL_c/r &= 50.673 \leq 140 \quad \text{OK} \\ K &= 0.75 \end{aligned}$$

ABDS 6.9.3

ABDS 4.6.2.5

$$\begin{aligned} P_n &= (0.658^{(P_o/P_e)}) P_o = 411.49 \text{ k, or } P_n = 0.877 P_e = 1217.6 \text{ k} \\ P_e/P_o &= 2.9125 \geq 0.44 \quad \text{Use } P_n = 411.49 \text{ k} \end{aligned}$$

ABDS (6.9.4.1.1-1 & 2)

$$\begin{aligned} P_e &= (\pi^2 E / (KL_c / r_s)^2) A_g = 1449.1 \text{ k, or } P_e = (\pi^2 E C_w / (K_z L_z)^2 + GJ) A_g / (I_x + I_y) = 1383.7 \text{ k} \\ & \quad \text{Use } P_e = 1383.7 \text{ k} \end{aligned}$$

ABDS (6.9.4.1.2-1 & 3-1)

$$P_o = Q F_y A_g = 475.08 \text{ k} \quad Q = Q_s Q_a = 0.7309$$

$$\begin{aligned} b_f / (2t_f) &= 7.22 \leq 0.56 (E / F_y)^{1/2} = 13.487 & Q_s &= 1.415 - 0.74 (b_f / (2t_f)) (F_y / E)^{1/2} = 1.1932 \\ & \leq 1.03 (E / F_y)^{1/2} = 25.287 & Q_s &= 0.69 E / (F_y (b_f / (2t_f))^2) = 7.6772 \\ & & \text{Use } Q_s &= 1 \end{aligned}$$

ABDS (6.9.4.2.2-1)

ABDS (6.9.4.2.2-2)


$$Q_a = A_{eff} / A = b_e / h = 0.7309 \quad \text{Use } Q_a = 0.7309$$

ABDS (6.9.4.2.2-9)

$$b_e = 1.92 t_w (E / f)^{1/2} (1 - (0.34 / (h / t_w)) (E / f)^{1/2}) = 13.712 \text{ in} \leq h \quad \text{Use } b_e = 13.712 \text{ in}$$

ABDS (6.9.4.2.2-11)

$$f = Q_s F_y = 50 \text{ ksi}$$

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	BEARINGS	Page:	28 of 38

## Loading Data

$$R_u = V_u = 278.92 \text{ k (Total Factored Load)}$$

$$R_{LL} = 90.13 \text{ k (Unfactored w/o IM)}$$

$$R_{DL} = 74.69 \text{ k (Unfactored)}$$

$$R = 164.81 \text{ k (Unfactored)}$$

## Beam Data

Beam Size = W36x232

E = 29000 ksi

d = 37.1 in

F<sub>y</sub> = 50 ksi

t<sub>w</sub> = 0.87 in

b<sub>f</sub> = 12.1 in

t<sub>f</sub> = 1.57 in

k<sub>1</sub> = 1.625 in

## Check Bearing Stiffeners

Web Local Yielding

$$\phi_b R_n = \phi_b (2.5k + N) F_y t_w = 663.38 \text{ k} \geq R_u$$

OK

ABDS D6.5.2

Web Crippling

$$\phi_w R_n = \phi_w 0.4 t_w^2 (1 + 3(N/d)(t_w/t_f)^{1.5}) (E F_y t_f/t_w)^{1/2} = 496.35 \text{ k} \geq R_u$$

N/A

ABDS D6.5.3

$$\phi_w R_n = \phi_w 0.4 t_w^2 (1 + (4N/d - 0.2)(t_w/t_f)^{1.5}) (E F_y t_f/t_w)^{1/2} = 498.88 \text{ k} \geq R_u$$

OK

$$N/d = 0.2156 > 0.2$$

$$k = b_f/2 - k_1 = 4.425$$

ABDS D6.5.2

$$N = 8 \text{ in}$$

$$\phi_b = 0.8 \quad \phi_w = 0.8$$

ABDS 6.5.4.2

**No Bearing Stiffeners are Required**

## Movements

$$\text{Expansion Coefficient} = \alpha = 0.0000065 / ^\circ\text{F}$$

$$\text{Expansion Length} = L = 99.057 \text{ ft}$$

$$\text{Mean High Temperature} = T_H = 115 ^\circ\text{F}$$

$$\text{Mean Low Temperature} = T_L = -30 ^\circ\text{F}$$

$$\text{Max Base} = T_{B\text{Max}} = 55 ^\circ\text{F} \quad \text{Min Base} = T_{B\text{Min}} = 30 ^\circ\text{F}$$

$$\text{Shear Movement: } \Delta_{\text{Rise}} = \alpha (T_H - T_{B\text{Min}}) L = 0.6567 \text{ in}$$

$$\Delta_{\text{Fall}} = \alpha (T_{B\text{Max}} - T_L) L = 0.6567 \text{ in}$$

$$\Delta_s = 1.2 (\text{Max}(\Delta_{\text{Rise}} \text{ or } \Delta_{\text{Fall}})) = 0.7881 \text{ in}$$

Rotation:

$$\theta_D = 0.0041 \text{ rad} \quad 0.0041 \text{ rad} \quad (\text{assume girder mill or induced camber accounts for 75\% of DL rotation})$$

$$\theta_L = 0.0051 \text{ rad} \quad 0.0051 \text{ rad}$$

$$\theta_R = -0.0100 \text{ rad} \quad 0.0100 \text{ rad} \quad (\text{Due to Rise in Bridge})$$

$$\theta_T = 0.0000 \text{ rad} \quad 0.0000 \text{ rad} \quad (\text{Due to Taper in bearing Plate})$$

$$\theta_s = \theta_D + \theta_L + \theta_R + \theta_T = -0.0008 \text{ rad, use } 0.0192 \text{ rad}$$

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	BEARINGS	Page:	29 of 38

### Check Elastomeric Bearing Pads

Use 60 Durometer Elastomer

$$G_{Max} = 200 \text{ psi}$$

$$G_{Min} = 130 \text{ psi}$$

Try a Steel Reinforced Elastomeric Bearing

Use AASHTO Method A Design

ABDS 14.7.6

Pad Dimensions:  $L_E = 6.75 \text{ in}$

$$A = L_E W_E - n_h \pi d^2 / 4 = 135 \text{ in}^2$$

$$W_E = 20 \text{ in}$$

$$S_i = A / (h_{ri} (2(L_E + W_E) + n_h \pi d)) = 9.8384$$

$$W_E' \text{ (Effective Pad Width)} = 20 \text{ in}$$

Include Holes in  $W_E' = Y$

$$A' = L_E W_E' - n_h \pi d^2 / 4 = 135 \text{ in}^2$$

$$\text{Hole Diameter} = d = 0 \text{ in}$$

$$S_i' = A' / (h_{ri} (2(L_E + W_E') + n_h \pi d)) = 9.8384$$

$$\text{Number of Holes} = n_h = 0$$

$$\text{Total Thickness} = h = 2.25 \text{ in}$$

$$S_i^2 / n = 19.359 < 22$$

**OK**

ABDS 14.7.6.1

$$\text{Number of Layers} = n = 5$$

$$h_{ri} = 0.2565 \text{ in}$$

$$\text{Cover} = 0.125 \text{ in}$$

$$\text{Shim Thickness} = 0.1196 \text{ in}$$

Check Compressive Stress:

ABDS 14.7.6.3.2

$$\sigma_s = R / (L_E W_E) = 1.2208 \text{ ksi}$$

$$\sigma_s' = R / (L_E W_E') = 1.2208 \text{ ksi} < 1.25 \text{ ksi}$$

**OK**

$$1.25 G_{Min} S_i' = 1.5987 > \sigma_s'$$

**OK**

Check Deflection:

ABDS 14.7.6.3.3

$$\delta = \text{Max}(\epsilon_i \text{ or } \epsilon_i') h_{ri} = 0.0052 \text{ in} < .09 h_{ri} = 0.0231$$

**OK**

$$\epsilon_i = \sigma_s' / (4.8 G_{Min} S_i^2) = 2.0213 \%$$

ABDS (C14.7.5.3.6-1)

$$\epsilon_i' = \sigma_s' / (4.8 G_{Min} S_i'^2) = 2.0213 \%$$

Check Shear:

$$h_{rt} = 1.5324 \text{ in} < 2\Delta_s = 1.5762 \text{ in}$$

**N.G.**

ABDS 14.7.6.3.4

Check Stability:

$$L_E / 3 = 2.25 \text{ in} \geq h$$

**OK**

ABDS 14.7.6.3.6

$$W_E' / 3 = 6.6667 \text{ in} \geq h$$

**OK**

Check Shear at Bearing


$$\text{Shear Force on Pad} = H_u = G A \Delta_u / h_{rt} = 13.886 \text{ k}$$

ABDS (14.6.3.1-2)

$$\text{Friction Resistance} = \mu V_{DL} = 9.4586 \text{ k} < H_m$$

**Use Restraint System**


$$\text{Coefficient of Friction} = \mu = 0.2$$

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	BEARINGS	Page:	30 of 38
	Reference			

### Check Bearing Plates:

Plate Dimensions:

$N_P = 8$  in  
 $W_P = 22$  in  
 $t_{Max} = 1.25$  in  
 $t_{Min} = 1.25$  in  
Taper = 0 in  
 $t = 1.25$  in



$$S_P = N_P t^2 / 6 = 2.0833 \text{ in}^3$$

$$\text{Bottom Flange Width} = b_f = 12.1 \text{ in}$$

$$\text{Pad Width Outside Flange} = b = (W_E - b_f) / 2 = 3.95 \text{ in}$$

$$V_{u(\text{plate})} = (V_u / W_E) b = 55.086 \text{ k}$$

$$M_{u(\text{plate})} = (V_u / W_E) b^2 / 2 = 108.79 \text{ k-in}$$


$$\phi_t M_n = \phi_t F_y S_P = 104.17 \text{ k-in} < M_{u(\text{plate})}$$

4.44% Overstressed

**Say OK**

**Use 20 in Wide by 6.75 in Long by 2.25 in Thick Layered Pad with 6 - 11 Gage Shims and 0.125 in Cover**

**Pads do not meet AASHTO Design criteria for bearing pads use as LEVELING PADS ONLY.**

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	ANCHOR BOLTS	Page:	31 of 38

## Anchor Bolt Checks

Breaking Force: BR = 7.2 k Max[0.25\*Truck, 0.05(Truck+Lane\*L)]N<sub>L</sub>m/N<sub>S</sub> ABDS 3.6.4

Horizontal Loads: WS<sub>H</sub> = 3 k Strength III = (1.0WS<sub>H</sub><sup>2</sup>+1.2TU<sub>L</sub><sup>2</sup>)<sup>1/2</sup> = 11.74 k ABDS Tbl 3.4.1-1  
EQ<sub>H</sub> = 17.12 k Extreme Event I = (EQ<sub>L</sub><sup>2</sup>+ (.3EQ<sub>H</sub>)<sup>2</sup>)<sup>1/2</sup> = 34.628 k ABDS 3.8.10  
EQ<sub>L</sub> = 34.245 k  
TU<sub>L</sub> = 9.4586 k R<sub>u</sub> = 34.628 k

Uplift Load: DC = 57.504 k Strength III = 0.90DC+ 0.65DW+ 1.0WS<sub>H</sub> = 26.934 k ABDS Tbl 3.4.1-1  
DW = 7.9688 k  
WS<sub>H</sub> = -30 k P<sub>u</sub> = 0 k

Bearing Plate Thickness = t = 1.25 in  
Bearing Plate Clear Distance = L<sub>c</sub> = 1.75 in  
Bearing Plate Tensile Strength = F<sub>u</sub> = 70 ksi

Number of Bolts = n = 2  
Anchor Bolt Diameter = d = 1.25 in  
Area of Bolt = A<sub>b</sub> = 1.2272 in<sup>2</sup>  
F<sub>ub</sub> = 75 ksi (F1554 Gr 55 Bolts)

## Resistance Factors

φ <sub>bb</sub>	φ <sub>t</sub>	φ <sub>s</sub>	φ <sub>e2</sub>
0.8	0.8	0.75	0.8

## Bolt Capacity in Shear

φ<sub>s</sub>R<sub>n</sub> = (0.8)0.48 φ<sub>s</sub>A<sub>b</sub>F<sub>ub</sub>N<sub>s</sub>n = 53.014 k >= R<sub>u</sub> OK ABDS 6.13.2.12  
N<sub>s</sub> = 1

## Bolt Capacity in Tension

φ<sub>t</sub>T<sub>n</sub> = 0.76 φ<sub>t</sub>A<sub>b</sub>F<sub>ub</sub>n = 111.92 k >= P<sub>u</sub> OK ABDS 6.13.2.10

## Bolt Capacity in Bearing


φ<sub>bb</sub>R<sub>nb</sub> = φ<sub>bb</sub>L<sub>c</sub>tF<sub>u</sub>n = 245 k >= R<sub>u</sub> OK ABDS 6.13.2.9

## Capacity of Weld

R<sub>r</sub> = (0.6φ<sub>e2</sub>F<sub>EXX</sub>)(0.707t)l<sub>w</sub> = 95.021 k >= γR<sub>u</sub> OK ABDS 6.13.3.2.4


Weld Length = l<sub>w</sub> = 16 in  
Weld Size = t = 0.25 in  
F<sub>EXX</sub> = 70 ksi

## Reference

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	BRIDGE RAIL	Page:	32 of 38

Rail Test Level Loads = TL-1

#### Post and Post Block Design



$$\begin{aligned}
 F_t &= 13.5 \text{ k} & L_t = L_L &= 4 \text{ ft} \\
 F_L &= 4.5 \text{ k} & L_v &= 18 \text{ ft} \\
 F_v &= 4.5 \text{ k} & H_e (\text{min}) &= 18 \text{ in} \\
 & & H (\text{min}) &= 27 \text{ in} \\
 h = H_e + a &= 32.85 \text{ in} \\
 \text{Post Spacing} = L_p &= 6.25 \text{ ft} & a &= 14.85 \text{ in}
 \end{aligned}$$

$$\begin{aligned}
 P_t = F_t(L_p - L_t/4)/L_p &= 11.34 \text{ k} & M_t = P_t h &= 372.52 \text{ k-in} \\
 P_L = F_L/3 &= 1.5 \text{ k} & M_L = P_L h &= 49.275 \text{ k-in} \\
 P_v = F_v L_p / L_v &= 1.5625 \text{ k}
 \end{aligned}$$

#### Beam Data

$$\begin{aligned}
 \text{Beam Size} &= \text{W8x18} & F_y &= 50 \text{ ksi} & E &= 29000 \text{ ksi} \\
 S_x &= 15.2 \text{ in}^3 & D &= d - 2t_f &= 7.48 \text{ in} \\
 S_y &= 15.2 \text{ in}^3 & D/t_w &= 32.522 \\
 t_f &= 0.33 \text{ in} & M_{yt} = F_y S_x &= 760 \text{ k-in} \\
 d &= 8.14 \text{ in} & M_{yL} = F_y S_y &= 760 \text{ k-in} \\
 t_w &= 0.23 \text{ in}
 \end{aligned}$$

#### Load Factors (Extreme Limit State)

$$\gamma = 1$$

#### Resistance Factors

$\phi_f$	$\phi_v$	$\phi_{bb}$	$\phi_t$	$\phi_s$
1	1	0.8	0.8	0.8

Check Flexure Capacity (Assume Braced Noncompact with no flange Lateral Bending Stress):

$$\begin{aligned}
 \gamma M_t &= 372.52 \text{ k-in} & \leq & \phi_f M_{yt} = 760 \text{ k-in} & \text{OK} \\
 \gamma M_L &= 49.275 \text{ k-in} & \leq & \phi_f M_{yL} = 760 \text{ k-in} & \text{OK}
 \end{aligned}$$

#### Check Shear (Unstiffened Webs)

$$\gamma V_u = 11.34 \text{ k} \leq \phi_v V_n = 49.892 \text{ k} \quad \text{OK}$$

$$V_n = V_{cr} = C V_p = 49.892 \text{ k}$$

$$V_p = 0.58 F_y D t_w = 49.892 \text{ k}$$

$$1.12 (Ek/F_{yw})^{1/2} = 60.314 \quad 1.4 (Ek/F_{yw})^{1/2} = 75.392$$

$$\text{If } D/t_w \leq 1.12 (Ek/F_{yw})^{1/2}, C = 1.0$$

$$\text{If } D/t_w > 1.12 (Ek/F_{yw})^{1/2} \text{ and } \leq 1.4 (Ek/F_{yw})^{1/2}, C = (1.12/(D/t_w))(Ek/F_{yw})^{1/2} = 1.8546$$

$$\text{If } D/t_w > 1.40 (Ek/F_{yw})^{1/2}, C = (1.57/(D/t_w)^2)(Ek/F_{yw}) = 4.3048$$

$$k = 5 \quad \text{Use } C = 1$$

#### Reference

ABDS Tbl A13.2-1

ABDS Tbl A13.2-1

ABDS Tbl A13.2-1

ABDS Tbl A13.2-1

ABDS 13.6.2

ABDS 6.5.4.2

ABDS (6.10.9.2-1)


ABDS (6.10.9.2-2)

ABDS (6.10.9.3.2-4)

ABDS (6.10.9.3.2-5)

ABDS (6.10.9.3.2-6)



	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	BRIDGE RAIL	Page:	33 of 38

#### Check Post Block to Post Connection

Post Block Section = W14x22

$b_f = 5$  in

$t_f = 0.335$  in

$d = 13.7$  in

$t_w = 0.23$  in

Plate Thickness =  $t_p = 0.5$  in

Clear Distance  $L_c = 1.0313$  in

Number of Top Bolts =  $n_t = 2$


Number of Bottom Bolts =  $n_b = 2$

$x = 3$  in  $y = 10$  in

Bolt Diameter =  $d = 0.875$  in

Area of Bolt =  $A_b = 0.6013$  in<sup>2</sup>

$F_{ub} = 120$  ksi (A325 Bolts)



ABDS 6.4.3.1

#### Bolt Capacity in Shear

$\phi_s R_n = 0.45 \phi_s A_b F_{ub} N_s n = 25.977$  k

$N_s = 1$

ABDS (6.13.2.7-2)

#### Bolt Capacity in Tension

$\phi_t T_n = 0.76 \phi_t A_b F_{ub} n = 43.872$  k

ABDS (6.13.2.10.2-1)

$\gamma R_u = \gamma((P_L(h+y)/(yn/2)) + P_v/n) = 7.2088$  k <=  $\phi_s R_{ns}$

OK

$P_u = \gamma P_t(h+y)/(yn_t) = 24.296$  k <=  $\phi_s T_n$

OK

$P_u = \gamma P_t(h)/(yn_b) = 18.626$  k <=  $\phi_s T_n$

OK

#### Bolt Capacity in Bearing

$\phi_{bb} R_{nb} = \phi_{bb} 1.2 L_c t F_u = 34.65$  ksi >=  $\gamma R_u$

OK

$F_u = 70$  ksi

ABDS (6.13.2.9-2)

#### Check Rail Member

Rail Member = 12 Ga Thrie-Beam

$S = 2.22$  in<sup>3</sup>


$F_y = 50$  ksi

$F_u = 65$  ksi

$\gamma M_u = 106.91$  in-k

$FS = \phi_t F_y S / \gamma M_u = 1.0383$  (For Steel Yielding)

$FS = \phi_t F_u S / \gamma M_u = 1.3497$  (For Steel Rupture)

	Project Name: FOREST LAKE VEHICULAR BRIDGE	By: NBE
	Project No.: 621715	Date: 8/11/2021
	Subject: BOLTED BEAM SPLICE	Page: 34 of 38

Beam Data	F <sub>y</sub> (ksi)	A (in <sup>2</sup> )	Z <sub>x</sub> (in <sup>3</sup> )	S <sub>x</sub> (in <sup>3</sup> )	b <sub>f</sub> (in)	t <sub>f</sub> (in)	d (in)	t <sub>w</sub> (in)	I <sub>x</sub> (in <sup>4</sup> )	k <sub>1</sub> (in)	Reference
W36x232	50	68	936	809	12.1	1.57	37.1	0.87	15000	1.625	
D = d - 2t <sub>f</sub> = 33.96 in Top Flange Splice Type = C (C - Conventional, B - Bearing Block, W - Welded)											
Deck Data Composite Deck: Y      t <sub>s</sub> = 8 in      t <sub>haunch</sub> = 1.57 in											
Splice Plate Material: F <sub>y</sub> = 50 ksi      E = 29000 ksi F <sub>u</sub> = 70 ksi      Splice Bolts Grade: A325											
Splice Layout <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div>             Bolt Dia = 0.875 in              Minimum Bolt Spacing = 2.625 in              Longitudinal Spacing = s<sub>f</sub> = 2.75 in              Vertical Spacing = s<sub>w</sub> = 3.5 in           </div> <div>             Hole Dia = d<sub>h</sub> = 0.9375 in               Minimum Edge Distance = L<sub>c</sub> = 1.125 in, use 1.25 in              Maximum Gap Between Beams = 0.125 in              Distance from CL Splice to first Row on Flange = s<sub>cf</sub> = 1.5 in              Distance from CL Splice to first Row on Web = s<sub>cw</sub> = 1.75 in           </div> <div style="text-align: right;">             ABDS 6.13.2.6.1                    ABDS Tb6.13.2.3.6-1           </div> </div>											
Bottom Flange Layout <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div>             Number of Longitudinal Rows = N<sub>vf</sub> = 2              Number of Horizontal Rows per Side = N<sub>hf</sub> = 10              Outside Plate Width = w<sub>ofp</sub> = 12 in              Inside Plate Width = w<sub>ifp</sub> = 4.375 in              Outside Plate Thickness = t<sub>ofp</sub> = 1 in              Inside Plate Thickness = t<sub>ifp</sub> = 1.25 in           </div> <div>             Min Inside Plate Width = 2.5 in              Max Width = b<sub>f</sub>/2 - k<sub>1</sub> = 4.425 in              9.3% Plate difference              Plate Length = 55 in           </div> <div style="text-align: right;">             (Meets minimum number of required Bolts)               OK              OK               C6.13.6.1.3b           </div> </div>											
Conventional Top Flange Layout <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div>             Number of Longitudinal Rows = N<sub>vf</sub> = 2              Number of Horizontal Rows per Side = N<sub>hf</sub> = 10              Outside Plate Width = w<sub>ofp</sub> = 12 in              Inside Plate Width = w<sub>ifp</sub> = 4.375 in              Outside Plate Thickness = t<sub>ofp</sub> = 1 in              Inside Plate Thickness = t<sub>ifp</sub> = 1.25 in           </div> <div>             Min Inside Plate Width = 2.5 in              Max Width = b<sub>f</sub>/2 - k<sub>1</sub> = 4.425 in              9.26% Plate difference              Plate Length = 55 in           </div> <div style="text-align: right;">             (Meets minimum number of required Bolts)               OK              OK              OK               C6.13.6.1.3b           </div> </div>											
Web Layout <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div>             Number of Vertical Rows per Side = N<sub>vw</sub> = 3              Number of Horizontal Rows = N<sub>hw</sub> = 8              Plate Depth = d<sub>wp</sub> = 27 in              Plate Width = 17 in              Plate Thickness = t<sub>wp</sub> = 0.75 in           </div> <div>             Max Depth = 28.46 in           </div> <div style="text-align: right;">             (Meets minimum number of required Bolts)               OK           </div> </div>											

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	BOLTED BEAM SPLICE	Page:	35 of 38

### Resistance Factors

$\phi_f$	$\phi_v$	$\phi_u$	$\phi_y$	$\phi_s$	$\phi_{bb}$	$\phi_c$	$\phi_t$	$\phi_{e2}$	$\phi_{bs}$
<b>1</b>	<b>1</b>	<b>0.8</b>	<b>0.95</b>	<b>0.8</b>	<b>0.8</b>	<b>0.95</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>

### Reference

ABDS 6.5.4.2

### Loading

Splice Location: 39.529 ft

	V (k)		M (ft-k)	
	Int	Ext	Int	Ext
DC <sub>1</sub>	10.76	7.95	1265.53	935.92
DC <sub>2</sub>	1.49	3.55	175.70	417.20
DW	2.69	1.59	316.20	187.51
LL <sub>Des Veh</sub>	51.08	38.88	1328.82	1386.96
LL <sub>Owner 1</sub>	0.00	0.00	0.00	0.00
LL <sub>Owner 2</sub>	0.00	0.00	0.00	0.00
PL	0.00	0.00	0.00	0.00
Strength I	108.73	84.80	4601.27	4399.86
	19.34	16.77	2275.83	1972.68
Strength II	19.34	16.77	2275.83	1972.68
	19.34	16.77	2275.83	1972.68
Service II	81.34	63.64	3484.89	3343.69
	14.94	13.09	1757.43	1540.64

Table 3.4.1-1			
	DC	DW	LL
Strength I	1.25	1.5	1.75
Strength II	1.25	1.5	1.35
Service II	1	1	1.3

ABDS Tbl 3.4.1-1

### Factored Loads

Strength I    Strength II    Service II

M (ft-k) = 4601.27    2275.83    3484.89

V (k) = 108.73    19.34    81.34

### Bolt Capacity

Flange Shear Capacity =  $\phi_s R_n = \phi_s 0.45 A_b F_{ub} N_{sf}$  = 51.954 k

Flange Slip Capacity =  $R_n = K_h K_s N_{sf} P_t$  = 39 k

Web Shear Capacity =  $\phi_s R_n = \phi_s 0.45 A_b F_{ub} N_{sw}$  = 51.954 k

Flange Bearing Capacity =  $\phi_{bb} R_n = \phi_{bb} 1.2 L_c t F_u$  = 95.613 k

Flange Splice PI Bearing Capacity =  $\phi_{bb} R_{n(o)} = \phi_{bb} 1.2 L_{c(otp)} F_u$  = 105 k

Flange Splice PI Bearing Capacity =  $\phi_{bb} R_{n(in)} = \phi_{bb} 1.2 L_{c(iff)} F_u$  = 131.25 k

Web Bearing Capacity =  $\phi_{bb} R_n = \phi_{bb} 1.2 L_c t F_u$  = 67.599 k

Web Splice PI Bearing Capacity =  $\phi_{bb} R_n = \phi_{bb} 1.2 L_c t F_u$  = 78.75 k

ABDS (6.13.2.7-2)

ABDS (6.13.2.8-1)

ABDS (6.13.2.7-2)

ABDS (6.13.2.9-2)

ABDS (6.13.2.9-2)

ABDS (6.13.2.9-2)

ABDS (6.13.2.9-2)

ABDS (6.13.2.9-2)

$F_{ub}$  = **120** ksi (A325 Bolts)

$N_{sf}$  = **2**       $N_{sw}$  = **2**

$K_h = h_f$  = **1**

$K_s = \mu$  = 0.5 (All Faying Surfaces to be blast


$P_t = T_b$  = 39 k cleaned to SSPC-SP6)

ABDS Tbl 6.4.3.1.1-1

ABDS Tbl 6.13.2.8-2

ABDS Tbl 6.13.2.8-3

ABDS Tbl 6.13.2.8-1

	Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
	Project No.:	621715	Date:	8/11/2021
	Subject:	BOLTED BEAM SPLICE	Page:	36 of 38

### Flange Splice Design

$$P_{fy} = F_y A_e = 946.3 \text{ k}$$

#### Net Section Properties (Reduce Section to Account for Holes in Flange)

$$A_e = (\phi_u F_u / \phi_y F_y) A_n = 18.926 \text{ in}^2 \leq A_g, \text{ use } A_e = 18.926 \text{ in}^2$$

$$A_g = b_f t_f = 18.997 \text{ in}^2$$

$$A_n = W_n t_f = 16.053 \text{ in}^2 \quad \text{Use hole area} = A_g - A_e = 0.0711 \text{ in}^2$$

$$W_n = b_f N_{vf} d_h = 10.225 \text{ in}$$

$$\text{Minimum Number of Bolts Required} = n_t = P_{fy} / \phi_s R_n = 18.214$$

$$A = D + t_f / 2 + t_{haunch} + t_s / 2 \text{ for Composite Deck and } D + t_f \text{ for Non-composite Deck}$$

$$A = 3.3596 \text{ ft}$$

#### Check Bearing

$$M_{ubearing} = 4601.3 \text{ ft-k}$$

$$M_{nbearing} = N_{vf} N_{hf} \phi_{bb} R_n A = 6424.4 \text{ ft-k} \quad (\text{Bottom Flange}) \quad \text{OK}$$

### Check Flange Splice Plates Capacities

#### Bottom Flange Plates (Tension)

$$P_u = P_{fy} = 946.3 \text{ k}$$

$$A_{g(in)} = 2t_{(ifp)} w_{(ifp)} = 10.938 \text{ in}^2$$

$$A_{g(o)} = t_{(ofp)} w_{(ofp)} = 12 \text{ in}^2$$

$$A_{g(in+o)} = 22.938 \text{ in}^2$$

$$A_{n(in)} = 2t_{(ifp)} (w_{(ifp)} - N_{vf} d_h / 2) = 8.5938 \text{ in}^2$$

$$A_{n(o)} = t_{(ofp)} (w_{(ofp)} - N_{fv} d_h) = 10.125 \text{ in}^2$$

$$A_{n(in+o)} = 18.719 \text{ in}^2$$

$$\gamma_{g(in)} = A_{g(in)} / A_{g(in+o)} = 0.4768$$

$$\gamma_{g(o)} = A_{g(o)} / A_{g(in+o)} = 0.5232$$

$$\gamma_{n(in)} = A_{n(in)} / A_{n(in+o)} = 0.4591$$

$$\gamma_{n(o)} = A_{n(o)} / A_{n(in+o)} = 0.5409$$

$$\phi_y P_n = \phi_y F_y A_{g(in)} = 519.53 \text{ k}$$

$$\phi_u P_n = \phi_u F_u A_{n(in)} U = 481.25 \text{ k}$$

$$\phi_y P_n = \phi_y F_y A_{g(o)} = 570 \text{ k}$$

$$\phi_u P_n = \phi_u F_u A_{n(o)} U = 567 \text{ k}$$

$$U = 1$$

$$\gamma_{g(in)} P_u = 451.23 \text{ k} \quad \text{OK}$$

$$\gamma_{n(in)} P_u = 434.44 \text{ k} \quad \text{OK}$$

$$\gamma_{g(o)} P_u = 495.07 \text{ k} \quad \text{OK}$$

$$\gamma_{n(o)} P_u = 511.85 \text{ k} \quad \text{OK}$$

Reference
ABDS (6.13.6.1.3b-1)
ABDS (6.13.6.1.3b-2)
ABDS 6.8.3
ABDS C6.13.6.1.3b
ABDS 6.8.3
ABDS C6.13.6.1.3b
ABDS C6.13.6.1.3b
ABDS (6.8.2.1-1)
ABDS (6.8.2.1-2)
ABDS (6.8.2.1-1)
ABDS (6.8.2.1-2)

#### Bottom Flange Plates (Bearing)

$$M_{ubearing(o)} = M_{ubearing} \gamma_{n(o)} = 2488.83 \text{ ft-k}$$

$$M_{nbearing(o)} = N_{vf} N_{hf} \phi_{bb} R_n A = 7055.1 \text{ ft-k} \quad (\text{BF Splice Plate}) \quad \text{OK}$$

$$M_{ubearing(in)} = M_{ubearing} \gamma_{n(in)} = 2112.43 \text{ ft-k}$$

$$M_{nbearing(in)} = N_{vf} N_{hf} \phi_{bb} R_n A = 8818.9 \text{ ft-k} \quad (\text{BF Splice Plate}) \quad \text{OK}$$

Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	BOLTED BEAM SPLICE	Page:	37 of 38

# Reference

## Conventional Top Flange Plates (Compression)

$$R_u = 946.3 \text{ k}$$

$$A_{s(in)} = A_{g(in)} = 2t_{(ifp)}w_{(ifp)} = 10.938 \text{ in}^2$$

$$A_{s(o)} = A_{g(o)} = t_{(ofp)}w_{(ofp)} = 12 \text{ in}^2$$

$$A_s = 22.938 \text{ in}^2$$

$$R_r = \phi_c F_y A_s = 1089.5 \text{ k} \geq R_{u(in)} \quad \text{OK}$$

ABDS 6.13.6.1.3b

## Web Splice Design

$$V_r = \phi_v V_n = 856.81 \text{ k}$$

$$A_w = D/2 + t_{haunch} + t_s/2 \text{ for Composite Deck and } D/4 \text{ for Non-composite Deck}$$

$$A_w = 1.8792 \text{ ft}$$

ABDS C6.13.6.1.3c

## Moment Resistance of Flange Splice

$$M_{nf} = P_{fy} A = 3179.2 \text{ ft-k}$$

$$M_u = 4601.27 \text{ ft-k}$$

$$H_{wshear} = (M_u - M_{nf})/A_w = 756.77 \text{ k}$$

$$R = (V_r^2 + H_{wshear}^2)^{1/2} = 1143.2 \text{ k}$$

$$\text{Minimum Number of Bolts Required} = n_t = R/\phi_s R_n = 22.003$$

## Check Slip

$$V_{uslip} = 81.34 \text{ k}$$

$$M_{nslip} = N_{vf} N_{hf} R_n A = 2620.5 \text{ ft-k}$$

$$M_{uslip} = 3484.9 \text{ ft-k}$$

$$H_{wslip} = (M_u - M_{nf})/A_w = 460 \text{ k}$$

$$R = (V_{uslip}^2 + H_{wslip}^2)^{1/2} = 467.14 \text{ k}$$

$$\text{Minimum Number of Bolts Required} = n_t = R/\phi_s R_n = 11.978$$

## Check Bearing

$$R_{tmax} = 1143.2 \text{ k}$$

$$N_b = 24$$

$$R_u = R_{tmax}/N_b = 47.632 \text{ k} \leq \phi_{bb} R_n \quad (\text{Web}) \quad \text{OK}$$

$$R_u = R_{tmax}/N_b = 47.632 \text{ k} \leq \phi_{bb} R_n \quad (\text{Web Splice Plates}) \quad \text{OK}$$

## Check Web Splice Plates Capacity

$$R_r = \phi_v 0.58 F_y A_{vg} = 1174.5 \text{ k} \geq V_r \quad \text{OK}$$

$$A_{vg} = 2d_{wp} t_{wp} = 40.5 \text{ in}^2$$



Project Name:	FOREST LAKE VEHICULAR BRIDGE	By:	NBE
Project No.:	621715	Date:	8/11/2021
Subject:	BOLTED BEAM SPLICE	Page:	38 of 38

# Reference

Web Splice:	Use 0.75 in thick by 27 in deep by 17 in wide plates with 48 - 0.875 in bolts in 8 horizontal rows at 3.5 in spacing and 3 vertical rows per side of splice with 1.75 in from CL to first row
Bottom Flange Splice:	Use 1 in thick by 12 in wide by 55 in long outside plates and 1.25 in thick by 4.375 in wide by 55 in long inside plates with 40 - 0.875 in bolts in 2 longitudinal rows at 2.75 in spacing and 10 lateral rows per side of splice with 1.5 in from CL to first row
Top Flange Splice:	Use 1 in thick by 12 in wide by 55 in long outside plates and 1.25 in thick by 4.375 in wide by 55 in long inside plates with 40 - 0.875 in bolts in 2 longitudinal rows at 2.75 in spacing and 10 lateral rows per side of splice with 1.5 in from CL to first row