



**Planning and Community
Development Department**
2880 International Circle
Colorado Springs, Colorado 80910
Phone: 719.520.6300
Fax: 719.520.6695
Website www.elpasoco.com

**DEVIATION REQUEST
AND DECISION FORM**

Updated: 6/26/2019

PROJECT INFORMATION

Project Name : The Markets at Bent Grass
 Schedule No.(s) : TBD
 Legal Description : TBD

APPLICANT INFORMATION

Company : Evergreen Development
 Name : Sean Murphy
 Owner Consultant Contractor
 Mailing Address : 2390 E Camelback Rd, Ste 140
 Phoenix, AZ 85016

 Phone Number : 303-757-0401
 FAX Number :
 Email Address : smurphy@evgre.com


ENGINEER INFORMATION

Company : SM Rocha LLC
 Name : Fred Lantz (Alternate Contact: Mike Rocha) Colorado P.E. Number : 23410
 Mailing Address : 8700 Turnpike Dr., Ste 240
 Westminster, CO 80031

 Phone Number : 303-458-9798 ext. 104
 FAX Number :
 Email Address : fred@smrocha.com, Alternate Email Address: mike@smrocha.com

OWNER, APPLICANT, AND ENGINEER DECLARATION

To the best of my knowledge, the information on this application and all additional or supplemental documentation is true, factual and complete. I am fully aware that any misrepresentation of any information on this application may be grounds for denial. I have familiarized myself with the rules, regulations and procedures with respect to preparing and filing this application. I also understand that an incorrect submittal will be cause to have the project removed from the agenda of the Planning Commission, Board of County Commissioners and/or Board of Adjustment or delay review until corrections are made, and that any approval of this application is based on the representations made in the application and may be revoked on any breach of representation or condition(s) of approval.


 _____ Date 5/21/2026
 Signature of owner (or authorized representative)

Engineer's Seal, Signature
And Date of Signature



DEVIATION REQUEST (Attach diagrams, figures, and other documentation to clarify request)

A deviation from the standards of or in Section **2.4.1.B** of the Engineering Criteria Manual (ECM) is requested.

Identify the specific ECM standard which a deviation is requested:

1. Section 2.3, Table 2-6 describes one-mile intersection spacing requirements along Expressways.
2. Section 2.4, Table 2-35 indicates 425 feet access spacing requirements along collector roadways with a 25 MPH posted speed limit and a WB-67 design vehicle.
3. Section 2.3, Table 2-7 describes 35 MPH posted speed limit requirements for non-residential collector roadways.

State the reason for the requested deviation:

1. Resolution 18-186 currently provides direct Bent Grass Meadows Drive access onto E Woodmen with right-in/right-out restrictions. However, full-movement conditions are essential to better provide reasonable access to existing and future development areas along Bent Grass Meadows Drive and Woodmen Frontage Road.
2. To provide adequate commercial development viability, access locations are proposed so as to accommodate a minimum of two lots per access. If access is positioned to meet minimum spacing criteria per the County's ECM, the development area would likely only be able to accommodate two or three primary access locations serving large lots only. Such a layout is considered to be ineffectual in meeting the needs for adequate site-circulation to serve typical commercial development and balanced distribution of site traffic to and from the established area roadways.
3. A reduced posted speed limit will assist in facilitating site generated traffic in a safer manner since this segment of Bent Grass Meadows Drive will not be accommodating traffic over medium to long distances as non-residential collector roadways typically do.

Explain the proposed alternative and compare to the ECM standards (May provide applicable regional or national standards used as basis):

1. A new full-movement intersection onto E Woodmen Road is being proposed as a Continuous Green T-intersection (CGT) approximately one-half mile west of Meridian Road and one-half mile east of Golden Sage Road. Proposed CGT intersection to work in tandem with City planned CGT intersection at Golden Sage Road.
2. Internal access drives are being proposed onto Bent Grass Meadows Drive approximately 280 feet to 470 feet apart.
3. A posted speed limit of 25 MPH is proposed along Bent Grass Meadows Drive.

These proposed roadway design elements are in contrast to minimum spacing and posted speed limits requirements defined within Sections 2.3 and 2.4.

LIMITS OF CONSIDERATION

(At least one of the conditions listed below must be met for this deviation request to be considered.)

- The ECM standard is inapplicable to the particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public.

Provide justification:

In addition to the information previously provided as part of this request, the accompanying deviation request letter and submitted Master Traffic Impact Study collectively provide further justification for the requested deviation. The submitted materials are intended to demonstrate transportation design solutions that support viable commercial development while also addressing the long-term local and regional transportation needs and operational objectives of the surrounding area. As a result, the applicable criteria defined within Section 2.4 of the County's ECM are believed to be adequately addressed.

CRITERIA FOR APPROVAL

Per ECM section 5.8.7 the request for a deviation may be considered if the request is **not based exclusively on financial considerations**. The deviation must not be detrimental to public safety or surrounding property. The applicant must include supporting information demonstrating compliance with **all of the following criteria**:

The deviation will achieve the intended result with a comparable or superior design and quality of improvement.

This condition is believed to be addressed as described in the attached deviation request letter and submitted Master Traffic Impact Study. Roadway and access configurations presented in concept plan and discussed in the requested deviation were carefully coordinated with County Staff for provision of best design.

The deviation will not adversely affect safety or operations.

This condition is believed to be addressed as described in the attached deviation request letter and submitted Master Traffic Impact Study.

The deviation will not adversely affect maintenance and its associated cost.

This condition is believed to be addressed as described in the attached deviation request letter.

The deviation will not adversely affect aesthetic appearance.

This condition is believed to be addressed as described in the attached deviation request letter. Assumed roadway and access spacing concepts also accommodates County's intent for new roundabout construction on Woodmen Road Frontage.

The deviation meets the design intent and purpose of the ECM standards.

This condition is believed to be addressed as described in the attached deviation request letter and submitted Traffic Impact Study.

The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.

This condition is believed to be addressed where applicable.

REVIEW AND RECOMMENDATION:

Approved by the ECM Administrator

This request has been determined to have met the criteria for approval. A deviation from Section _____ of the ECM is hereby granted based on the justification provided.

Γ Γ

L J

Denied by the ECM Administrator

This request has been determined not to have met criteria for approval. A deviation from Section _____ of the ECM is hereby denied.

Γ Γ

L J

ECM ADMINISTRATOR COMMENTS/CONDITIONS:



SM ROCHA, LLC

TRAFFIC & TRANSPORTATION ENGINEERING CONSULTANTS

May 21, 2026

El Paso County
Department of Public Works
3275 Akers Drive
Colorado Springs, CO 80922

**RE: The Markets at Bent Grass Development
Conceptual Access Spacing Deviation Request**

To Whom it May Concern,

SM ROCHA, LLC is pleased to submit conceptual access spacing information and proposed direct connection to E Woodmen Road and Bent Grass Meadows Drive, for anticipated commercial development located to the northeast corner of Bent Grass Meadows Drive and Woodmen Frontage Road in El Paso County, Colorado.

This letter also serves as a request for deviation to access spacing requirements associated with the proposed development, pursuant to Section 2.4.1.B of the County's Engineering Criteria Manual (ECM)¹. This request is provided in addition to analysis of traffic impacts presented in the study entitled Master Traffic Impact Study (The Markets at Bent Grass), dated May 2026.

Resolution No. 18-186 currently provides for access from Bent Grass Meadows Drive with direct right-in/right-out access onto E Woodmen Road. After analyzing the surrounding development, both existing and proposed east and west of the site, along with the assumed commercial development at the northeast corner of Bent Grass Meadows Drive and E Woodmen Road, we are submitting the proposed direct connection concept for approval. With assumed development it is requested that a full-movement Continuous Green T-Intersection (CGT) be allowed through administrative powers of the resolution to better provide reasonable access to existing and future development areas along Bent Grass Meadows Drive and Woodmen Frontage Road. A copy of the resolution is provided for reference in Attachment A.

A conceptual site layout, including potential access locations, is provided for reference in Attachment B.

¹ El Paso County Engineering Criteria Manual, El Paso County, December 2016.

Proposed Transportation Network

To accommodate the commercial development various modifications to the existing roadways are proposed as follows:

- Provision of a CGT intersection from E Woodmen Road to Woodmen Frontage Road (via new Bent Grass Meadows Drive) is proposed to better facilitate the entry of vehicles to the assumed commercial area and adjacent residential subdivisions to the north and east. This addition is believed likely to assist in reducing volumes that would otherwise need to utilize the signalized intersection of Golden Sage Road with E Woodmen Road to the west, or the roundabout intersection of E Woodmen Road with Woodmen Frontage Road to the east. Pursuant to current classification of E Woodmen Road as an Expressway, it is understood that deviation for intersection spacing would be needed from one-mile spacing to one-half mile spacing.
- Additionally, the proposed CGT intersection described above is part of a coordinated effort between the County and City of Colorado Springs to provide a CGT intersection at Golden Sage Road along with other planned corridor improvements to enhance traffic operations, improve corridor mobility, and help accommodate the significant travel demands anticipated along the Woodmen Road corridor.
- Realignment of Woodmen Frontage Road east of Bent Grass Meadows Drive is proposed to accommodate the direct access intersection from E Woodmen Road as described.
- Based on projections for future Average Daily Traffic (ADT) volumes, Bent Grass Meadows Drive is proposed to provide for a three-lane section along the development area frontage with one southbound through lane, one northbound through lane, and a center two-way-left-turn-lane (TWLTL). Additionally, Woodmen Frontage Road is proposed to provide a three-lane cross-section through the development area with one through lane in each direction and one center TWLTL to the transition back to existing road section east of the assume development. Woodmen Frontage Road is also anticipated to have a non-residential collector classification within the development area transitioning to an urban local classification with a two-lane cross-section east of the development area. Posted speed limit within the development area is proposed to be limited to 25 MPH.

Access Spacing – El Paso County Engineering Criteria Manual

Pursuant to Sections 2.3 and 2.4 of the County's ECM, access drives shall be designed to accommodate various horizontal and vertical curve objectives, including but not limited to adequate spacing, clear sight distance requirements, and clearances from adjacent intersections.

Review of Tables 2-21 and 2-35 of the County's ECM provides minimum access spacing criteria for site accesses. For roadways with posted speed limits of 25 MPH, Tables 2-21 and 2-35 indicate intersection and entering sight distance requirements of 280 feet and 425 feet, respectively. For roadways with posted speed limits of 55 MPH, Table 2-35 indicates an entering sight distance requirement of 715 feet.

Upon review of the latest concept site plan, a deviation for access spacing is requested as the shortest offset between internal access drives along Bent Grass Meadows Drive is approximately 280 feet, while one-half mile spacing is proposed along E Woodmen Road.

Unresolved:

The deviation request needs to be submitted corresponding to the specific preliminary plan design and approved to allow for approval of the preliminary plan (or both revised accordingly to denied deviations).

Deviation Requests

To provide adequate commercial development viability, access locations are proposed so as to accommodate a minimum of two lots per access. If access is positioned to meet minimum spacing criteria per the County's ECM, the development area would likely only be able to accommodate two or three primary access locations serving large lots only. Such a layout is considered to be ineffectual in meeting the needs for adequate site-circulation to serve typical commercial development and balanced distribution of site traffic to and from the established area roadways.

The current conceptual site layout was developed to reflect the existing Falcon Marketplace commercial development located within one mile to the east. It is observed that this development provides a similar layout for serving multiple commercial lots with access along Falcon Market Place being between 200 and 300 feet apart, with a general ratio of one shared access for every two lots.

The intent of the assumed commercial development would be to conform with the adjacent commercial development design, and deviation from standard County access spacing criteria is therefore requested. It is understood that due to the highly conceptual nature of the proposed development area that formal deviations will likely require provision of a finalized/approved Traffic Impact Study to confirm acceptable access operations. However, the purpose of this current request is to determine the general guidelines by which the County may allow access drives to be constructed such that actual lot locations and site development plans can be created in compliance with County criteria as applicable.

Unresolved:

The TIS for the preliminary plan needs to provide enough information and justification - this cannot be put off to the future.

It is our professional conclusion that conceptual access locations and roadway alignments are comparable to those found in existing development areas within the County, and therefore it is believed that such a plan may be accommodated with the acknowledgement that additional traffic impact analyses may be needed to confirm that intersection operations achieve County design goals.

We trust this variance request will assist in the review and approval of future development in the Bent Grass and Woodmen Frontage Road area. We remain available to assist with any additional information or coordination that may be helpful.

Sincerely,

SM ROCHA, LLC

Traffic and Transportation Engineering



Mike Rocha
Principal

Unresolved:

The TIS does not provide enough detail to determine how the individual access intersections will operate and what the Q lengths will be. This information is necessary for El Paso County to determine if the access spacing deviation request will harm operations of the County's roadways. The County will also need to see an exhibit showing the intersection sight lines at each access.

Unresolved:
Include and address other agency comments including E-911 and the school district.

ATTACHMENT A

Resolution 18-186

Boell

RESOLUTION NO. 18 - 186

BOARD OF COUNTY COMMISSIONERS
COUNTY OF EL PASO, STATE OF COLORADO

A RESOLUTION TO AMEND RESOLUTION NO. 03-144 AND THEREBY TO AMEND THE EL PASO COUNTY WOODMEN ROAD ACCESS MANAGEMENT PLAN AND ADMINSTRATIVELY PERMIT A RIGHT-IN ACCESS TO WOODMEN ROAD

WHEREAS, pursuant to C.R.S §§ 30-11-101(1)(e), 30-11-103, and 30-11-107(1)(e), the Board of County Commissioners of El Paso County, Colorado (hereinafter "Board" or "County"), has the legislative authority to manage the business and concerns of the County and to exercise such other and further powers as are conferred by law when deemed by the Board to be in the best interests of the County and its inhabitants; and

WHEREAS, the Board is further authorized to manage County roads and regulate access to County roads and public highways by C.R.S. § 30-11-107(1)(h), which specifically authorizes the Board to lay out, alter, or discontinue any road running into or through the County and to perform such other duties respecting roads as may be required by law, and C.R.S. § 43-2-147(1)(a), which specifically authorizes the Board to regulate vehicular access to or from any public highway under its jurisdiction from or to property adjoining a public highway in order to protect the public health, safety, and welfare, to maintain smooth traffic flow, and to protect the functional level of public highways; and

WHEREAS, the Board adopted the Woodmen Road Access Management Plan pursuant to Resolution No. 03-144 on April 24, 2003, recorded at Reception No. 203094985 on May 2, 2003, in the records of the El Paso County Clerk and Recorder's Office; and

WHEREAS, on the north side of Woodmen Road, between Golden Sage Road (fka Lizardhead Road) and Meridian Road, the intersection distance is in excess of the one mile spacing which is recommended for expressway classifications as identified in the Woodmen Road Access Management Plan; and

WHEREAS, in recognition of this condition, the Board has determined that it would serve the best interests of the public and is in the best interests of the health, safety, and welfare of the citizens of El Paso County to amend the eighth paragraph of Resolution No. 03-144 and thereby amend the Woodmen Road Access Management Plan to provide one additional right-in-right-out access on the north side of Woodmen Road from Woodmen Road to the Woodmen Frontage Road approximately halfway between the intersections of Golden Sage Road (fka Lizardhead Road) and Meridian Road, which shall be called the Bentgrass access; and

Chuck Broerman
05/09/2018 02:30:22 PM
Doc \$0.00 3
Rec \$0.00 Pages

El Paso County, CO



218053103

WHEREAS, the Board, in Resolution No. 03-144, stated that "in the event that the identified full-movement accesses to Woodmen Road may not provide reasonable access for future development, additional right-in or right-in-right-out accesses may be considered on a case-by-case basis, as part of a full development plan submittal and with substantial supporting documentation"; and

WHEREAS, in recognition of the fact that the Bentgrass access does not yet exist, the Board has determined that it would serve the best interests of the public and is in the best interests of the health, safety, and welfare of the citizens of El Paso County to allow for an access to be administratively permitted on the north side of Woodmen Road from Woodmen Road to the Woodmen Frontage Road between Golden Sage Road (fka Lizardhead Road) and Meridian Road located approximately 1,100 feet west of the intersection of Meridian Road and Woodmen Road.

NOW, THEREFORE, BE IT RESOLVED that the Board of County Commissioners of El Paso County, Colorado hereby amends Resolution No. 03-144 and thereby amends the Woodmen Road Access Management Plan by amending the eighth paragraph of Resolution No. 03-144 by adding the following italicized language:

"...McLaughlin Road, a right-in right-out located on the south side of Woodmen, with a minimum of 1400 feet west of Meridian Road, and a right-in right out from Woodmen Road to the Woodmen Frontage Road approximately halfway between the intersections of Golden Sage Road (fka Lizardhead Road) and Meridian Road which shall be called the Bentgrass access; and"

BE IT FURTHER RESOLVED that the County Engineer is hereby authorized to make the appropriate changes to the text of the Woodmen Road Access Management Plan to accomplish the purposes described herein; however, this Resolution amending Resolution No. 03-144 and the amendment to the Woodmen Road Access Management Plan shall be effective immediately.

BE IT FURTHER RESOLVED that all other provisions of Resolution No. 03-144 and the Woodmen Road Access Management Plan not specifically amended by this Resolution remain in full force and effect. To the extent that the provisions of this Resolution conflict with any prior Board Resolution regarding similar matters, including but not limited to Resolution No. 03-144, the provisions of this Resolution and this amendment of the Woodmen Road Access Management Plan shall control.

BE IT FURTHER RESOLVED that the Board authorizes an access permit to be administratively issued with appropriate conditions in accordance with the El Paso County Engineering Criteria Manual for a right-in access located on the north side of Woodmen Road from Woodmen Road to the Woodmen Frontage Road between Golden Sage Road (fka Lizardhead Road) and Meridian Road approximately 1,100 feet west of the centerline of Meridian Road.

BE IT FURTHER RESOLVED that Darryl Glenn, duly elected, qualified member and President of the Board of County Commissioners, or Mark Waller, duly elected, qualified member and President Pro Tempore of the Board of County Commissioners, be and is hereby authorized and appointed on behalf of the Board to execute any and all documents necessary to carry out the intent of the Board as expressed herein.

DONE THIS 8th day of May, 2018 at Colorado Springs, Colorado.

ATTEST:

**BOARD OF COUNTY COMMISSIONERS
OF EL PASO COUNTY, COLORADO**

By:



Chuck Broerman
County Clerk & Recorder

By:



Darryl Glenn, President

ATTACHMENT B

Conceptual Site Layout

Dimension distances to this access

Falcon Storage


School district

Unresolved: Show and dimension distances between all access points on both sides of the road

259.00 ft

152.00 ft

112.00 ft



NOTE:
 - PARKING PER LAND USE CODE
 - COMMERCIAL CENTERS
 - COMMERCIAL CENTERS

