See comments on FAE provided in MS227. Submit revised version using 2023 FAE.

2022 Financial Assurance Estimate Form (with pre-plat construction)

 (With pre-plat construction)
 Updated: 11/4/2021

 PROJECT INFORMATION
 Space Village Filing No. 4
 10/1/2022
 MS227

 Project Name
 Date
 PCD File No.

			Unit				(with Pre-Plat C	•
Description	Quantity	Units	Cost			Total	% Complete	Remaining
SECTION 1 - GRADING AND EROSION CONTRO	OL (Construction	n and Perm	nanent BMPs)					
* Earthwork			1.					
less than 1,000; \$5,300 min		CY	\$ 8.00	=	\$	-	\$	-
1,000-5,000; \$8,000 min		CY	\$ 6.00	=	\$	-	\$	-
5,001-20,000; \$30,000 min	15,411	CY	\$ 5.00	=	\$	77,055.00	\$	77,055.0
20,001-50,000; \$100,000 min		CY	\$ 3.50	=	\$	-	\$	-
50,001-200,000; \$175,000 min		CY	\$ 2.50	=	\$	-	\$	-
greater than 200,000; \$500,000 min		CY	\$ 2.00	=	\$	-	\$	-
* Permanent Seeding (inc. noxious weed mgmnt.)		AC	\$ 886.00	=	\$	-	\$	-
* Mulching		AC	\$ 831.00	=	\$	-	\$	-
* Permanent Erosion Control Blanket		SY	\$ 7.00	=	\$	-	\$	-
* Permanent Pond/BMP Construction		CY	\$ 22.00	=	\$	-	\$	-
* Permanent Pond/BMP (provide engineer's estimate)		EA		=	\$		\$	-
, ,				=	\$		\$	-
Safety Fence	1,940	LF	\$ 3.00	=	\$	5,820.00	\$	5,820.0
Temporary Erosion Control Blanket	.,	SY	\$ 3.00	=	\$		\$	-,
Vehicle Tracking Control	2	EA	\$ 2,625.00	=	\$	5,250.00	\$	5,250.0
Silt Fence	2	LF	\$ 3.00		\$	3,230.00	\$	5,255.0
Temporary Seeding	22.8	AC	\$ 695.00	=	\$	15,846.00	\$	15,846.0
Temporary Mulch	22.8	AC	\$ 831.00	=	\$	18,946.80	\$	18,946.8
Surface Roughening	22.8	AC	\$ 600.00		\$	13,680.00	\$	13,680.0
	2,165	LF	\$ 6.00		\$	12,990.00	\$	12,990.0
Erosion Logs/Straw Wattles				=	_			
Rock Check Dams	14	EA		=	\$	7,756.00	\$	7,756.0
Culvert Inlet Protection	1	EA	\$ 1,108.00	=	\$	1,108.00	\$	1,108.0
Stabilized Staging Area	4,627	SY	\$ 2.00	=	\$	9,254.00	\$	9,254.0
Concrete Washout Basin	1	EA	\$ 997.00	=	\$	997.00	\$	997.0
				=	\$	-	\$	-
[insert items not listed but part of construction plans]				=	\$		\$	
	NTENANCE (35%	of Constr	uction BMPs)	=	\$	30,039.73	\$	30,039.73
- Subject to defect warranty financial assurance. A minimum of 20% shall		Soctio	n 1 Cubtatal		\$	198,742.53	\$	198,742.53
LLOWED)		Section	on 1 Subtotal	=	Þ	170,742.55	Ψ	170,742.33
LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS			on i Subtotai	=		170,742.55		170,742.55
LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control		LS		=	\$	-	\$	170,742.33
LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS			\$ 31.00			·		-
LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control		LS		=	\$	-	\$	-
SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)		LS Tons	\$ 31.00	=	\$		\$	-
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		LS Tons CY	\$ 31.00 \$ 56.00	=	\$ \$	- - -	\$ \$	- -
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		LS Tons CY SY	\$ 31.00 \$ 56.00 \$ 16.00	=	\$ \$ \$ \$	- - -	\$ \$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		LS Tons CY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00	=	\$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00	= =	\$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		LS Tons CY SY SY SY Tons	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00	= =	\$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)		LS Tons CY SY SY SY Tons SF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign		LS Tons CY SY SY SY Tons SF EA	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS * ROADWAY IMPROVEMENTS CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) Control of thick Control		LS Tons CY SY SY SY Tons SF EA EA SF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Aspided Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3		LS Tons CY SY SY SY Tons SF EA SF EA SF EA	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		LS Tons CY SY SY Tons SF EA EA SF EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		LS Tons CY SY SY SY Tons SF EA EA SF EA LF LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 9.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pave		LS Tons CY SY SY SY Tons EA EA LF LF LF SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 53.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk		LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 9.00 \$ 221.00 \$ 26.00 \$ 221.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 9.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 8 32.00 \$ 8 32.00 \$ 8 32.00 \$ 8 32.00 \$ 8 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk		LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SY SF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
CORDINA 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 9.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 30.00 \$ 106.00 \$ 106.00 \$ 1,273.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS * COADWAY IMPROVEMENTS CONStruction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA SF LF LF SY SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 9.00 \$ 9.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS CONSTRUCTION 12 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF LF LF LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 106.00 \$ 1,273.00 \$ 67.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Barbia Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons EA EA LF LF LF SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 66.00 \$ 106.00 \$ 106.00 \$ 1,273.00 \$ 167.00 \$ 1639.00		S S S S S S S S S S		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		LS Tons CY SY SY SY Tons EA EA LF LF SY SY SY LF EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 9.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 1,273.00 \$ 67.00 \$ 11,200 \$ 1639.00 \$ 1639.00 \$ 1639.00		S S S S S S S S S S		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 1,273.00 \$ 1,273.00 \$ 106.00 \$ 1,273.00 \$ 67.00 \$ 102.00 \$ 1,639.00 \$ 55.00 \$ 80.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS CONSTRUCTION 1 Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		LS Tons CY SY SY SY Tons SF EA EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 9.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 106.00 \$ 1,273.00 \$ 16.00 \$ 106.00 \$ 1,639.00 \$ 55.00 \$ 80.00 \$ 2,324.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 1,273.00 \$ 1,273.00 \$ 106.00 \$ 1,273.00 \$ 67.00 \$ 102.00 \$ 1,639.00 \$ 55.00 \$ 80.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS CONSTRUCTION 1 Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		LS Tons CY SY SY SY Tons SF EA EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 9.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 106.00 \$ 1,273.00 \$ 16.00 \$ 106.00 \$ 1,639.00 \$ 55.00 \$ 80.00 \$ 2,324.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		LS Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 9.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 26.00 \$ 221.00 \$ 27.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 66.00 \$ 1,273.00 \$ 102.00 \$ 102.00 \$ 55.00 \$ 80.00 \$ 2,324.00 \$ 4,172.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ 31.00 \$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 \$ 15.00 \$ 221.00 \$ 221.00 \$ 221.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 32.00 \$ 106.00 \$ 106.00 \$ 102.00 \$ 1,639.00 \$ 55.00 \$ 80.00 \$ 1,639.00 \$ 2,324.00 \$ 4,172.00 \$ 87.00		S S S S S S S S S S		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

	PROJECT INFORMATION	
Space Village Filing No. 4	10/1/2022	MS227
Project Name	Date	PCD File No.

		Unit				(with Pre-Plat Construction)		
Description	Quantity	Units	Cost		Total	% Complete	Remaining	
				=	\$ -		\$	-
[insert items not listed but part of construction plans]				=	\$ -		\$	-
TORM DRAIN IMPROVEMENTS								
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$ -		\$	-
18" Reinforced Concrete Pipe		LF	\$ 70.00	=	\$ -		\$	-
24" Reinforced Concrete Pipe		LF	\$ 83.00	=	\$ -		\$	-
30" Reinforced Concrete Pipe		LF	\$ 104.00	=	\$ -		\$	-
36" Reinforced Concrete Pipe		LF	\$ 128.00	=	\$ -		\$	-
42" Reinforced Concrete Pipe		LF	\$ 171.00	=	\$ -		\$	-
48" Reinforced Concrete Pipe		LF	\$ 209.00	=	\$ -		\$	-
54" Reinforced Concrete Pipe		LF	\$ 272.00	=	\$ -		\$	-
60" Reinforced Concrete Pipe		LF	\$ 319.00	=	\$ -		\$	-
66" Reinforced Concrete Pipe		LF	\$ 368.00	=	\$ -		\$	-
72" Reinforced Concrete Pipe		LF	\$ 421.00	=	\$ -		\$	-
18" Corrugated Steel Pipe		LF	\$ 90.00	=	\$ -		\$	-
24" Corrugated Steel Pipe		LF	\$ 103.00	=	\$ -		\$	-
30" Corrugated Steel Pipe		LF	\$ 131.00	=	\$ -		\$	-
36" Corrugated Steel Pipe		LF	\$ 157.00	=	\$ -		\$	-
42" Corrugated Steel Pipe		LF	\$ 180.00	=	\$ -		\$	-
48" Corrugated Steel Pipe		LF	\$ 190.00	=	\$ -		\$	-
54" Corrugated Steel Pipe		LF	\$ 278.00	=	\$ -		\$	-
60" Corrugated Steel Pipe		LF	\$ 300.00	=	\$ -		\$	-
66" Corrugated Steel Pipe		LF	\$ 364.00	=	\$ -		\$	-
72" Corrugated Steel Pipe		LF	\$ 428.00	=	\$ -		\$	-
78" Corrugated Steel Pipe		LF	\$ 492.00	=	\$ -		\$	-
84" Corrugated Steel Pipe		LF	\$ 588.00	=	\$ -		\$	-
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA		=	\$ -		\$	-
Flared End Section (FES) CSP Size =				=	\$ 		\$	
(unit cost = 6x pipe unit cost)		EA						
End Treatment- Headwall		EA		=	\$ -		\$	-
End Treatment- Wingwall		EA		=	\$ -		\$	-
End Treatment - Cutoff Wall		EA	.	=	\$ -		\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 6,138.00	=	\$ -		\$	-
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,981.00	=	\$ -		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 9,242.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 8,447.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,706.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,898.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,984.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,775.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,876.00	=	\$ -		\$	-
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 11,706.00	=	\$ -		\$	-
Curb Inlet (Type R) L =20', $5' \le Depth < 10'$		EA	\$ 12,920.00	=	\$ -		\$	-
Grated Inlet (Type C), Depth < 5'		EA	\$ 5,138.00	=	\$ -		\$	-
Grated Inlet (Type D), Depth < 5'		EA	\$ 6,347.00	=	\$ -		\$	-
Storm Sewer Manhole, Box Base		EA	\$ 12,876.00	=	\$ -		\$	-
Storm Sewer Manhole, Slab Base		EA	\$ 7,082.00	=	\$ -		\$	-
Geotextile (Erosion Control)		SY	\$ 7.00	=	\$ -		\$	-
Rip Rap, d50 size from 6" to 24"		Tons	\$ 89.00	=	\$ -		\$	-
Rip Rap, Grouted		Tons	\$ 105.00	=	\$ -		\$	-
Drainage Channel Construction, Size (W x H)		LF	\$ -	=	\$ -		\$	-
Drainage Channel Lining, Concrete		CY	\$ 631.00	=	\$ -		\$	-
Drainage Channel Lining, Rip Rap		CY	\$ 124.00	=	\$ -		\$	-
Drainage Channel Lining, Grass		AC	\$ 1,626.00	=	\$ -		\$	-
Drainage Channel Lining, Other Stabilization				=	\$ -		\$	-
				=	\$ -		\$	-
[insert items not listed but part of construction plans]				=	\$ -		\$	-
- Subject to defect warranty financial assurance. A minimum of 20% shall	1							

	PROJECT INFORMATION	
Space Village Filing No. 4	10/1/2022	MS227
Project Name	Date	PCD File No.

				Unit				(with Pre	-Plat Construction)
Description	Quantity	Units		Cost			Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pr	rivate or D	istr	ict and N	IOT Mair	ntained	by EPC)**		
ROADWAY IMPROVEMENTS							- 1		
					=	\$			\$ -
					=	\$			\$ -
					=	\$			\$ -
					=	\$			\$ -
					=	\$			\$ -
					=	\$			\$ -
STORM DRAIN IMPROVEMENTS (Excep	tion: Permanent Por	nd/BMP shall t	oe ite	emized unde	er Section 1				•
(=					=	\$			\$ -
					_	\$			\$ -
					_	\$			\$ -
						\$			\$ -
					_	\$			\$ -
					=	\$			\$ -
WATER SYSTEM IMPROVEMENTS									•
Water Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$			\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	83.00	=	\$			\$ -
Gate Valves, 8"		EA	\$	2,058.00	_	\$			\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	7,306.00	=	\$			\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,466.00	=	\$			\$ -
Fire Cistern Installation, complete		EA	Ť	17100.00	_	\$			\$ -
The Citien inclanation, complete					_	\$			\$ -
[insert items not listed but part of construction plans]					=	\$			\$ -
SANITARY SEWER IMPROVEMENTS					_	Ψ			*
Sewer Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$			\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,858.00	=	\$			\$ -
Sanitary Service Line Installation, complete		EA	\$	1,553.00	=	\$			\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$			\$ -
					=	\$			\$ -
[insert items not listed but part of construction plans]					=	\$			\$ -
LANDSCAPING IMPROVEMENTS	(For subdivision spe	ecific condition	of a	approval, or	PUD)				•
	, , , , , , , , , , , , , , , , , , ,	EA		, , ,	=	\$			\$ -
		EA			=	\$	_		\$ -
		EA			=	\$			\$ -
		EA			_	\$			\$ -
		EA			_	\$			\$ -
** - Section 3 is not subject to defect warranty requirements			n 3	Subtotal	_	\$			\$ -

PROJECT INFORMATION							
Space Village Filing No. 4	10/1/2022	MS227					
Project Name	Date	PCD File No.					

			Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units	Cost		To	tal	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent W	QCV BMPs)	LS		=	\$	-		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume of	alculations)	LS		=	\$	-		\$	-
				Total	Constructio	n Financia	I Assurance	\$	198,742.53
			(Sum of all se	ction subtota	als plus as-builts	and pond/Bl	MP certification)		
	Total Remain	ing Constr	uction Finar	icial Assu	rance (with	Pre-Plat C	onstruction)	\$	198,742.53
	(Sum of all	section totals	less credit for it	ems comple	ete plus as-builts	and pond/BI	MP certification)		
				Total De	fect Warrant	y Financia	I Assurance	\$	15,411.00
	(2	0% of all item	s identified as (). To be col	lateralized at tim	e of prelimina	arv acceptance)		
	(=		(,			,piaoo,		

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as show	vn on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date

